SIGMA-ALDRICH

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.5 Revision Date 07.01.2015 Print Date 28.05.2017 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SEC	TION 1: Identification of the	substance/mixture and of the company/undertaking
1.1	Product identifiers Product name	[:] Copper(II) sulfate
	Product Number Brand Index-No. REACH No.	 451657 Aldrich 029-004-00-0 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	CAS-No.	: 7758-98-7
1.2	Relevant identified uses	of the substance or mixture and uses advised against
	Identified uses	: Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet	
	Company	:
1.4	Emergency telephone nu	mber
	Emergency Phone #	
SEC	FION 2: Hazards identificati	on
2.1	Classification of the subs	stance or mixture
	Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410	
	For the full text of the H-Sta	atements mentioned in this Section, see Section 16.
	Classification according Xn Harmful	to EU Directives 67/548/EEC or 1999/45/EC R22

XN .	Harmiul	R2Z
Xi	Irritant	R36/38
Ν	Dangerous for the	R50/53
	environment	

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word



Hazard statement(s) H302 H315 Aldrich - 451657

Harmful if swallowed. Causes skin irritation.

H319 H410	Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

2.3 Other hazards

3.1

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Substances Synonyms	: Cupric sulfate
Formula	: CuO ₄ S
Molecular weight	: 159,61 g/mol
CAS-No.	: 7758-98-7
EC-No.	: 231-847-6
Index-No.	: 029-004-00-0

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Copper sulphate			
CAS-No.	7758-98-7	Acute Tox. 4; Skin Irrit. 2; Eye	<= 100 %
EC-No.	231-847-6	Irrit. 2; Aquatic Acute 1;	
Index-No.	029-004-00-0	Aquatic Chronic 1; H302,	
		H315, H319, H410	

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Copper sulphate			
CAS-No. EC-No. Index-No.	7758-98-7 231-847-6 029-004-00-0	Xn, N, R22 - R36/38 - R50/53	<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Special hazards arising from the substance or mixture Sulphur oxides, Borane/boron oxides, Copper oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. hygroscopic Store under inert gas. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator.For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: light grey
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 200 °C - dec.
f)	Initial boiling point and boiling range	No data available

g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	9,7 hPa at 25 °C
I)	Vapour density	No data available
m)	Relative density	3,603 g/mL at 25 °C
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety information	
	Bulk density	1 kg/m3

Bulk density

SECTION 10: Stability and reactivity

Reactivity 10.1 No data available

9.2

10.2 Chemical stability Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid No data available
- 10.5 Incompatible materials Powdered metals, hydroxylamine, Magnesium, Strong reducing agents

10.6 Hazardous decomposition products Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 482 mg/kg

- LD50 Intraperitoneal Rat 20 mg/kg
- LD50 Subcutaneous Rat 43 mg/kg

LD50 Intravenous - Rat - 48,9 mg/kg

Skin corrosion/irritation No data available

Aldrich - 451657

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

Rat Liver DNA damage

Mouse DNA damage

Carcinogenicity

Carcinogenicity - Chicken - Parenteral Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Endocrine:Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Reproductive toxicity - Mouse - Intravenous Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Developmental Toxicity - Mouse - Intravenous

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Central nervous system. Specific Developmental Abnormalities: Cardiovascular (circulatory) system.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: GL8800000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fishmortality LC50 - other fish - 1 - 2,5 mg/l - 96,0 hToxicity to daphnia and
other aquatic
invertebratesImmobilization EC50 - Daphnia magna (Water flea) - 0,024 mg/l - 48 h

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1	UN number ADR/RID: 307	7	IMDG: 3077	IATA: 3077
14.2	IMDG: EI	NVIRONMENTALLY NVIRONMENTALLY	HAZARDOUS SUBSTANCE, SOLII HAZARDOUS SUBSTANCE, SOLII dous substance, solid, n.o.s. (Coppe	D, N.O.S. (Copper sulphate)
14.3	Transport has ADR/RID: 9	zard class(es)	IMDG: 9	IATA: 9
14.4	Packaging gr ADR/RID: III	roup	IMDG: III	IATA: III
14.5	Environmenta ADR/RID: yes		IMDG Marine pollutant: yes	IATA: yes
14.6	Special preca No data availa	autions for user able		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity

Eye Irrit. H302 H315	Eye irritation Harmful if swallowed.
H319	Causes skin irritation. Causes serious eye irritation.
H400	Very toxic to aquatic life.

Full text of R-phrases referred to under sections 2 and 3

Ν	Dangerous for the environment
Xn	Harmful
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.