



Augusta®

ATO-MAT Werk 736


ATO-MAT movement 736




Ref. Nr.	Bezeichnung	Ref. No.	Description
736.00-0001	Kontaktfeder (Minus)	736.00-0001	Contact spring (minus)
736.00-0002	Kontaktfeder (Plus)	736.00-0002	Contact spring (plus)
736.00-0003	Regulierschraube	736.00-0003	Regulating screw
736.00-0004	Spiralrücker	736.00-0004	Hair-spring regulator
736.00-0005	Wechselrad	736.00-0005	Minute wheel
736.00-0006	Zwischenrad	736.00-0006	Intermediate wheel
736.00-0007	Kleinbodenrad	736.00-0007	Third wheel
736.00-0009	Stellwelle	736.00-0009	Setting arbor
736.00-1000	Trägerplatte vormontiert	736.00-1000	Movement plate pre-mounted
736.00-1100	Weichenrad	736.00-1100	Transmission wheel
736.00-1200	Sperrfeder	736.00-1200	Clich spring
736.00-1500	Lagerschraube unten	736.00-1500	Bearing screw (lower)
736.00-1600	Lagerschraube oben	736.00-1600	Bearing screw (upper)
736.00-2000	Gehäuse	736.00-2000	Capsule
736.00-2100	Rückwand	736.00-2100	Back
736.00-2900	Elektronikblock kompl.	736.00-2900	Electronic block complete
736.01-0008	Stundenrad – Zeigerwerklänge 10,5 mm	736.01-0008	Hour wheel – motion work length 10,5 mm
736.11-0008	Stundenrad – Zeigerwerklänge 16,5 mm	736.11-0008	Hour wheel – motion work length 16,5 mm
736.21-0008	Stundenrad – Zeigerwerklänge 21,5 mm	736.21-0008	Hour wheel – motion work length 21,5 mm
736.01-1400	Sekundenrad – Zeigerwerklänge 10,5 mm	736.01-1400	Sweep second wheel – motion work length 10,5 mm
736.11-1400	Sekundenrad – Zeigerwerklänge 16,5 mm	736.11-1400	Sweep second wheel – motion work length 16,5 mm
736.21-1400	Sekundenrad – Zeigerwerklänge 21,5 mm	736.21-1400	Sweep second wheel – motion work length 21,5 mm
736.01-3300	Minutenrad – Zeigerwerklänge 10,5 mm	736.01-3300	Center wheel – motion work length 10,5 mm
736.11-3300	Minutenrad – Zeigerwerklänge 16,5 mm	736.11-3300	Center wheel – motion work length 16,5 mm
736.21-3300	Minutenrad – Zeigerwerklänge 21,5 mm	736.21-3300	Center wheel – motion work length 21,5 mm
42.569-2814	Schraube	42.569-2814	Screw




736.00
-2000




736.00
-2100




736.00
-0001



736.00
-0002



736.00
-2900



736.00
-1000



736.00
-1100




736.00
-1200




736.00
-0006



736.01 -1400
736.11 -1400
736.21 -1400



736.00
-0007



736.01 -3300
736.11 -3300
736.21 -3300



736.00
-0005



736.01 -0008
736.11 -0008
736.21 -0008



736.00
-0009



736.00
-0004




736.00
-0003



736.00
-1500



736.00
-1600



42.569
-2814