# SIGMA-ALDRICH

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 Version 5.0 Revision Date 05.12.2012 Print Date 29.06.2017 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifiers

Product name	<sup>:</sup> Sodium peroxide
Product Number Brand Index-No.	<ul> <li>28-3660</li> <li>Katayama OEM Partner</li> <li>011-003-00-1</li> </ul>
CAS-No.	: 1313-60-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company

#### 1.4 Emergency telephone number

Emergency Phone #

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP] Oxidizing solids (Category 1) Skin corrosion (Category 1A)

**Classification according to EU Directives 67/548/EEC or 1999/45/EC** Contact with combustible material may cause fire. Causes severe burns.

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008 [CLP]

•

Pictogram



Signal word	Danger	
Hazard statement(s) H271 H314	May cause fire or explosion; strong oxidiser. Causes severe skin burns and eye damage.	
Precautionary statement(s) P220 P280	Keep/Store away from clothing/ combustible materials. Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/ physician.	
Supplemental Hazard Statements	none	
According to European Directive 67/548/EEC as amended.		

Hazard symbol(s)



R-phrase(s) R 8 R35	Contact with combustible material may cause fire. Causes severe burns.
S-phrase(s)	Keep container dry.
S 8	Take off immediately all contaminated clothing.
S27	Wear eye/face protection.
S39	In case of accident or if you feel unwell, seek medical advice immediately
S45	(show the label where possible).

#### 2.3 Other hazards - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Sodium peroxide		
Component		
Molecular Weight	:	77,98 g/mol
Formula	:	Na <sub>2</sub> O <sub>2</sub>
Synonyms	:	Sodium superoxide

Sodium peroxide		
CAS-No.	1313-60-6	-
EC-No.	215-209-4	
Index-No.	011-003-00-1	

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

**4.3** Indication of any immediate medical attention and special treatment needed no data available

## 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Concentration

- 5.2 Special hazards arising from the substance or mixture Sodium oxides
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.
- 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas.

7.3 Specific end use(s) no data available

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

#### Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: light yellow
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	12,8 at 100 g/l at 20 °C
e)	Melting point/freezing point	Melting point/range: 460 °C - dec.
f)	Initial boiling point and boiling range	657 °C at 1.013 hPa - Decomposes on heating.
g)	Flash point	not applicable
h)	Evaporation rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or explosive limits	no data available
k)	Vapour pressure	no data available
I)	Vapour density	no data available
m)	Relative density	2,805 g/cm3
n)	Water solubility	soluble
o)	Partition coefficient: n- octanol/water	no data available
p)	Auto-ignition temperature	no data available
q)	Decomposition	no data available

temperature

- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 1.

## 9.2 Other safety information no data available

## 10. STABILITY AND REACTIVITY

- 10.1 Reactivity no data available
- **10.2 Chemical stability** no data available
- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid no data available
- **10.5 Incompatible materials** Strong reducing agents, Organic materials, Alcohols, Powdered metals
- **10.6 Hazardous decomposition products** Other decomposition products - no data available

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity no data available

# Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

#### **Respiratory or skin sensitization** no data available

no data available

## Germ cell mutagenicity

no data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

no data available

## Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

#### Potential health effects

#### Inhalation

Ingestion

Katayama OEM Partner - 28-3660

May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns.

Skin	May be harmful if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

#### Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

#### **Additional Information**

RTECS: Not available

## 12. ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available
- **12.5** Results of PBT and vPvB assessment no data available
- **12.6 Other adverse effects** no data available

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### **Contaminated packaging**

Dispose of as unused product.

14.	TRANSPORT INFORMATION			
14.1	<b>UN number</b> ADR/RID: 1504	IMDG: 1504	IATA: 1504	
14.2	UN proper shipping nameADR/RID:SODIUM PEROXIDEIMDG:SODIUM PEROXIDEIATA:Sodium peroxidePassengerAircraft: Not permitted for	or transport		
14.3	Transport hazard class(es) ADR/RID: 5.1	IMDG: 5.1	IATA: 5.1	
14.4	Packaging group ADR/RID: I	IMDG: I	ΙΑΤΑ: Ι	
14.5	Environmental hazards ADR/RID: no	IMDG Marine Pollutant: no	IATA: no	
14.6	Special precautions for user no data available			

## 15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture no data available
- 15.2 Chemical Safety Assessment no data available

## 16. OTHER INFORMATION

## **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.