



Tension

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.


Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

Abbreviations

K=knit; **P**=purl; **st**=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **tbl**=through back of loops; **inc**=increase by working into front and back of st; **dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **fol**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **in**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **yfwd**=yarn forward; **psso**=pass slip st over; **patt**=pattern; **0**=no st, row or time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

K1bw=K1 below, K into next st 1 row below, **at the same time** slipping off st above (see diagram).



MB=make bobble as follows: (K1, P1, K1, P1, K1, P1, K1) in next st, then pass 2nd, 3rd, 4th, 5th, 6th and 7th sts on right needle separately over first st.

Tw2R=K into front of second st on left needle, then K into front of first st and slip both sts off needle together.

Tw2L=K into back of second st on left needle, then K into front of first st and slip both sts off needle together.

Cr2FP=slip next st on cable pin and leave at front of work, P1, then K1 from cable pin.

Cr2BP=slip next st on cable pin and leave at back of work, K1, then P1 from cable pin.

Cr3FP=slip next st on cable pin and leave at front of work, P2, then K1 from cable pin.

Cr3BP=slip next 2 sts on cable pin and leave at back of work, K1, then P2 from cable pin.

U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Instructions are given for the first size, with larger size(s) given in square brackets []. Where only one figure is given this applies to both (all) sizes.

Before starting to knit, read the instructions carefully and circle all figures relating to your size with a coloured pencil.

Drying Instructions

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

Design 10

Cardigan and Hat (illustrated in Shade 4335)

Measurements

Cardigan

To fit chest

41	46	51	56	cm
16	18	20	22	in

Actual size

46	52	58	61	cm
18	20 ^{1/2}	23	24	in

Finished length, approx

22	25	28	31	cm
8 ^{1/2}	10	11	12	in

Sleeve, measured down centre

12	15	18	19	cm
4 ^{1/2}	6	7	7 ^{1/2}	in

Hat

Fits head

40	45	48	50	cm
15 ^{1/2}	17 ^{1/2}	19	19 ^{1/2}	in

Quantities

Patons Fairytale 4 ply

Cardigan

2	2	3	3	50 gram balls
---	---	---	---	---------------

Hat

1	2	2	2	50 gram balls
---	---	---	---	---------------

Quantities of yarn are approximate as they are based on average requirements. Check actual yarn colour - as printing may not match yarn exactly.

Place a coloured marker at end of last row.

Shape raglan

46, 51 and 56 cm sizes: Dec 1 st at beg of next and every foll alt row until [34, 38, 38] sts rem. Work 1 row, thus ending with RS facing for next row.

All sizes: Shape front

Row 1 - K2tog, K18 [18, 24, 24], turn.

Row 2 and every alt row - sL1P, P to end.

Row 3 - K2tog, K15 [15, 20, 20], turn.

Row 5 - K2tog, K12 [12, 16, 16], turn.

Row 7 - K2tog, K9 [9, 12, 12], turn.

Row 9 - K2tog, K6 [6, 8, 8], turn.

Row 11 - K2tog, K3 [3, 4, 4], turn.

Row 13 - K2tog, K to end.

Row 14 - P (25 [27, 31, 31] sts).

Leave rem sts on a spare needle.

RIGHT FRONT

Work as Left Front from ** to **.

Place a coloured marker at beg of last row.

Shape raglan

Dec 1 st at end of next and foll 0 [2, 2, 4] alt rows, thus ending with WS facing for next row (31 [33, 37, 37] sts).

Shape front

Row 1 - (WS), P19 [19, 25, 25], turn.

Row 2 and every alt row - sL1K, K to last 2 sts, K2tog.

Row 3 - P16 [16, 21, 21], turn.

Row 5 - P13 [13, 17, 17], turn.

Row 7 - P10 [10, 13, 13], turn.

Row 9 - P7 [7, 9, 9], turn.

Row 11 - P4 [4, 5, 5], turn.

Row 13 - P (25 [27, 31, 31] sts).

Leave rem sts on a spare needle.

SLEEVES

With 2^{3/4} mm needles, cast on 33 [35, 37, 39] sts.

Work in rib as on Back for 11 [11, 11, 15] rows, thus ending with WS facing for next row.

Increase row - Rib 3 [4, 1, 2], *M1 (by picking up horizontal loop lying before next st and working into back of it), rib 4 [4, 5, 5]; rep from * to last 2 [3, 1, 2] sts, M1, rib to end (41 [43, 45, 47] sts).

Change to 3^{1/4} mm needles and starting with a K row, work in stocking st, shaping sides by inc 1 st

Pair each Patons 2^{3/4} mm (UK 12/USA 2) and 3^{1/4}mm (UK 10/USA 3) needles. 6 buttons for Cardigan. 2 colours of Anchor Stranded Cotton for embroidery.

Tension

28 sts and 36 rows to 10 cm (stocking st) on 3^{1/4}mm needles or size needed to achieve stated tension.

For notes and abbreviations, see first page of text.

CARDIGAN

BACK

With 2^{3/4} mm needles, cast on 63 [71, 79, 83] sts.

Rib row 1 - K2, *P1, K1; rep from * to last st, K1.

Rib row 2 - K1, *P1, K1; rep from * to end.

Rep these 2 rows 5 [5, 5, 7] times more, thus ending with RS facing for next row.

Change to 3^{1/4} mm needles and starting with a K row, work in stocking st until Back meas 11 [13, 15, 16] cm, ending with RS facing for next row.

Place a coloured marker at each end of last row.

Shape raglan

Dec 1 st at each end of next and every alt row until 57 [61, 69, 69] sts rem. Work 1 row.

Shape back

Row 1 - K2tog, K18 [18, 21, 21], turn.

Row 2 - sL1P, P to end.

Row 3 - K2tog, K12 [12, 14, 14], turn.

Row 4 - sL1P, P to end.

Row 5 - K2tog, K6 [6, 7, 7], turn.

Row 6 - sL1P, P to end.

Row 7 - K2tog, K across all sts to last 2 sts, K2tog.

Row 8 - P19 [19, 22, 22], turn.

Row 9 - sL1K, K to last 2 sts, K2tog.

Row 10 - P13 [13, 15, 15], turn.

Row 11 - sL1K, K to last 2 sts, K2tog.

Row 12 - P7 [7, 8, 8], turn.

Row 13 - sL1K, K to last 2 sts, K2tog.

Row 14 - P (49 [53, 61, 61] sts).

Leave rem sts on a spare needle.

LEFT FRONT

**With 2^{3/4} mm needles, cast on 31 [35, 39, 41] sts and work in rib as on Back for 12 [12, 12, 16] rows inc 1 st at centre on last row (32 [36, 40, 42] sts).

Change to 3^{1/4} mm needles and starting with a K row, work in stocking st until Left Front meas 11 [13, 15, 16] cm, ending with RS facing for next row.**

at each end of 5th and every 4th row until there are 51 [57, 61, 65] sts.

Work straight until Sleeve meas 12 [15, 18, 19] cm, ending with RS facing for next row.

Place a coloured marker at each end of last row.

Shape raglan

Dec 1 st at each end of next and every foll alt row until 37 [39, 43, 43] sts rem. Work 1 row, thus ending with RS facing.

Leave rem sts on a spare needle.

YOKE

Join raglans.

With RS facing, slip all sts from spare needles on Right Front, Sleeve, Back, Sleeve and Left Front onto a 3 1/4 mm needle (173 [185, 209, 209] sts).

Row 1 - (RS), *P8 [9, 11, 11], K2tog, yfwd, K3, yfwd, sL1K, K1, pssso; rep from * 10 times more, P8 [9, 11, 11].

Row 2 - K all K sts and P all P sts, working P into all yfwds.

Row 3 - *P8 [9, 11, 11], K2, yfwd, sL1K, K2tog, pssso, yfwd, K2; rep from * 10 times more, P8 [9, 11, 11].

Row 4 - K all K sts and P all P sts, working P into all yfwds.

Last 4 rows form eyelet patt.

Next row - *P2tog, P4 [5, 7, 7], P2tog, patt 7; rep from * 10 times more, P2tog, P4 [5, 7, 7], P2tog (149 [161, 185, 185] sts).

Keeping patt correct, work 5 rows.

Next row - *P2tog, P2 [3, 5, 5], P2tog, patt 7, rep from * 10 times more, P2tog, P2 [3, 5, 5], P2tog (125 [137, 161, 161] sts).

Cont thus, dec as before (working 2 sts less between dec each time) on foll 6th row 1 [1, 2, 2] times (101 [113, 113, 113] sts).

Work 5 rows.

Next row - *P2 [3, 3, 3] tog, patt 7; rep from * 10 times more, P2 [3, 3, 3] tog (89 sts).

Next row - As row 2.

Leave rem sts on a spare needle.

MAKE UP

Omitting ribbing, press lightly under a **dry** cloth using a cool iron, taking care not to spoil the patt.

Join raglan seams.

Button Border

With 2 3/4 mm needles, cast on 9 sts and work in rib as on Back for 60 [70, 80, 90] rows, thus ending with RS facing for next row.

Break yarn. Leave these sts on a safety-pin.

Buttonhole Border

With 2 3/4 mm needles, cast on 9 sts and work in rib as on Back for 4 rows, thus ending with RS facing for next row.

Next row - (Buttonhole row), rib 4, yfwd, K2tog, rib 3.

Work in rib for 11 [13, 15, 17] rows thus ending with RS facing for next row.

Rep last 12 [14, 16, 18] rows 3 times more, then buttonhole row again (5 buttonholes).

Work in rib for 7 [9, 11, 13] rows, thus ending with RS facing.

Do not break yarn. Leave these sts on a safety-pin.

Sew Borders in place to Fronts.

Neck Border

With RS facing and 2 3/4 mm needles, starting at Buttonhole Border, work across yoke thus:

41 cm size: Rib 9, K2tog, *K1, K2tog; rep from * to last 9 sts, rib 9 (77 sts).

46 cm size: Rib 9, *K2tog, K1, K2tog, K2; rep from * to last 14 sts, K2tog, K1, K2tog, rib 9 (81 sts).


51 and 56 cm sizes: Rib 9, K1, *K2tog, K2; rep from * to last 9 sts, rib 9 (85 sts).

Starting with row 2, work in rib as on Back for 9 rows, working a buttonhole as before on 4th row. Cast off loosely in rib.

Using Anchor Stranded Cotton and Bullion St (see diagram), embroider roses on reverse stocking st panels on Yoke as in photograph.

Bullion Stitch

Pick up a Back Stitch, the size of the Bullion Stitch required, bringing the needle point out where it first emerged, do not pull the needle right through the fabric. Twist the thread round the needle point as many times as required to equal the space of the Back Stitch. Hold the left thumb on the coiled thread and pull the needle through; still holding the coiled thread, turn the needle back to where it was inserted (see arrow) and insert in same place. Pull thread through until the Bullion Stitch lies flat. Use a needle with a small eye to allow the thread to pass through the coils easily. Arrange a circular group of Bullion Stitches to make a Rose.



Join side and sleeve seams. Sew on buttons.

HAT

With 2 3/4 mm needles, cast on 107 [119, 127, 131] sts and work in rib as on Back of Cardigan for 16 [18, 20, 22] rows, ending with row 2.

Increase row - Rib 5 [6, 5, 11], *M1 (by picking up horizontal loop lying before next st and working into back of it), rib 14 [12, 13, 22]; rep from * to last 4 [5, 5, 10] sts, M1, rib to end (115 [129, 137, 137] sts).

Change to 3 1/4 mm needles and patt thus:

Row 1 - (RS of Hat), P5, *K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, P7 [7, 8, 8]; rep from * to last 12 sts, K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, P5.

Row 2 - K all K sts and P all P sts, working P into all yfwds.

Row 3 - P5, *K2, yfwd, sL1K, K2tog, pssso, yfwd, K2, P7 [7, 8, 8]; rep from * to last 12 sts, K2, yfwd, sL1K, K2tog, pssso, yfwd, K2, P5.

Row 4 - K all K sts and P all P sts, working P into all yfwds.

Last 4 rows form patt.

Cont in patt until work meas 12 [13, 14, 15] cm from middle of rib, ending with RS facing for next row.

Next row - P3, P2tog, *patt 7, P2tog, P3 [3, 4, 4], P2tog; rep from * to last 12 sts, patt 7, P2tog, P3 (99 [111, 119, 119] sts).

Next row - As row 2.

Next row - P2, P2tog, *patt 7, P2tog, P1 [1, 2, 2], P2tog; rep from * to last 11 sts, patt 7, P2tog, P2 (83 [93, 101, 101] sts).

Next row - P1, *P2tog; rep from * to end (42 [47, 51, 51] sts).

Break yarn and run end through rem sts. Draw up tightly and fasten off.

MAKE UP

Do not press.

Using Anchor Stranded Cotton and Bullion St (see diagram in Make Up of Cardigan), embroider roses on reverse stocking st panels as in photograph.

Join seam, reversing seam for 3/4 of rib for turn back. Make a pom-pon and attach to top of Hat as in photograph. Turn back brim.