SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.4 Revision Date 26.09.2014

Print Date 08.01.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium cyanide

Product Number : 60178 Brand : Sigma

Index-No. : 006-007-00-5

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 151-50-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Riedstrasse 2

D-89555 STEINHEIM

Telephone : +49 89-6513-1444 Fax : +49 7329-97-2319 E-mail address : eurtechserv@sial.com

1.4 Emergency telephone number

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 1), H300 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 1), H310

Specific target organ toxicity - single exposure, Oral (Category 1), Heart, Testes, Brain, H370

Specific target organ toxicity - repeated exposure (Category 1), Thyroid, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

T+ Very toxic R26/27/28

R32

N Dangerous for the R50/53

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

Sigma - 60178 Page 1 of 8

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled

H370 Causes damage to organs (Heart, Testes, Brain) if swallowed.
H372 Causes damage to organs (Thyroid) through prolonged or repeated

exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : KCN

 Molecular weight
 : 65,12 g/mol

 CAS-No.
 : 151-50-8

 EC-No.
 : 205-792-3

 Index-No.
 : 006-007-00-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Potassium cyanide			
CAS-No. EC-No. Index-No.	151-50-8 205-792-3 006-007-00-5	Met. Corr. 1; Acute Tox. 1; STOT SE 1; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H290, H300 + H310 + H330, H370, H372, H410, EUH032	<= 100 %

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Potassium cyanide			
CAS-No. EC-No. Index-No.	151-50-8 205-792-3 006-007-00-5	T+, N, R26/27/28 - R32 - R50/53	<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

Sigma - 60178 Page 2 of 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical Dry sand Alcohol-resistant foam

Unsuitable extinguishing media

Water Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), Potassium oxides, Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

Sigma - 60178 Page 3 of 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Never allow product to get in contact with water during storage. Do not store near acids.

Light sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma - 60178 Page 4 of 8

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: crystalline a) Appearance

Colour: white

b) Odour No data available Odour Threshold No data available

d) Hq 11,5 at 20 g/l at 20 °C

Melting point/freezing

point

Melting point/range: 634 °C

Initial boiling point and f)

1.625 °C

boiling range

Flash point No data available

h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower i) flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available I)

m) Relative density 1,520 g/cm3

n) Water solubility 400 g/l at 20 °C - soluble

Partition coefficient: n-

octanol/water

log Pow: 0,44

p) Auto-ignition temperature

No data available

Decomposition

No data available

temperature Viscosity r)

No data available

No data available Explosive properties No data available Oxidizing properties

9.2 Other safety information

No data available

Sigma - 60178 Page 5 of 8

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with acids liberates very toxic gas.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Acids, Strong oxidizing agents, Iodine, permanganates, e.g. potassium permanganate, Peroxides, Metallic salts, Chloral hydrate, Alkaloids, Chlorates

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

LD50 Oral - Rat - female - >= 7,49 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - female - 14,29 mg/kg

LD50 Intraperitoneal - Rat - 4 mg/kg

Remarks: Lungs, Thorax, or Respiration:Other changes.

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Hamster

fibroblast

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Sigma - 60178 Page 6 of 8

Additional Information

Repeated dose toxicity - Rat - male - Oral - No observed adverse effect level - 40 mg/kg RTECS: Not available

Lung irritation, Cyanosis, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, Aspiration or inhalation may cause chemical pneumonitis., pulmonary edema, Lungs, CNS depression with hypertension or circulatory failure, and respiratory depression

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and

static test EC50 - Daphnia pulex (Water flea) - 0.11 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae IC50 - Scenedesmus quadricauda (Green algae) - 0,03 mg/l - 192 h

Toxicity to bacteria Respiration inhibition - Sludge Treatment - 2,3 mg/l - 30 min

12.2 Persistence and degradability

No data available

Chemical Oxygen Demand (COD)

< 1 mg/g

12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1680 IMDG: 1680 IATA: 1680

14.2 UN proper shipping name

ADR/RID: POTASSIUM CYANIDE, SOLID IMDG: POTASSIUM CYANIDE, SOLID

IATA: Potassium cyanide, solid

Sigma - 60178 Page 7 of 8

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

EUH032 Contact with acids liberates very toxic gas.

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H300 + H310 + Fatal if swallowed, in contact with skin or if inhaled

H330

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H370 Causes damage to organs (/\$/*_ORG_SING_ORAL/\$/) if swallowed.

H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or

repeated exposure.

Full text of R-phrases referred to under sections 2 and 3

N Dangerous for the environment

T+ Very toxic

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R32 Contact with acids liberates very toxic gas.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - 60178 Page 8 of 8