

Hayfield

BEAULON Baby Quick Knit or any Hayfield Baby Quick Knit

90





THREE BABY COATS

The Button-up Cardigan (top)

INSTRUCTIONS are given for a 19 inch chest. Changes for a 21 inch chest are given in brackets.

HAYFIELD BEAULON BABY QUICK KNIT or any Hayfield Baby Quick Knit, 3 (4) ozs. 1 pair each of No. 9 and No. 8 knitting needles or the size required to give the correct tension.

MEASUREMENTS

To fit a 19 (21) inch chest, Length at centre back 10 (11) inches. Sleeve seam $5\frac{1}{2}$ ($6\frac{1}{2}$) inches.

TENSION

6 stitches to 1 inch over pattern on No. 8 needles or the size required to give the correct tension.

VERY IMPORTANT.—Tension is the most important element in knitting. If your tension is correct the garment will be the size indicated in the instructions. If necessary change to thicker or thinner needles to maintain the correct number of stitches and rows to the inch.

ABBREVIATIONS

alt. = alternate beg.=begin(ning) cont.=continue dec.=decrease inc.=increase in(s) = inch(es)K.=knit M.=make

M.1 = make 1P = purlpatt.=pattern rem. = remain(ing) rep.=repeat st(s).=stitch(es) tog.=together y.r.n.=yarn round needle

NOTE: Always cast on with the cable method.

be worked on to right hand needle, yarn forward, slip the 2 sts, back on to left hand needle, yarn back, then K. the 2 sts. in the ordinary

y.r.2=yarn round 2 [slip next 2 sts. to

The Button-up Cardigan

THE BACK

Using No. 9 needles cast on 62 (70) sts. and work 6 rows in K.1, P.1 rib. Change to No. 8 needles and patt. 1st row.—Knit.

2nd row.—Purl. 3rd row.—K.1, [y.r.2, K.2] to last st., K.1. 4th row.—Purl.

5th row.—K.3, [y.r.2, K.2] to last 3 sts., y.r.2, K.1. Rep. 2nd to 5th rows inclusive for patt.

Cont. in patt. until work measures 5 ($5\frac{1}{2}$) ins., ending with a P. row.

Shape Raglan

Cast off 3 (4) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next and every alt, row until 24 (26) sts. rem. Leave sts. on spare needle.

THE LEFT FRONT

Using No. 9 needles cast on 30 (34) sts. and work 6 rows in K.1, P.1 rib. Change to No. 8 needles and cont. in patt. until side edge measures same as back, ending with a P. row.

Shape Raglan

Cast off 3 (4) sts. at beg, of next row. Dec. 1 st. at same edge every alt. row until 15 (16) sts. rem., ending at front edge.

Shape Neck

Cast off 3 (4) sts. at beg. of next row then dec. 1 st. at this edge every row, still dec. at raglan edge as before, until all sts. are worked off.

THE RIGHT FRONT

Work as for left front, reversing all shapings, and also patt, so that side edges match when finished,

THE LEFT FRONT BORDER

Using No. 9 needles cast on 6 sts. and work in K.1, P.1 rib until border is long enough to fit left front edge. Leave sts. on a pin. Sew border in position. Mark positions for 5 evenly spaced buttons on border. first one in centre of waistband and allowing for 5th one to be worked in neck band.

THE RIGHT FRONT BORDER

Using No. 9 needles cast on 6 sts. and work in K.1, P.1 rib until border is same length as opposite side, making buttonholes to correspond with markers thus: From outside edge, rib 3 sts., M.1, K.2 tog., rib 1 st. Leave sts. on 2nd pin. Sew border in position.

THE SLEEVES

Using No. 9 needles cast on 34 (38) sts. and work 10 (12) rows in K.1, P.1 rib. Change to No. 8 needles and continue in patt. Inc. 1 st. at each end of every 5th row until there are 44 (50) sts.

Work until sleeve measures $5\frac{1}{2}$ ($6\frac{1}{2}$) ins., ending with a P. row.

Shape Raglan Top

Cast off 3 (4) sts. at beg. of next 2 rows. Dec. 1 st. at each end of next and every alt, row until 6 sts. rem. Cast off.

THE NECK BAND Lightly press work on wrong side. Join raglan seams. Using No. 9 needles and right side of work facing, pick up 6 sts. from pin at right front, pick up and K.13 (14) sts. from right side of neck and sleeve top, 24 (26) sts. from back, 13 (14) sts. from left side of neck and sleeve top, then work across 6 sts. from

Work in K.1, P.1 rib for 5 rows making 5th buttonhole at beg, of 2nd row, Cast off in rib.

TO MAKE UP

Join side seams and sleeve seams. Lightly press all seams. Sew on buttons to correspond with buttonholes.

The Plain Coat (bottom)

INSTRUCTIONS are given for a 19 inch chest. Changes for a 21 inch chest are given in brackets.

MATERIALS

HAYFIELD BEAULON BABY QUICK KNIT or any Hayfield Baby Quick Knit, 3 (3) ozs. 1 pair each of No. 10 and No. 8 knitting needles or the size required to give the correct tension. 3 small buttons.

MEASUREMENTS

To fit a 19 (21) inch chest. Length at centre back $10\frac{1}{2}$ ($11\frac{1}{2}$) inches. Sleeve seam $5\frac{1}{2}$ ($6\frac{1}{2}$) inches.

TENSION

11 stitches to 2 inches over st.-st. on No. 8 needles or the size required to give the correct tension.

VERY IMPORTANT.—Tension is the most important element in knitting. If your tension is correct the garment will be the size indicated in the instructions. If necessary change to thicker or thinner needles to maintain the correct number of stitches and rows to the inch.

ABBREVIATIONS as on page 2.

NOTE: Always cast on with the cable method.

The Plain Coat

THE BACK

Using No. 8 needles cast on 54 (62) sts. and K. 3 rows. 4th row.—Purl.

5th row.—P.2, Sl.2 purlwise, carrying yarn loosely across Sl. sts., to last 2 sts., P.2. 6th row.—Purl.

Rep. 5th and 6th rows 5 times. *

Cont. in st.-st. now until work measures $5\frac{1}{2}$ (6) ins., ending with a P. row.

Shape Raglan

Cast off 2 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next and every alt, row until 18 (22) sts. rem. Leave sts. on a spare needle.

THE LEFT FRONT

Using No. 8 needles cast on 34 (38) sts. and work as for lower back to *.

Next row.—K. to last 6 sts., P.2, Sl.2 purlwise, P.2. Next row.—Purl.

Rep. last 2 rows until side edge measures same as back to armhole, ending with a P. row.

Shape Raglan

Cast off 2 sts. at beg. of next row. Work 1 row. Dec. 1 st. at beg. of next and every alt, row until 20 (22) sts. rem., ending at front edge.

Still dec. at raglan edge as before, cast off at beg, of next and following alt. row 6 (7) sts. once and 3 (4) sts. once, then dec. 1 st. at this edge on every row until all sts. are worked off.

THE RIGHT FRONT

Work as for left front to armhole shaping, reversing front border and ending with a K, row.

Shape Raglan

Next row.—Cast off 2 sts., work to end. Next row.—P.2, P.2 tog., y.r.n., P.2, K. to last 2 sts., K.2 tog. Dec. 1 st. at raglan edge each alt. row now until 20

(22) sts. rem., making a 2nd buttonhole on following

14th (16th) row. Next row.—Work to end.

Next row.—Cast off 6 (7) sts. purlwise to form first ridge of neck border, K. to last 2 sts., K.2 tog.

Next row .-- Purl.

Next row.—Cast off 3 (4) sts., K. to last 2 sts., K.2

Dec. 1 st. at neck edge every row now, still dec. at raglan edge as before until all sts. are worked off.

THE SLEEVES

Using No. 10 needles cast on 34 (38) sts. and K. 3 rows.

4th row.—Purl.

Change to No. 8 needles and work 5th and 6th rows of pattern given for lower back 6 times. Change to st.-st. now and inc. 1 st. at each end of next then every following 6th row until there are 42 (46) sts.

Work until sleeve measures $5\frac{1}{2}$ ($6\frac{1}{2}$) ins., ending with a P. row.

Shape Raglan Top

Cast off 2 sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next and every alt. row until 6 sts. rem. Cast off.

THE NECK BAND

Lightly press work on wrong side. Join raglan seams. Using No. 10 needles and right side of work facing, pick up and K.21 (22) sts. along right front and sleeve top, 18 (22) sts. from back, and 21 (22) sts. along sleeve top and left front. K. 1 row.

Next row.—K.2, K.2 tog., M.1, K. to end.

K. 4 rows. Cast off.

TO MAKE UP

Join side seams and sleeve seams. Lightly press all seams. Sew on buttons to correspond with buttonholes.

USE BUBBLY STERGENE TO WASH YOUR KNITWEAR

Follow the simple instructions on the bottle and Bubbly Stergene will wash your garments safely and surely. A special ingredient preserves whiteness and original colour. No hard rubbing, just the minimum of squeezing required to keep your knitwear soft and beautiful.

INSTRUCTIONS are given for an 18 to 20 inch chest. Changes for a 20 to 22 inch chest are given in brackets.

correct number of stitches and rows to the inch.

3 small buttons or as desired.

MEASUREMENTS

rows.

Commence patt.

4th row.-Knit.

6th row.-Knit.

Divide for Raglan Armholes

for time being, work to end.

19 (19) sts. rem. Work 1 row.

Leave sts. on a spare needle.

front and work to end of row.

Next row.—Work to last 7 (7) sts., turn. Slip last 7 (7)

work to end of row,

sts. on to a 2nd pin.

(18) sts. rem.

The Simple Jacket (centre)

With right side facing, rejoin yarn to sts, of back and Dec. 1 st. at each end of next and every alt, row until With right side facing, rejoin yarn to sts. of left side

Dec. 1 st. at end of next and every alt. row until 18

Dec. 1 st. at neck edge every row now, still dec. at raglan edge as before until all sts. are worked off.

Next row.—Work 7 (7) sts. and slip these on to a pin

Next row.—K.31 (34) sts., cast off 4 sts., K.51 (57) sts., cast off 4 sts., K. to end. Keeping patt. correct, complete right side front. Next row.—Work to end. Dec. 1 st. at beg. of next and every alt, row until 18 (18) sts. rem., ending at front edge.

5th row.—K.3, P. to last 3 sts., K.3. Rep. these 6 rows of patt. 6 (7) times.

The Simple Jacket THE LOWER BACK AND SIDES Using No. 8 needles cast on 121 (133) sts. and K. 3 1st row [wrong side].—Knit. 2nd row.—K.2, [K.2 tog., M.1] to last 3 sts., K.3. 3rd row.—Knit.

ABBREVIATIONS as on page 2. **NOTE:** Always cast on with the cable method.

HAYFIELD BEAULON BABY QUICK KNIT or any Hayfield Baby Quick Knit, 3 (4) ozs. 1 pair each of No. 10 and No. 8 knitting needles or the size required to give the correct tension.

22 stitches to 4 inches over pattern on No. 8 needles or the size required to give the correct tension.

To fit an 18 to 20 (20 to 22) inch chest. Length at centre back $9\frac{1}{2}$ ($10\frac{1}{2}$) inches. Sleeve seam $5\frac{1}{2}$ ($6\frac{1}{2}$) inches.

VERY IMPORTANT.—Tension is the most important element in knitting. If your tension is correct the garment will be the size indicated in the instructions. If necessary change to thicker or thinner needles to maintain the

4th row.—Knit.

5th row.—Purl.

6th row.—Knit.

Shape Raglan Top

Dec. 1 st. at neck edge every row now, still dec. at raglan edge as before until all sts. are worked off. THE SLEEVES

Using No. 10 needles cast on 32 (34) sts. and K.9 (13) Change to No. 8 needles and cont. in patt. thus: 1st row [wrong side].—Knit.

2nd row.—[K.2 tog., M.1] to last 2 sts., K.2. 3rd row.—Knit.

Keeping patt. correct, inc. 1 st. at each end of next and every following 4th row until there are 42 (48) sts. Work until 7 (8) patterns have been completed.

Cast off 3 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next and every alt, row until 6 sts. rem. Work 1 row. Cast off.

THE NECK BAND Lightly press out work on wrong side. Join sleeve seams, then join raglan seams matching patt. Using No. 10 needles and with right side of work facing pick up 7 (7) sts. from pin at right front, pick up and K.14 (15) sts. from right front and sleeve top,

19 (19) sts. from back, 14 (15) sts. from sleeve top and left front, then K. across sts. from 2nd pin. K. 3 rows.

neck band, then sew the remaining buttons below as

desired, using first row of holes on right front as

Next row.—K.2, K.2 tog., M.1, K. to end. K. 2 rows. Cast off. TO MAKE UP Lightly press all seams. Sew button in position on

JOHN C. HORSFALL & SONS LTD.

Hayfield Mills, Glusburn, Nr. Keighley, Yorkshire ALSO AT HAYFIELD KNITTING WOOLS, 19 MONTROSE STREET, GLASGOW C.1

Published by

HAYFIELD KNITTING WOOLS, 5 BEDFORD STREET, BELFAST 2 AND HAYFIELD KNITTING WOOLS, 2/3 NORFOLK STREET, LONDON W.C.2 WITH ALL RIGHTS RESERVED

buttonholes.