

Table 4 (extended online version).

Details of stillbirths and neonatal deaths (excluding lethal anomalies)

Perinatal r	Group	Parity	Labour	Gestationa	Presentatic	Epidural	Prolonged	Type of del
Low	VB		0 I<comma> A	41·9	Frank bree	Yes	No	CS
Low	VB		1 S<comma> /	37·0	Frank bree	No	No	VB
Low	VB		0 S<comma> /	41·2	Frank bree	No	No	VB
High	VB		0 S<comma> /	38·0	Frank bree	No	No	VB
High	CS		0 S	41·3	Frank bree	No	No	VB
High	VB		0 I<comma> A	39·3	Complete t	No	No	VB
High	VB		6 S<comma> /	38·7	Frank bree	No	No	VB (f)
High	VB		0 I<comma> A	42·1	Frank bree	No	No	VB
High	VB		0 S<comma> /	37·8	Frank bree	No	No	VB (f)
High	VB		1 S	39·6	Complete t	No	No	VB
High	CS		3 No labour	39·5	Uncertain t	No	No	CS
High	VB		2 S	37·0	Frank bree	No	No	VB (f)
High	VB		0 S	37·5	Frank bree	No	No	VB
High	VB		0 S	40·6	Complete t	No	No	VB
High	VB		4 S<comma> /	41·6	Cephalic	No	No	VB
High	CS		0 S	37·1	Frank	No	No	CS

Experience Birthweigh Timing of dOther information

Yes	3370 ND	FHR abnormalities; difficult attempt at vaginal delivery before CS
Yes	1150 SB	Intrauterine death of a twin<comma> probably before enrolment
Yes	2965 SB	Fetal heart tones disappeared during second stage of labour too late
Yes	2400 SB	Difficult vaginal delivery
Yes	2550 SB	Difficult vaginal delivery
Yes	2000 ND	Baby discharged home well; died during sleep
Yes	3500 ND	Difficult vaginal delivery; baby had a small head<comma> low set ear
Yes	3000 SB	Difficult vaginal delivery
Yes	2500 ND	Baby discharged home well; died after developing severe vomiting
Yes	2700 SB	FHR abnormalities; fetal heart tones disappeared before a CS could b
Yes	2300 ND	Respiratory problems after prelabour CS
Yes	2500 ND	Respiratory problems
Yes	2700 ND	Respiratory problems
Yes	3050 SB	Difficult vaginal delivery
No	3650 SB	Intrauterine death<comma> probably before enrolment
No	2805 ND	FHR abnormalities; ruptured myelomeningocele

to undertake a CS

's and deep set eyes

ie started