# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 Version 5.2 Revision Date 23.02.2015 Print Date 23.04.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers** 

> Product name Sodium metabisulfite

**Product Number** 71932

Brand Sigma-Aldrich Index-No. 016-063-00-2

REACH No. A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

7681-57-4 CAS-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheet 1.3

> Sigma-Aldrich Chemie GmbH Company

> > Riedstrasse 2

D-89555 STEINHEIM

Telephone +49 89-6513-1444 Fax +49 7329-97-2319 E-mail address eurtechsery@sial.com

1.4 **Emergency telephone number** 

> Emergency Phone # 0800 181 7059 (CHEMTREC Deutschland)

> > +49 (0)696 43508409 (CHEMTREC weltweit)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn Harmful **R22** R41 Χi Irritant R31

**R52** 

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Sigma-Aldrich - 71932 Page 1 of 8 Hazard statement(s)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Precautionary statement(s)

P280 Wear eye protection/ face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell. Rinse mouth.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing, Immediately

call a POISON CENTER or doctor/physician.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Sodium disulfite

Sodium pyrosulfite Natrii metabisulfis

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration		
Sodium metabisulphite					
CAS-No. EC-No. Index-No.	7681-57-4 231-673-0 016-063-00-2	Acute Tox. 4; Eye Dam. 1; H302, H318, EUH031	<= 100 %		

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Sodium metabisulphit	e		
CAS-No. EC-No. Index-No.	7681-57-4 231-673-0 016-063-00-2	Xn, R22 - R31 - R41 - R52	<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

Sigma-Aldrich - 71932 Page 2 of 8

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder

### 5.2 Special hazards arising from the substance or mixture

Sulphur oxides, Sodium oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Air and moisture sensitive.

Storage class (TRGS 510): Non Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 71932 Page 3 of 8

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Components with workplace control parameters

### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 71932 Page 4 of 8

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: colourless

b) Odour pungent

c) Odour Thresholdd) pH4,5 at 50 g/l at 20 °C

e) Melting point/freezing

point

Melting point/range: > 300 °C

f) Initial boiling point and

boiling range

No data available

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data available
 l) Vapour density No data available
 m) Relative density 1,480 g/cm3
 n) Water solubility 650 g/l at 20 °C

o) Partition coefficient: n-

octanol/water

log Pow: -3,699 at 25 °C

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Bulk density 1.100 - 1.200 kg/m3

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

### 10.2 Chemical stability

Exposure to moisture

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Exposure to air. Heat

# 10.5 Incompatible materials

Strong acids, Strong oxidizing agents

Sigma-Aldrich - 71932 Page 5 of 8

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 1.540 mg/kg (OECD Test Guideline 401)

LD50 Dermal - Rat - > 2.000 mg/kg

### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

Eves - Rabbit

Result: Risk of serious damage to eyes.

(OECD Test Guideline 405)

## Respiratory or skin sensitisation

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

# Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium metabisulphite)

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

RTECS: UX8225000

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting., chest pain, Difficulty in breathing, Gastrointestinal discomfort, Vomiting, Diarrhoea, Persons with allergies and/or asthma may exhibit hypersensitivity to sulfites., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 150 - 220 mg/l - 96 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 89 mg/l - 24 h

other aquatic invertebrates

Toxicity to algae IC50 - Desmodesmus subspicatus (green algae) - 48 mg/l - 72 h

Toxicity to bacteria - Pseudomonas putida - 56 mg/l - 17 h

### 12.2 Persistence and degradability

No data available

Sigma-Aldrich - 71932 Page 6 of 8

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Harmful to aquatic life.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

EUH031 Contact with acids liberates toxic gas.

Eye Dam. Serious eye damage H302 Harmful if swallowed.

H318 Causes serious eye damage.

Sigma-Aldrich - 71932 Page 7 of 8

# Full text of R-phrases referred to under sections 2 and 3

Xn Harmful

R22 Harmful if swallowed.

R31 Contact with acids liberates toxic gas.
R41 Risk of serious damage to eyes.
R52 Harmful to aquatic organisms.

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 71932 Page 8 of 8