# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 Version 5.1 Revision Date 05.05.2014 Print Date 06.07.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Bismuth(III) chloride

Product Number : 254142 Brand : Aldrich

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 7787-60-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone number

Emergency Phone # :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xi Irritant R36/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements

none

Aldrich - 254142 Page 1 of 7

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : BiCl<sub>3</sub>

Molecular Weight : 315,34 g/mol CAS-No. : 7787-60-2 EC-No. : 232-123-2

### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Bismuth trichloride			
CAS-No.	7787-60-2	Skin Irrit. 2; Eye Irrit. 2; H3	15, <= 100 %
EC-No.	232-123-2	H319	

### Hazardous ingredients according to Directive 1999/45/EC

Component	-	Classification	Concentration		
Bismuth trichloride					
CAS-No. EC-No.	7787-60-2 232-123-2	Xi, R36/38	<= 100 %		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Bismuth oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Aldrich - 254142 Page 2 of 7

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Components with workplace control parameters

#### 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### **Eve/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Aldrich - 254142 Page 3 of 7

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odour no data availablec) Odour Threshold no data availabled) pH no data available

e) Melting point/freezing

point

Melting point/range: 230 - 232 °C - lit.

Page 4 of 7

f) Initial boiling point and

boiling range

447 °C - lit.

g) Flash point not applicable

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

i) Upper/lower flammability or explosive limits no data available

k) Vapour pressure no data availablel) Vapour density no data available

m) Relative density 4,750 g/cm3n) Water solubility no data available

o) Partition coefficient: noctanol/water no data available

p) Auto-ignition no data available temperature

q) Decomposition no data available temperature

r) Viscosity no data available

Aldrich - 254142

s) Explosive properties no data availablet) Oxidizing properties no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - rat - 3.334 mg/kg

## Skin corrosion/irritation

no data available

## Serious eye damage/eye irritation

no data available

## Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

no data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

no data available

## Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

## **Additional Information**

RTECS: EB2690000

Symptoms of chronic bismuth toxicity in humans consists of decreased appetite, weakness, rheumatic pain, diarrhea, fever, metal line on the gums, foul breathe, gingivitis, and dermatitis. Jaundice and conjunctival hemorrhage are rare, but have been reported. Bismuth nephropathy with proteinuria may

Aldrich - 254142 Page 5 of 7

occur. The kidney is the site of highest concentration with the liver being considerably lower. Bismuth does pass into the amniotic fluid and into the fetus., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

no data available

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

no data available

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

Aldrich - 254142 Page 6 of 7

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit. Eye irritation

H315 Causes skin irritation.
H319 Causes serious eye irritation.

Skin Irrit. Skin irritation

# Full text of R-phrases referred to under sections 2 and 3

Xi Irritant

R36/38 Irritating to eyes and skin.

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 254142 Page 7 of 7