

| Date | Facility | Process | Message |
|--------------------|-------------|-------------|---|
| Apr 12 19:00:01 | cron.info | crond[2556] | crond: USER root pid 9972 cmd /sbin/trafficmon.lua |
| Apr 12 19:00:01 | cron.info | crond[2556] | crond: USER root pid 9971 cmd /usr/bin/thermalProtection |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: LAST STATE: |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: < Empty Response |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: > GetParameterValues Response |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: < GetParameterValues Request |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: > Empty Post |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform Response |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | CONNECTION: < HTTP code 401 |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |

| Date | Facility | Process | Message |
|--------------------|-------------|-------------|---|
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | CONNECTION: Connected to server, starting transaction. |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | CONNECTION: Connecting to server |
| Apr 12 18:58:59 | daemon.info | cwmpd[5582] | PROT_TRACE: Events are waiting, need to contact ACS |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.682000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.669000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.669000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.664000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.651000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:57 | kern.warn | kernel | [2075.651000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:58:56 | daemon.warn | transformer | set_wrapper with 3 args not supported |
| Apr 12 18:58:56 | daemon.warn | transformer | set_wrapper with 3 args not supported |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: LAST STATE: |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: < Empty Response |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: > GetParameterValues Response |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: < GetParameterValues Request |

| Date | Facility | Process | Message |
|--------------------|-------------|-------------|---|
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: > Empty Post |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform Response |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | CONNECTION: < HTTP code 401 |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | CONNECTION: Connected to server, starting transaction. |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | CONNECTION: Connecting to server |
| Apr 12 18:58:39 | daemon.info | cwmpd[5582] | PROT_TRACE: Events are waiting, need to contact ACS |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.188000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.174000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.174000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |

| Date | Facility | Process | Message |
|--------------------|---------------|---------------------|--|
| Apr 12 18:58:30 | kern.warn | kernel | [2048.170000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.156000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.156000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:58:30 | kern.warn | kernel | [2048.004000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:30 | kern.warn | kernel | [2047.989000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:30 | kern.warn | kernel | [2047.989000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:58:30 | kern.warn | kernel | [2047.985000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:58:30 | kern.warn | kernel | [2047.969000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:58:30 | kern.warn | kernel | [2047.969000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:57:29 | user.notice | pppoe-relay-hotplug | Interface wan6 ifupdate |
| Apr 12 18:57:27 | user.notice | pppoe-relay-hotplug | Interface wan ifupdate |
| Apr 12 18:57:27 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:57:27 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |
| Apr 12 18:57:27 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:57:27 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |

| Date | Facility | Process | Message |
|--------------------|---------------|-------------------------|--|
| Apr 12 18:57:27 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.369000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.361000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.352000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.345000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.338000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.331000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.324000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.318000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.312000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.306000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | kern.warn | kernel | [1984.300000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:26 | user.notice | wol | Stopping WOL |
| Apr 12 18:57:25 | user.notice | firewall | Reloading firewall due to ifupdate of wan (ptm0) |
| Apr 12 18:57:25 | user.notice | pppoe-relay- hotplug | Interface wan ifupdate |
| Apr 12 18:57:25 | kern.warn | kernel | [1983.014000] netlink: 20 bytes leftover after parsing attributes. |

| Date | Facility | Process | Message |
|--------------------|---------------|--------------------|---|
| Apr 12 18:57:25 | kern.warn | kernel | [1983.006000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.995000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.988000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.981000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.974000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.968000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.961000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.955000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.949000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | kern.warn | kernel | [1982.943000] netlink: 20 bytes leftover after parsing attributes. |
| Apr 12 18:57:25 | user.notice | wol | Stopping WOL |
| Apr 12 18:57:24 | user.notice | firewall | Reloading firewall due to ifupdate of wan (ptm0) |
| Apr 12 18:57:24 | daemon.notice | netifd | wan (5678): Lease of 101.176.96.28 obtained, lease time 14400 |
| Apr 12 18:57:23 | daemon.notice | netifd | wan (5678): Sending renew... |
| Apr 12 18:57:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.42 8c:8e:f2:53:6f:44 olivias-iPhone |
| Apr 12 18:57:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.42 8c:8e:f2:53:6f:44 |

| Date | Facility | Process | Message |
|--------------------|---------------|--------------------|--|
| Apr 12 18:57:06 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.42 8c:8e:f2:53:6f:44 olivias-iPhone |
| Apr 12 18:57:06 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.42 8c:8e:f2:53:6f:44 |
| Apr 12 18:57:05 | daemon.info | hostapd | Added new STA to monitor [8c:8e:f2:53:6f:44] |
| Apr 12 18:57:01 | cron.info | crond[2556] | crond: USER root pid 9052 cmd /sbin/trafficdata.lua |
| Apr 12 18:56:30 | user.info | mmpbx[7229] | SIP Registration: SIP: +61397404525 : Register Success^M |
| Apr 12 18:56:30 | user.debug | mmpbx[7229] | [MMRVSIPIPL::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbef248, Failed to sel local address to transmitter 0x0xbb3d48 (rv=-3)^M |
| Apr 12 18:55:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.100 e0:3f:49:7a:34:c0 Beastie |
| Apr 12 18:55:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.100 e0:3f:49:7a:34:c0 |
| Apr 12 18:55:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.41 c8:08:e9:81:0b:e3 LGwebOSTV |
| Apr 12 18:55:07 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.41 c8:08:e9:81:0b:e3 |
| Apr 12 18:55:01 | cron.info | crond[2556] | crond: USER root pid 8905 cmd /usr/bin/thermalProtection |
| Apr 12 18:54:41 | kern.warn | kernel | [1819.256000] dhd_wait_pend8021x: TIMEOUT |
| Apr 12 18:54:01 | cron.info | crond[2556] | crond: USER root pid 8837 cmd /sbin/trafficdata.lua |
| Apr 12 18:52:27 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:52:27 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |

| Date | Facility | Process | Message |
|--------------------|---------------|---------------------|--|
| Apr 12 18:52:27 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:52:27 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |
| Apr 12 18:52:27 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:51:01 | cron.info | crond[2556] | crond: USER root pid 8655 cmd /sbin/trafficdata.lua |
| Apr 12 18:50:01 | cron.info | crond[2556] | crond: USER root pid 8612 cmd /sbin/trafficmon.lua |
| Apr 12 18:50:01 | cron.info | crond[2556] | crond: USER root pid 8611 cmd /usr/bin/thermalProtection |
| Apr 12 18:48:01 | cron.info | crond[2556] | crond: USER root pid 8349 cmd /sbin/trafficdata.lua |
| Apr 12 18:47:41 | user.notice | pppoe-relay-hotplug | Interface wan6 ifupdate |
| Apr 12 18:47:26 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:47:26 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |
| Apr 12 18:47:26 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:47:26 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |
| Apr 12 18:47:26 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:47:10 | user.info | mmpbxd[7229] | SIP Registration: SIP: +61397404525 : Register Success^M |
| Apr 12 18:47:10 | user.debug | mmpbxd[7229] | [MMRVSIPIimpl::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbef078, Failed to sel local address to transmitter 0x0xbb3b98 (rv=-3)^M |

| Date | Facility | Process | Message |
|--------------------|---------------|--------------------|--|
| Apr 12 18:45:01 | cron.info | crond[2556] | crond: USER root pid 8057 cmd /sbin/trafficdata.lua |
| Apr 12 18:45:01 | cron.info | crond[2556] | crond: USER root pid 8056 cmd /usr/bin/thermalProtection |
| Apr 12 18:44:42 | kern.warn | kernel | [1220.424000] dhd_wait_pend8021x: TIMEOUT |
| Apr 12 18:42:26 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:42:26 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |
| Apr 12 18:42:26 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:42:26 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |
| Apr 12 18:42:26 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:42:01 | cron.info | crond[2556] | crond: USER root pid 7964 cmd /sbin/trafficdata.lua |
| Apr 12 18:40:01 | cron.info | crond[2556] | crond: USER root pid 7925 cmd /sbin/trafficmon.lua |
| Apr 12 18:40:01 | cron.info | crond[2556] | crond: USER root pid 7924 cmd /usr/bin/thermalProtection |
| Apr 12 18:39:01 | cron.info | crond[2556] | crond: USER root pid 7893 cmd /sbin/trafficdata.lua |
| Apr 12 18:38:19 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.64 28:ed:6a:73:87:fa Andrew-B |
| Apr 12 18:38:19 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.64 28:ed:6a:73:87:fa |
| Apr 12 18:38:18 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.64 28:ed:6a:73:87:fa Andrew-B |

| Date | Facility | Process | Message |
|--------------------|---------------|---------------------|--|
| Apr 12 18:38:18 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.64 28:ed:6a:73:87:fa |
| Apr 12 18:38:17 | daemon.info | hostapd | Added new STA to monitor [28:ed:6a:73:87:fa] |
| Apr 12 18:38:17 | daemon.info | hostapd | Deleting STA from monitor [28:ed:6a:73:87:fa] |
| Apr 12 18:37:50 | user.info | mmpbxd[7229] | SIP Registration: SIP: +61397404525 : Register Success^M |
| Apr 12 18:37:50 | user.debug | mmpbxd[7229] | [MMRVSIPIPL::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbeeea8, Failed to sel local address to transmitter 0x0xbb39e8 (rv=-3)^M |
| Apr 12 18:37:29 | user.notice | pppoe-relay-hotplug | Interface wan6 ifupdate |
| Apr 12 18:37:26 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:37:26 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |
| Apr 12 18:37:26 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:37:26 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |
| Apr 12 18:37:26 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:36:01 | cron.info | crond[2556] | crond: USER root pid 7745 cmd /sbin/trafficdata.lua |
| Apr 12 18:35:01 | cron.info | crond[2556] | crond: USER root pid 7731 cmd /usr/bin/thermalProtection |
| Apr 12 18:34:41 | kern.warn | kernel | [619.642000] dhd_wait_pend8021x: TIMEOUT |
| Apr 12 18:33:01 | cron.info | crond[2556] | crond: USER root pid 7670 cmd /sbin/trafficdata.lua |

| Date | Facility | Process | Message |
|--------------------|---------------|-------------|--|
| Apr 12 18:32:26 | daemon.notice | transformer | [wansensing] run_dnsget::trigger dns query by dnsget -n 61.9.133.193 -t A -o timeout:2 -o attempts:1 telstra.com 2>/dev/null |
| Apr 12 18:32:26 | daemon.notice | transformer | [wansensing] Launching DNS Request with DNS server 61.9.133.193 |
| Apr 12 18:32:26 | daemon.notice | transformer | [wansensing] Launching DNS Request |
| Apr 12 18:32:26 | daemon.notice | transformer | [wansensing] The L3DHCP main script is checking link connectivity on l2type interface VDSL |
| Apr 12 18:32:26 | daemon.notice | transformer | [wansensing] (L3DHCP) runs L3DHCPMain.check(VDSL,timeout) |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: LAST STATE: |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: < Empty Response |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: > GetParameterValues Response |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: < GetParameterValues Request |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: > Empty Post |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform Response |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | CONNECTION: < HTTP code 401 |

| Date | Facility | Process | Message |
|--------------------|-------------|-------------|---|
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: > Inform (8 DIAGNOSTICS COMPLETE) |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | PROT_TRACE: ConnectionRequestURL updated to http://101.176.96.28:51007/M8xwVmyxFxfzKMVV |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | CONNECTION: Connected to server, starting transaction. |
| Apr 12 18:31:27 | daemon.info | cwmpd[5582] | UBUS_CLIENT: external IP address is 101.176.96.28 |
| Apr 12 18:31:26 | daemon.info | cwmpd[5582] | CONNECTION: Connecting to server |
| Apr 12 18:31:26 | daemon.info | cwmpd[5582] | PROT_TRACE: Events are waiting, need to contact ACS |
| Apr 12 18:31:25 | kern.warn | kernel | [423.307000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:31:25 | kern.warn | kernel | [423.293000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:31:25 | kern.warn | kernel | [423.293000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:31:25 | kern.warn | kernel | [423.289000] bcmxtmcfg: OAM Send Cell Failed |
| Apr 12 18:31:25 | kern.warn | kernel | [423.276000] Network traffic may be degraded of up to 10 seconds. |
| Apr 12 18:31:25 | kern.warn | kernel | [423.276000] bcmxtmcfg: Enabling 63138 strip byte workaround for OAM traffic. |
| Apr 12 18:30:01 | cron.info | crond[2556] | crond: USER root pid 7417 cmd /sbin/trafficdata.lua |
| Apr 12 18:30:01 | cron.info | crond[2556] | crond: USER root pid 7416 cmd /sbin/trafficmon.lua |
| Apr 12 18:30:01 | cron.info | crond[2556] | crond: USER root pid 7415 cmd /usr/bin/thermalProtection |

| Date | Facility | Process | Message |
|--------------------|-------------|--------------------|--|
| Apr 12 18:29:55 | daemon.info | hostapd | Deleting STA from monitor [8c:8e:f2:53:6f:44] |
| Apr 12 18:29:06 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.136 e4:98:d6:35:fe:cb Karens-iPhone |
| Apr 12 18:29:06 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.136 e4:98:d6:35:fe:cb |
| Apr 12 18:29:04 | daemon.info | dnsmasq-dhcp[6015] | DHCPACK(br-lan) 10.0.0.136 e4:98:d6:35:fe:cb Karens-iPhone |
| Apr 12 18:29:04 | daemon.info | dnsmasq-dhcp[6015] | DHCPREQUEST(br-lan) 10.0.0.136 e4:98:d6:35:fe:cb |
| Apr 12 18:28:38 | user.info | root | Mmpbx is started, mmpbx.state=RUNNING ! |
| Apr 12 18:28:30 | user.debug | mmpbx[7229] | [MMBRCMDECT] :E: enumerateHandsets:4961 - Error enumerating handsets (RSS_NO_DATA)^M |
| Apr 12 18:28:30 | kern.info | kernel | [248.491000] dect: Detected RF Frontend: LMX4181 rev A0 |
| Apr 12 18:28:30 | kern.warn | kernel | [248.481000] DECT Driver: DECT RF Reset GPIO_5_AL |
| Apr 12 18:28:30 | kern.warn | kernel | [248.475000] DECT Driver: Successfully obtained voice parameters |
| Apr 12 18:28:30 | kern.warn | kernel | [248.469000] DECT Driver: Obtained Base board id string (VANT-Y) |
| Apr 12 18:28:30 | kern.warn | kernel | [248.463000] DECT Driver: Obtained Voice board id string (VANT-Y) |
| Apr 12 18:28:30 | kern.warn | kernel | [248.458000] dectshim close device... |
| Apr 12 18:28:30 | kern.warn | kernel | [248.454000] dectshimGetVirtualAddr called |
| Apr 12 18:28:30 | kern.warn | kernel | [248.449000] kernel::dectshim_ioctl: command 5 |
| Apr 12 18:28:30 | kern.alert | kernel | [247.260000] ^Mdectshim open device... |

| Date | Facility | Process | Message |
|--------------------|--------------|--------------|--|
| Apr 12 18:28:30 | user.debug | mmpbxd[7229] | [MMPBX] :E: brcmDectConfigGetFirmwareVersion:936 - s- >type : version^M |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:blue with action none |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | applying action on voip:blue |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:white with action none |
| Apr 12 18:28:30 | daemon.debug | ledfw[1024] | applying action on voip:white |
| Apr 12 18:28:30 | user.info | mmpbxd[7229] | SIP Registration: SIP: +61397404525 : Register Success^M |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 255 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:white with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:white |

| Date | Facility | Process | Message |
|--------------------|--------------|--------------|--|
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:blue with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:blue |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [MMRVSIPIPL::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbeecd8, Failed to sel local address to transmitter 0x0xbb3838 (rv=-3)^M |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |

| Date | Facility | Process | Message |
|--------------------|--------------|--------------|--|
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:white with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:white |
| Apr 12 18:28:29 | user.info | mmpbxd[7229] | SIP Registration: SIP: +61397404525 : Deregister^M |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:blue with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:blue |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |

| Date | Facility | Process | Message |
|--------------------|--------------|--------------|--|
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:white with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:white |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [MMRV SIPIMPL::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbeeb08, Failed to sel local address to transmitter 0x0xbb3688 (rv=-3)^M |
| Apr 12 18:28:29 | user.info | mmpbxd[7229] | SIP Registration: SIP: +61397404525 : Deregister^M |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [SIPDEV_APN] :I: resetAPNConnection:124 - apn connection started apn mode 0 ret=13. |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [SIPDEV_APN] :E: resetAPNConnection:118 - Could not connected to Apple Push Notification Service: could not initialize ssl connection (18) |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [MMRV SIPIMPL::NETWORKOBJ]:C: onStackLogEvent:1705 - TRANSACTION - RvSipTransactionSetLocalAddress - Transaction 0x0xbee938, Failed to sel local address to transmitter 0x0xbb34d8 (rv=-3)^M |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 255 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:white with action none |

| Date | Facility | Process | Message |
|--------------------|--------------|--------------|--|
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:white |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:blue with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:blue |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:red with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:red |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | setting brightness to 0 |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | writing to /sys/class/leds/voip:green with action none |
| Apr 12 18:28:29 | daemon.debug | ledfw[1024] | applying action on voip:green |
| Apr 12 18:28:29 | user.debug | mmpbxd[7229] | [MMBRCMDECT] :E: delayDectBootCb:2384 - start griffin thread |
| Apr 12 18:28:29 | kern.alert | kernel | [247.260000] ^M |
| Apr 12 18:28:29 | kern.alert | kernel | [247.260000] ^M **** DectTestModeRunning: |
| Apr 12 18:28:29 | kern.alert | kernel | [247.260000] |
| Apr 12 18:28:29 | kern.alert | kernel | [247.257000] ### RsHookRunning 2. |
| Apr 12 18:28:29 | kern.alert | kernel | [247.244000] ^MApiFpPcmTaskInit |

| Date | Facility | Process | Message |
|--------------------|------------|--------------|--|
| Apr 12 18:28:29 | kern.alert | kernel | [247.244000] ^M |
| Apr 12 18:28:29 | kern.alert | kernel | [247.244000] ^M **** DectTestModePreInit:bTmp=0x00 |
| Apr 12 18:28:29 | kern.alert | kernel | [247.244000] |
| Apr 12 18:28:29 | kern.info | kernel | [247.240000] DECT DIP IRQ handler installed! |
| Apr 12 18:28:29 | kern.alert | kernel | [247.236000] ### RsHookReady 20160609 07:05 |
| Apr 12 18:28:29 | kern.info | kernel | [247.225000] dect: Version: , Build date: 2016/06/09, 07:05 |
| Apr 12 18:28:29 | kern.info | kernel | [247.221000] dect: Loading BCM63138 DECT Stack |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [MMBRCMDECT] :E: delayDectBootCb:2377 - delay start griffin thread |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: RegistrarInit:304 - ----- ----- |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: RegistrarInit:303 - Proxy ToolKit v4.0.0.6, UDP:10.0.0.138:5060 TCP:10.0.0.138:5060- Simple Registrar |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: RegistrarInit:299 - ----- ----- |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: RegistrarInit:270 - log file opened 0x95b6f8 |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: RegistrarInit:223 - SIP Server Domain List: 10.0.0.138:5060;mygateway;telstra.gateway |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UBUS] :I: SipdevBusInit:329 - Start Init sipdev Ubus FINISHED !!!^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UBUS] :I: SipdevBusInit:315 - Start Init sipdev Ubus^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :I: SipServerInit:76 - Initalizing sip server implementation^M |

| Date | Facility | Process | Message |
|--------------------|------------|--------------|--|
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_APN] :l: apnConnectionInit:341 - cert_key=/etc/ssl/certs/tvoice.pem, apn_interface=wan |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_6^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_5^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_4^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_3^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_2^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_1^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type device with name sip_dev_0^M |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPS_INIT] :l: sipServerSetConfig:672 - gateway serial code is 1647RAUHA |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :D: loadSipServerConfig:408 - Found server section |
| Apr 12 18:28:28 | user.debug | mmpbxd[7229] | [SIPDEV_UCI] :l: loadSipServerConfig:404 - Found section of type server with name sip_server^M |

Bottom of Form