



SECURITY

MARKII

The buoyancy tubes of Zodiac boats have several compartments, separated by water-proof partitions. Thanks to its important air reserves, the boat keeps its ability to float and stays virtually unsinkable when fully loaded, even with a deflated compartment.

REASSURING STABILITY

With buoyancy distributed on the sides and a low centre of gravity, Zodiac boats are almost impossible to capsize when loaded.





EXCEPTIONAL LOAD

You counted right! There are 12 football players onboard this Zodiac boat. The Zodiac boat has an exceptional weight / area-below-water ratio, giving the boat a considerable load-bearing capacity.



REMOVABLE TUBE, A ZODIAC NAUTIC EXCLUSIVE

Built in fenders mean less stress when docking. When maneuvering, the boat will bounce without damage if it happens to lightly tap a dock or neighboring boat in the harbor.



Entirely removable. The tube can be taken apart and folded, which allows for easier maintenance, repair, transportation and storage.

CHANGE YOUR BUOYANCY TUBES?

Nothing easier. The tubes can be removed from the hull – ideal to renovate or restyle your boat at a lesser cost.

MOTORIZATION

Due to its power-to-weight ratio, rib consumes less fuel. You need a smaller hp engine to perform the same as a traditional hull.

MORE ECONOMICAL AND PRACTICAL

When buying and when maintaining, the semirigid is less expensive than a hull. In most cases a large truck is not required to tow.







MORE SEA-WORTHY

The unique combination of a very low center of gravity, a deep-v hull and added stabilization of the tubes gives the rigid-hulled inflatable speed and sea-crossing capacities without compromising comfort or safety.







THE HULL

An internal structure of rot resistant polyester built with a spar and floors network guarantees a single-block linking between the hull and deck. This results in a performance-favourable rigidity and resistance to impact in all types of loading conditions.

THE TUBES

Zodiac nautic developed a unique industrial process to assemble its buoyancy tubes: thermobonding. This process consists of welding the pieces of StronganTM material together to offer a material that is both waterproof and durable, almost indestructible. Zodiac nautic is the only manufacturer to master the welding of all structuring materials of an inflatable boat, thus guaranteeing exceptional longevity and security.

QUALITY TEST

Zodiac nautic carefully selects the materials that constitute its boats, following strict, nonstandard functional specifications. Zodiac nautic is the only manufacturer to subject every new boat to a battery of extreme condition tests. Your Zodiac boat is sure to last. Opposite: a test of 2-meter fall











120 Years of experience and inventor of the inflatable boat, Zodiac Nautic offers products with exceptional resistance and reliability thanks to the materials and processes that are always at the cutting edge of technology.










RANGE





PRO À LA CARTE



750

7

6.5

5.5

500

420











ADAPTATION

Diving, fishing, water-sports, work or leisure, choose and compose the layout of your deck according to your lifestyle and preferences.

Your pro adapts!









WIDE VARIETY

The pro offers unrivalled possibilities of layout and personalization.

- · Numerous color combinations, hull, tubes, accessories, tank integration...
- · Position of the equipment: console and seats fixed where you want on the deck, depending on the owner's manual.
- · Choice of driving position: seated or standing
- A large offer from 4.20M to 8.50M



CONSOLES





Z1418



Optima 800 console side mount grey/ white

Z61451/Z61390



Optima 800 console grey/ white

Z61450/Z61389



Optima 800 ftc console grey/ white (681/18gal)

Z61452/Z61391



Jockey console 2 seaters grey/ white

Z61247/Z61168



Pro HL console light/dark grey

Z61727/Z61731



Pro HLS console/ Pro HXL console seater light/dark light/dark grey

<u>d</u> /	A
TE	1
2	

Z61728/Z61732	Z61729/Z61733

420	•	•			•			
500	•		•	•	•			
5.5						•	•	•
6.5						•	•	•
7						•	•	•
750						•	•	•
850						•	•	•

SEATS



Optima 525 seaters

white/grey



Optima 450 1 seater

without backrest

white/grey









Bolster optima

grey/white



Bolster pro light/



3-Seater bench

dark grey	seat (removable)

Z61720/Z61721	Z61726

	Z61217/Z61212	Z61426/Z61427	Z61815	Z61778	Z61235/Z61236	Z61720/Z61721	Z61726
420	•	•	•				
500	•	•	•		•		
5.5			•	•		•	•
6.5			•	•		•	•
7			•	•		•	•
750	•		•	•		•	
850	•		•	•		•	

Bolster tube mono Bolster tube double



Pro HXLS console/seater light/dark grey







mental panel for HL console light/ dark grey

Z61735/Z61737



mental panel for HXL console light/dark grey

Z61736/Z61738



l console

Z61637



Optionnal instru- Optionnal instru- High handrail for High handrail for Console foot rest xl console

Z61638



(unit)

Z61639

•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•



3-Seater bench seat (fixed)

Z61739



Jockey seat pro 1 seater light/dark grey

Z61722/Z61723




Bolster's backrest pro

Z61650



Front handle for jockey seat

Z61675



PANORAMIC WINDSCREEN

Protection against wind and sea spray.

HANDRAIL

Wide diameter, comfortable grip, robust, and ergonomic.

INSTRUMENT PANEL

Large, standard dashboard for all your instruments. Plus the choice to enlarge the dashboard with the optional dashboard upper section.

TIPPING CONSOLE


Practical for storage, makes it possible to reduce height for winter storage.



EQUIPMENT

ÉQUIPEMENTS DE CONFORT







Multifix/fishing rod holder



Multifix/lure holder



Multifix/cupholder



Multifix/flag holder



28L (7gal) cooler plus 12/2304



Cutting tablet (associated with a fishing



Electrical anchor windlass



Audio system (radio, huletooth is 6")

	gai	nolder				12/2300	rod holder)	windlass	buletooth, is 6)
	Z1198/Z1199	Z61641/Z61647	Z61643	Z61642	Z61644	Z61599	Z61751	Z61584	Z61294
420	•								
500	•								
5.5		•	•	•	•	•	•		•
6.5		•	•	•	•	•	•		•
7		•	•	•	•	•	•		•
750		•	•	•	•	•	•		•
850		•	•	•	•	•	•	•	•

ÉQUIPEMENTS DE PONT/PLANCHER



Roll bar pro (available with swim ladder)



Roll Bar inox



Roll bar pro multifix (with ski mast integrated



Swim ladder



bit multifix



Bow rail/docking



Multifix Fishing

Pulpit





Dark gray rear

platforms





(front)





10MM (ROLL 4, 3 X

1, 8M)




Diving rack 4/6/8



Ski mast

	Z61149	Z1167	Z61645	Z61768	Z61814	Z61646	Z61694	Z61743	Z61296	Z61394/Z61395/ Z61297	Z61385/Z61385BK
420								•	•	•	
500		•						•	•	•	
5.5			•	•	•	•	•	•	•	•	
6.5			•	•	•	•	•	•	•	•	
7			•	•	•	•	•	•	•	•	
750	•								•	•	•
850	•								•	•	•

PROTECTION



ÉLECTRICITÉ/ÉLECTRONIQUE





Navigation lights red/ green (on roll bar or

Navigation lights (installation on the roll bar)

console) Z60853


Z67307

420	•	•
500	•	•
5.5	•	•
6.5	•	•
7	•	•
750	•	•
850	•	•



ÉQUIPEMENTS

3D CONFIGURATOR





	PRO 420	PRO 500	PRO 5.5	PRO 6.5	PR0 7	PR0 750	PRO 850
Length overall/inside (m-f)	4,20/2,90	4,70/3,38	5,40/4,25	6/4,94	6,75/5,71	7,50/6,16	8,50/7,45
Width overall/inside (m-f)	1,90/0,95	2,05/1,05	2,54/1,39	2,54/1,39	2,54/1,39	2,90/1,65	3/1,85
Weight (Kg-Lbs)	181	230	430	610	790	860	1450
Number of passengers	7	9	12	15	16	20	25
Max power allowed (CV)	50	70	115	175	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250
Tank capacity (I-gal)	Ø	ø	100	200	200	310	400

STANDARD EQUIPMENT

HULL

Deep V fiberglass hull
Moulded in deck light grey or dark grey
Anchor locker, can be padlocked
Stern flush deck locker , + 1 front locker
2 High volume bailers
1 Bow mooring bollard
2 Stern cleats (Pro 5.5/6.5/7/750/850)
Technical area (Pro 5.5/6.5/7/750/850)
Bilge pump (Pro 5.5/6.5/7/750/850)
1 Bow ring

TUBE

Removable tube
Strongan™ - DUOTEX™ fabric 2x1100 decitex (Pro 420/500/5.5/6.5)
Hypalon™ - Neoprene™ fabric (Pro 7/750/850; option on Pro 420/500/5.5/6.5)
GRP bow step incl. anchor roller
Fish Tail Cones (Pro 5.5/6.5/7)
Semi-recessed valves Easy Push
Double grab line
Anti-slip patches
Large profile rubstrake
4 External handles


ADDITIONAL EQUIPMENT

Integrated fuel tank + water/fuel separator (Pro 5.5/6.5/7/750/850)
Battery switch (Pro 5.5/6.5/7/750/850)
Bathing ladder
2 Paddles
Foot pump & pressure gauge
Repair kit
Owners manual

COLOR

2 Towing rings


	Strongan™	Hypalon Neoprene™	Hull
420/500	Black Red	Grey	White Grey
5.5	Red Black Grey	Blue Red Black Normal grey Light grey	Dark grey Light grey
7		Blue Red Black Normal grey Light grey	Dark grey Light grey
750		Red Black Normal grey Light grey	Dark grey
850		Black Normal grey	Dark grey



SPECIFICATIONS

OPEN ALL-IN-ONE















OPEN



VERSATILITY

A true swiss-army knife, useful in all activities, the open is the cross-over of the seas. The versatility of this rigid-hulled inflatable has been thought out in every detail that you can live your passion for the sport.

MOULDED SELF-BAILING DECK

Ease of use: safety and maintenance user friendly.

NEW FISH TAIL CONES

Easy access to the

mobility on deck. Exceptional storage volume and large fuel tank for more autonomy.

OPEN 7

3 TUBE COLORS



OPTION:

EVA DECK/ 2 COLORS





OPEN

PERFORMANCE

With excellent stability at sea thanks to its v-hull and optimized deck plan for better movement onboard, the open offers exceptional cruising. It is the perfect balance between performance and comfort. You can enjoy any day at sea with family and friends whatever your passion may be.







OPEN

STORAGE

The optimisation of the under-deck storage areas of the Open 7 (accessible








OPEN ACCESSORIES FOR ALL ACTIVITIES

RELAXATION

- Sundeck extension > a must-have for sunbathing sit down comfortably and relax all day long.
- Backrest with lateral blocks for optimal comfort.
- Bow > several handrails, perfect for children.
- Swim platforms





- Multifix range (fishing rod lures cup holders...)
- Bow rail
- T-top for protection from the sun and a sporty look.
- Swim platforms > perfect to add space to the aft of the boat and move around safely.

DIVING

- Swim platforms provide plenty of space for diving preparation.
- Multifix range > cup holder, flag holder etc.
- Storage for dive tanks under the bolster.
- EVA deck is comfortable and attractive.







OPEN 6	5.5	OPEN

Length overall/inside (m-f)	5,40/4,22	6,10/4,94	6,95/5,714
Width overall/inside (m-f)	2,54/1,39	2,54/1,39	2,54/1,39
Weight (Kg-Lbs)	585	610	910
Number of passengers	12	15	16 (C)/5 (B)
Max power allowed (CV)	130	175	250
Tank capacity (I-gal)	100	200	225

STANDARD EQUIPMENT

HULL

Hull polyester in deep V

Anchor locker

2 High volume bailers

Bollard

2 Rear handles for passengers

1 Bow mooring bollard and 2 stern cleats

Bilge pump

TUBE

Strongan™ Duotex™ or Hypalon Neoprene™ fabric 1670 Decitex

Fiberglass bow step with anchor roller with fairlead Bow chocks

Fish Tail

Valves semi-encastrées «Easy push»

Double grab line

Large profile rubstrake

OTHER STANDARD EQUIPMENT

Pilot / co-pilot leaning post, storage 14 Gallon (54l) cooler

Stern seats with removable back rests

Large dashboard

Spacious dashboard

Tilt forward console with front hatch

Integrated fuel tank + water/fuel separator

Surface, 12v/USB socket

Cupholders

Battery switch

Navigation lights

Swim ladder

Mechanical steering system

2 Paddles

Foot pump & pressure gauge

Repair kit and owner's manual



SPECIFICATIONS

MEDLINE PRIVATE OASIS

9 spring 2020

7.5

660

580

500









MEDLINE

RELAXING

Perfect for long trips on the sea, the medline is a true private oasis thanks to its transformable surface, which can be transformed into a sunbathing area. Created for long day trips, the medline range is part of the new generation of Zodiac boats: rigid-hulled inflatable openly oriented towards leisure. The arrangement allows to transform the deck into a vast sun lounger, to create a "private oasis" area.



SPACE

The deck plans allow ease of movement. The forward sun lounge area is spacious and easily set up, as is the aft sun deck. Whether sunbathing, lunching at a beach or swimming, the equipment, comfortable seats and low maintenance buoyancy tubes, every detail is the result of the experience of Zodiac Nautic and its vast knowledge base.





MIX AND MATCH

Choose your GRP, tube and upholstery color!



MEDLINE 500

Gel Coat




Tube



Upholstery





MEDLINE 580 AND 660

Gel Coat



Tube





Upholstery









MEDLINE 7.5

Gel Coat





Tube







Upholstery











MEDLINE 9 SPRING 2020

Gel Coat





Tube







Upholstery









NEW: MEDLINE 9

A spacious relaxation area for unforget-table days...

- Double front and back saloon, convertible to sundeck area
- Up to 14 seats in standard equipment
- Integrated kitchen with sink (optional: Grill)
- Console integrating a habitable cabin with toilets (optional: bunk bed space)
- Triple position bolster for up to two adults
 + one child

 Rear bathing platforms giving access to the sea















	MEDLINE 500	MEDLINE 580	MEDLINE 660	MEDLINE 7.5	MEDLINE 9
Length overall/inside (m-f)	5/4,06	5,80/4,91	6,60/4,74	7,34/6,16	8.90/NC
Width overall/inside (m-f)	2,24/1,25	2,54/1,44	2,54/1,39	2,90/1,67	3.06/1.86
Weight (Kg-Lbs)	353	601	826	1150	NC
Number of passengers	9	12	14	16 (C) - 6 (B)	20 (C) - 8 (B)
Max power allowed (CV)	80	115	200	300	NC
Tank capacity (I-gal)	90	90	200	300	400

INCLUDED STANDARD EQUIPMENT ACCORDING TO THE MODEL

Self-bailing deck when empty Integrated fuel tank Front sundeck Hydraulic steering Removable tube Bathing ladder, showerhead

MEDLINE 580



Bimini Shower kit Table



Shower kit Ski mast Audio Fusion Pack Bolster shelf



Shower kit
Table
Audio Fusion Pack
Birnini
EVA deck
GPS 9" GARMIN
Sensor/Probe to glue
Bolster shelf

MEDLINE 660



Bimini beige MED660 Bimini black MED660 Shower kit MED580/660 Table



Shower kit
Ski mast
Bolster shelf
Audio Fusion Pack



GPS 9" GARMIN

Sensor/Probe to glue

Audio Fusion Pack

MEDLINE 7.5



COMFORT

Kit sunbed cushion + Comfort backrest behind bolster Sundeck Front sundeck extension



SPORT

Ski mast Kit Fusion (2 loudspeakers) Roll bar Slide-up bimini Kit sunbed cushion + Comfort backrest behind



ELEGANCE

Console decor
EVA deck
Courtesy lights
GPS 9"
Sensor/Probe to glue
Kit Fusion + 2 loudspeakers
Ski mast
Roll bar grey
Slide-up bimini
2 HP fusion sup
Kit sunbed cushion +
Comfort backrest behind
holster

The packs also exist for the Medline 500; visit our website for more information.

SPECIFICATIONS

N-ZO PREMIUM CRUISING





700 CABIN

680





MIX AND MATCH

Choose your GRP, tube and upholstery color!



N-ZO 680

Gel Coat



Tube



Upholstery





N-ZO 700 CABIN

Gel Coat



Tube



Upholstery





N-ZO 760

Gel Coat



Tube







Upholstery

















N-ZO ACCESSORIES









	N-Z0 680	N-ZO 700 CABIN	N-ZO 760
Length overall/inside (m-f)	6,8/5,82	6,99/6,37	7,60/6,38
Width overall/inside (m-f)	2,54/1,30	3,21/2,40	3,04/1,70
Weight (Kg-Lbs)	1058	1489	1530
Number of passengers	14	14	18
Max power allowed (CV)	300	300 - 2 x 150	350 - 2 x 150
Tank capacity (I-gal)	212	310	300

INCLUDED STANDARD EQUIPMENT ACCORDING TO THE MODEL

Integrated fuel tank
Self-bailing deck when empty
Front sundeck
Hydraulic steering
Navigation lights
Ski mast arch



N-ZO 680



PACK ESSENTIEL

Standard steering wheel Table Electric ice box Bimini



PACK SMART

Premium steering wheel Table Electric ice box Console decor Audio Fusion Pack Courtesy lights Birnini



PACK DELUXE

Premium steering wheel

Table
Electric ice box
Console decor
Audio Fusion Pack
Courtesy lights

EVA deck

Console + bolster gel coat black Equipment "Colour Paint Finish" (ski mast + handrail)

Zodiac Connected boat (free for 1 year)

N-Z0 700C



PACK ESSENTIEL

Standard steering wheel Bimini Fridge Table



PACK SMART

GPS 7" GARMIN

Sensor/probe

Premium steering wheel Bimini Fridge Table Console Audio Fusion Pack Courtesy lights



PACK DELUXE Premium steering wheel Fridge Table + table cushion Console decor Audio Fusion Pack Courtesy lights EVA deck Console + bolster gel coat black Equipment "Colour Paint Finish" (ski mast + handrail + pulpit) Zodiac Connected boat (free for 1 year)





PACK ESSENTIEL

Standard steering wheel Fridge Rear sundeck extension Bimini



PACK SMART

Premium steering wheel Fridge Rear sundeck extension Bimini Console decor Audio Fusion Pack Courtesy lights GPS 7" GARMIN Sensor/probe



PACK DELUXE

GPS 7" GARMIN Sensor/probe

Premium steering wheel Fridge Rear sundeck extension Bimini Audio Fusion Pack EVA deck Console + bolster black

Equipment "Colour Paint Finish" (ski mast Zodiac Connected boat (free for 1 year)

GPS 7" GARMIN

Sensor/probe



SPECIFICATIONS

CLASSI THE ORIGINAL

PRACTICAL

Worthy heir of the first Zodiac boats, it kept all of their qualities: safe, stable and strong. Easy to manipulate ashore, with a pair of wheels for launching on water, it's easily maneuverable on protected sea areas; its small draught allowing it to access and "beach" on spots otherwise inaccessible to other boats.





ECONOMICAL

Equipped with a low-power engine, it reaches honorable performances for a low budget for fuel and upkeep.

FOLDABLE

Entirely foldable, once folded and stored in its two bags, only a few sq. Meters are needed for winter storage; always ready to follow you for new explorations. Available with a wooden or aluminum floor.

	CLASSIC MARK II	CLASSIC MARK II C
Length overall/inside (m-f)	4,20/2,95 - 13'9"/9'8"	3,80/2,55 - 12'6"/8'4"
Width overall/inside (m-f)	1,83/0,92 - 6'0"/3'0"	1,83/0,92 - 6'0"/3'0"
Weight (Kg-Lbs)	83 - 183	74 - 163
Number of passengers	7	6
Max power allowed (CV)	40	35



EUTURA

MASTER OF THE SEA

SPORTY

True master of the seas, its piloting provides extreme sensations. Its patented hull made of 2 additional lateral buoyancy tubes procures an extraordinary stability in small turns and absorbs with comfort small waves at full speed.

FUN

According to your lifestyle, choose the anodized aluminum, perfectly rigid version, for a loaded use; or choose the inflatable floor version for perfect practicality without sacrificing performances: unfold. Inflate. Go!

FOLDABLE

The Futura is offered with a fast roller inflatable floor (FR). The aluminum version can be equipped with an ingenious cockpit, fixed without tools on the railings of the floor, allowing a free and adjustable position.









	FUTURA MARK II C ALU/FR	FUTURA MARK II ALU/FR	FUTURA MARK III ALU/FR
Length overall/inside (m-f)	3,70/2,60 - 12'2"/8'6"	4,10/3,00 - 13'5"/9'10"	4,50/3,40 - 14'9"/11'2"
Width overall/inside (m-f)	1,99/0,89 - 6'6"/2'11"	1,99/0,89 - 6'6"/2'11"	2,05/0,90 - 2'11"/1'10"
Weight (Kg-Lbs)	120/97 - 264/214	125/101 - 275/22	139/118 - 306/268
Number of passengers	6/5	7/6	9/8
Max power allowed (CV)	40/25	50/30	60/40



TENDERS





YACHTL

YACHT LINE DELUXE






YACHTLINE

The YACHTLINE tender RIB range highlights the style, the new equipment and the passengers' comfort. Their compact size enables an easy platform or fly bridge storage without compromising the seat capacity. The design of their boarding steps ensures maximum stability when entering the boat.

The design of the YACHTLINE hull with its integrated wings is conceived to perform with the most imposing 4-stroke engines. It confers all the necessary vivacity to allow a large choice of activities around the main boat: the perfect complement for yachts.





STANDARD EQUIPMENT

HULL

Polyester hull in V shape with integrated wings Non-slip counter-molded deck Multiple lockers

TUBE

Choice in fabric: neoprene 1100 decitex, or StronganTM DuotexTM 2 x 1100 decitex (except 490)

Removable tube

Easy-Push valves

Handles

Large-profile rubbing strake

Cone reinforcements

STANDARD EQUIPMENT

Console with steering, 3 switches, glove box, 12/V USB plug

Integrated fuel tank + gauge + water/fuel separator Bow step with integrated navigation lights, courtesy LEDs

and retractable cleat

Lateral boarding steps

Entire upholstery

2 stainless steel mooring cleats

3 lifting points

Deck lighting

Navigation lights

Battery switch

Automatic bilge pump

OPTIONAL ACCESSORIES

Lifting slings

Backrest

Windscreen

Mooring cover / Protection cover

Ski mast (490)

Lateral swimming ladder

Synthetic teak deck

Pont en teck synthétique



SPECIFICATIONS

TENDERS RIGID-HULLED

CADET RIB POLYESTER

Elegance and strength

Built to last and generously spacious, a Cadet Rib will elegantly complete your boat. Equipped with large-diameter tubes, they're particularly stable and able to carry many goods and passengers while keeping them dry. Their polyester deep-v-hull allow them to easily lift off water and gain comfort in small waves. Available in two colors, in Strongan™ or Hypalon™ fabric, for intensive use in tropical zones.











RANGE **260 | 290 | 310 | 340 | 390**







CADET RIB ALU Lightness and robustness

Zodiac nautic completes its tender range with a new line of aluminum hulls. These ultra-light tenders are easy to handle and have a low impact on the davits of your boat. The large diameter tubes ensure stability, and the ability to plane quickly and easily so everything in your boat remains safe and dry.

















ULTRA LIGHT VERSION 240 | 270 | 300 | 330 | 360

FLAT/V DECK VERSION

300 | 330 | 360 | 390





CADET COMPACT

A rigid - hull in a bag

Once deflated, the Cadet Compact occupies very few space thanks to its foldable transom (Zodiac Nautic patent); it's simply stored flat in a specific bag. Its launch is extremely fast: just inflate it, install the rows and put iton the water! Very light and rot-resistant, thanks to the RIMTEC process (Reinforced Injection Molding Technology), its hull offers good stability: a Zodiac Nautic exclusivity.











RANGE **250 | 300**



TENDERS FOLDABLES



CADET FASTROLLER

The must-have foldable tender

Equipped with the Acti-V concept (Zodiac Nautic patented technology), the hull of the Cadet Fastroller is thinner and more distinct, and the H2P floor is more rigid. The result: an easy launch by inflations, a mastered piloting and a firm course holding never attained before on this type of tender. All its structural elements are welded, including its rubstrake, its transom and the fabric bottom. The experts will appreciate the technical performance and the direct impact on security and durability of the product.













RANGE **285 | 325 | 360**







CADET

The market's standard

Setting the foundation for the market's standard through utilization of the best materials, and an assembly by welding the buoyancy tubes, guarentees optimal resistance and duribility. With a complete range of accessories, you can find the best patented Zodiac Nautic products such as the rowlock and its tridimensional adjustment or the internal command drain plug, more practical and safer to use. Available in three floor versions (depending on the size), to select linked to the load capacity available onboard.









RANGE

200	230	270	310	350
Aero	Aero	Aero	Aero	Aero
Roll up	Roll up	Roll up	×	×
×	×	Alu	Alu	Alu











SUP

To sail alone or with the family, the paddles are a pleasure for young and old thanks to their great stability. These inflatable paddles can also be used as an annex when anchoring.



ACCESSORIES

A complete range

Our accessories benefit from all the attention the brand gives to the study of its products. They are made with the same care and live up to the same quality and reliability requirements than our boats.

You can equip your boat with a wide range of accessories: such as sun loungers, sunroofs, ski poles, shower kits, etc. Find out more with your Zodiac agent!

The Zodiac Nautic boutique offers a large choice of derived products to show your love of the Zodiac brand and community: gear, luggage, etc.



Access the entire range of Zodiac products and accessories on:

WWW.ZODIAC-NAUTIC.COM

ZODIAC CONNECTED BOAT







LOCATION

The exact position of your boat is displayed in real time, 24 hours a day.



STATUS OF THE BOAT

Visualize the tank level, bilge pump and engine hours.



CONTROLS

Connect the Connected Boat device to an accessory (lamp, pump), and turn it on directly from your smartphone.



NAVIGATIONS

Save all your navigations on a map and place the most interesting places you discover.




SECURITY

Receive an instant alert when your boat leaves an area that you define.



MAINTENANCE

Get detailed reports on your use of the boat and motor, and plan your maintenance activities accordingly.





ZODIAC NAUTIC SERVICES


AN INTERNATIONAL NETWORK OF TRUST


Present in more than 50 countries around the world, Zodiac Nautic and its 1.600 Agents will put their expertise at your service. Our network guarantees an efficient and reliable after-sale service: whether you need a new accessory or replacing a lost part, you are sure to find a Zodiac Nautic dealer putting their skills to work for you. Our agents sometimes do the maintenance of the same boat for more than 20 years!

Do not hesitate to consult them: they will know how to advise you when buying your boat or upkeeping it. We count on them, they deserve your trust.

Find our dealers: WWW.ZODIAC-NAUTIC.COM







BOATS SPECIFICATIONS

	CLA:	SSIC	FUTURA			N ZO			MEDLINE				
	Mark II Alu	Mark II C Alu	Mark II C Alu/FR	Mark II Alu/FR	Mark III Alu/FR	680	700 cabin	760				7.5	9
DIMENSIONS (METERS - FEET)													
Length overall (m - f)	4,20 - 13'9"	3,80 - 12'6"	3,70 - 12'2"	4,10 - 13'5"	4,50 - 14'9"	6,8 - 22'4"	6,99 - 22'11"	7,60 - 24'11"	5 - 16'5"	5,80 - 19'	6,60 - 21'8"	7,34 - 24'1"	NC
Inside length (m - f)	2,95 - 9'8"	2,55 - 8'4"	2,60 - 8'6"	3,00 - 9'10"	3,40 - 11'2"	5,82 - 19'1"	6,37 - 20'11"	6,38 - 20'11"	4,06 - 13'4"	4,91 - 16'1"	4,74 - 15'7"	6,16 - 20'3"	NC
Width overall (m - f)	1,83 - 6'0"	1,83 - 6'0"	1,99 - 6'6"	1,99 - 6'6"	2,05 - 6'9"	2,54 - 8'4"	3,21 - 10'6"	3,04 - 9'12"	2,24 - 7'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	NC
Inside width (m - f)	0,92 - 3'0"	0,92 - 3'0"	0,89 - 2'11"	0,89 - 2'11"	0,90 - 2'11"	1,30 - 4'3"	2,40 - 7'10"	1,70 - 5'7"	1,25 - 4'1"	1,44 - 4'9"	1,39 - 4'7"	1,67 - 5'6"	NC
Buoyancy tube diameter (m - f)	0,45 - 1'6"	0,45 - 1'6"	0,55 - 1'10"	0,55 - 1'10"	0,57 - 1'11"	0,60 - 2'0"	0,65 - 2'2"	0,65 - 2'2"	0,50 - 1'8"	0,55 - 1'10"	0,575 - 1'11"	0,6 - 1'12"	NC
Hull angle	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC
CAPACITY													
Design categories	С	С	С	С	С	C + D	B + C +D	B + C	С	С	С	B + C	
Number of passengers (ISO)	7	6	6/5	7/6	9/8	14	14 (C+D) - 7 (B)	18 (C) - 7 (B)	9	12	14	16 (C) - 6 (B)	
Maximum authorized payload (Kg – lbs.)	840 - 1852	750 - 1653	860 - 1896 800 - 1764	1100 - 2425 1000 - 2205	1280 - 2822 1200 - 2646	1480 - 3263	2036 - 4489 (C) 1661 - 3662 (B)	2080 - 4585 (C) 1250 - 2755 (B)	1232 - 2716	1420 - 3131	1490 - 3285	1730 - 3814 (C) 980 - 2161 (B)	
Total weight (Kg – lbs.)	83 - 183	74 - 163	120 - 264 97 - 214	125 - 275 101 - 220	139 - 306 118 -268	1058 - 2332	1489 - 3283	1530 - 3373	353 - 778	601 - 1325	826 - 1821	1150 - 2535	
Number of airtight compartments	3 + 1	3+1	3+2+1	4+2+1	5+2+1	6	6	6	5	5	5	5	
ENGINE													
Transom length	Court	Court	court	Long	long	Extra Long	XXL en mono XL en bi-moteurs	XXL en mono XL en bi-moteurs	Long	Extra Long	Extra Long	Extra Long	
Maximum allowed power (Hp)	40	35	40 / 25	50 / 30	60 / 40	200	300 - 2 x 150	350 - 2 x 150	80	115	200	300	
Maximum allowed power (kW)	30	26	30 / 19	37 / 22	45 / 30	147	221 - 2 x 110	257 - 2 x 110	60	86	147	220	
Maximum allowed weight of engine (Kg-lbs)	95 - 209	85 - 187	95 - 209 72 - 159	115 - 253 75 - 165	120 - 264 95 - 209	393 - 866	393 - 866 2 x 258 - 2 x 569	393 - 866 2 x 258 - 2 x 569	191 - 421	244 - 537	282 - 622	385 - 849	

	OPEN		PRO PRO								
5.5	6.5	7	420	500	5.5	6.5	6.5	7	750	850	
5,40 - 17'9"	6,10 - 20'	6,95 - 22'10"	4,20 - 13'9"	4,70 - 15'5"	5,40 - 17'9"	6,10 - 20'	6,10 - 20'	6,75 - 22'2"	7,50 - 24'7"	8,50 - 27'11"	
4,22 - 13'10"	4,93 - 16'2"	5,71 - 18'9"	2,90 - 9'6"	3,38 - 11'1"	4,25 - 13'11"	4,94 - 16'2"	4,94 - 16'2"	5,71 - 18'9"	6,16 - 20'3"	7,45 - 24'5"	
2,54 - 8'4"	2,54 - 8'4"	2,54 - 8'4"	1,90 - 6'3"	2,05 - 6'9"	2,54 - 8'4"	2,54 - 8'4"	2,54 - 8'4"	2,54 - 8'4"	2,90 - 9'6"	3,00 - 9'10"	
1,39 - 4'7"	1,39 - 4′7″	1,39 - 4'7"	0,95 - 3'1"	1,05 - 3'5"	1,39 - 4'7"	1,39 - 4′7″	1,39 - 4′7″	1,39 - 4'7"	1,65 - 5'5"	1,85 - 6'1"	
0,575 - 1'11"	0,57 - 1′11″	0,575 - 1'11"	0,455 - 1'6"	0,50 - 1'8"	0,57 - 1'10"	0,57 - 1'11"	0,57 - 1'11"	0,57 - 1'10"	0,60 - 1'12"	0,60 - 1'12"	
24°	24°	24°	19°	22°	24°	24°	24°	24°	22°	24°	
С	С	B + C	С	С	С	С	С	B + C	B + C	B + C	
12	15	16 (C) - 7(B)	7	9	12	15	15	16 (C) - 5 (B)	20 (C) - 7 (B)	25 (C) - 8 (B)	
1410 - 3108	1770 - 3902	1990 - 4387 (C) 1400 - 3086 (B)	780 - 1720	1060 - 2337	1550 - 3417	2050 - 4520	2050 - 4520	1960 - 4321 (C) 1160 - 2557 (B)	1830 - 4034 (C) 1155 - 2546 (B)	2800 - 6173 (C) 2050 - 4519 (B)	
585 - 1290	760 - 1676	910 - 2006	181 - 399	230 - 507	430 - 948	610 - 1345	610 - 1345	790 - 1741	860 - 1896	1450 - 3197	
5	5	5	3	5	5	5	5	5	5	7	
Long	XL	Extra Long	Long	Long	Long	XL	Long	XL en mono L en bi	XL en mono L en bi	XXL en mono XL en bi-moteurs	
130	175	250	50	70	115	175	2 x 90	250 - 2 x 130	300 - 2 x 150	350 - 2 x 250	
97	131	186	37	52	84	131	2 x 66	183 - 2 x 95	220 - 2 x 110	257 - 2 x 183	
225 - 496	282 - 622	300 - 661	115 - 253	170 - 374	225 - 496	282 - 622	2 x 220 - 2 x 440	293 - 645	300 - 661 2 x 240 - 2 x 529	393 - 866 2 x 300 - 2 x 661	



CARACTÉRISTIQUES TECHNIQUES DES ANNEXES

		YACH	TLINE		CADET RIB ALU ULTRA LIGHT VERSION				CADET RIB ALU FLAT/V DECK VERSION				CADET RIB STRONGAN/NEO					
	360	400	440	490	240	270	300	330	360	300	330	360	390	260 Strongan	290	310	340	390
DIMENSIONS (METERS - FEET)																		,
Length overall	3,60 - 11'10"	4,00 - 13'1"	4,40 - 14'5"	4,90 - 16'1"	2,43-8'	2,73-8'11"	3,03-9'11"	3,33-10'11'	3,63-11'11"	3,00-9'10"	3,30-10′10″	3,60-11′10″	3,90-12′10″	2,60-8'6"	2,90-9'6"	3,10-10'2"	3,40-11'2"	3,90-12′10″
Inside length	2 - 6'7"	2,4 - 7'11"	2,8 - 9'2"	2,98 - 9'9"	1,66-5'5"	1,8-6'3"	2,10-6'11"	2,30-7′7″	2,70-8'10"	2,10-6'11"	2,30-7′7″	2,70-8'10"	3,00-9'84"	1,72-5′8″	1,95-6′5″	2,20-7'3"	2,48-8'2"	2,90-9'6"
Width overall	1,77 - 5'10"	1,77 - 5'10"	1,86 - 6'1"	2,05 - 6'9"	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5′6″	1,67-5′6″	1,67-5'6"	1,67-5'6"	1,67-5'6"	1,67-5'48"	1,56-5'1"	1,56-5"1"	1,72-5′8″	1,72-5'8"	1,90-6'3"
Inside width	0,86 - 2'10"	0,86 - 2'10"	0,94 - 3'1"	1,05 - 3'5"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2'7"	0,78-2′7″	0,78-2′7″	0,78-2'56"	0,70-2'7"	0,70-2'4"	0,80-2'7"	0,80-2'7"	0,95-3'1"
Buoyancy tube diameter	0,455 - 1'6"	0,455 - 1'6"	0,455 - 1'6"	0,5 - 1'8"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41"-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'4"	0,41-1'35"	0,42-1′5″	0,42-1′5″	0,45-1'6"	0,45-1'6"	0,45-1'6"
CAPACITY																		
Number of passengers (ISO)	4	5	6	9	3	4	4+1	5	6	5	6	6	7	3	4	5	5+1	7
Max. authorized payload (Kg – lbs.)	605 - 1334	735 - 1620	850 - 1874	945 - 2083	298-657	396-873	496-1094	551-1,215	600-1341	463-1021	548-1209	558-1231	643-1418	400-882	450-993	480-1059	610-1345	780-1720
Total weight (Kg – lbs.)	193 - 426	218 - 481	273 - 602	390 - 860	33-73	37-82	43-95	47-104	50-111	58-128	62-137	68-150	74-164	52-115	71/75- 157/166	87/91- 192/201	93/97- 206/214	181/227- 400/501
Nbre of airtight compartments	3	3	3	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3
ENGINE																		
Transom length	long	long	long	long	court	court	court	court	court	court	court	court	court	court	court	court	court	long
Max. allowed power (Hp)	40	50	60	90	6	10	15	15	30	15	15	30	30	10	15	20	25	50
Max. allowed power (kW)	30	38	45	68	4,5	8	11	11	22	11	11	22	22	8	11	15	19	38
Max. allowed weight of engine (Kg-lbs)	119 - 262	119 - 262	128 - 282	179 - 395	33-73	51-113	56-124	56-124	89-197	56-124	56-124	89-197	89-197	52-115	55-122	60-133	72-159	115-254

CADET COMPA	ACT STRONGAN	С	ADET FASTROLLER	?			CADET		
250	300	285	325	360	200 Roll Up / Aero	230 Roll Up / Aero	270 Roll Up / Alu / Aero	310 Alu / Aero	350 Alu / Aero
2,50-8'2"	3,00-9'10"	2,85-9'4"	3,25-10'8"	3,60-11′10″	2,00-6'7"	2,30-7′7″	2,70-8'10"	3,10-10'2"	3,50-11'6"
1,62-5'4"	2,02-6′8″	1,91-6'3"	2,29-7′6″	2,67-8′9″	1,26-4'2"	1,44-4'9"	1,75-5′9″	2,20-7'3"	2,58-8'6"
1,56-5'1"	1,56-5′1″	1,68-5′6″	1,68-5'6"	1,74-5'9''	1,34-4′5″	1,34-4'5"	1,53-5′	1,55-5′1″	1,72-5′8″
0,70-2'4"	0,70-2'4"	0,78-2'7"	0,78-2'7"	0,84-2'9"	0,62-2'	0,62-2'	0,68-2'3"	0,68-2'3"	0,83-2'9"
0,42-1′5″	0,42-1′5″	0,45-1'6"	0,45-1'6"	0,45-1'6"	0,36-1'2"	0,36-1'2"	0,43-1′5″	0,44-1′5″	0,45-1′6″
3	4	4	5	6	2	3	3+1	5	6
380-838	450-993	450-993	490-1081	750-1654	180/210- 397/463	270/300- 596/662	370/450/420- 816/993/926	600/570- 1323/1257	650/620- 1433/1367
38-84	48-106	35-78	38-84	44-97	20-45	22/24-49/53	29/37/31- 64/82/69	49/35-109/78	67/42-148/93
2	2	2+1	3+1	3+2	2/2+1	2/2+1+1	3/3+1/3+1+1	3+1/3+1+1	3+1/3+1+1
court	court	court	court	court	court	court	court	court	court
8	10	8	10	15	3	4	4/8/6	15/10	20/15
6	8	6	8	11	2	3	3/6/4,5	11/8	15/11
42-93	52-115	42-93	52-115	55-122	18-40	27-60	27/42/27- 60/93/60	55/52- 122/115	55-122



The maximal authorized load was computed according to the ISO norm.

This document may make references to registered trademarks from other companies. Such references are purely indicative and do not constitute any commitment. In a constant search for better products, Z Nautic reserves the right to change or improve the conception or definition of its products at any time, without prior notice and without retroactive effect on the boats built previously.

This document cannot be considered as a contractual document. Non-contractual pictures.

Guarantee extensions are available depending on the products and the geographical area. Information available at your reseller and on www.Zodiac-nautic.Com

Z Nautic reserves the right to modify the characteristics of its products without prior notice (tolerance +/- 3% on dimensions, +/- 5% on weight and speed).

Zodiac Nautic™ is a registered trademark – Copyright Zodiac Nautic™. Z Nautic SAS with a capital of 7,095,000€ – SIRET 812 206 340 000 26 APE 4778C – SIREN 812 206 340 - RCS TOULOUSE VAT № 81 812 206 340. 2, Chemin de la Val Priout. 31450 AYGUESVIVES – FRANCE.

