

DataLog-Oct_13_2023_5-08-24-PM

Time(s)	Long Term Secondary Oxygen Sensor Trim Bank 1 (%)	O2 Bank 1 - Sensor 2 - Oxygen Sensor Voltage (V)	Wide Range O2S: Bank 1 - Sensor 1 - Current (mA)	Wide Range O2S: Bank 1 - Sensor 1 - Equivalence Ratio (λ)	Catalyst Temperature Bank 1 - Sensor 1 (°C)	Fuel Rail Pressure (kPa)	Mass Air Flow Rate (g/s)	Absolute Throttle Position (%)	Intake Manifold Absolute Pressure (kPa)	Long Term Fuel Trim Bank 1 (%)	Short Term Fuel Trim Bank 1 (%)
0.00							3.39	13.3	93.0	0.8	-0.9
1.10		0.686	0.002			9101	3.33	13.3	93.0	0.8	1.1
2.20	-0.8	0.597	-0.008	1.017	378.5	9026	3.26	13.3	93.0	0.8	2.6
3.30	-0.8	0.574	-0.018	1.009	378.6	8960	3.17	13.3	93.0	0.8	2.6
4.40	-0.8	0.681	-0.023	1.005	378.8	8995	3.08	13.3	93.0	0.8	3.9
5.50	-0.8	0.673	-0.025	1.003	378.9	8955	3.05	13.3	93.0	0.8	2.8
6.60	-0.8	0.739	-0.032	0.998	379.1	8953	3.08	13.3	93.0	0.8	3.7
7.70	-0.8	0.735	-0.040	0.997	379.3	8980	3.04	13.3	93.2	0.8	3.4
8.80	-0.8	0.752	-0.047	0.993	379.4	8956	3.06	13.0	93.9	0.8	1.9
9.90	-0.8	0.783	-0.044	0.992	379.6	8930	3.02	13.0	94.0	0.8	2.3
11.00	-0.8	0.786	-0.037	0.995	379.9	8906	3.00	13.0	94.0	0.8	1.1
12.10	-0.8	0.796	-0.039	0.993	380.0	8916	3.03	13.3	93.9	0.8	1.4
13.20	-0.8	0.799	-0.037	0.997	380.3	8958	3.00	13.3	94.0	0.8	1.1
14.30	-0.8	0.802	-0.039	0.995	380.5	8948	3.03	13.3	93.9	0.8	-0.1
15.40	-0.8	0.804	-0.032	0.997	380.7	8951	3.00	13.3	94.0	0.8	-0.3
16.50	-0.8	0.806	-0.055	0.995	380.8	8945	2.99	13.3	93.9	0.8	-1.6
17.60	-0.8	0.808	-0.032	0.995	381.0	9018	2.98	13.3	94.0	0.7	-1.4
18.70	-0.8	0.820	-0.034	0.996	381.3	9011	7.55	21.0	95.1	-7.9	-0.1
19.80	-0.7	0.898	-0.048	1.082	381.5	12894	18.62	47.6	96.9	-8.4	0.0
20.90	0.0	0.893	-0.076	1.355	381.8	19060	17.53	45.4	95.9	-13.3	0.0
22.00	0.0	0.140	0.093	1.428	382.0	17807	8.58	14.8	92.0	-24.4	0.0
23.10	0.0	0.108	0.649	1.730	382.1	14310	8.46	14.9	91.8	-18.7	0.0
24.20	0.0	0.119	0.600	1.731	382.3	13413	3.86	13.3	91.1	0.8	0.0
25.30	-0.3	0.148	0.139	1.147	382.6	9937	3.88	13.3	91.1	0.8	3.9
26.40	-0.8	0.148	0.134	1.152	383.0	9799	3.78	13.3	92.0	0.8	15.9
27.50	-0.8	0.178	-0.019	1.086	383.4	8956	3.80	13.3	92.0	0.8	16.7
28.60	-0.8	0.304	-0.019	0.993	384.0	8952	3.56	13.2	92.0	0.8	18.0
29.70	-0.8	0.857	-0.091	0.974	384.4	8996	3.16	12.9	92.0	0.8	18.7
30.80	-0.8	0.861	-0.165	0.936	385.2	8991	3.02	12.9	92.3	0.8	17.7
31.90	-0.8	0.867	-0.161	0.943	385.6	8990	2.65	12.6	93.0	0.8	16.3
33.00	-0.8	0.873	-0.104	0.972	386.7	8991	5.06	16.6	94.6	-4.0	9.7
34.10	-0.8	0.915	-0.107	0.975	387.5	11403	15.23	40.8	98.9	-13.1	0.0
35.20	0.0	0.920	-0.111	0.994	392.7	15704	14.31	40.0	97.2	-9.9	0.0
36.30	0.0	0.594	-0.030	1.037	393.2	14620	4.62	13.3	89.1	0.0	0.0
37.40	0.0	0.150	0.317	1.374	394.0	11665	4.66	13.3	88.9	0.1	0.0
38.50	0.0	0.145	0.320	1.384	394.5	11251	4.78	13.5	88.1	0.8	0.0
39.60	0.0	0.154	0.273	1.321	395.2	9120	4.82	13.7	88.0	0.8	4.6
40.70	0.0	0.146	0.281	1.329	396.0	9292	4.85	13.8	91.1	0.8	31.9
41.80	-0.1	0.163	0.145	1.208	396.6	12390	4.86	14.1	91.0	0.8	32.8
42.90	-0.8	0.202	-0.043	0.982	397.4	12477	4.68	14.1	91.6	0.8	30.1
44.00	-0.8	0.906	-0.125	0.946	398.0	11398	3.96	13.7	93.0	0.8	26.4
45.10	-0.8	0.910	-0.323	0.886	398.9	9565	3.86	13.7	92.2	0.8	23.4
46.20	-0.8	0.903	-0.307	0.886	399.4	9455	2.88	13.0	94.0	0.8	15.3
47.30	-0.8	0.888	-0.155	0.945	400.2	8974	2.86	12.9	94.0	0.9	15.3
48.40	-0.8	0.889	-0.159	0.943	401.2	8970	2.83	12.9	94.0	0.8	11.4
49.50	-0.8	0.877	-0.164	0.941	401.8	8986	2.76	12.9	94.0	0.7	11.7
50.60	-0.8	0.880	-0.170	0.939	402.7	9011	2.76	13.0	94.0	0.8	9.3
51.70	-0.8	0.881	-0.168	0.938	403.3	8994	2.87	13.3	94.0	10.8	4.6
52.80	-0.8	0.884	-0.145	0.948	404.0	8953	2.86	13.3	94.0	11.0	3.6
53.90	-0.8	0.885	-0.148	0.947	404.8	8950	2.87	13.3	94.0	11.5	-0.8
55.00	-0.8	0.883	-0.114	0.952	405.3	8954	2.88	13.3	94.0	11.7	-0.8
56.10	-0.8	0.885	-0.117	0.961	405.9	8950	2.88	13.3	94.0	11.7	-0.8