SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.3 Revision Date 27.05.2015

Print Date 27.01.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Cadmium nitrate tetrahydrate

Product Number : 229520 Brand : Aldrich

Index-No. : 048-001-00-5

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 10022-68-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Riedstrasse 2

D-89555 STEINHEIM

Telephone : +49 89-6513-1444 Fax : +49 7329-97-2319 E-mail address : eurtechsery@sial.com

1.4 Emergency telephone number

Emergency Phone # 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350

Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - repeated exposure, Oral (Category 1), Kidney, Lungs, Bone, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

T Toxic R45, R46, R60, R61

T+ Very toxic R26, R25
T Toxic R48/23/25
N Dangerous for the R50/53

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H301 Toxic if swallowed. H330 Fatal if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs (Kidney, Lungs, Bone) through prolonged or

repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician. Rinse mouth.

P304 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental Hazard none

Statements

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Cadmium nitrate tetr	ahydrate		
CAS-No. EC-No. Index-No.	10022-68-1 233-710-6 048-001-00-5	Acute Tox. 3; Acute Tox. 2; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301,	<= 100 %
		H330, H340, H350, H360FD, H372, H410	

Hazardous ingredients according to Directive 1999/45/EC

Component	<u> </u>	Classification	Concentration		
Cadmium nitrate tetrahydrate					
CAS-No.	10022-68-1	T+, N, R45 - R46 - R60 -	R61 - <= 100 %		
EC-No.	233-710-6	R25 - R26 - R48/23/25 -			
Index-No.	048-001-00-5	R50/53			

Aldrich - 229520 Page 2 of 9

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx), Cadmium/cadmium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

Aldrich - 229520 Page 3 of 9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Aldrich - 229520 Page 4 of 9

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: solid a) Appearance

Colour: white

b) Odour No data available Odour Threshold No data available Hq No data available d)

Melting point/freezing

point

Melting point/range: 59,5 °C - lit.

Initial boiling point and f)

No data available

boiling range Flash point Not applicable

h) Evaporation rate No data available

Flammability (solid, gas) No data available

Upper/lower i) flammability or explosive limits No data available

k) Vapour pressure No data available No data available I) Vapour density

m) Relative density No data available n) Water solubility No data available

Partition coefficient: noctanol/water

No data available

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity No data available r)

Explosive properties No data available

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other safety information

No data available

Aldrich - 229520 Page 5 of 9

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Reducing agents, Phosphorus, Copper, Organic materials

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

In vivo tests showed mutagenic effects

Rat

Liver

Unscheduled DNA synthesis

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium nitrate tetrahydrate)

2A - Group 2A: Probably carcinogenic to humans (Cadmium nitrate tetrahydrate)

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium nitrate tetrahydrate)

2A - Group 2A: Probably carcinogenic to humans (Cadmium nitrate tetrahydrate)

Reproductive toxicity

Presumed human reproductive toxicant May damage the unborn child.

May cause reproductive disorders. May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Kidney, Lungs, Bone

Aldrich - 229520 Page 6 of 9

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Ictalurus punctatus - 4,48 mg/l - 96 h

Toxicity to daphnia and

static test EC50 - Daphnia pulex (Water flea) - 0,048 mg/l - 48 h

other aquatic invertebrates

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Bioaccumulation - 21 d

Bioconcentration factor (BCF): 960

Remarks: Can accumulate in aquatic organisms.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2570 IMDG: 2570 IATA: 2570

14.2 UN proper shipping name

ADR/RID: CADMIUM COMPOUND (Cadmium nitrate tetrahydrate)
IMDG: CADMIUM COMPOUND (Cadmium nitrate tetrahydrate)
IATA: Cadmium compound (Cadmium nitrate tetrahydrate)

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

Aldrich - 229520 Page 7 of 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Cadmium nitrate tetrahydrate CAS-No.: 10022-68-1

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Shall not be used in mixtures and articles produced from synthetic organic polymers

See Commission Regulation (EU) No 835/2012 for Conditions of restriction

Cadmium nitrate tetrahydrate CAS-No.: 10022-68-1

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and

import of dangerous chemicals

Exempted (Categories of) Uses: industrial chemical for professional use

Cadmium nitrate tetrahydrate CAS-No.: 10022-68-1

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and

import of dangerous chemicals

Exempted (Categories of) Uses: industrial chemical for professional use

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H301 Toxic if swallowed.
H330 Fatal if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Full text of R-phrases referred to under sections 2 and 3

N Dangerous for the environment

T+ Very toxic

R25 Toxic if swallowed.
R26 Very toxic by inhalation.
R45 May cause cancer.

R46 May cause heritable genetic damage.

R48/23/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation

and if swallowed.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R60 May impair fertility.

Aldrich - 229520 Page 8 of 9

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 229520 Page 9 of 9