



Address:
Postal address:
Phone:
Fax:
E-mail:
Homepage:

Mechanic:
Date: 05-08-2018
Car licence no:
VIN:
Mileage:
Vehicle: Peugeot - 406 Serie 2 [98-04] - 1999

Real-time data

Diesel - Data list 13 (20:10:40)

Name	Value	Unit
Accelerator pedal position	99	%

Diesel - Data list 12 (20:10:33)

Name	Value	Unit
High speed radiator fan relay	Inactive	
Low speed radiator fan relay	Inactive	

Diesel - Data list 11 (20:10:25)

Name	Value	Unit
Vehicle speed	0	Km/h
Gear detected	Gear 1 [1]	
With automatic transmission	No	

Diesel - Data list 10 (20:10:10)

Name	Value	Unit
Measured/requested fuel pressure deviation	19	Bar

Diesel - Data list 9 (20:09:58)

Name	Value	Unit
Crankshaft / camshaft synchronization	No	
Cruise control switch	Inactive	

Diesel - Data list 8 (20:09:49)

Name	Value	Unit
Overboost pressure measured	1036	Millibar
Target overboost pressure	1899	Millibar
Fuel pressure regulator	1153	mA

Diesel - Data list 7 (20:09:34)

Name	Value	Unit
Atmospheric pressure	989	Millibar
Fuel temperature	-18	°C
Camshafts sensors power supply	4,90	V
Sensor power supply	4,90	V

Diesel - Data list 6 (20:09:26)

Name	Value	Unit
Inlet air temperature	23	°C
Coolant temperature	39	°C

Diesel - Data list 6 (20:09:25)

Name	Value	Unit
Inlet air temperature	23	°C
Coolant temperature	39	°C

Diesel - Data list 5 (20:09:18)

Name	Value	Unit
Fuel pressure regulator	26	%
Fuel pressure measured	580	Bar
Calculated fuel quantity	28,08	mm ³ /stroke
Cylinder 1 fuel trim	1,54	mm ³ /stroke
Cylinder 2 fuel trim	-0,41	mm ³ /stroke
Cylinder 3 fuel trim	0,14	mm ³ /stroke
Cylinder 4 fuel trim	-1,50	mm ³ /stroke
Injectors voltage	79,6	V

Diesel - Data list 4 (20:09:09)

Name	Value	Unit
Engine speed	2144	Rpm
Air mass measured	18	mg/stroke
EGR valve opening	5	%
EGR throttle opening	5	%
Boost pressure valve duty cycle	63	%
Deactivation of piston element in high pressure pump	Yes	
Pre injection timing	31	°
Main injection timing	8	°

Diesel - Data list 1 (20:08:48)

Name	Value	Unit
Reference PSA	9636321580	
Software number	9635156580	
Supplier	BOSCH	
Diagnostic version	02	

Diesel - Data list 2 (20:08:43)

Name	Value	Unit
Software version	1	
Software index	0	

Diesel - Data list 3 (20:08:32)

Name	Value	Unit
Battery voltage	14,3	Volt
Relay, pre-/post-heating control	Inactive	
Brake pedal switch	Inactive	
A/C cut signal	Inactive	

