



**DOE INDUSTRIES SDN BHD** (36788-T)  
(A Subsidiary of C.I. Holdings Bhd)



**SALES & MARKETING OFFICE**

8, Jalan SS21/39, Damansara Utama, 47400 Petaling Jaya, Malaysia.  
Tel : 603 - 7727 8868 Fax: 603 - 7727 7868 e-mail: sales@doe.com.my

**TAIWAN OFFICE**

1F, No. 192, Chongyang Rd., Nangang Dist.,  
Taipei City 115, Taiwan (R.O.C.)  
Tel: (02) 2651 5218 Fax: (02) 2651 5464

**FACTORY**

Lot 41- 43, Lorong Senawang 3/1, Senawang Industrial Estate,  
70450 Seremban, Negeri Sembilan, Malaysia.  
Tel: 606 - 677 6936/63 Fax: 606 - 677 6954 e-mail: fac@doe.com.my



BERSEKUTUAN MELAKSANA



BERSEKUTUAN MELAKSANA



Suruhanjaya Perkhidmatan  
Air Negara


[www.doe.com.my](http://www.doe.com.my)

2019 / 2020 2nd Edition

PRODUCT CATALOGUE 2019 / 2020

# DOE

TAPWARES & SANITARY FITTINGS



# P REMIUM RANGE



- **IMPERIO SERIES** ..... PG 03
- **SIMPLE SERIES** ..... PG 04
- **DS SERIES** ..... PG 05
- **Q'TEE SERIES** ..... PG 06

# TAPS

## IMPERIO SERIES

# PREMIUM RANGE

### BASIN MIXERS



**IR 0098**

Basin mixer  
Cold water model : **IR 0097**  
Water-efficient model:  
**IR 0098-W (2L / min)**



**IR 0099**

Basin mixer (medium)  
Water-efficient model:  
**IR 0099-W (2L / min)**



**IR 0119**

Basin mixer (tall)  
Water-efficient model:  
**IR 0119-W (2L / min)**

### BATH AND SHOWER MIXERS



**IR 0208**

Concealed shower mixer  
with diverter



**IR 0138**

Concealed shower mixer



**IR 0228**

Exposed bath and shower mixer  
Water-efficient model:  
**IR 0228-W (9L / min - hand shower)**

### SINK MIXER



**IR 0158**

Sink mixer  
Water-efficient model:  
**IR 0158-W (3L / min)**

---

## SIMPLE SERIES **NEW**

### BASIN TAPS



#### **SPX 98**

Single lever basin tap (cold)



#### **SPX 118**

Single lever basin mixer



#### **SPX 258**

Single lever shower mixer



#### **SPX 228**

Single lever bath & shower mixer



#### **SPX 138**

Single lever concealed shower mixer



#### **SPX 208**

Single lever concealed shower mixer with diverter

### KITCHEN MIXERS



#### **SPX 180**

Single lever kitchen mixer



#### **SPX 178**

Single lever kitchen mixer

# TAPS

## DS SERIES

# PREMIUM RANGE

### BASIN TAPS



#### DS 030

Pillar-mounted cold water basin tap with Cross handle



#### DS 031

Pillar-mounted single lever cold water basin tap with Joy handle  
**Water-efficient model:**  
**DS 031-W (2L / min)**



#### DS 032

Pillar-mounted single lever cold water basin tap with Flat handle  
**Water-efficient model:**  
**DS 032-W (2L / min)**



### KITCHEN TAPS



#### DS 033

Pillar-mounted single lever cold water basin tap with Lever handle  
**Water-efficient model:**  
**DS 033-W (2L / min)**



#### DS 130

Pillar-mounted cold water kitchen tap with Cross handle  
**Water-efficient model:**  
**DS 130-W (3L / min)**



#### DS 131

Pillar-mounted single lever cold water kitchen tap with Joy handle  
**Water-efficient model:**  
**DS 131-W (3L / min)**



#### DS 132

Pillar-mounted single lever cold water kitchen tap with Flat handle  
**Water-efficient model:**  
**DS 132-W (3L / min)**



# TAPS

## Q'TEE SERIES

### PILLAR TAP



**QT 113 CORAL\***

½" Quarter-turn Regency pillar tap with Coral handle  
*Water-efficient model:*  
**QT 113 W-Coral (2L / min)**

\* Please refer below for handle options

### SINK TAPS



**QT 115 CORAL\***

½" Quarter-turn pillar-mounted sink tap with Coral handle  
*Water-efficient model:*  
**QT 115 W-Coral (3L - min)**



**QT 116 CORAL\***

½" Quarter-turn wall-mounted sink tap with Coral handle  
*Water-efficient model:*  
**QT 116 W-Coral (3L - min)**

### HANDLES



**CORAL**



**COSTA**

### HEADWORK



**CERAMIC DISC HEADWORK**

High quality quarter-turn ceramic disc headworks  
(fitted in all Colonial & Q'tee models - tested to 500,000 cycles)

### OPTIONAL ACCESSORY



**25MM EXTENSION SPINDLE**

# *S*TANDARD RANGE



- **BASIC SERIES** ..... PG 08 - 11
- **NEU SERIES** ..... PG 12 - 14
- **ROMANO (RA)** ..... PG 15
- **ROMANO (RF)** ..... PG 16
- **ROMANO (RX)** ..... PG 17

## BASIC SERIES

### BASIN TAPS



#### PT 30 RENO\*

Standard basin tap with Reno handle



#### PT 30B RENO\*

Standard basin tap with Reno handle



#### RT 60 FIESTA\*

Regency basin tap with Fiesta handle

*Water-efficient model:*  
**RT 60-W (2L / min)**



#### RT 60B AWAN\*

Regency basin tap with 90mm spout and Awan handle

*Water-efficient model:*  
**RT 60B-W (2L / min)**



#### PT 80 SIERRA\*

Tiara basin tap with Sierra handle

*Water-efficient model:*  
**PT 80-W (2L / min)**



#### DE 11 ARROWLINE\*

Wall-mounted sink mixer with Arrowline handle

*Water-efficient model:*  
**DE 11-W (3L / min)**

### SINK TAPS



#### DE 12 ST MORITZ\*

Pillar-mounted sink mixer with St Moritz handle

*Water-efficient model:*  
**DE 12-W (3L / min)**



#### DE 115A ECLIPSE\*

Pillar-mounted sink tap with Eclipse handle

*Water-efficient model:*  
**DE 115A-W (3L / min)**



#### DE 116A FIESTA\*

Wall-mounted sink tap with Fiesta handle

*Water-efficient model:*  
**DE 116A-W (3L / min)**

### BATH AND SHOWER MIXER



#### DE 116B ECLIPSE\*

Wall-mounted sink tap with Eclipse handle

*Water-efficient model:*  
**DE 116B-W (3L / min)**



#### DE 44A AWAN\*

Exposed shower mixer with hand shower and Awan handle

*Water-efficient model:*  
**DE 44A-W (9L / min hand shower)**



### HAND BIDETS



**BIDET 71B**

Handheld bidet with heavy-duty PVC black hose, brass nozzle and bracket.  
**Water-efficient model:**  
**Bidet 71B-W (5L / min)**



**BIDET 72**

Handspray bidet with heavy-duty PVC black hose and holder.  
**Water-efficient model:**  
**Bidet 72-W (5L / min)**



**BIDET 76**

Handspray bidet with interlocking stainless steel flexible hose and holder.  
**Water-efficient model:**  
**Bidet 76-W (5L / min)**



**BIDET 77**

Handheld bidet with interlocking stainless steel flexible hose, brass nozzle (aerator type) and holder,  
**Water-efficient model:**  
**Bidet 77-W (5L / min)**



**BIDET 78**

Handheld bidet with seamless heavy duty flexible hose (chrome), brass nozzle (aerator type) and bracket,  
**Water-efficient model:**  
**Bidet 78-W (5L / min)**



**BIDET 79C**

Stainless steel Grade 304 handspray bidet with seamless, heavy duty flexible hose (chrome) and bracket

### RIGHT ANGLE STOP VALVES



**NS 74**

Handheld bidet with interlocking flexible hose, (Integrated holder and right angle valve)  
**Water-efficient model:**  
**NS 74-W (5L / min)**



**DE 46 RENO\***

½" x ½" Right angle stop valve (M&M) with Reno handle



**DE 47 ARROWLINE\***

½" x ¾" Right angle stop valve (M&M) with Arrowline handle

### ABLUTION TAP



**DE 117A REGENT\***

Amali wall mounted swivel tap with Regent handle  
**Water-efficient model:**  
**DE 117A-W (3L / min)**

### BIB AND HOSE BIB TAPS



**BT 36 ARROWLINE\***

½" Booster bib with Arrowline handle



**BT 36-W SIERRA\***

Water-efficient ½" Booster bib with Sierra handle **(3L / min)**

---

## BASIC SERIES

### BIB AND HOSE BIB TAPS



#### BT 32 TEE

½" Booster bib with Tee handle



#### HB 52 TEE

½" Hose bib with ½" hose tail, collar screw and Tee handle



#### HB 56 BINTANG

½" Hose bib with ½" hose tail, collar screw and Bintang handle

### STOPCOCKS



#### HB 76 ECLIPSE\*

½" Hose bib with ¾" outlet and Eclipse handle



#### SK 42 TEE

½" Stopcock and Tee handle



#### SK 46 RENO\*

½" Stopcock with Reno handle



#### SK 72 TEE

¾" Stopcock with Tee handle



#### SK 76 ARROWLINE\*

¾" Stopcock with Arrowline handle



#### DE 60 ST MORITZ\*

½" Wall-flanged stopcock with St Moritz handle



#### DE 60A ST MORITZ\*

¾" Wall-flanged stopcock with St Moritz handle



#### DE 60B ST MORITZ\*

1" Wall-flanged stopcock with St Moritz handle

**TAPS**

**BASIC SERIES**

**HANDLES**

**CHROME-PLATED ABS**



**AWAN**



**ARROWLINE ABS**



**ECLIPSE**



**RENO**

**CHROME-PLATED ZINC**



**BELLA**  
(Quarter Turn)



**PLANO**  
(Quarter Turn)

**CHROME-PLATED BRASS**



**ST MORITZ**



**ARROWLINE METAL**

**HEADWORK**



**NON-RISING HEADWORK**

Durable and high quality non-rising headworks (fitted in all Basics Series models - tested to 200,000 cycles)

**OPTIONAL ACCESSORY**



**25MM EXTENSION SPINDLE**

---

## NEU SERIES

### NS BASIN TAPS



**NS 30**

Basin tap



**NS 80**

Basin tap



**NS 81**

Basin tap  
*Water-efficient model:*  
**NS81-W (2L / min)**

### NS SINK TAPS



**NS 115**

Pillar-mounted kitchen sink tap  
*Water-efficient model:*  
**NS115-W (2L / min)**



**NS 116**

Wall-mounted kitchen sink tap  
*Water-efficient model:*  
**NS 116-W (2L / min)**

### NS ABLUTION TAP



**NS 117**

Ablution tap  
*Water-efficient model:*  
**NS 117-W (3L / min)**

### NS BIB AND HOSE BIB TAPS



**NS 36**

Basin tap



**NS 39**

Extended bib tap



**NS 56**

Hose bib tap

### NS STOPCOCK



**NS 60**

1/2" F&F wall-flanged stopcock

### NS RIGHT ANGLE STOP VALVE



**NS 46**

Right angle stop valve

# TAPS

## NEU SERIES

STANDARD RANGE

### NL BASIN TAPS



**NL 30**

Basin tap



**NL 80**

Basin tap



**NL 81**

Basin tap  
*Water-efficient model:*  
**NL 81-W (2L / min)**

### NL SINK TAPS



**NL 115**

Pillar-mounted kitchen sink tap  
*Water-efficient model:*  
**NL 115-W (3L / min)**



**NL 116**

Wall-mounted kitchen sink tap  
*Water-efficient model:*  
**NL 116-W (3L / min)**

### NL ABLUTION TAP



**NL 117**

Ablution tap  
*Water-efficient model:*  
**NL 117-W (3L / min)**

### NL BIB AND HOSE BIB TAPS



**NL 36**

Basin tap



**NL 39**

Extended bib tap



**NL 56**

Hose bib tap

### NL STOPCOCK



**NL 60**

1/2" F&F wall-flanged stopcock

### NL RIGHT ANGLE STOP VALVE



**NL 46**

Right angle stop valve

---

## NEU SERIES

### RIGHT ANGLE STOP VALVES & HOSES



#### **SS 2152**

1/2" x 1/2" chrome-plated brass  
angle valve with flange



#### **F 9946 B**

1/2" x 1/2" chrome-plated brass  
angle valve with flange



#### **SS 2153 (R)**

1/2" x 1/2" chrome-plated brass  
angle valve with flange



#### **SS 6513**

1/2" x 1/2" 300mm  
Stainless steel braided hose



#### **SS 6513 (N)**

1/2" x 1/2" 300mm  
Stainless steel braided  
hose (Brass Hex nut)



#### **SS 6514**

1/2" x 1/2" 400mm  
Stainless steel braided  
hose (Brass Hex nut)

# TAPS

## ROMANO (RA)

# STANDARD RANGE

### BASIN TAPS



**RA 30**

Basin tap



**RA 80**

Basin tap

### BIB AND HOSE BIB TAPS



**RA 36**

Bib tap



**RA 56**

Hose bib tap



**RA 38**

Multipurpose bib tap

### SINK TAPS



**RA 115**

Pillar-mounted kitchen sink tap



**RA 116**

Wall-mounted kitchen sink tap

### RIGHT ANGLE STOP VALVE



**RA 46**

Right angle stop valve

### STOPCOCK



**RA 60**

½" Concealed stopcock

---

## ROMANO (RF)

### BASIN TAPS



**RF 30**

Basin tap



**RF 80**

Basin tap

### BIB AND HOSE BIB TAPS



**RF 36**

Basin tap



**RF 56**

Hose bib tap



**RF 38**

Multipurpose bib tap

### SINK TAPS



**RF 115**

Pillar-mounted kitchen sink tap



**RF 116**

Wall-mounted kitchen sink tap

### RIGHT ANGLE STOP VALVE



**RF 46**

Right angle stop valve

### STOPCOCK



**RF 60**

1/2" Concealed stopcock



# TAPS

## ROMANO (RX)

# STANDARD RANGE

### BASIN TAPS



**RX 30**

Basin tap



**RX 80**

Basin tap

### BIB AND HOSE BIB TAPS



**RX 36**

Basin tap



**RX 56**

Hose bib tap



**RX 38**

Multipurpose bib tap

### SINK TAPS



**RX 115**

Pillar-mounted kitchen sink tap



**RX 116**

Wall-mounted kitchen sink tap

### RIGHT ANGLE STOP VALVE



**RX 46**

Right angle stop valve

### STOPCOCK



**RX 60**

1/2" concealed stopcock  
Quarter turn headwork



**RX 60F**

1/2" concealed stopcock  
Full turn headwork



**RX 60AF**

3/4" concealed stopcock  
Full turn headwork



# AFFORDABLE RANGE

- **STELLA SERIES** ..... PG 19
- **DTK SERIES** ..... PG 19 - 20
- **DTQ SERIES** ..... PG 20

# TAPS

## STELLA SERIES

AFFORDABLE RANGE

### BASIN TAPS



**DTS 98**

Single lever (quarter turn) basin tap. Material: Chrome-plated ABS



**DTS 99**

Single lever (quarter turn) tall basin tap. Material: Chrome-plated ABS

### SINK TAPS



**DTS 115**

Single lever (quarter turn) pillar-mounted sink tap. Material: Chrome-plated ABS



**DTS 116**

Single lever (quarter turn) wall-mounted sink tap. Material: Chrome-plated ABS

### BIB AND HOSE BIB TAPS



**DTK 36**

Single lever (quarter turn) bib tap. Material: Chrome-plated ABS



**DTK 39**

Single lever (quarter turn) extended bib tap. Material: Chrome-plated ABS

### RIGHT ANGLE STOP VALVE



**DTK 46**

Single lever (quarter turn) angle valve. Material: Chrome-plated ABS

### BASIN TAP



**DTK 30**

Bib tap

### BIB AND HOSE BIB TAPS



**DTK 36**

Bib tap



**DTK 39**

Bib tap with extended body

### DTK SERIES

### MULTIPURPOSE BIB TAP



**DTK 56**

Hose bib tap



**DTK 38**

Multipurpose bib tap

# TAPS

---

## DTK SERIES

### SINK TAPS



**DTK 115**

Pillar-mounted kitchen sink tap



**DTK 116**

Wall-mounted kitchen sink tap

### RIGHT ANGLE STOP VALVE



**DTK 46**

Right angle stop valve

## DTQ SERIES

---

### BASIN TAP



**DTQ 30**

Basin tap

### BIB AND HOSE BIB TAPS



**DTQ 36**

Bib tap



**DTQ 39**

Bib tap with extended body

### MULTIPURPOSE BIB TAP



**DTQ 56**

Hose bib tap



**DTQ 38**

Multipurpose bib tap

### SINK TAPS



**DTQ 115**

Pillar-mounted kitchen sink tap



**DTQ 116**

Wall-mounted kitchen sink tap

### RIGHT ANGLE STOP VALVE



**DTQ 46**

Right angle stop valve



# SPECIAL APPLICATIONS

- **PUBLIC WASHROOM** ..... PG 23 - 26
- **HOSPITAL** ..... PG 28 - 30
- **LOCK-UP /  
ANTI-VANDALISM** ..... PG 32 - 33

# PUBLIC WASHROOM / COMMERCIAL SERIES



## SENSOR BASIN TAPS



**SR 207B\***

Infra-red (IR) sensor basin tap  
*Water-efficient model:*  
**SR 207B-W (2L / min)**



**SR 207BB\***

Infra-red (IR) sensor basin tap  
*Water-efficient model:*  
**SR 207BB-W (2L / min)**



**SR 207DB\***

Infra-red (IR) sensor basin tap  
*Water-efficient model:*  
**SR 207DB-W (2L / min)**



**SR 209B\***

Infra-red (IR) sensor basin tap  
*Water-efficient model:*  
**SR 209B-W (2L / min)**



**SR 209BB\***

Infra-red (IR) sensor basin tap  
 wall-mounted  
*Water-efficient model:*  
**SR 209BB-W (2L / min)**



**SR 505A/B\***

Infra-red (IR) sensor basin tap  
 SR 505A - Mains powered (AC)  
 SR 505B - Battery powered (DC)  
*Water-efficient model:*  
**SR 505 A/B-W**

\*Product can be AC (mains powered), DC (battery powered) or AC/DC (main powered with battery back up) supply



**SR 803A/B (DT)**

Infra-red (IR) sensor basin tap  
 SR 803A (DT) - Mains powered (AC)  
 SR 803B (DT) - Battery powered (DC)  
*Water-efficient model:*  
**SR 813 A/B-W (2L / min)**

# PUBLIC WASHROOM

## SELF-CLOSING BASIN TAPS



**DE 101B**

Delayed action basin tap  
Magnetic soft touch cartridge  
**Water-efficient model:**  
**DE 101B-W (2L / min)**



**DE 108**

Delayed action basin tap  
**Water-efficient model:**  
**DE 108-W (2L / min)**

## SELF-CLOSING BIB TAPS



**DE 102**

Delayed action bib tap



**DE 113**

Delayed action bib tap  
**Water-efficient model:**  
**DE 113-W (2L / min)**

## WALL MOUNTED TAPS



**NEW**



**P 8621 (L)**

Wall-mounted tap with extended  
body and lever handle  
**Water-efficient model:**  
**P 8621 (L)-W (2L / min)**



**NEW**



**P 8621 (X)**

Wall-mounted tap with extended  
body and cross handle  
**Water-efficient model:**  
**P 8621 (X)-W (2L / min)**

## SELF-CLOSING VALVES AND SPOUTS



**DE 103**

Delayed action concealed  
valve



**DE 600FT**

Foot operated valve



**IR 0116**

Heavy duty  
wall-mounted spout



**IR 0115**

Heavy duty  
pillar-mounted spout



# AND HYGIENE SOLUTIONS SERIES

SPECIAL APPLICATIONS

## MANUAL-OPERATED URINAL FLUSH VALVES



 **DE 100 B/S**

Exposed type urinal flush valve  
*Water-efficient model:*  
**DE 100B-with bend outlet pipe**  
**DE 100S-with straight outlet pipe**  
**DE 100B/S-W (0.7L / flush)**



 **DE 105**

Duct type urinal flush valve  
*Water-efficient model:*  
**DE 105-W (0.7L / flush)**



 **DE 105P**

Duct type urinal flush valve (palm press)  
*Water-efficient model:*  
**DE 105P-W (0.7L / flush)**

## SENSOR URINAL FLUSH VALVES



 **DE 105F**

Box type urinal flush valve (palm press)  
*Water-efficient model:*  
**DE 105F-W (0.7L / flush)**



 **SR 230 AB\***

Box type sensor urinal flush valve with stainless steel cover and manual override button  
*Water-efficient model:*  
**SR 230 AB-W (0.5L / flush)**



 **SR 230 BB\***

Box type sensor urinal flush valve with black tempered glass cover and manual override button  
*Water-efficient model:*  
**SR 230 BB-W (0.5L / flush)**

\*Product can be AC (mains powered), DC (battery powered) or AC/DC (main powered with battery back up) supply



## SPUD FOR URINAL

5/8" chrome-plated spud for urinal

\*5/8" Urinal spud and flush pipe are sold separately

# PUBLIC WASHROOM AND HYGIENE SOLUTIONS SERIES

## MANUAL-OPERATED WC FLUSH VALVES



### DE 600 BNH

Exposed WC flush valve  
**Water-efficient model:**  
**DE 600 BNH-W (4.5L / flush)**



### DE 601

Duct type WC flush valve servicing  
 from duct or top access panel  
**Water-efficient model:**  
**DE 601-W (4.5L / flush)**



### DE 601T\*

Duct type WC flush valve servicing  
 from duct or top access panel

\*Low-pressure model requires different installation



### DE 605P

Duct type WC flush valve (palm press)  
 duct or top access panel  
**Water-efficient model:**  
**DE 605P-W (4.5L / flush)**



### DE 603

(Right hand push activation)  
 Box type WC flush valve (palm press)  
 suitable for solid wall  $\geq 150$ mm thick



### DE 605F

Box type WC flush valve (palm press)  
 suitable for solid wall  $\geq 150$ mm thick  
**Water-efficient model:**  
**DE 605F-W (4.5L / flush)**



### L PIPE AND SPUD FOR WC

1 1/4" chrome-plated spud for WC  
 and L pipe are sold separately



### K5034 & K301D

Concealed Dual Flush cistern  
**Water-efficient model:**  
**K5034 & K301D-W**  
**(4.5L / 3.0L per flush)**



### DE 701 (N)

Concealed duct type WC  
 dual flush valve - suitable for solid  
 wall  $\geq 150$ mm thick  
**Water-efficient model:**  
**DE 701 (N)-W (4.5L / 3.0L per flush)**

## SENSOR WC FLUSH VALVES



### SR 231 AB\*

Box type sensor WC flush valve with  
 stainless steel cover and manual  
 override button  
**Water-efficient model:**  
**SR 231 AB-W (4.5L / flush)**



### SR 231 BB\*

Box type sensor WC flush valve with  
 black tempered glass cover and manual  
 override button  
**Water-efficient model:**  
**SR 231 BB-W (4.5L / flush)**



*H*OSPITAL /  
CLINICAL SERIES

## SEQUENTIAL MIXER



**MLX 99** NEW

- Single lever sequential clinical mixer - body and handle manufactured from high grade brass and chrome-plated for additional durability.
- Cool Tech thermal insulation allows the body to be cool, thus prevents accidental burns.
- Elbow-action operation, premixed supply with 175mm handle, and spout has swivel function +/- 60° from centre point (250mm extension from the wall). Fitted with 35mmØ ceramic progressive cartridge with 180° linear movement for precise temperature control.
- Preset maximum temperature capability available through hot water temperature limitation function to prevent accidental scalding.
- Cartridge with brass stem to secure handle and avoids loosening.
- Built in with Neoperl Careguard® device that provides Agion antimicrobial protection, laminar flow to prevent airborne bacteria into the water stream. Screenless 100% plastic construction that reduces lime build up and accumulation of micro-organisms; non splashing stream with integrated flow regulator technology-PCA®.
- Preset volume control of water flow at 5.7L minute (max.) that is also water-saving. Maximum hot water temperature compliance to 70° Celsius.
- Wall-mounted with 150mm supply connection – S connector fitted with shut off valves to allow thermal disinfection.
- Back check valves at the hot and cold water supply to avoid crossover and back flow.
- Tested to 500,000 cycles of usage.

## SEQUENTIAL MIXER



**ML 88**

Wall-mounted single lever sequential mixer with Careguard®

## PILLAR & WALL MOUNTED MIXERS



**ML 11**

Wall-mounted mixer with Careguard®



**ML 12**

Wall-mounted mixer with Careguard®

## PILLAR & WALL MOUNTED TAPS



**ML 116**

Wall-mounted sink tap with Careguard®



**ML 117**

Wall-mounted tap with extended body and Careguard®

## THERMOSTATIC MIXERS



**MLT 228**

Dual handle wall-mounted thermostatic bath & shower mixer



**MLT 258**

Dual handle wall-mounted thermostatic shower mixer

## PILLAR, BIB AND HOSE BIB TAPS



**ML 30**

Basin tap with Careguard®



**ML 36**

Bib tap with Careguard®



**ML 56**

Hose bib tap

## OPTIONAL ACCESSORY



**89MM EXTENSION PIECE**

½" Chrome-plated brass extension piece (M+F), available in 2", 3" & 4" lengths

To meet the needs of medical facilities, the MedLab series of taps and mixers incorporates the Neoperl® Careguard® device for anti microbial protection, screenless laminar flow, built-in pressure compensating flow regulation and water conservation.

**The advantages of the MedLab Series with the added Neoperl® Careguard® device:**

**1. Protection against bacteria:**

- Built-in Agion antimicrobial product protection\*
- Screenless 100% plastic construction reduces lime build up and accumulation of micro-organisms
- Laminar flow: does not aspirate air and airborne bacteria into the water stream.

**2. Reduction of maintenance costs:**

- Non-splashing stream reduces clean up maintenance
- Vandal-proof housing prevents unauthorised removal
- Single piece plastic insert (internal part) is virtually unbreakable
- High quality chrome-plating will not tarnish.

**3. Water conservation without sacrificing customer comfort:**

- Water and energy saving (5.7 litres/minute flow max.) - GBI and LEED compliant
- True pressure compensating flow regulation provides comfortable flow at high and low pressure
- Produces crystal clear stream soft to the touch

**NEOPERL CAREGUARD**



Fitted in all MedLab models except for thermostatic mixers



Careguard® combines unique hygienic features

**PILLAR, BIB AND HOSE BIB TAPS**



**MZ 30**

Basin tap



**MZ 60R**

Basin tap  
*Water-efficient model:*  
**MZ 60R-W**



**MZ 80**

Basin tap  
*Water-efficient model:*  
**MZ 80-W**



**MZ 36**

Basin tap



**MZ 36W**

Water-efficient bib tap  
(3L / min)



**MZ 56**

Hose bib tap

**SINK TAP**



**MZ 115**

Sink tap  
*Water-efficient model:*  
**MZ 115-W**

**THERMOSTATIC VALVE**



**IP 8802**

Mixing valve -Thermostat controlled for constant temperature

# HOSPITAL ACCESSORIES

## BOTTLE TRAPS AND WASTES



**32mm  
CPBPTRAP**

Chrome-plated  
brass 'P' trap



**38mm  
CPBPTRAP**

Chrome-plated  
brass 'P' trap



**38mm  
CPSSBT 300**

Chrome-plated stainless  
steel bottle trap



**38mm  
CPBGW US40**

Chrome-plated brass  
unslotted grated waste

## HOSPITAL SINKS AND ACCESSORIES



**32mm  
CPBBT 300**

Chrome-plated  
brass bottle trap



**32mm  
CPBBT 300 DX**

Deluxe chrome-plated  
stainless steel bottle trap



**32mm  
CPBSW US 70**

Deluxe chrome-plated  
stainless steel bottle trap



**32mm  
CPBSW PC S76**

Chrome-plated brass  
slotted waste, plug and chain

## HOSPITAL



- Surgeon Scrub Sinks / Troughs
- Clinical / ICU / Lab Sinks
- Plaster Sinks
- Stop Hoppers
- Baby Bath
- Cleaner's Sinks
- Specimen Pass Through Box
- All sinks are available in stainless steel Grade 304/316 and can be customized

**BW 1502**

Soap Dispenser

**EMS 31ABS  
EMS 32SS**

Emergency shower  
and Eye wash

**SB 1501FT**

Foot-operated  
Soap Dispenser



*P*RISON / LOCK-UP  
SERIES

## VANDAL-RESISTANT STAINLESS STEEL WC SQUATTING PAN



### DE 802WC

One-piece press WC rimless design comes with brass flushing nozzle



### DE 803WC

WC with rim



### Brass Flushing Nozzle

For DE 802WC only



### Stainless Steel Trap

'P' or 'S' type  
- Sold separately



### DE 801WB (BI/TI)\*

Back to wall WC, Vandal-resistant 6L back-to-wall mounted stainless steel grade 304, satin polish finish, with fully pressed seating area, P-trap, with formed stainless steel shroud that protect the bowl and pipework and integral flushing rim.

Size : 550mm (L) x 400mm (W) x 415mm (H), P-trap - 155mm

\*Available in back inlet (BI) or Top inlet (TI)

### VANDAL-RESISTANT PUSH BUTTON WC FLUSH VALVE



### DE 601PR

(shaft length : 200 ± 5mm)

### DE 601PRX

(shaft length : 300 ± 5mm)

### VANDAL-RESISTANT PALM PRESS WC FLUSH VALVE



### DE 601PRP

(shaft length: 200 ± 5mm )

### DE 601PRPX

(shaft length: 300 ± 5mm)

### VANDAL-RESISTANT RETRACTABLE BIDET



### VANDAL-RESISTANT PUSH BUTTON URINAL FLUSH VALVE



### DE 105 PR

(shaft length: 200 ± 5mm)

### DE 105 PRX

(shaft length: 300 ± 5mm)

### VANDAL-RESISTANT PALM PRESS URINAL FLUSH VALVE



### DE 105 PRP

(shaft length: 200 ± 5mm)

### DE 105 PRPX

(shaft length: 300 ± 5mm)

### DE 46 RENO + BIDET QT 79

Handheld bidet with secured nozzle, stainless steel hose and holder. Tamper-proof and with retractable feature



**VANDAL-RESISTANT SHOWER MODULES**



**DE 303 PR**

(shower on top)  
 (shaft length: 200 ± 5mm)  
**DE 303 PRX** (shower on top)  
 (shaft length: 300 ± 5mm)



**DE 303 PRP**

(flush valve on top)  
 (shaft length: 200 ± 5mm)  
**DE 303 PRPX** (flush valve on top)  
 (shaft length: 300 ± 5mm)

**VANDAL-RESISTANT SHOWER ROSE**



**DM 92 PR**

(shaft length :  
 200 ± 5mm)

**DM 92 PRX**

(shaft length:  
 300 ± 5mm)

**VANDAL-RESISTANT STAINLESS STEEL FLOOR TRAPS**



**FGT 120 SS**

Size: 120 x 120mm  
 Vandal-resistant stainless  
 steel floor trap



**PFT 120 SS**

Size: 120 x 120mm  
 Cell stainless steel  
 floor trap

**VANDAL-RESISTANT SELF-CLOSING BIB TAP**



**DE 102 PR**

(shaft length: 200 ± 5mm)  
**DE 102 PRX**  
 (shaft length: 300 ± 5mm)





*S*HOWERS

# *S*HOWERS



- **VENUS SERIES** ..... PG 36
- **ESTIVO SERIES** ..... PG 37 - 38
- **HAND SHOWER SERIES** ..... PG 39
- **DM SERIES** ..... PG 40

## VENUS SERIES

### STAINLESS STEEL RAIN SHOWERS



#### VE105/RWA440

152mm Round stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE106/RWA440

203mm Round stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE107/RWA440

254mm Round stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE105AR/RCA250

152mm Round stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange



#### VE106AR/RCA250

203mm Round stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange



#### VE107AR/RCA250

254mm Round stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange



#### VE205/RWA440

152mm Square stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE206/RWA440

203mm Square stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE207/RWA440

254mm Square stainless steel rain shower, stainless steel ball joint with 440mm wall shower arm with flange



#### VE205AR/RCA250

152mm Square stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange



#### VE206AR/RCA250

203mm Square stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange



#### VE207AR/RCA250

254mm Square stainless steel rain shower, stainless steel ball joint with 250mm ceiling shower arm with flange

## ESTIVO SERIES – ECO FRIENDLY/LOW PRESSURE

### FIXED SHOWERS



#### EST 3605

Mid-sized shower rose (1 mode) with arm  
**Water-efficient model:**  
**EST 3605-W (8L / min)**



#### EST 3805 M

Mid-sized shower rose (3 modes) with arm  
**Water-efficient model:**  
**EST 3805-W (8L / min)**



#### EST 3305E

Water-efficient (6L / min) patented technology shower rose with arm providing a gentle shower experience by mixing air / water

### RAINSHOWERS



#### EST 250 XL Quadro (Wall Arm) / EST 250 XLCL Quadro (Ceiling Arm)

250mm ultra slim square rain shower with arm  
**Water-efficient model:**  
**EST 250XL-W (8L / min)**



#### EST 250 XL Techno (Wall Arm) / EST 250 XLCL Techno (Ceiling Arm)

250mm ultra slim round rain shower with arm  
**Water-efficient model:**  
**EST 250XL-W (8L / min)**

### HAND SHOWER WITH RAILS



#### EST 1324

Single-spray mode hand shower with chromalux hose, rail and adjustable bracket  
**Water-efficient model:**  
**EST 1324-W (9L / min)**



#### EST 2518

Single-spray mode hand shower with chromalux hose, rail and adjustable bracket  
**Water-efficient model:**  
**EST 2518-W (9L / min)**



#### EST 1324 M

3-spray mode hand shower with chromalux hose, rail and adjustable bracket  
**Water-efficient model:**  
**EST 1324M-W (9L / min)**



#### EST 2518 M

3-spray mode hand shower with chromalux hose, rail and adjustable bracket  
**Water-efficient model:**  
**EST 2518M-W (9L / min)**



#### EST 1705E

Water efficient (6L/min) patented technology hand shower with chromalux hose, rail and adjustable bracket. Provides for a gentle shower experience by mixing air / water.

\* All Estivo showers operate at pressure 0.1–2.0 bars

---

## ESTIVO SERIES – ECO FRIENDLY/LOW PRESSURE

### WALL CONNECTORS



#### **ART 1940**

½" chrome plated brass  
shower connector with flange



#### **ART 1941**

½" chrome plated brass  
shower connector with flange



#### **ART 1942**

½" chrome plated brass  
shower connector



#### **ART 1944**

½" chrome plated brass  
shower connector



#### **ART 1946**

½" chrome plated brass  
shower connector with flange



#### **ART 1947**

½" chrome plated brass  
shower connector with flange

## HAND SHOWER SERIES

### INDIVIDUAL UNITS



#### SS-0009

Single mode ABS hand shower with 1.5m stainless steel flexible hose  
**(SS-3008)**



#### SS-0009A

Single mode ABS hand shower with 1.5m stainless steel flexible hose  
**(SS-3008)**



#### SS-0010

Single mode low pressure hand shower with 1.5m flexible hose



#### SS-0011

2 mode hand shower with water fall mode with 1.5m flexible hose



#### SS-0041

Single mode ABS hand shower with 1.5m stainless steel flexible hose  
**(SS-3008)**



#### SS-3008

Stainless steel 1.5m flexible hose

### SHOWER HOLDERS



#### SH 6012

ABS shower holder



#### SH 6005

ABS shower holder



#### SH 6013

ABS shower holder with adjustable mode

### HAND RAIL



#### HSR-01

Stainless steel sliding rail with soap dish

---

## DM SERIES

### FIXED SHOWERS



#### DM 92

Vandal-resistant shower (brass)



#### (RP) SR001

5 mode 100mm diameter shower head, stainless steel shower arm and flange



#### DM 73E

ABS chrome 100mm diameter shower head, stainless steel shower arm c/w flange



#### DM 71

Ball joint shower with arm



#### DM 74

4-mode ball joint shower with arm



#### DM 78

Ball joint shower (80mm) with arm

### SHOWERS



#### DM 14 (4")

Ball joint shower with arm  
**DM 16 (6")**  
**DM 18 (8")**



#### DM 101 (6")

Ball joint shower with arm  
*Water-efficient model:*  
**DM 101-W**



#### DM 102 (8")

Ball joint shower with 400mm stainless steel arm


### OPTIONAL BRASS ARM



7" chrome-plated brass arm



# BATHROOM & KITCHEN ACCESSORIES





- **BATHROOM ACCESSORIES**

- SERENGETTI SERIES ..... PG 43 - 47

- GRAB BAR SERIES ..... PG 48 - 50

- PUBLIC WASHROOM SERIES ..... PG 50 - 51

- CUSTOMIZED MIRRORS ..... PG 51

- **KITCHEN ACCESSORIES**

- CHEFLINE SERIES ..... PG 52 - 54

SERENGETTI

BATHROOM ACCESSORIES SERIES  
 SET SB6000 (CHROME-PLATED BRASS) ALSO AVAILABLE AS INDIVIDUAL PIECES



**SB 6051**

Toilet roll holder with cover



**SB 6012**

Double robe hook



**SB 6056**

Soap holder



**SB 6060**


Towel ring



**SB 6024**

Single towel rail (600mm Length)

SET SB8000 (CHROME-PLATED BRASS)  
 ALSO AVAILABLE AS INDIVIDUAL PIECES



**SB 8012**

Double robe hook



**SB 8050**

Toilet roll holder



**SB 8062**

Towel ring



**SB 8024**

Single towel rail (600mm Length)



**SB 8059**

Soap dish with tempered glass holder

---

## SERENGETTI

SET SB9000 (CHROME-PLATED BRASS)  
ALSO AVAILABLE AS INDIVIDUAL PIECES



**SB 9012**

Double robe hook



**SB 9050**

Toilet roll holder



**SB 9062**

Towel ring



**SB 9024**

Toilet rail (600mm Length)



**SB 9059**

Soap dish with tempered  
glass holder

## SOAP DISPENSERS



**DSD9310**

Sensor Soap  
Dispenser



**DSD9312D**

Sensor Soap  
Dispenser



**SB 1501**

Stainless steel  
detergent dispenser



**SB 1501H**

Stainless steel  
detergent dispenser



**SB 1501PS**

Deck-mounted  
detergent dispenser

SERENGETTI



**SB 1502-BS**

Stainless steel semi-recessed toilet tissue box



**SB 1503-BS**

Stainless steel toilet paper holder with lid



**SB 1504-BS**

Stainless steel semi-recessed paper holder with lid (dual horizontal)



**SB 1509-BS**

Stainless steel toilet paper holder - polished finish with lid (chrome-plated)



**SB 1512**

Stainless steel jumbo roll holder (lockable)



**SB 1515**

Robe hook with door stopper



**SB 1516 WM**

Stainless steel wall-mounted dual paper roll holder (lockable)



**SB 6524**

Chrome-plated brass corner basket



**SB 6525**

Stainless steel soap and shampoo holder



**SB 6526**

Stainless steel corner basket (satin finish)

---

## SERENGETTI

### STAINLESS STEEL GRAB BAR



#### SB 510 (N)

Stainless steel towel rack



#### SB 635 SS

Stainless steel towel rack with bar



#### SB 1025-BS

Stainless steel towel rail  
(polished finish)

### CP TRAP & POP-UP WASTE



#### SB 1032-BS

Stainless steel wall to wall  
grab bar (polished finish)



#### SS 8106

32mm Stainless steel  
chrome-plated P-Trap  
with Straight Pipe



#### SB 6081B

32mm (1 1/4") Push Basin  
Waste with overflow (big cover)  
- chrome-plated brass

### HAND DRYER



#### SB 8006

Eco-friendly automatic  
hand-dryer



#### SB 8007

Automatic hand-dryer  
(white ABS casing) with  
long-lasting brushless  
motor and quiet operation



**NEW**

#### SB 8008

Automatic high speed handdryer  
(ABS casing-chrome finish) with  
long-lasting brush shape motor

### JET SPEED HAND-DRYER



#### UHD8000D

Jet speed hand-dryer  
1400w wind speed

## FLOOR TRAPS



### FT 100SS

Stainless steel (Grade 304)  
floor trap 100mm x 100mm



### FT 100SS - 201

Stainless steel (Grade 201)  
floor trap 100mm x 100mm



### FT 150SS

Stainless steel (Grade 304)  
floor trap 150mm x 150mm



### FT 150SS - 201

Stainless steel  
(Grade 201) floor trap  
150mm x 150mm x 0.8mm



### FT 100PVC

PVC floor trap  
100mm x 100mm



### FT 150PVC

PVC floor trap  
150mm x 150mm



### FT 150 PVC - TP

PVC floor trap  
150mm x 150mm




### FGT 150 SST

Durable stainless steel (Grade 304)  
floor trap with anti-insect feature  
150mm x 150mm



### FGT 150 SSW

Durable stainless steel (Grade 304)  
floor trap with anti-insect feature  
150mm x 150mm



### FTT 130SS

Durable steel  
tile-type floor trap  
130mm x 130mm

---

## SERENGETTI

### DOE SUPPORT - NYLON GRAB BARS

---



MODEL  
**DSN-8801-2**

'P' Shape Grab Bar,  
Size: 600mm x 700mm



MODEL  
**DSN-8805-1**

Retractable 'U' Shape Grab Bar,  
Size: 600mm x 700mm



MODEL  
**DSN-8808-1**

'L' Shape Grab Bar,  
Size: 500mm x 700mm




MODEL  
**DSN-8810-1**

Straight Grab Bar, Size: 350mm



MODEL  
**DSN-8843**

Foldable Shower Seat



MODEL  
**DSN-8808-1H**

Shower Holder (to be specified  
with 'L' Shape Grab Bar)

\*Seamless type is available upon request




DOE SUPPORT - ANTI-STATIC GRAB BARS ALSO AVAILABLE IN STAINLESS STEEL




MODELS

**DSM-2-2-A600B160**  
**DSM-2-2-A700B160**




MODEL

**DSM-3-2-A800B160**



MODELS

**DSM-4-3-A600B160C150**  
**DSM-4-3-A700B160C150**




MODEL

**DSM-5-5-A600B160C600D250 E90**



MODEL

**DSM-6-3-A700B160C555**




MODEL

**DSM-7-3-A700B740C150**



MODELS

**DSM-1-2-A350B90**  
**DSM-1-2-A600B90**  
**DSM-1-2-A700B90**  
**DSM-1-2-A800B90**  
**DSM-1-2-A900B90**  
**DSM-1-2-A1000B90**  
**DSM-1-2-A1200B90**




MODEL

**DSM-8-3-A230B380C90**



MODEL

**DSM-9-3-A700B740C90D150**



MODEL

**DSM-10-3-A740B700C90**



MODEL

**DSM-12-2-A400B250**

## DOE SUPPORT - ANTI-STATIC GRAB BARS ALSO AVAILABLE IN STAINLESS STEEL



MODELS

**DSM-11-3-A405B815C90**  
**DSM-11-3-A600B600C90**  
**DSM-11-3-A700B700C90**  
**DSM-11-3-A800B800C90**  
**DSM-11-3-A900B900C90**



MODELS

**DSM-13-3-A600B600C90**  
**DSM-13-3-A375B375C90**



MODELS

**DSM-15-4-A800B1200C90D90**



MODEL

**DSM-14-5-A800B800C800D90E90**



MODELS

**DSM-16-3-A600B600C90**  
**DSM-16-3-A700B700C90**  
**DSM-16-3-A800B800C90**  
**DSM-16-3-A900B900C90**

## SERENGETI PUBLIC WASHROOM SERIES STAINLESS STEEL



**SB 5001**

Paper towel dispenser, waste receptacle and hand dryer (recessed)



**SB 5003**

Waste receptacle (recessed)



**SB 5004**

Paper towel dispenser and waste receptacle (recessed)



**SB 5005**

Paper towel dispenser and waste receptacle (mounted)



**SB 5006**

Paper towel dispenser and waste receptacle (recessed)



**SB 5007**

Paper towel dispenser and waste receptacle (mounted)



**SB 5008**

Paper towel dispenser (recessed)



**SB 5009**

Paper towel dispenser and waste receptacle (recessed)

## SERENGETTI PUBLIC WASHROOM SERIES STAINLESS STEEL



**SB 5010**

Paper towel, dispenser, waste receptacle and hand dryer (recessed)



**SB 5011**

Paper towel dispenser (mounted)



**SB 5012**

Stainless steel towel dispenser



**SB 5013**

Napkin disposal (mounted)



**SB 5014**

Napkin disposal (recessed)



**SB 5015**

Waste receptacle (mounted)



**SB 5016**

Round ash & trash receptacle – 1.4L capacity



**SB 5017**

Round waste receptacle – 9L capacity



**SB 5018**

Waste receptacle – 68L capacity



**SB 5019**

Waste receptacle – 23L capacity



**SB 5020**

Waste receptacle – 7L capacity



**SB 5021**

Waste receptacle – 45L capacity



**SB 5022**

Corner waste receptacle – 19L capacity

\* Screws & wall-plugs are not provided

## CUSTOMIZED MIRRORS



**UNFRAMED MIRROR**



**FRAMED MIRROR**



**TILTED MIRROR**



**ADJUSTABLE TILTED MIRROR**

Options:

- Flat / Bevel Edge
- Dome Head / Flat Screw
- Aluminum / Stainless Steel Frame
- Safety Film
- Angle / Channel Type Frame (For Aluminum)
- Waterproof Plywood Backing

---

## KITCHEN SERIES – CHEFLINE

**ALUMINIUM KITCHEN SINKS** (minimum order quantity required)



### CF 3018A

Single Bowl, Single Drainer  
762mm x 460mm (30" x 18")  
Depth: 127mm



### CF 3618A

Single Bowl, Single Drainer  
915mm x 460mm (36" x 18")  
Depth: 127mm



### CF 4218A

Single Bowl, Single Drainer  
1067mm x 460mm (42" x 18")  
Depth: 127mm

\*All aluminium sinks are with thickness of 1mm and supplied with standard 40mm wastewater outlet, plug & chain.

**STAINLESS STEEL KITCHEN SINKS - Top Mount** (minimum order quantity required)



### CF 2418SB

Single Bowl,  
615mm x 475mm (12" x 18")  
Depth: 230mm  
Thickness: 0,6mm  
Waste: 2 ½" SS / PVC



### CF 3218DB

Double Bowl,  
820mm x 480mm (22" x 18")  
Depth: 200mm  
Thickness: 0,6mm  
Waste: 2 ½" SS/PVC

**STAINLESS STEEL KITCHEN SINKS - LAY-ON** (minimum order quantity required)



### CF 3018SS

Single Bowl, Single Drainer  
762mm x 460mm  
(30" x 18")  
Depth: 140mm



### CF 3618SS

Single Bowl, Single Drainer  
915mm x 460mm  
(36" x 18")  
Depth: 140mm

KITCHEN SERIES – CHEFLINE

STAINLESS STEEL KITCHEN SINKS - LAY-ON (minimum order quantity required)



**CF 4218SS (N)**

Single Bowl, Single Drainer  
 1060mm x 455mm  
 (42" x 18")  
 Depth: 200mm,  
 Thickness: 0.6mm  
 Waste: 2 ½" SS / PVC



**CF 4218SS (N2)**

Cheffline Single Bowl Single Drainer  
 Type: Lay-on  
 Material: Stainless Steel (Grade SS201)  
 Size: 1060mm x 455mm  
 Depth: 130mm  
 Finishing: Polished  
 Accessories: ½" Full PVC Waste



**CF 4220SS**

Single Bowl, Single Drainer  
 1067mm x 508mm  
 (42" x 20")  
 Depth: 140mm



**CF 6020SS**

Single Centre Bowl, Double Drainer  
 1525mm x 500mm  
 (60" x 20")  
 Depth: 180mm



**CF 6020SSDEBSD**

Double End Bowl, Single Drainer  
 1525mm x 500mm  
 (60" x 20")  
 Depth: 180mm



**CF 6020SSDBDD**

Double Bowl,  
 Double Drainer  
 1525mm x 500mm (60" x 20")  
 Depth: 180mm



**CF 7220SSDBDD**

Double Bowl,  
 Double Drainer  
 1830mm x 500mm (72" x 20")  
 Depth: 180mm

---

## KITCHEN SERIES – CHEFLINE

**STAINLESS STEEL KITCHEN SINKS - IN-SET** (minimum order quantity required)



### CF 3018i

Single Bowl, Single Drainer  
762mm x 460mm  
(30" x 18")  
Depth: 140mm



### CF 3618i

Single Bowl, Single Drainer  
915mm x 460mm  
(36" x 18")  
Depth: 140mm



### CF 4218i (N)

Single Bowl,  
Single Drainer  
1060mm x 455mm  
(42" x 18")  
Depth: 200mm,  
Thickness: 0.6mm  
Waste: 2½" SS / PVC



### CF 6020i

Single Centre Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")  
Depth: 180mm



### CF 6020iDEBSD

Double End Bowl, Single Drainer  
1525mm x 500mm  
(60" x 20")  
Depth: 180mm




### CF 6020iDBDD

Double Bowl, Double Drainer  
1525mm x 500mm  
(60" x 20")  
Depth: 180mm


\* All stainless steel sinks are with thickness of 0.5mm,  
supplied with standard 40mm wastewater outlet, plug & chain (unless otherwise specified).

# DOE INTERNATIONAL ACCREDITATION



- ISO 9001:2015 - Design & Manufacture of Sanitary Tapwares & Showers
- BS EN 200:2008 Product Certification by SIRIM
- SIRIM BSEN 1213:2000 (Copper Alloy Stopvalve)
- Suruhanjaya Perkhidmatan Air Negara (SPAN)
- JKR Approval for Low Pressure WC Flush Valves
- SETSCO (Singapore) for stainless steel squatting pan model DE 802WC for high risk applications
- Local manufacturing licence

# DOE GLOBAL DISTRIBUTION NETWORK



1. FIJI
2. NEW ZEALAND
3. BRUNEI
4. VIETNAM
5. SINGAPORE
6. CYPRUS
7. TONGA

8. SOLOMON ISLANDS
9. VANUATA
10. SUDAN
11. INDIA
12. NIGERIA
13. HONG KONG
14. SRI LANKA

15. PAPUA NEW GUINEA
16. PHILLIPINES
17. INDONESIA
18. YEMEN
19. THE UNITED KINGDOM
20. MYANMAR
21. PAKISTAN