

Bell County Public Health District

8/15/2023

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

No City

| | | | | | |
|----------------|--------|-----|--------------------|--------------------------|-----------|
| EPR MFO | | | BELL COUNTY | | |
| 8/10/2023 | Permit | 100 | 6:30 AM 7:30 AM | <input type="checkbox"/> | 8/10/2023 |

| | | | | | |
|-----------------------------------|--------|-----|--------------------|--------------------------|----------|
| SCOOPIN & SQUEEZIN MFO | | | BELL COUNTY | | |
| 8/9/2023 | Permit | 100 | 6:45 PM 7:30 PM | <input type="checkbox"/> | 8/9/2023 |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Req'd. | Date Insp. Closed |
|---------------|------|-------|----------|------------------|-------------------|
|---------------|------|-------|----------|------------------|-------------------|

ACADEMY

ACADEMY ELEMENTARY 8P 2R 204 NORTH HWY 95 76554

| | | | | | |
|-----------------|---------------|-----|--------------------|--------------------------|----------|
| 8/9/2023 | Permit | 100 | 8:00 AM 8:20 AM | <input type="checkbox"/> | 8/9/2023 |
|-----------------|---------------|-----|--------------------|--------------------------|----------|

previous inspection (1/25/2023) required cleaning (general) in dishwash room: corrected

ACADEMY HIGH SCHOOL 8P 2R 602 EAST MAIN 76554

| | | | | | |
|-----------------|---------------|-----|--------------------|--------------------------|----------|
| 8/9/2023 | Permit | 100 | 9:15 AM 9:35 AM | <input type="checkbox"/> | 8/9/2023 |
|-----------------|---------------|-----|--------------------|--------------------------|----------|

Note: clean water scale buildup on cart used to hold baskets of pre-packaged condiments

ACADEMY MIDDLE SCHOOL 8P 2R 501 EAST MAIN 76554

| | | | | | |
|-----------------|---------------|-----|--------------------|--------------------------|----------|
| 8/9/2023 | Permit | 100 | 8:45 AM 9:15 AM | <input type="checkbox"/> | 8/9/2023 |
|-----------------|---------------|-----|--------------------|--------------------------|----------|

from previous inspection of 1/25/2023:

29: thermometer replacement repair required for dishmachine (final rinse). This machine is due to be replaced within this fall semester and they have in placed temp. sensitive tape that is used to monitor the machine's sanitization in lieu of the thermometer. This will be allowed as the machine will be replaced.

Correction Noted

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

BELTON

CORONAS DE ORO

219 EAST STREET 76513

8/11/2023

Violations Followup

98

8:50 AM



9:15 AM

8/14/2023

45/12:

Rear door on facility has not been repaired as required. The door does not close completely and at the time of the inspection, there as a 3-4 inch gap. There are also a lot of flies outside this door, though none inside.

The door was forceably closed, but only after the staff saw the inspector looking at it. This shows that employees, while there is a "method" to close, they are not doing it. Another employee used this door shortly after it was forceably closed, but the staff, once again did not use any method to keep door closed.

only two options remain:

either the door is replaced with a properly functioning door (screen door) or the solid back door will remain closed. corrected

34/42: large gnat presence in bar area due to lack of sanitation. Clean all equipment/floors/walls and hang pest strips as needed.

repeated:

conditions have improved slightly, but lacked the detailed cleaning that would allow for a more efficient means to address presence of gnats. There are conditions present that have not changed indicating that no effort was made to correct. Permit application will be withheld until follow-up on 8/14/2023. at that inspection it is expected that all surfaces and areas in the bar will be cleaned (as previously required) and that pest strips will be hung to capture live gnats and reduce numbers to allow sanitation measures to catch up with control measures.

No Evidence of Insect contamination, rodent / other animals - 1

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---|--------|-------|----------|--------------------------|----------------------|
| HARKER HEIGHTS | | | | | |
| BARNES & NOBLE CAFÉ | | | | | |
| 201 E CTE, SUITE 1100 76548 | | | | | |
| 8/9/2023 | Permit | 99 | 1:50 PM | <input type="checkbox"/> | 8/10/2023 |
| 42: dirt buildup underneath counters and cabinets requires cleaning | | | 2:30 PM | | |
| Non-Food Contact surfaces clean - 1 | | | | | |
| CEFCO #86 | | | | | |
| 500 EAST FM 2410 76548 | | | | | |
| 8/9/2023 | Permit | 99 | 2:35 PM | <input type="checkbox"/> | 8/10/2023 |
| 42: floor areas where soda syrup station is are dirty and sticky and require cleaning | | | 3:10 PM | | |
| Non-Food Contact surfaces clean - 1 | | | | | |
| DISCOVERY LEARNING CENTER | | | | | |
| 2314 INDIAN TRAIL 76548 | | | | | |
| 8/11/2023 | Permit | 100 | 8:15 AM | <input type="checkbox"/> | 8/11/2023 |
| | | | 8:30 AM | | |
| - | | | | | |
| HARKER HEIGHTS EARLY HEAD STAR | | | | | |
| 120 SOUTH HARLEY 76548 | | | | | |
| 8/8/2023 | Permit | 100 | 8:40 AM | <input type="checkbox"/> | 8/8/2023 |
| | | | 8:55 AM | | |
| - | | | | | |
| HARKER HEIGHTS HEADSTART | | | | | |
| 200 SOUTH HARLEY 76548 | | | | | |
| 8/8/2023 | Permit | 100 | 9:00 AM | <input type="checkbox"/> | 8/8/2023 |
| | | | 9:10 AM | | |
| - | | | | | |
| MICKEYS #8 | | | | | |
| 552 W. VMB 76548 | | | | | |
| 8/8/2023 | Permit | 100 | 9:20 AM | <input type="checkbox"/> | 8/9/2023 |
| 42: clean ceiling ans dides of the walk in cooler units. | | | 9:55 AM | | |
| clean walk in beer cooler floor of trash and debris | | | | | |
| defrost ice buildup in ice cream freezer | | | | | |
| clean soda dispenser to include build-up in the ice dispenser components of this equipment. | | | | | |
| - | | | | | |
| MONARCH JR @HEIGHTS | | | | | |
| 2315 INDIAN TRAIL 76548 | | | | | |
| 8/7/2023 | Permit | 100 | 1:00 PM | <input type="checkbox"/> | 8/9/2023 |
| | | | 1:30 PM | | |
| - | | | | | |
| OASIS BINGO | | | | | |
| 715 EDWARDS DRIVE 76548 | | | | | |
| 8/10/2023 | Permit | 100 | 9:50 AM | <input type="checkbox"/> | 8/15/2023 |
| | | | 10:10 AM | | |
| - | | | | | |
| PFEIFERS BAKERY | | | | | |
| 716 INDIAN TRAIL 76548 | | | | | |
| 8/10/2023 | Permit | 100 | 10:20 AM | <input type="checkbox"/> | 8/15/2023 |
| | | | 10:45 AM | | |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

HARKER HEIGHTS

| | | | | | |
|------------------------|--------|-----|------------------------|--------------------------|-----------|
| PFEIFERS BAKERY | | | 716 INDIAN TRAIL 76548 | | |
| 8/10/2023 | Permit | 100 | 10:20 AM 10:45 AM | <input type="checkbox"/> | 8/15/2023 |

| | | | | | |
|-------------------------------|--------|-----|---------------------------|--------------------------|-----------|
| TROPICAL SMOOTHIE CAFÉ | | | 300 E CTE SUITE 400 76548 | | |
| 8/9/2023 | Permit | 100 | 3:15 PM 3:40 PM | <input type="checkbox"/> | 8/10/2023 |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Req'd. | Date Insp. Closed |
|---------------|------|-------|----------|------------------|-------------------|
|---------------|------|-------|----------|------------------|-------------------|

KILLEEN

POOH'S CREATIVE LEARNING CENTER

2904 TRIMMIER #5 76542

| | | | | | |
|-----------|--------|-----|--------------------|--------------------------|-----------|
| 8/8/2023 | Permit | 100 | 1:40 PM 2:00 PM | <input type="checkbox"/> | 8/9/2023 |
| - | | | | | |
| 8/10/2023 | Permit | 100 | 8:20 AM 8:30 AM | <input type="checkbox"/> | 8/10/2023 |
| - | | | | | |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN

| | | | | | |
|-----------------|--|--|--------------------------|--|--|
| 440 MART | | | 1704 OLD FM 440 RD 76549 | | |
|-----------------|--|--|--------------------------|--|--|

| | | | | | |
|-----------------|---------------|----|---------|--------------------------|-----------|
| 8/9/2023 | Permit | 96 | 9:50 AM | <input type="checkbox"/> | 8/10/2023 |
|-----------------|---------------|----|---------|--------------------------|-----------|

42: Dr. Pepper reach in cooler has mold on drink racks and shelves and requires cleaning

10:35 AM

coca- cola cooler has soda spatter on inside back of unit and requires cleaning

7 up reach in cooler requires cleaning on bottom shelf of dirt and buildup

clean moldy shelving on other coolers as needed

egg/meat reach in cooler is moldy on outside facing the same cooler as above

the walkin beer cooler exhaust fan guards are dirty and require cleaning

floor is dirty in mop sink area and requires cleaning/beverage cases sitting directly on the ground and must be 6 inches or more above the ground

45: mop sink area outside beer coler is missing a portion of the ceiling directly above the mop sink. Replace missing tile

44: in the soda connection closet, there is trash on the floor and it is being used to store numerous items such as full and empty co2 containers, equipment, and random items that are thrown into the closet. Area requires cleaning, organizing to eliminate clutter, and easily accessible to properly and in a low risk manner, change soda syrup and co2 containers without risk of contamination.

46: toilet facilities are not properly stocked: no paper towels or hand dryer for use after washing hands

Garbage and Refuse properly disposed; facilities maintained - 1

Non-Food Contact surfaces clean - 1

Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1

Physical facilities installed, maintained, clean - 1

| | | | | | |
|----------------------------------|--|--|---------------------------|--|--|
| DAIRY QUEEN - S FORT HOOD | | | 1220 S FORT HOOD ST 76542 | | |
|----------------------------------|--|--|---------------------------|--|--|

| | | | | | |
|-----------------|---------------|----|---------|--------------------------|----------|
| 8/7/2023 | Permit | 99 | 9:35 AM | <input type="checkbox"/> | 8/7/2023 |
|-----------------|---------------|----|---------|--------------------------|----------|

SCORE 99 10:00 AM

OVERALL GENERAL SANITATION VERY GOOD!

from previous inspection:

#45: REPAIR THE LEAKING PIPE AT 3 COMP SINK. CORRECTED

8/7/2023:

45: replace damaged wall coving by soft serve fudge dispensing table

45: repair ceiling in walk in cooler because of a leak (slight dripping) that is causing water to pool in the corners and under the shelves. It currently is not posing a direct threat to the food. In the interim, be sure to use mop to remove excess pooling water as often as necessary to reduce pooling concern.

NOTE: repair, as needed, the wall behind new a/c units in rear storage room.

Physical facilities installed, maintained, clean - 1

| | | | | | |
|----------------------------------|--|--|-------------------------|--|--|
| FAMILY DOLLAR - E SS LOOP | | | 3919 EAST SS LOOP 76542 | | |
|----------------------------------|--|--|-------------------------|--|--|

KILLEEN

| | | | | | |
|--|---------------|----|-------------------------|--------------------------|----------|
| FAMILY DOLLAR - E SS LOOP | | | 3919 EAST SS LOOP 76542 | | |
| 8/9/2023 | Permit | 96 | 2:20 PM | <input type="checkbox"/> | 8/9/2023 |
| 22: no proof of food handler certification available, must show proof | | | 2:45 PM | | |
| 42: spill on floor in back storage area has dried to a sticky mess | | | | | |
| 46: restroom has no soap or toilet paper | | | | | |
| Non-Food Contact surfaces clean - 1 | | | | | |
| Food handler / no unauthorized persons / personnel - 2 | | | | | |
| Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1 | | | | | |

| | | | | | |
|--|---------------|----|----------------------|--------------------------|----------|
| FAMILY DOLLAR #11122 - W SS LOOP | | | 105 W. SS LOOP 76542 | | |
| 8/7/2023 | Permit | 98 | 2:20 PM | <input type="checkbox"/> | 8/9/2023 |
| 27: top two shelves of ice cream freezer has frost buildup on the ice cream product packaging. This is in the back of the unit. Need to repair problem with this ice buildup so product is not encased in ice. | | | 2:40 PM | | |
| Proper cooling method used; Equipment adequate to maintain proper temp - 2 | | | | | |

| | | | | | |
|--|---------------|----|---------------------|--------------------------|----------|
| HALLMARK LANES CAFETERIA | | | 4203 SHAWN DR 76542 | | |
| 8/8/2023 | Permit | 99 | 2:55 PM | <input type="checkbox"/> | 8/9/2023 |
| 42: grease build-up on deep fryers and under pizza oven. Clean as needed | | | 3:25 PM | | |
| Non-Food Contact surfaces clean - 1 | | | | | |

| | | | | | |
|------------------------------------|---------------|-----|---------------------------------|--------------------------|----------|
| MARLBORO HEIGHTS HEAD START | | | 918 REV. R.A. ABERCROMBIE 76543 | | |
| 8/8/2023 | Permit | 100 | 10:15 AM | <input type="checkbox"/> | 8/9/2023 |
| - | | | 10:30 AM | | |

| | | | | | |
|--------------------------------------|---------------|-----|--------------------------|--------------------------|----------|
| MCDONALDS - (4622) S. FT HOOD | | | 4622 S. FT HOOD RD 76549 | | |
| 8/7/2023 | Permit | 100 | 10:10 AM | <input type="checkbox"/> | 8/7/2023 |
| SCORE 100 | | | 10:35 AM | | |
| General sanitation good! | | | | | |
| - | | | | | |

| | | | | | |
|--------------------------------|--|--|------------------------|--|--|
| MCDONALDS - S FORT HOOD | | | 1105 S FORT HOOD 76541 | | |
|--------------------------------|--|--|------------------------|--|--|

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN

| |
|--------------------------------|
| MCDONALDS - S FORT HOOD |
|--------------------------------|

1105 S FORT HOOD 76541

| | | | | | |
|-----------------|---------------|----|--------------------|--------------------------|----------|
| 8/7/2023 | Permit | 96 | 8:50 AM 9:30 AM | <input type="checkbox"/> | 8/7/2023 |
|-----------------|---------------|----|--------------------|--------------------------|----------|

SCORE 96:

27: walk in cooler temperature showing 51 on external digital thermometer, unit on "defrost". Food temperatures "marginal" (corrected: see the narration that follows)

cheese 53 F
eggs (commercial cooked) 51 F
Butter 49 F

the unit's air temperature at fan (via ir thermometer) is 50 F, based on the elevated temperatures of the existing food, the fact that the eggs were thawing and moved up to the ambient temperature, it appears that there is a mechanical problem with the refrigerator. A repair request was immediately called at the time of this inspection. The facility sent text message at 11:40 AM showing the ambient air temperature has now dropped to 39 F. Based on the time frame, this is within reasonable consideration and the unit will be able to function to rapidly cool the foods that were elevated.

45: door sweep on rear door requires repair/replacement as there is a gap visibly allowing light and large enough to not be an effective barrier/preventive to pest/insect infiltration.

42: minro as needed cleaning under and around equipment at front (Drive through and coffee service.

- Physical facilities installed, maintained, clean - 1
- Proper cooling method used; Equipment adequate to maintain proper temp - 2
- Non-Food Contact surfaces clean - 1

| |
|-------------------|
| MICKEYS #1 |
|-------------------|

3802 E SS LOOP 76543

| | | | | | |
|------------------|---------------|----|--------------------|--------------------------|-----------|
| 8/10/2023 | Permit | 90 | 1:20 PM 2:25 PM | <input type="checkbox"/> | 8/15/2023 |
|------------------|---------------|----|--------------------|--------------------------|-----------|

34/45: hall and wall prtion of the store is dirty and has dead crickets going toward the door of the walk in beer cooler. Ice freezer is leaking into a bucket and the majority of the dead crickets are located under and behind ice freezer. Continue with pest control and clean up dead insects as needed.

46: toilet facilities are not properly stocked with soap and paper towels. Mens restroom requires cleaning.

7/41: (COS): pigs in the blanket are not in the original package and there is not date on these items. These items have been removed from the package and lack labeling as they are set out for individual service. They are required to be properly labeled. There are also several that are moldy and cannot be used.

22: no food handler certificates are available to be verified.

43: the lighting in the walk in beer cooler is not adequate. Three of the five light bulbs do not work and one is very dim making it difficult to see in cooler. As for the reach in portion of this same cooler, five of the LED lights are ony working 50%. Repair/replace lights as needed to provide adequate lighting.

- Food and ice obtained from approved source; good condition, safe - 3
- Adequate ventilation and lighting; designated areas used - 1
- Non-Food Contact surfaces clean - 1
- Service sink or curb cleaning facility provided/ Toilet Facilities clean - 1
- Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN

| | | | | | |
|-------------------|--|--|----------------------|--|--|
| MICKEYS #1 | | | 3802 E SS LOOP 76543 | | |
|-------------------|--|--|----------------------|--|--|

| | | | | | |
|------------------|---------------|----|---------|--------------------------|-----------|
| 8/10/2023 | Permit | 90 | 1:20 PM | <input type="checkbox"/> | 8/15/2023 |
|------------------|---------------|----|---------|--------------------------|-----------|

34/45: hall and wall portion of the store is dirty and has dead crickets going toward the door of the walk in beer cooler. Ice freezer is leaking into a bucket and the majority of the dead crickets are located under and behind ice freezer. Continue with pest control and clean up dead insects as needed.

46: toilet facilities are not properly stocked with soap and paper towels. Mens restroom requires cleaning.

7/41: (COS): pigs in the blanket are not in the original package and there is not date on these items. These items have been removed from the package and lack labeling as they are set out for individual service. They are required to be properly labeled. There are also several that are moldy and cannot be used.

22: no food handler certificates are available to be verified.

43: the lighting in the walk in beer cooler is not adequate. Three of the five light bulbs do not work and one is very dim making it difficult to see in cooler. As for the reach in portion of this same cooler, five of the LED lights are only working 50%. Repair/replace lights as needed to provide adequate lighting.

No Evidence of Insect contamination, rodent / other animals - 1

Food handler / no unauthorized persons / personnel - 2

| | | | | | |
|-------------------|--|--|---------------------|--|--|
| MICKEYS #2 | | | 2000 TRIMMIER 76541 | | |
|-------------------|--|--|---------------------|--|--|

| | | | | | |
|-----------------|---------------|----|---------|-------------------------------------|--|
| 8/8/2023 | Permit | 99 | 1:40 PM | <input checked="" type="checkbox"/> | |
|-----------------|---------------|----|---------|-------------------------------------|--|

42: Ozarka reach in cooler has wet mold on the racks and potential drop this residue onto the tops of other items stored within the unit.

walk in beer cooler has a lot of mold build up and requires cleaning

microwave is very dirty and requires cleaning

follow-up to be conducted 8/10/2023 to ensure item has been corrected.

Permit application withheld pending corrections.

Non-Food Contact surfaces clean - 1

| | | | | | |
|------------------|----------------------------|-----|---------|--------------------------|-----------|
| 8/10/2023 | Violations Followup | 100 | 4:25 PM | <input type="checkbox"/> | 8/15/2023 |
|------------------|----------------------------|-----|---------|--------------------------|-----------|

42: Ozarka reach in cooler has wet mold on the racks and potential drop this residue onto the tops of other items stored within the unit.

walk in beer cooler has a lot of mold build up and requires cleaning

microwave is very dirty and requires cleaning

all these items from 8/8/2023 have been corrected: permit application is issued

| | | | | | |
|--------------------|--|--|-----------------------|--|--|
| MICKEYS #20 | | | 3001 OLD FM 440 76542 | | |
|--------------------|--|--|-----------------------|--|--|

Bell County Public Health District

8/15/2023

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

KILLEEN

| | | | | | |
|--|---------------|----|-----------------------|--------------------------|----------|
| MICKEYS #20 | | | 3001 OLD FM 440 76542 | | |
| 8/7/2023 | Permit | 99 | 3:00 PM | <input type="checkbox"/> | 8/9/2023 |
| 42: clean both coffee units and soda unit nozzles of buildup | | | 3:30 PM | | |
| beer cooler floor needs cleaning of trash and debris, product should be 6 inches off floor | | | | | |
| second group of exhaust fan guards have build up that requires cleaning | | | | | |
| clean counter under soda machine | | | | | |
| clean white board inside ice maker | | | | | |
| Non-Food Contact surfaces clean - 1 | | | | | |

| | | | | | |
|--|---------------|----|---------------------------|--------------------------|----------|
| MICKEYS #5 | | | 4701 CLEAR CREEK RD 76542 | | |
| 8/8/2023 | Permit | 98 | 10:40 AM | <input type="checkbox"/> | 8/9/2023 |
| from inspection of 8/16/2022 | | | 11:15 AM | | |
| 43: lights in beer cooler do not work and must be repaired to work: Repeat | | | | | |
| from this inspection: | | | | | |
| 42: clean out walk in beer cooler doors, clean inside beer cooler ceiling. | | | | | |
| Adequate ventilation and lighting; designated areas used - 1 | | | | | |
| Non-Food Contact surfaces clean - 1 | | | | | |

| | | | | | |
|---|---------------|----|----------------------|--------------------------|-----------|
| PIZZA HUT - E RANCIER | | | 2503 E RANCIER 76543 | | |
| 8/9/2023 | Permit | 99 | 1:15 PM | <input type="checkbox"/> | 8/10/2023 |
| 42: reach in cooler door and handles have food build up on them and require cleaning. | | | 1:40 PM | | |
| Non-Food Contact surfaces clean - 1 | | | | | |

| | | | | | |
|--------------------------------|---------------|-----|---------------------------|--------------------------|----------|
| RAISING CANES - KILLEEN | | | 1035 S FORT HOOD RD 76541 | | |
| 8/8/2023 | Permit | 100 | 9:30 AM | <input type="checkbox"/> | 8/8/2023 |
| SCORE 100 | | | 9:50 AM | | |
| GENERAL SANITATION | | | | | |
| VERY GOOD!! | | | | | |
| - | | | | | |

| | | | | | |
|-----------------------------------|---------------|-----|-----------------------|--------------------------|-----------|
| STARBUCKS- 3120 W. SS LOOP | | | 3120 W. SS LOOP 76549 | | |
| 8/10/2023 | Permit | 100 | 4:00 PM | <input type="checkbox"/> | 8/15/2023 |
| | | | 4:15 PM | | |
| - | | | | | |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|--------------------|----------------------|
|---------------|------|-------|----------|--------------------|----------------------|

LITTLE RIVER ACADEMY

| | | | | | |
|--|--------|-----|------------------------|--------------------------|----------|
| ACADEMY INTERMEDIATE SCHOOL 8P 2R | | | 107 S PONDALILLY 76554 | <input type="checkbox"/> | |
| 8/9/2023 | Permit | 100 | 8:25 AM 8:45 AM | | 8/9/2023 |

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

SALADO

DOLLAR GENERAL #22299

10818 FM 1670 76571

8/10/2023

Complaint Followup

93

1:40 PM



8/11/2023

2:45 PM

Customer makes the following allegations:

1. The temperature is too hot for customers and employees.
2. No A/C since May.

INVESTIGATION:

complaint is valid to the extent that the A/C unit is not working, however, this is not a condition that is regulated by the Health District unless the elevated temperatures in the facility have an adverse affect on food safety processes and equipment that would directly result in subsequent violations of the food code. At this time, the ambient air temperature in the facility is:

front: 89 F
middle: 84 F
back: 82

the following violations are noted:

2/27: evidence that the chicken caesar salad was exceeding maximum cold hold temperature. This item was discarded. Ambient air temperature of open air/reach in style cooler was 66 F.

2/27: there were also other foods that were in this same unit, some labled "must be refrigerated" and some non-tcs foods that registered temperatures at and around 64 F. Based on this and the previous temperature indicators, it is apparent that the elevated air temperatures of the unit are directly affecting the unit's ability to operate in a manner that can safely hold foods a their required temperatures. This unit is to be immediately taken out of service and until the issue can be resolved and the unit can properly function, it cannot be use to store any tcs foods.

the freezer units and the doored reach in coolers are working within the required specifications for proper cold hold and may be continued to be used as normal.

2: all tcs foods/foods showing spoilage or conditions related to the elevated temperature associated with the open air cooler have been properly disposed.

30: food dealer permit is delinquent (expired 1/31/2023) and despite a permit inspection on 1/17/2023 at which time the application was left at the facility to process and e-mail communication with DG corporate, the permit has not been renewed. This documentation serves to notify all responsible parties that the facility's permit must be renewed within 10 days from the date of this inspection which will include the base permit fee and all associated late fees or all necessary actions will be taken to ensure compliance up to and including revoking ability to sell food, legal action or administrative action/fines.

Proper cooling method used; Equipment adequate to maintain proper temp - 2

Proper Cold Holding temperature (41F/45F) - 3

Food Establishment Permit (Current, Valid, and Posted) - 2

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Req'd. | Date Insp. Closed |
|---------------|------|-------|----------|------------------|-------------------|
|---------------|------|-------|----------|------------------|-------------------|

TEMPLE

| | | | | | |
|------------------------|--|--|--------------------|--|--|
| ARBYS - W ADAMS | | | 6490 W ADAMS 76502 | | |
|------------------------|--|--|--------------------|--|--|

| | | | | | |
|-----------------|---------------------------|----|--------------------|--------------------------|-----------|
| 8/9/2023 | Complaint Followup | 96 | 2:45 PM 3:20 PM | <input type="checkbox"/> | 8/10/2023 |
|-----------------|---------------------------|----|--------------------|--------------------------|-----------|

complaint investigated and the investigation concluded that there were some valid points, but not to the extreme that was portrayed.

complaint received 8/9/2023 via TDSHS:

complaint alleges (photos) that the dining room is dirty:

visited 8/7/2023 5pm and saw the following:

floor dirty (photo), windows dirty (photo).

tables were filthy

condiment area was nasty (ants/bugs in this area)

concerned about condition of kitchen

Pest control measures are in place, last treatment was 6/28/23. no insects observed at this time.

the window in question did have spray residue on it, but this likely came from staff using the wrong solution on the window, now food splatter/debris. It will be addressed.

floors were free of debris. The "buildup" on floor in lobby/entryway is not consistent with a public health nuisance or lack of required sanitaiton, but an aesthetic issue that should be cleaned for that purpose alone, but no sanitation violation is merited at this time.

a recommendation was made to increase frequency of cleaning of condiment area and containers/dispensers as they had some build up, but not enough to indicate the lack of cleaning on a periodic basis, but the facility needs to increase this frequency.

From previous inspection of 7/17/23:

#10: MOLD/MILDEW BUILDUP ON SODA SPIGOT & ICE CHUTE-CLEAN. repeat

42: general cleaning around fryers and hot hold areas
hood above fryers clean as needed

repeat

Non-Food Contact surfaces clean - 1

Food contact surfaces and returnables; cleaned and sanitized - 3

| | | | | | |
|---------------------------------------|--|--|-----------------------|--|--|
| DICKSON EARLY CHILDHOOD CENTER | | | 1100 SOUTH 33RD 76504 | | |
|---------------------------------------|--|--|-----------------------|--|--|

| | | | | | |
|-----------------|---------------|-----|--------------------|--------------------------|----------|
| 8/8/2023 | Permit | 100 | 1:45 PM 2:10 PM | <input type="checkbox"/> | 8/8/2023 |
|-----------------|---------------|-----|--------------------|--------------------------|----------|

| | | | | | |
|-------------------------------|--|--|-----------------------|--|--|
| JIMMY JOHNS WEST ADAMS | | | 1514 WEST ADAMS 76504 | | |
|-------------------------------|--|--|-----------------------|--|--|

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

TEMPLE

| | | | | | |
|-------------------------------|--|--|-----------------------|--|--|
| JIMMY JOHNS WEST ADAMS | | | 1514 WEST ADAMS 76504 | | |
|-------------------------------|--|--|-----------------------|--|--|

| | | | | | |
|------------------|---------------|-----|---------------------|--------------------------|-----------|
| 8/11/2023 | Permit | 100 | 9:00 AM 10:00 AM | <input type="checkbox"/> | 8/14/2023 |
|------------------|---------------|-----|---------------------|--------------------------|-----------|

NOTE: ALL ITEMS ARE PENDING CORRECTION. AS THE FACILITY IS CURRENTLY NOT OPEN TO PUBLIC, NO VIOLATION WILL BE ASSIGNED. THE FOLLOWING ITEMS REMAIN TO BE ADDRESSED:

- show proof of food handler certifications (pending with new hires)
- dumpster has not been placed but is scheduled this coming week with waste management.
- chemical dispensers for sinks and other uses are pending installation and calibration/set up for use.
- punch list for "finish out" construction is on-going and a good general cleanup is scheduled once that is complete.

| | | | | | |
|--------------------------------|--|--|-----------------------|--|--|
| LITTLE CAESARS - S 31ST | | | 3620 SOUTH 31ST 76502 | | |
|--------------------------------|--|--|-----------------------|--|--|

| | | | | | |
|-----------------|----------------------------|-----|--------------------|--------------------------|-----------|
| 8/9/2023 | Violations Followup | 100 | 1:30 PM 2:00 PM | <input type="checkbox"/> | 8/10/2023 |
|-----------------|----------------------------|-----|--------------------|--------------------------|-----------|

All items have been corrected on this follow-up inspection. Permit application is issued.

PERMIT IS WITHHELD UNTIL THE FOLLOW-UP DATE OF 8/16/23 DUE TO EXCESSIVE LACK OF CLEANING AND OTHER ITEMS OF CRITICAL NATURE.

- 22: food handler cards are required for employees
- 10: can opener blade s dirty and requires cleaning (very dirty)
- 31/46: hand wash sink has not paper towels or soap. No feasible way to properly wash hands at this sink
- 31/46: hand sink in restroom has a towel dispenser that will not work to dispense towels. No feasible way to wash hands properly.
- 39: dirty utensils in rack across from sink that are still dirty. Were not properly washed rinsed and sanitized prior to storage
- 42: greas trap under the sink is dirty, clean overflow and residual from floor and surfaces
- clean/repair metal rack in walk in cooler (dirty/rusty)
- tray racks for dough trays are dirty and require cleaning
- dough mixer is dirty with buildup. Clean as needed.
- Mold observed on gasket.
- 45: clean dust from fan covers and ceiling in walk in cooler

| | | | | | |
|---------------------------------|--|--|-------------------------------|--|--|
| LITTLE EINSTEINS ACADEMY | | | 7445 & 7467 HONEYSUCKLE 76502 | | |
|---------------------------------|--|--|-------------------------------|--|--|

Inspections Between (inclusive): 8/6/2023 and 8/12/2023

| Establishment | Type | Score | In / Out | Follow up Reqd. | Date Insp. Closed |
|---------------|------|-------|----------|-----------------|-------------------|
|---------------|------|-------|----------|-----------------|-------------------|

TEMPLE

LITTLE EINSTEINS ACADEMY

7445 & 7467 HONEYSUCKLE 76502

8/8/2023 Permit

100

3:45 PM

8/10/2023

note: yellow slide has a crack that may pose hazard to children using this equipment.
Repair as needed

4:10 PM

OLIVE GARDEN #1771- TEMPLE

3625 SOUTH GENERAL BRUCE 76504

8/7/2023 Permit

99

8/7/2023

SCORE 99

from previous inspection of 8/13/2022: all corrected

- 42. Clean the food particle crevices of the cooler door
- 42. Clean under the fryer due to excess oil
- 42. Clean the WI Freezer floor due to excess food particles
- 45. Repair the leaking faucet hand sink at bar
- 45. REPEAT clean vents in ceiling- buildup

from inspection of 8/7/23:

- 42: minor cleaning for the inside lid and under lid surfaces of salad cooler
- Non-Food Contact surfaces clean - 1

TEMPLE LEARNING CENTER

1100 SOUTH 33RD 76504

8/8/2023 Permit

100

1:35 PM

8/8/2023

SCORE 100

1:45 PM