

/bin/partman: *****

/lib/partman/init.d/25md-devices:

/lib/partman/init.d/30parted:

parted_server: ===== Starting the server

parted_server: main_loop: iteration 1

parted_server: Opening infifo

/lib/partman/init.d/30parted: IN: OPEN =dev=sda /dev/sda

parted_server: Read command: OPEN

parted_server: command_open()

parted_server: Request to open =dev=sda

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: OK

parted_server: Note =dev=sda as unchanged

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 2

parted_server: Opening infifo

/lib/partman/init.d/30parted: IN: OPEN =dev=sdb /dev/sdb

parted_server: Read command: OPEN

parted_server: command_open()

parted_server: Request to open =dev=sdb

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: OK

parted_server: Note =dev=sdb as unchanged

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 3

parted_server: Opening infifo

/lib/partman/init.d/35dump:

/lib/partman/init.d/35dump: IN: DUMP =dev=sda

parted_server: Read command: DUMP

parted_server: command_dump()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 4

parted_server: Opening infifo

Device: yes

Model: ATA WDC WD5000AAKX-0

Path: /dev/sda

Sector size: 512

Sectors: 976773168

Sectors/track: 63

Heads: 255
Cylinders: 60801
Partition table: yes
Type: msdos
Partitions: # id length type fs path name
(0,0,0) (0,0,62) -1 0-32255 32256 primary label /dev/sda-1
(0,1,0) (60801,80,62) -1 32256-500107862015 500107829760
pri/log free /dev/sda-1

Dump finished.
/lib/partman/init.d/35dump: IN: DUMP =dev=sdb
parted_server: Read command: DUMP
parted_server: command_dump()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 5
parted_server: Opening infifo

Device: yes
Model: USB Flash Disk
Path: /dev/sdb
Sector size: 512
Sectors: 30720000
Sectors/track: 32
Heads: 64
Cylinders: 15000
Partition table: yes

Type: msdos
Partitions: # id length type fs path name
(0,0,0) (0,0,31) -1 0-16383 16384 primary label /dev/sdb-1
(0,1,0) (0,1,31) -1 16384-32767 16384 pri/log free
/dev/sdb-1
(0,2,0) (2719,63,31) 1 32768-2852126719 2852093952
primary unknown /dev/sdb1
(2720,0,0) (2809,1,31) 2 2852126720-2945482751 93356032
primary fat16 /dev/sdb2
(2809,2,0) (14999,63,31) -1 2945482752-15728639999 12783157248
pri/log free /dev/sdb-1

Dump finished.
/lib/partman/init.d/40iscsi:

/lib/partman/init.d/49md:

/lib/partman/init.d/49md: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 6
parted_server: Opening infifo
/lib/partman/init.d/49md: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 7
parted_server: Opening infifo
/lib/partman/init.d/49md: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 8
parted_server: Opening infifo
/lib/partman/init.d/49md: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()

parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 9
parted_server: Opening infifo
/lib/partman/init.d/50biosgrub:

/lib/partman/init.d/50biosgrub: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 10
parted_server: Opening infifo
/lib/partman/init.d/50biosgrub: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 11
parted_server: Opening infifo
/lib/partman/init.d/50biosgrub: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 12
parted_server: Opening infifo
/lib/partman/init.d/50biosgrub: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 13
parted_server: Opening infifo
/lib/partman/init.d/50lvm:

/lib/partman/init.d/50lvm:

/lib/partman/init.d/50lvm: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 14
parted_server: Opening infifo
/lib/partman/init.d/50lvm: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 15
parted_server: Opening infifo
/lib/partman/init.d/50lvm: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 16
parted_server: Opening infifo
/lib/partman/init.d/50lvm: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 17
parted_server: Opening infifo
/lib/partman/init.d/52crypto:

/lib/partman/init.d/52crypto: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1	32256-500107862015	500107829760	pri/log
free	/dev/sda-1		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 18
parted_server: Opening infifo
/lib/partman/init.d/52crypto: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1	32768-2852126719	2852093952	primary
unknown	/dev/sdb1		

parted_server: OUT: 2	2852126720-2945482751	93356032	primary
fat16	/dev/sdb2		

parted_server: OUT: -1	2945482752-15728639999	12783157248	pri/log
free	/dev/sdb-1		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 19

```
parted_server: Opening infifo
/lib/partman/init.d/70update_partitions:
*****
/lib/partman/init.d/70update_partitions: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 20
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
```



```
parted_server: main_loop: iteration 21
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 22
parted_server: Opening infifo
/lib/partman/init.d/70update_partitions: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 23
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 24

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/20detected_filesystem: IN: GET_FILE_SYSTEM =dev=sdb
32768-2852126719

parted_server: Read command: GET_FILE_SYSTEM

parted_server: command_get_file_system()

parted_server: Opening outfifo

parted_server: command_get_file_system: File system for partition 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: named_partition_is_virtual(=dev=sdb,64,5570559)

parted_server: no

parted_server: OUT: none

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 25

parted_server: Opening infifo

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 26

```
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 27
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 28
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden
```

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 29

parted_server: Opening infifo

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 30

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 31

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

```
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 32
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/20detected_filesystem: IN: GET_FILE_SYSTEM =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FILE_SYSTEM
parted_server: command_get_file_system()
parted_server: Opening outfifo
parted_server: command_get_file_system: File system for partition
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: named_partition_is_virtual(=dev=sdb,5570560,5752895)
parted_server: no
parted_server: OUT: fat16
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 33
parted_server: Opening infifo
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 34
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
```

parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 35
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 36
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 37
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

```
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 38
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 39
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
```

```
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 40
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 41
parted_server: Opening infifo
/lib/partman/init.d/80autouse_swap:
*****
/lib/partman/init.d/80autouse_swap: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 42
parted_server: Opening infifo
/lib/partman/init.d/80autouse_swap: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```


parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 43

parted_server: Opening infifo

/lib/partman/display.d/10initial_auto:

/lib/partman/automatically_partition/20biggest_free/choices:

/lib/partman/automatically_partition/20biggest_free/choices: IN: PARTITIONS
=dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 44

parted_server: Opening infifo

/lib/partman/automatically_partition/20biggest_free/choices: IN: PARTITIONS
=dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary

fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 45

parted_server: Opening infifo

/lib/partman/automatically_partition/50some_device/choices:

/lib/partman/automatically_partition/60some_device_lvm/choices:

/lib/partman/automatically_partition/70some_device_crypto/choices:

/lib/partman/automatically_partition/70some_device_crypto/choices:

/lib/partman/automatically_partition/80custom/choices:

/lib/partman/automatically_partition/50some_device/do_option:

/bin/autopartition: *****

/bin/autopartition: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 46

parted_server: Opening infifo

/bin/autopartition: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 47

parted_server: Opening infifo

/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 48

parted_server: Opening infifo

/bin/autopartition: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 49

parted_server: Opening infifo

/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 50
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 51
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 52
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 53
parted_server: Opening infifo
/bin/autopartition: *****
/bin/autopartition: IN: LABEL_TYPES =dev=sda
parted_server: Read command: LABEL_TYPES
parted_server: command_label_types()

parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: aix

parted_server: OUT: amiga

parted_server: OUT: bsd

parted_server: OUT: dvh

parted_server: OUT: gpt

parted_server: OUT: mac

parted_server: OUT: msdos

parted_server: OUT: pc98

parted_server: OUT: sun

parted_server: OUT: loop

parted_server: OUT:

parted_server: Closing infifo and outfifo

/bin/autopartition: option: aix

/bin/autopartition: option: amiga

/bin/autopartition: option: bsd

/bin/autopartition: option: dvh

/bin/autopartition: option: gpt

/bin/autopartition: option: mac

/bin/autopartition: option: msdos

/bin/autopartition: option: pc98

/bin/autopartition: option: sun

/bin/autopartition: option: loop

parted_server: main_loop: iteration 54

parted_server: Opening infifo

/bin/autopartition: IN: NEW_LABEL =dev=sda msdos

parted_server: Read command: NEW_LABEL

parted_server: command_new_label()

parted_server: Note =dev=sda as changed

parted_server: Opening outfifo

parted_server: command_new_label: requested label with type msdos

parted_server: command_new_label: creating
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 55
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 56
parted_server: Opening infifo
/bin/perform_recipe:

/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 57
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 58
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 59
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 60
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 61
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 62
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 63

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 64

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 65

```
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 66
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 67
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
```

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 68

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 69

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary

fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 70

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-

2945482751

parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 71
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 72
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 73
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 74
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 75
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 76
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 77

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248

pri/log

free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 78

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

```
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 79
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 80
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 81
parted_server: Opening infifo
/bin/perform_recipe: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 82
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 83
parted_server: Opening infifo
/bin/perform_recipe: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 84
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 85
parted_server: Opening infifo


```
/bin/perform_recipe: IN: NEW_PARTITION =dev=sda primary ext4 32256-500107862015 beginning 495817000001
parted_server: Read command: NEW_PARTITION
parted_server: command_new_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: requested partition with type primary
parted_server: requested partition with file system ext4
parted_server: add_primary_partition(disk(976773168),63-968392641)
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 86
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 87
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495817064448-500107862015
parted_server: partition_with_id(495817064448-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1
```

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 88
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495817064448-500107862015
parted_server: partition_with_id(495817064448-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 89
parted_server: Opening infifo
/bin/perform_recipe: IN: NEW_PARTITION =dev=sda logical linux-swap
495817064448-500107862015 full 4290000001
parted_server: Read command: NEW_PARTITION
parted_server: command_new_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: requested partition with type logical
parted_server: requested partition with file system linux-swap(v1)
parted_server: OUT: OK

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 90
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 91
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 92
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 93
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 1048576-495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 94

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda 1048576-495817064447

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(1048576-495817064447)

parted_server: Partition found (1048576-495817064447)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 95

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 96

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 1048576-495817064447

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(1048576-495817064447)

parted_server: Partition found (1048576-495817064447)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

```
parted_server: main_loop: iteration 97
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 98
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/50filesystems: IN: PARTITION_INFO =dev=sda 1048576-
495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 99
parted_server: Opening infifo
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
```

parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 100
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 101
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 102
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 103

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda
495818113024-500106788863

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(495818113024-500106788863)

parted_server: Partition found (495818113024-500106788863)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 104

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 105

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(495818113024-500106788863)

parted_server: Partition found (495818113024-500106788863)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

```
parted_server: main_loop: iteration 106
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 107
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/60swap: IN: CHANGE_FILE_SYSTEM =dev=sda 495818113024-
500106788863 linux-swap
parted_server: Read command: CHANGE_FILE_SYSTEM
parted_server: Opening outfifo
parted_server: command_change_file_system(495818113024-500106788863,linux-
swap)
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Already using filesystem linux-swap(v1)
parted_server: OUT: OK
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 108
parted_server: Opening infifo
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```



```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 109
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 110
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 111
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 112
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 113
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 114
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 115
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 116
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 117
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 118
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 119
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
```

parted_server: command_partition_info: info for partition with id 2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 120

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 121

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 122

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 123
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 124
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 125
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 126

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 127

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log

free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 128

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

```
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 129
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 130
parted_server: Opening infifo
/lib/partman/display.d/50initial_auto_raid:
*****
/lib/partman/display.d/55initial_auto_raid_fs:
*****
/lib/partman/display.d/80manual_partitioning:
*****
/lib/partman/choose_partition/20auto/choices:
```

/lib/partman/choose_partition/25md/choices:

/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: 1 1048576-
495817064447 495816015872 primary ext4 /dev/sda1

/lib/partman/choose_partition/25md/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5

parted_server: main_loop: iteration 131

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 1048576-
495817064447

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 132

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 133

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 134
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 135
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary

unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/25md/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/25md/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 136

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 137

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-
2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 138

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 139

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 140
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999
parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 141
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 142
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices:
*****
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1    1048576-
495817064447    495816015872    primary ext4    /dev/sda1
/lib/partman/choose_partition/30lvm/choices: paragraph: 5
495818113024-500106788863    4288675840    logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 143
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK
```

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 144
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 145
parted_server: Opening infifo


```
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 146
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first
```

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 147

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/30lvm/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1

/lib/partman/choose_partition/30lvm/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2

/lib/partman/choose_partition/30lvm/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 148

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 149
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
32768-2852126719
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 150
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id

2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 151

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 152
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999
parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 153
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 154
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices:
*****
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1      1048576-
495817064447      495816015872      primary ext4      /dev/sda1
/lib/partman/choose_partition/35crypto/choices: paragraph: 5
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
```

```
parted_server: main_loop: iteration 155
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      32768-2852126719      2852093952      primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2      2852126720-2945482751      93356032      primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1      2945482752-15728639999      12783157248      pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1      32768-
2852126719      2852093952      primary unknown /dev/sdb1
/lib/partman/choose_partition/35crypto/choices: paragraph: 2      2852126720-
2945482751      93356032      primary fat16 /dev/sdb2
/lib/partman/choose_partition/35crypto/choices: paragraph: -1      2945482752-
15728639999      12783157248      pri/log free /dev/sdb-1
```

```
parted_server: main_loop: iteration 156
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices:
*****
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      1048576-495817064447      495816015872      primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5      495818113024-500106788863      4288675840
logical linux-swap /dev/sda5
```

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
1048576-495817064447 495816015872 primary ext4 /dev/sda1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5

parted_server: main_loop: iteration 157
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
32768-2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 2
2852126720-2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/60partition_tree/choices: paragraph: -1
2945482752-15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 158
parted_server: Opening infifo
/lib/partman/choose_partition/20auto/do_option:

/lib/partman/automatically_partition/20biggest_free/choices:

/lib/partman/automatically_partition/20biggest_free/choices: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 159

parted_server: Opening infifo

/lib/partman/automatically_partition/20biggest_free/choices: IN: PARTITIONS
=dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 160

parted_server: Opening infifo

/lib/partman/automatically_partition/50some_device/choices:

/lib/partman/automatically_partition/60some_device_lvm/choices:

/lib/partman/automatically_partition/70some_device_crypto/choices:

/lib/partman/automatically_partition/70some_device_crypto/choices:

/lib/partman/automatically_partition/80custom/choices:

/lib/partman/automatically_partition/50some_device/do_option:


```
*****
/bin/autopartition: *****
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1

parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 161
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1

parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2

parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 162
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 163
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 164
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 165
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 166
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 167
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 168
parted_server: Opening infifo
/bin/autopartition: *****
/bin/autopartition: IN: LABEL_TYPES =dev=sda
parted_server: Read command: LABEL_TYPES
parted_server: command_label_types()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: aix

parted_server: OUT: amiga

parted_server: OUT: bsd

parted_server: OUT: dvh

parted_server: OUT: gpt

parted_server: OUT: mac

parted_server: OUT: msdos

parted_server: OUT: pc98

parted_server: OUT: sun

parted_server: OUT: loop

parted_server: OUT:

parted_server: Closing infifo and outfifo

/bin/autopartition: option: aix

/bin/autopartition: option: amiga

/bin/autopartition: option: bsd

/bin/autopartition: option: dvh

/bin/autopartition: option: gpt

/bin/autopartition: option: mac

/bin/autopartition: option: msdos

/bin/autopartition: option: pc98

/bin/autopartition: option: sun

/bin/autopartition: option: loop

parted_server: main_loop: iteration 169

parted_server: Opening infifo

/bin/autopartition: IN: NEW_LABEL =dev=sda msdos

parted_server: Read command: NEW_LABEL

parted_server: command_new_label()

parted_server: Note =dev=sda as changed

parted_server: Opening outfifo

parted_server: command_new_label: requested label with type msdos

parted_server: command_new_label: creating

parted_server: OUT: OK

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 170

parted_server: Opening infifo

/bin/autopartition: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 171
parted_server: Opening infifo
/bin/perform_recipe:

/bin/perform_recipe: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 172
parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32256-500107862015

parted_server: partition_with_id(32256-500107862015)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 173
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

```
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 174
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 175
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 176
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 177
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 178

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 179

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 180

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 181

parted_server: Opening infifo

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 182

parted_server: Opening infifo

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 183

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 184

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 185

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 186

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 187

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 188

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 189

```
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 190
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 191
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 192

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 193

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 194

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 195

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32256-500107862015

parted_server: partition_with_id(32256-500107862015)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log

free /dev/sda-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 196

parted_server: Opening infifo

/bin/perform_recipe: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 197

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 198
parted_server: Opening infifo
/bin/perform_recipe: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 199
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 200
parted_server: Opening infifo
/bin/perform_recipe: IN: NEW_PARTITION =dev=sda primary ext4 32256-
500107862015 beginning 495817000001
parted_server: Read command: NEW_PARTITION
parted_server: command_new_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: requested partition with type primary
parted_server: requested partition with file system ext4
parted_server: add_primary_partition(disk(976773168),63-968392641)

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 201
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 202
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495817064448-500107862015
parted_server: partition_with_id(495817064448-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 203
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495817064448-500107862015

parted_server: partition_with_id(495817064448-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 204
parted_server: Opening infifo
/bin/perform_recipe: IN: NEW_PARTITION =dev=sda logical linux-swap
495817064448-500107862015 full 4290000001
parted_server: Read command: NEW_PARTITION
parted_server: command_new_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: requested partition with type logical
parted_server: requested partition with file system linux-swap(v1)
parted_server: OUT: OK

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 205
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 206
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 207

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 1048576-495817064447

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 1048576-495817064447

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 208

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 1048576-495817064447

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(1048576-495817064447)

parted_server: Partition found (1048576-495817064447)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 209

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

```
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 210
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 211
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 212
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
```

```
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 213
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/50filesystems: IN: PARTITION_INFO =dev=sda 1048576-
495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 214
parted_server: Opening infifo
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 215
```

```
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 216
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 217
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 218
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
```

```
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 219
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 220
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 221
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
```

parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 222
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/60swap: IN: CHANGE_FILE_SYSTEM =dev=sda 495818113024-500106788863 linux-swap
parted_server: Read command: CHANGE_FILE_SYSTEM
parted_server: Opening outfifo
parted_server: command_change_file_system(495818113024-500106788863,linux-swap)
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Already using filesystem linux-swap(v1)
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 223
parted_server: Opening infifo
/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 224
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

```
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 225
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 226
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 227
```



```
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 228
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 229
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 230

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 231

parted_server: Opening infifo

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 232

parted_server: Opening infifo

/lib/partman/update.d/50filesystems:

```
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 233
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 234
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 235
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 236
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 237
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
```

```
parted_server: main_loop: iteration 238
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 239
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 240
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 241

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 242

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-1572863999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-1572863999

parted_server: partition_with_id(2945482752-1572863999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log

free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 243

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

```
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 244
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 245
parted_server: Opening infifo
/lib/partman/display.d/10initial_auto:
*****
/lib/partman/display.d/50initial_auto_raid:
*****
/lib/partman/display.d/55initial_auto_raid_fs:
*****
/lib/partman/display.d/80manual_partitioning:
*****
/lib/partman/choose_partition/20auto/choices:
*****
/lib/partman/choose_partition/25md/choices:
*****
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: 1 1048576-
495817064447 495816015872 primary ext4 /dev/sda1
/lib/partman/choose_partition/25md/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5

parted_server: main_loop: iteration 246

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 1048576-
495817064447

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 247

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 248

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 249

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 250
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/25md/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/25md/choices: paragraph: -1 2945482752-
1572863999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 251

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 252

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-
2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 253

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 254

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 255

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 256

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

```
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 257
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices:
*****
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1    1048576-
495817064447    495816015872    primary ext4    /dev/sda1
/lib/partman/choose_partition/30lvm/choices: paragraph: 5
495818113024-500106788863    4288675840    logical linux-swap
/dev/sda5
```

```
parted_server: main_loop: iteration 258
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 259
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 260
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 261
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo


```
parted_server: main_loop: iteration 262
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1    32768-
2852126719    2852093952    primary unknown /dev/sdb1
/lib/partman/choose_partition/30lvm/choices: paragraph: 2    2852126720-
2945482751    93356032    primary fat16    /dev/sdb2
/lib/partman/choose_partition/30lvm/choices: paragraph: -1    2945482752-
15728639999    12783157248    pri/log free    /dev/sdb-1
```

```
parted_server: main_loop: iteration 263
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 264
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
32768-2852126719
parted_server: Read command: VALID_FLAGS
```

parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 265
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary

fat16 /dev/sdb2

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 266
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 267
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()

```
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999
parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 268
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 269
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices:
*****
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1 1048576-
495817064447 495816015872 primary ext4 /dev/sda1
/lib/partman/choose_partition/35crypto/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 270
```

```
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1    32768-
2852126719    2852093952    primary unknown /dev/sdb1
/lib/partman/choose_partition/35crypto/choices: paragraph: 2    2852126720-
2945482751    93356032    primary fat16 /dev/sdb2
/lib/partman/choose_partition/35crypto/choices: paragraph: -1  2945482752-
15728639999  12783157248  pri/log free /dev/sdb-1
```

```
parted_server: main_loop: iteration 271
```

```
parted_server: Opening infifo
```

```
/lib/partman/choose_partition/60partition_tree/choices:
*****
```

```
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sda
```

```
parted_server: Read command: PARTITIONS
```

```
parted_server: command_partitions()
```

```
parted_server: Opening outfifo
```

```
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872  primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
```

```
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
1048576-495817064447      495816015872      primary ext4      /dev/sda1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 5
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
```

```
parted_server: main_loop: iteration 272
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      32768-2852126719      2852093952      primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2      2852126720-2945482751      93356032      primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1      2945482752-1572863999      12783157248      pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
32768-2852126719      2852093952      primary unknown /dev/sdb1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 2
2852126720-2945482751      93356032      primary fat16 /dev/sdb2
/lib/partman/choose_partition/60partition_tree/choices: paragraph: -1
2945482752-1572863999      12783157248      pri/log free /dev/sdb-1
```

```
parted_server: main_loop: iteration 273
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option:
*****
/lib/partman/choose_partition/60partition_tree/do_option: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      1048576-495817064447      495816015872      primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5      495818113024-500106788863      4288675840
logical linux-swap /dev/sda5
```

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 274
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option: IN:
PARTITION_INFO =dev=sda 1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 275
parted_server: Opening infifo
/lib/partman/active_partition/10change_name/choices:

/lib/partman/active_partition/10change_name/choices: IN: USES_NAMES
=dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 276
parted_server: Opening infifo
/lib/partman/active_partition/15method/choices:

/lib/partman/active_partition/46keysize/choices:

/lib/partman/active_partition/47ivalgorithm/choices:

/lib/partman/active_partition/48keytype/choices:

/lib/partman/active_partition/49keyhash/choices:

/lib/partman/active_partition/65toggle_bootable/choices:

```
/lib/partman/active_partition/65toggle_bootable/choices: IN: VALID_FLAGS
=dev=sda 1048576-495817064447
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 277
parted_server: Opening infifo
/lib/partman/active_partition/65toggle_bootable/choices: IN: GET_FLAGS
=dev=sda 1048576-495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```


parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 278

parted_server: Opening infifo

/lib/partman/active_partition/80resize/choices:

/lib/partman/active_partition/80resize/choices: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 279

parted_server: Opening infifo

/lib/partman/active_partition/85erasepart/choices:

/lib/partman/active_partition/85erasepart/choices: IN: VIRTUAL =dev=sda
1048576-495817064447

parted_server: Read command: VIRTUAL

parted_server: command_virtual()

parted_server: Opening outfifo

parted_server: is virtual partition with id 1048576-495817064447

parted_server: partition_with_id(1048576-495817064447)

parted_server: OUT: OK

parted_server: named_partition_is_virtual(=dev=sda,2048,968392703)

parted_server: yes

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 280

parted_server: Opening infifo

/lib/partman/active_partition/87delete/choices:

/lib/partman/active_partition/87delete/choices: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 281

parted_server: Opening infifo

```
/lib/partman/active_partition/87delete/do_option:
*****
/lib/partman/active_partition/87delete/do_option: IN: DELETE_PARTITION
=dev=sda 1048576-495817064447
parted_server: Read command: DELETE_PARTITION
parted_server: command_delete_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: Deleting partition with id 1048576-495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found
parted_server: Partition deleted
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 282
parted_server: Opening infifo
/lib/partman/active_partition/87delete/do_option: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-495818111999      495818079744      pri/log
free      /dev/sda-1

parted_server: OUT: 5 495818113024-500106788863      4288675840
logical linux-swap      /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 283
parted_server: Opening infifo
/lib/partman/active_partition/87delete/do_option: IN: PARTITION_INFO
=dev=sda 32256-495818111999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
495818111999
parted_server: partition_with_id(32256-495818111999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-495818111999      495818079744      pri/log
free      /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 284
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 285
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 286
```

```
parted_server: Opening infifo
/lib/partman/active_partition/87delete/do_option: IN: PARTITION_INFO
=dev=sda 495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 287
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 288
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
```

```
parted_server: main_loop: iteration 289
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 290
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 291
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 292
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
```

```
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/60swap: IN: CHANGE_FILE_SYSTEM =dev=sda 495818113024-
500106788863 linux-swap
parted_server: Read command: CHANGE_FILE_SYSTEM
parted_server: Opening outfifo
parted_server: command_change_file_system(495818113024-500106788863,linux-
swap)
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Already using filesystem linux-swap(v1)
parted_server: OUT: OK
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 293
parted_server: Opening infifo
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 294
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 295
parted_server: Opening infifo
/lib/partman/display.d/10initial_auto:
*****
/lib/partman/display.d/50initial_auto_raid:
```

```

*****
/lib/partman/display.d/55initial_auto_raid_fs:
*****
/lib/partman/display.d/80manual_partitioning:
*****
/lib/partman/choose_partition/20auto/choices:
*****
/lib/partman/choose_partition/25md/choices:
*****
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-495818111999      495818079744      pri/log
free      /dev/sda-1

parted_server: OUT: 5 495818113024-500106788863      4288675840
logical linux-swap      /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: -1      32256-
495818111999      495818079744      pri/log free      /dev/sda-1
/lib/partman/choose_partition/25md/choices: paragraph: 5
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 296
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
32256-495818111999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
495818111999
parted_server: partition_with_id(32256-495818111999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-495818111999      495818079744      pri/log
free      /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 297
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sda

```

parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 298
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 299
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 300

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1

/lib/partman/choose_partition/25md/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2

/lib/partman/choose_partition/25md/choices: paragraph: -1 2945482752-
1572863999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 301

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 302
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 303

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 304

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 305

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 306

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 307

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices:

/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-495818111999 495818079744 pri/log
free /dev/sda-1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: -1 32256-
495818111999 495818079744 pri/log free /dev/sda-1
/lib/partman/choose_partition/30lvm/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5

parted_server: main_loop: iteration 308

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
32256-495818111999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32256-
495818111999

parted_server: partition_with_id(32256-495818111999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-495818111999 495818079744 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 309

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 310

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 311
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 312
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/30lvm/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/30lvm/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 313
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 314
parted_server: Opening infifo

```
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
32768-2852126719
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 315
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```



```
parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 316
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT: raid
```

```
parted_server: OUT: lvm
```

```
parted_server: OUT: lba
```

```
parted_server: OUT: palo
```

```
parted_server: OUT: prep
```

```
parted_server: OUT: diag
```

```
parted_server: OUT: first
```

```
parted_server: OUT: esp
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 317
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
```

2945482752-15728639999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999
parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 318
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 319
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices:

/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-495818111999 495818079744 pri/log
free /dev/sda-1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: -1 32256-
495818111999 495818079744 pri/log free /dev/sda-1
/lib/partman/choose_partition/35crypto/choices: paragraph: 5

```
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 320
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      32768-2852126719      2852093952      primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2      2852126720-2945482751      93356032      primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1      2945482752-15728639999      12783157248      pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1      32768-
2852126719      2852093952      primary unknown /dev/sdb1
/lib/partman/choose_partition/35crypto/choices: paragraph: 2      2852126720-
2945482751      93356032      primary fat16 /dev/sdb2
/lib/partman/choose_partition/35crypto/choices: paragraph: -1      2945482752-
15728639999      12783157248      pri/log free /dev/sdb-1
```

```
parted_server: main_loop: iteration 321
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices:
*****
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1      32256-495818111999      495818079744      pri/log
free /dev/sda-1
```

```
parted_server: OUT: 5      495818113024-500106788863      4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: -1
32256-495818111999      495818079744      pri/log free      /dev/sda-1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 5
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 322
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option:
*****
/lib/partman/choose_partition/60partition_tree/do_option: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-495818111999      495818079744      pri/log
free      /dev/sda-1
```

```
parted_server: OUT: 5 495818113024-500106788863      4288675840
logical linux-swap      /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 323
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option: IN:
PARTITION_INFO =dev=sda 495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863      4288675840
logical linux-swap      /dev/sda5
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 324
parted_server: Opening infifo
/lib/partman/active_partition/10change_name/choices:
*****
```

```
/lib/partman/active_partition/10change_name/choices: IN: USES_NAMES
=dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 325
parted_server: Opening infifo
/lib/partman/active_partition/15method/choices:
*****
/lib/partman/active_partition/46keysize/choices:
*****
/lib/partman/active_partition/47ivalgorithm/choices:
*****
/lib/partman/active_partition/48keytype/choices:
*****
/lib/partman/active_partition/49keyhash/choices:
*****
/lib/partman/active_partition/65toggle_bootable/choices:
*****
/lib/partman/active_partition/65toggle_bootable/choices: IN: VALID_FLAGS
=dev=sda 495818113024-500106788863
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep
```

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 326

parted_server: Opening infifo

/lib/partman/active_partition/65toggle_bootable/choices: IN: GET_FLAGS
=dev=sda 495818113024-500106788863

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(495818113024-500106788863)

parted_server: Partition found (495818113024-500106788863)

parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 327

parted_server: Opening infifo

/lib/partman/active_partition/80resize/choices:

/lib/partman/active_partition/80resize/choices: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 328

parted_server: Opening infifo

/lib/partman/active_partition/85erasepart/choices:

/lib/partman/active_partition/85erasepart/choices: IN: VIRTUAL =dev=sda
495818113024-500106788863

parted_server: Read command: VIRTUAL

parted_server: command_virtual()

parted_server: Opening outfifo

parted_server: is virtual partition with id 495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: named_partition_is_virtual(=dev=sda,968394752,976771071)
parted_server: yes
parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 329
parted_server: Opening infifo
/lib/partman/active_partition/87delete/choices:

/lib/partman/active_partition/87delete/choices: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 330
parted_server: Opening infifo
/lib/partman/active_partition/87delete/do_option:

/lib/partman/active_partition/87delete/do_option: IN: DELETE_PARTITION
=dev=sda 495818113024-500106788863
parted_server: Read command: DELETE_PARTITION
parted_server: command_delete_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: Deleting partition with id 495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found
parted_server: Partition deleted
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 331
parted_server: Opening infifo
/lib/partman/active_partition/87delete/do_option: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 332

parted_server: Opening infifo

/lib/partman/active_partition/87delete/do_option: IN: PARTITION_INFO
=dev=sda 32256-500107862015

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32256-
500107862015

parted_server: partition_with_id(32256-500107862015)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 333

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 334

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 335

parted_server: Opening infifo

/lib/partman/display.d/10initial_auto:

/lib/partman/display.d/50initial_auto_raid:

/lib/partman/display.d/55initial_auto_raid_fs:

/lib/partman/display.d/80manual_partitioning:

/lib/partman/choose_partition/20auto/choices:

/lib/partman/choose_partition/25md/choices:

/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

```
parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1
```

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: -1 32256-

500107862015 500107829760 pri/log free /dev/sda-1

parted_server: main_loop: iteration 336

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda

32256-500107862015

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32256-500107862015

parted_server: partition_with_id(32256-500107862015)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 337

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sda

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 338

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-

```
2852126719      2852093952      primary unknown /dev/sdb1
/lib/partman/choose_partition/25md/choices: paragraph: 2      2852126720-
2945482751      93356032        primary fat16    /dev/sdb2
/lib/partman/choose_partition/25md/choices: paragraph: -1      2945482752-
15728639999     12783157248     pri/log free    /dev/sdb-1
parted_server: main_loop: iteration 339
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719      2852093952      primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 340
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep
```

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 341

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 342

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 343

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 344

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 345

```
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices:
*****
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: -1      32256-
500107862015      500107829760      pri/log free      /dev/sda-1
parted_server: main_loop: iteration 346
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 347
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 348
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb
```

parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/30lvm/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/30lvm/choices: paragraph: -1 2945482752-
1572863999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 349

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 350

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
32768-2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 351

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 352
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 353
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 354
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 355
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices:

/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: -1 32256-
500107862015 500107829760 pri/log free /dev/sda-1
parted_server: main_loop: iteration 356
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/35crypto/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/35crypto/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 357

parted_server: Opening infifo

/lib/partman/choose_partition/60partition_tree/choices:

/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: -1
32256-500107862015 500107829760 pri/log free /dev/sda-1

parted_server: main_loop: iteration 358

parted_server: Opening infifo

/lib/partman/choose_partition/60partition_tree/do_option:

/lib/partman/choose_partition/60partition_tree/do_option: IN: PARTITIONS
=dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 359
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option: IN:
PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 360
parted_server: Opening infifo
/lib/partman/free_space/50new/choices:

/lib/partman/free_space/50new/choices: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 361
parted_server: Opening infifo
/lib/partman/free_space/70autopartition/choices:

/lib/partman/free_space/70autopartition/choices: IN: PARTITION_INFO
=dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO

```
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 362
parted_server: Opening infifo
/lib/partman/free_space/50new/do_option:
*****
/lib/partman/free_space/50new/do_option: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 363
parted_server: Opening infifo
/lib/partman/display.d/10initial_auto:
*****
/lib/partman/display.d/50initial_auto_raid:
*****
/lib/partman/display.d/55initial_auto_raid_fs:
*****
/lib/partman/display.d/80manual_partitioning:
*****
/lib/partman/choose_partition/20auto/choices:
*****
/lib/partman/choose_partition/25md/choices:
*****
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: -1 32256-
500107862015 500107829760 pri/log free /dev/sda-1
parted_server: main_loop: iteration 364
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 365
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 366
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/25md/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/25md/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 367

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 368

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-
2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 369

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 370

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 371

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

```
parted_server: main_loop: iteration 372
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 373
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices:
*****
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: -1 32256-
500107862015 500107829760 pri/log free /dev/sda-1
parted_server: main_loop: iteration 374
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 375
parted_server: Opening infifo
```

```
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 376
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1    32768-
2852126719    2852093952    primary unknown /dev/sdb1
/lib/partman/choose_partition/30lvm/choices: paragraph: 2    2852126720-
2945482751    93356032    primary fat16 /dev/sdb2
/lib/partman/choose_partition/30lvm/choices: paragraph: -1  2945482752-
15728639999  12783157248  pri/log free /dev/sdb-1
parted_server: main_loop: iteration 377
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK
```

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 378
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
32768-2852126719
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 379
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 380
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 381

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 382

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 383

parted_server: Opening infifo

/lib/partman/choose_partition/35crypto/choices:

/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: -1 32256-
500107862015 500107829760 pri/log free /dev/sda-1
parted_server: main_loop: iteration 384
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/35crypto/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/35crypto/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1
```

```
parted_server: main_loop: iteration 385
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices:
*****
/lib/partman/choose_partition/60partition_tree/do_option:
*****
/lib/partman/choose_partition/60partition_tree/do_option: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 386
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/do_option: IN:
PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 387
parted_server: Opening infifo
/lib/partman/free_space/50new/choices:
*****
/lib/partman/free_space/50new/choices: IN: PARTITION_INFO =dev=sda 32256-
500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 388
parted_server: Opening infifo
/lib/partman/free_space/70autopartition/choices:
*****
/lib/partman/free_space/70autopartition/choices: IN: PARTITION_INFO
=dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```



```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 389
parted_server: Opening infifo
/lib/partman/free_space/70autopartition/do_option:
*****
/lib/partman/free_space/70autopartition/do_option: IN: PARTITION_INFO
=dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-
500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 390
parted_server: Opening infifo
/bin/autopartition: *****
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 391
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 392
parted_server: Opening infifo
/bin/autopartition: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 393
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 394
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 395
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 396
parted_server: Opening infifo
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 397
parted_server: Opening infifo
/bin/autopartition: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 398
parted_server: Opening infifo

```
/bin/autopartition: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 399
parted_server: Opening infifo
/bin/perform_recipe:
```

```
*****
```

```
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 400
parted_server: Opening infifo
```

```
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015
```

```
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015      500107829760      pri/log
free      /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 401
parted_server: Opening infifo
```

```
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 402
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 403
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
```

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 404
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 405
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 406

parted_server: Opening infifo

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 407

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb

parted_server: Read command: GET_LABEL_TYPE

parted_server: command_get_label_type()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 408

parted_server: Opening infifo

/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 409

parted_server: Opening infifo

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719

parted_server: Read command: GET_FLAGS

parted_server: command_get_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: Partition found (32768-2852126719)

parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 410

parted_server: Opening infifo

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 411
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 412
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 413
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 414
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 415
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: msdos

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 416
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 417
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 418
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 419
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 420

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-1572863999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-1572863999

parted_server: partition_with_id(2945482752-1572863999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log

free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 421

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

/lib/partman/update.d/60basicmethods:

/lib/partman/update.d/60lvm_visuals:

/lib/partman/update.d/60swap:

/lib/partman/update.d/61crypto_visuals:

/lib/partman/update.d/61md_visuals:

/lib/partman/visual.d/10type:

/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb

parted_server: Read command: USES_EXTENDED

parted_server: command_uses_extended()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 422
parted_server: Opening infifo
/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 423
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 32256-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32256-500107862015
parted_server: partition_with_id(32256-500107862015)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 424
parted_server: Opening infifo
/bin/perform_recipe: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 425
parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 426
parted_server: Opening infifo
/bin/perform_recipe: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 427
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: -1 32256-500107862015 500107829760 pri/log
free /dev/sda-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 428
parted_server: Opening infifo
/bin/perform_recipe: IN: NEW_PARTITION =dev=sda primary ext4 32256-
500107862015 beginning 495817000001
parted_server: Read command: NEW_PARTITION
parted_server: command_new_partition()
parted_server: Note =dev=sda as changed
parted_server: Opening outfifo
parted_server: requested partition with type primary

```
parted_server: requested partition with file system ext4
parted_server: add_primary_partition(disk(976773168),63-968392641)
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 429
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 430
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495817064448-500107862015
parted_server: partition_with_id(495817064448-500107862015)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: -1 495817064448-500107862015 4290797568
pri/log free /dev/sda-1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 431
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495817064448-500107862015
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
```

parted_server: command_partition_info: info for partition with id
495817064448-500107862015

parted_server: partition_with_id(495817064448-500107862015)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 495817064448-500107862015 4290797568

pri/log free /dev/sda-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 432

parted_server: Opening infifo

/bin/perform_recipe: IN: NEW_PARTITION =dev=sda logical linux-swap
495817064448-500107862015 full 4290000001

parted_server: Read command: NEW_PARTITION

parted_server: command_new_partition()

parted_server: Note =dev=sda as changed

parted_server: Opening outfifo

parted_server: requested partition with type logical

parted_server: requested partition with file system linux-swap(v1)

parted_server: OUT: OK

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 433

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary

ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 434

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 435
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 436
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 1048576-495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 437
parted_server: Opening infifo

```
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 438
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 439
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 440
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 1048576-
495817064447
parted_server: Read command: GET_FLAGS
```

```
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: Partition found (1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 441
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/50filesystems: IN: PARTITION_INFO =dev=sda 1048576-
495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 442
parted_server: Opening infifo
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 443
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 444
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sda 495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 445
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 446
parted_server: Opening infifo
```

```
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sda
495818113024-500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 447
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sda
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: msdos

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 448
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 449
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sda 495818113024-
500106788863
parted_server: Read command: GET_FLAGS
```

```
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 450
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/60swap: IN: CHANGE_FILE_SYSTEM =dev=sda 495818113024-
500106788863 linux-swap
parted_server: Read command: CHANGE_FILE_SYSTEM
parted_server: Opening outfifo
parted_server: command_change_file_system(495818113024-500106788863,linux-
swap)
parted_server: partition_with_id(495818113024-500106788863)
parted_server: Already using filesystem linux-swap(v1)
parted_server: OUT: OK
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 451
parted_server: Opening infifo
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sda
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 452
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
```

```
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sda
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 453
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 454
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 455
parted_server: Opening infifo
/lib/partman/update.d/20bootable:
*****
/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 456
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:
*****
/lib/partman/update.d/21biosgrub_sync_flag:
*****
/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb 32768-
2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK
```

```
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 457
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:
*****
/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
```


parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 458
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 459
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 32768-2852126719
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(32768-2852126719)
parted_server: Partition found (32768-2852126719)
parted_server: OUT: OK

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 460

```
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: yes
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 461
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: no
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 462
parted_server: Opening infifo
/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2852126720-2945482751
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2852126720-2945482751
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
```

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 463
parted_server: Opening infifo
/lib/partman/update.d/20bootable:

/lib/partman/update.d/20bootable: IN: GET_FLAGS =dev=sdb 2852126720-
2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 464
parted_server: Opening infifo
/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21biosgrub_sync_flag: IN: GET_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 465
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/21lvm_sync_flag: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 466
parted_server: Opening infifo
/lib/partman/update.d/21lvm_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 467
parted_server: Opening infifo
/lib/partman/update.d/22md_sync_flag:
*****
/lib/partman/update.d/22md_sync_flag: IN: GET_FLAGS =dev=sdb 2852126720-2945482751
parted_server: Read command: GET_FLAGS
parted_server: command_get_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 468
parted_server: Opening infifo
/lib/partman/update.d/50filesystems:
*****
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 469

parted_server: Opening infifo

/lib/partman/visual.d/15size:

/lib/partman/visual.d/35name:

/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb

parted_server: Read command: USES_NAMES

parted_server: command_uses_names()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 470

parted_server: Opening infifo

/bin/perform_recipe: IN: PARTITION_INFO =dev=sdb 2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 471

parted_server: Opening infifo

/lib/partman/update.d/20bootable:

/lib/partman/update.d/20detected_filesystem:

/lib/partman/update.d/21biosgrub_sync_flag:

/lib/partman/update.d/21lvm_sync_flag:

/lib/partman/update.d/22md_sync_flag:

/lib/partman/update.d/50filesystems:

```
/lib/partman/update.d/60basicmethods:
*****
/lib/partman/update.d/60lvm_visuals:
*****
/lib/partman/update.d/60swap:
*****
/lib/partman/update.d/61crypto_visuals:
*****
/lib/partman/update.d/61md_visuals:
*****
/lib/partman/visual.d/10type:
*****
/lib/partman/visual.d/10type: IN: USES_EXTENDED =dev=sdb
parted_server: Read command: USES_EXTENDED
parted_server: command_uses_extended()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: yes

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 472
parted_server: Opening infifo
/lib/partman/visual.d/15size:
*****
/lib/partman/visual.d/35name:
*****
/lib/partman/visual.d/35name: IN: USES_NAMES =dev=sdb
parted_server: Read command: USES_NAMES
parted_server: command_uses_names()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: no

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 473
parted_server: Opening infifo
/lib/partman/display.d/10initial_auto:
*****
/lib/partman/display.d/50initial_auto_raid:
*****
/lib/partman/display.d/55initial_auto_raid_fs:
*****
/lib/partman/display.d/80manual_partitioning:
*****
/lib/partman/choose_partition/20auto/choices:
*****
/lib/partman/choose_partition/25md/choices:
*****
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
```

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: 1 1048576-
495817064447 495816015872 primary ext4 /dev/sda1
/lib/partman/choose_partition/25md/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap
/dev/sda5

parted_server: main_loop: iteration 474
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 475
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 476

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 477

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 478
parted_server: Opening infifo
/lib/partman/choose_partition/25md/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/25md/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/25md/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/25md/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 479

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id 32768-
2852126719

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 480

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb 32768-
2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 481

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 482

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: irst

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 483

parted_server: Opening infifo

/lib/partman/choose_partition/25md/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2945482752-15728639999

parted_server: partition_with_id(2945482752-15728639999)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 484

parted_server: Opening infifo

```
/lib/partman/choose_partition/25md/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: msdos
```

```
parted_server: Closing infifo and outfifo
```

```
parted_server: main_loop: iteration 485
```

```
parted_server: Opening infifo
```

```
/lib/partman/choose_partition/30lvm/choices:
```

```
*****
```

```
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sda
```

```
parted_server: Read command: PARTITIONS
```

```
parted_server: command_partitions()
```

```
parted_server: Opening outfifo
```

```
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
```

```
/lib/partman/choose_partition/30lvm/choices: paragraph: 1    1048576-
495817064447    495816015872    primary ext4    /dev/sda1
```

```
/lib/partman/choose_partition/30lvm/choices: paragraph: 5
495818113024-500106788863    4288675840    logical linux-swap
/dev/sda5
```

```
parted_server: main_loop: iteration 486
```

```
parted_server: Opening infifo
```

```
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
1048576-495817064447
```

```
parted_server: Read command: PARTITION_INFO
```

```
parted_server: command_partition_info()
```

```
parted_server: Opening outfifo
```

```
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
```

```
parted_server: partition_with_id(1048576-495817064447)
```

```
parted_server: OUT: OK
```

```
parted_server: command_partition_info: partition found
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 487
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
1048576-495817064447
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: Partition found (1048576-495817064447)
parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 488
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sda
495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
495818113024-500106788863

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 489

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sda
495818113024-500106788863

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(495818113024-500106788863)

parted_server: OUT: OK

parted_server: Partition found (495818113024-500106788863)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 490
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/30lvm/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1
/lib/partman/choose_partition/30lvm/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2
/lib/partman/choose_partition/30lvm/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 491
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
32768-2852126719
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 32768-
2852126719
parted_server: partition_with_id(32768-2852126719)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 492
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb

32768-2852126719

parted_server: Read command: VALID_FLAGS

parted_server: command_valid_flags()

parted_server: Opening outfifo

parted_server: partition_with_id(32768-2852126719)

parted_server: OUT: OK

parted_server: Partition found (32768-2852126719)

parted_server: OUT: boot

parted_server: OUT: hidden

parted_server: OUT: raid

parted_server: OUT: lvm

parted_server: OUT: lba

parted_server: OUT: palo

parted_server: OUT: prep

parted_server: OUT: diag

parted_server: OUT: first

parted_server: OUT: esp

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 493

parted_server: Opening infifo

/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2852126720-2945482751

parted_server: Read command: PARTITION_INFO

parted_server: command_partition_info()

parted_server: Opening outfifo

parted_server: command_partition_info: info for partition with id
2852126720-2945482751

parted_server: partition_with_id(2852126720-2945482751)

parted_server: OUT: OK

```
parted_server: command_partition_info: partition found
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 494
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: VALID_FLAGS =dev=sdb
2852126720-2945482751
parted_server: Read command: VALID_FLAGS
parted_server: command_valid_flags()
parted_server: Opening outfifo
parted_server: partition_with_id(2852126720-2945482751)
parted_server: OUT: OK
```

```
parted_server: Partition found (2852126720-2945482751)
parted_server: OUT: boot
```

```
parted_server: OUT: hidden
```

```
parted_server: OUT: raid
```

```
parted_server: OUT: lvm
```

```
parted_server: OUT: lba
```

```
parted_server: OUT: palo
```

```
parted_server: OUT: prep
```

```
parted_server: OUT: diag
```

```
parted_server: OUT: first
```

```
parted_server: OUT: esp
```

```
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 495
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: PARTITION_INFO =dev=sdb
2945482752-15728639999
```

parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
2945482752-15728639999
parted_server: partition_with_id(2945482752-15728639999)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 496
parted_server: Opening infifo
/lib/partman/choose_partition/30lvm/choices: IN: GET_LABEL_TYPE =dev=sdb
parted_server: Read command: GET_LABEL_TYPE
parted_server: command_get_label_type()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: msdos

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 497
parted_server: Opening infifo
/lib/partman/choose_partition/35crypto/choices:

/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/35crypto/choices: paragraph: 1 1048576-
495817064447 495816015872 primary ext4 /dev/sda1
/lib/partman/choose_partition/35crypto/choices: paragraph: 5
495818113024-500106788863 4288675840 logical linux-swap

/dev/sda5

parted_server: main_loop: iteration 498

parted_server: Opening infifo

/lib/partman/choose_partition/35crypto/choices: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

/lib/partman/choose_partition/35crypto/choices: paragraph: 1 32768-
2852126719 2852093952 primary unknown /dev/sdb1

/lib/partman/choose_partition/35crypto/choices: paragraph: 2 2852126720-
2945482751 93356032 primary fat16 /dev/sdb2

/lib/partman/choose_partition/35crypto/choices: paragraph: -1 2945482752-
15728639999 12783157248 pri/log free /dev/sdb-1

parted_server: main_loop: iteration 499

parted_server: Opening infifo

/lib/partman/choose_partition/60partition_tree/choices:

/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
1048576-495817064447      495816015872      primary ext4      /dev/sda1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 5
495818113024-500106788863      4288675840      logical linux-swap
/dev/sda5
parted_server: main_loop: iteration 500
parted_server: Opening infifo
/lib/partman/choose_partition/60partition_tree/choices: IN: PARTITIONS
=dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      32768-2852126719      2852093952      primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2      2852126720-2945482751      93356032      primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1      2945482752-15728639999      12783157248      pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 1
32768-2852126719      2852093952      primary unknown /dev/sdb1
/lib/partman/choose_partition/60partition_tree/choices: paragraph: 2
2852126720-2945482751      93356032      primary fat16 /dev/sdb2
/lib/partman/choose_partition/60partition_tree/choices: paragraph: -1
2945482752-15728639999      12783157248      pri/log free /dev/sdb-1
parted_server: main_loop: iteration 501
parted_server: Opening infifo
/lib/partman/check.d/05duplicate_labels:
*****
/lib/partman/check.d/05duplicate_labels: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1      1048576-495817064447      495816015872      primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5      495818113024-500106788863      4288675840
```

logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 502
parted_server: Opening infifo
/lib/partman/check.d/05duplicate_labels: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 503
parted_server: Opening infifo
/lib/partman/check.d/05proper_mountpoints:

/lib/partman/fstab.d/basic:

/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 504
parted_server: Opening infifo
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 505
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs:

/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 506
parted_server: Opening infifo

```
/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 507
parted_server: Opening infifo
/lib/partman/fstab.d/efi:
*****
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872  primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 508
parted_server: Opening infifo
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```


parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 509
parted_server: Opening infifo
/lib/partman/fstab.d/ext3:

/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 510
parted_server: Opening infifo
/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary

fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 511
parted_server: Opening infifo
/lib/partman/fstab.d/jfs:

/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 512
parted_server: Opening infifo
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 513
parted_server: Opening infifo
/lib/partman/fstab.d/xfs:

/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 514
parted_server: Opening infifo
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 515

parted_server: Opening infifo

/lib/partman/fstab.d/basic:

/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 516

parted_server: Opening infifo

/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 517

parted_server: Opening infifo

/lib/partman/fstab.d/btrfs:

/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

```
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 518
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-1572863999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 519
parted_server: Opening infifo
/lib/partman/fstab.d/efi:
*****
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
```

ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 520
parted_server: Opening infifo
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 521
parted_server: Opening infifo
/lib/partman/fstab.d/ext3:

/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 522
parted_server: Opening infifo
/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-1572863999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 523
parted_server: Opening infifo
/lib/partman/fstab.d/jfs:

/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

```
parted_server: main_loop: iteration 524
parted_server: Opening infifo
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 525
parted_server: Opening infifo
/lib/partman/fstab.d/xfs:
*****
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 526
parted_server: Opening infifo
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
```


parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 527
parted_server: Opening infifo
/lib/partman/fstab.d/basic:

/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 528
parted_server: Opening infifo
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 529
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs:

/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 530
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log

free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 531
parted_server: Opening infifo
/lib/partman/fstab.d/efi:

/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1	1048576-495817064447	495816015872	primary
ext4	/dev/sda1		

parted_server: OUT: 5	495818113024-500106788863	4288675840	
logical linux-swap	/dev/sda5		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 532
parted_server: Opening infifo
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1	32768-2852126719	2852093952	primary
unknown	/dev/sdb1		

parted_server: OUT: 2	2852126720-2945482751	93356032	primary
fat16	/dev/sdb2		

parted_server: OUT: -1	2945482752-15728639999	12783157248	pri/log
free	/dev/sdb-1		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 533

parted_server: Opening infifo

/lib/partman/fstab.d/ext3:

/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1	1048576-495817064447	495816015872	primary
ext4	/dev/sda1		

parted_server: OUT: 5	495818113024-500106788863	4288675840	
logical linux-swap	/dev/sda5		

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 534

parted_server: Opening infifo

/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1	32768-2852126719	2852093952	primary
unknown	/dev/sdb1		

parted_server: OUT: 2	2852126720-2945482751	93356032	primary
fat16	/dev/sdb2		

parted_server: OUT: -1	2945482752-15728639999	12783157248	pri/log
free	/dev/sdb-1		

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 535

parted_server: Opening infifo

/lib/partman/fstab.d/jfs:

```
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 536
parted_server: Opening infifo
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 537
parted_server: Opening infifo
/lib/partman/fstab.d/xfs:
*****
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 538
parted_server: Opening infifo
/lib/partman/fstab.d/xfst: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 539
parted_server: Opening infifo
/lib/partman/check.d/07basic_method_only:

/lib/partman/check.d/07basic_method_only: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 540
parted_server: Opening infifo
/lib/partman/check.d/07basic_method_only: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 541
parted_server: Opening infifo
/lib/partman/check.d/07crypto_check_mountpoints:

/lib/partman/check.d/07crypto_check_mountpoints: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 542
parted_server: Opening infifo
/lib/partman/check.d/07crypto_check_mountpoints: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 543
parted_server: Opening infifo
/lib/partman/check.d/08mountpoint_fat:
*****
/lib/partman/check.d/08mountpoint_fat: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 544
parted_server: Opening infifo
/lib/partman/check.d/08mountpoint_fat: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
```



```
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 545
parted_server: Opening infifo
```

```
/lib/partman/check.d/09nomountpoint_basicfilesystems:
*****
/lib/partman/check.d/09nomountpoint_basicfilesystems: IN: PARTITIONS
=dev=sda
```

```
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4     /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 546
parted_server: Opening infifo
```

```
/lib/partman/check.d/09nomountpoint_basicfilesystems: IN: PARTITIONS
=dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 547
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_btrfs:

/lib/partman/check.d/09nomountpoint_btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 548
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary

fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 549
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_ext3:

/lib/partman/check.d/09nomountpoint_ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 550
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 551
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_jfs:

/lib/partman/check.d/09nomountpoint_jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 552
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

```

parted_server: main_loop: iteration 553
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_xfs:
*****
/lib/partman/check.d/09nomountpoint_xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1

parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 554
parted_server: Opening infifo
/lib/partman/check.d/09nomountpoint_xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1

parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2

parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 555
parted_server: Opening infifo
/lib/partman/check.d/10alignment_ext3:
*****
/lib/partman/check.d/10alignment_ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS

```

parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 556
parted_server: Opening infifo
/lib/partman/check.d/10alignment_ext3: IN: ALIGNMENT_OFFSET =dev=sda
1048576-495817064447
parted_server: Read command: ALIGNMENT_OFFSET
parted_server: command_alignment_offset()
parted_server: Opening outfifo
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: OUT: 0

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 557
parted_server: Opening infifo
/lib/partman/check.d/10alignment_ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 558
parted_server: Opening infifo
/lib/partman/check.d/10check_basicfilesystems:
*****
/lib/partman/check.d/10check_basicfilesystems: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 559
parted_server: Opening infifo
/lib/partman/check.d/10check_basicfilesystems: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 560
parted_server: Opening infifo
/lib/partman/check.d/10check_swap:
```

/lib/partman/check.d/10check_swap: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 561
parted_server: Opening infifo
/lib/partman/check.d/10check_swap: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 562
parted_server: Opening infifo
/lib/partman/check.d/11unsafe_swap:

/bin/partman: IN: IS_CHANGED =dev=sda
parted_server: Read command: IS_CHANGED
parted_server: command_is_changed(=dev=sda)
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 563
parted_server: Opening infifo
/bin/partman: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 564
parted_server: Opening infifo
/bin/partman: IN: IS_CHANGED =dev=sdb
parted_server: Read command: IS_CHANGED
parted_server: command_is_changed(=dev=sdb)
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 565
parted_server: Opening infifo
/bin/partman: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 566
parted_server: Opening infifo
/lib/partman/commit.d/30parted:

/lib/partman/commit.d/30parted: IN: IS_CHANGED =dev=sda
parted_server: Read command: IS_CHANGED
parted_server: command_is_changed(=dev=sda)
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: yes

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 567
parted_server: Opening infifo
/lib/partman/commit.d/30parted: IN: COMMIT =dev=sda
parted_server: Read command: COMMIT
parted_server: command_commit()
parted_server: Opening outfifo
parted_server: Note =dev=sda as unchanged
parted_server: OUT: OK

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 568
parted_server: Opening infifo
/lib/partman/commit.d/30parted: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 569
parted_server: Opening infifo
/lib/partman/commit.d/30parted: IN: IS_CHANGED =dev=sdb
parted_server: Read command: IS_CHANGED
parted_server: command_is_changed(=dev=sdb)
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: no

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 570
parted_server: Opening infifo
/lib/partman/commit.d/45format_swap:

/lib/partman/commit.d/45format_swap: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 571
parted_server: Opening infifo
/lib/partman/commit.d/45format_swap: Try to format swap space in
/var/lib/partman/devices/=dev=sda/495818113024-500106788863
/lib/partman/commit.d/45format_swap: IN: PARTITION_INFO =dev=sda
495818113024-500106788863
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id
495818113024-500106788863
parted_server: partition_with_id(495818113024-500106788863)
parted_server: OUT: OK

parted_server: command_partition_info: partition found

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 572
parted_server: Opening infifo
/lib/partman/commit.d/45format_swap: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 573
parted_server: Opening infifo
/lib/partman/commit.d/50format_basicfilesystems:

/lib/partman/commit.d/50format_basicfilesystems: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 574

```
parted_server: Opening infifo
/lib/partman/commit.d/50format_basicfilesystems: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 575
parted_server: Opening infifo
/lib/partman/commit.d/50format_basicfilesystems: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872  primary
ext4     /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 576
parted_server: Opening infifo
/lib/partman/commit.d/50format_basicfilesystems: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 577

parted_server: Opening infifo

/lib/partman/commit.d/50format_btrfs:

/lib/partman/commit.d/50format_btrfs: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 578

parted_server: Opening infifo

/lib/partman/commit.d/50format_btrfs: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 579
parted_server: Opening infifo
/lib/partman/commit.d/50format_btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 580
parted_server: Opening infifo
/lib/partman/commit.d/50format_btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 581

parted_server: Opening infifo

/lib/partman/commit.d/50format_efi:

/lib/partman/commit.d/50format_efi: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 582

parted_server: Opening infifo

/lib/partman/commit.d/50format_efi: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 583

parted_server: Opening infifo

/lib/partman/commit.d/50format_efi: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 584
parted_server: Opening infifo
/lib/partman/commit.d/50format_efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 585
parted_server: Opening infifo
/lib/partman/commit.d/50format_ext3:

/lib/partman/commit.d/50format_ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 586

parted_server: Opening infifo

/lib/partman/commit.d/50format_ext3: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 587

parted_server: Opening infifo

/lib/partman/commit.d/50format_ext3: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 588
parted_server: Opening infifo
/lib/partman/commit.d/50format_ext3: Try to create file system for
/var/lib/partman/devices/=dev=sda/1048576-495817064447
/lib/partman/commit.d/50format_ext3: IN: PARTITION_INFO =dev=sda 1048576-
495817064447
parted_server: Read command: PARTITION_INFO
parted_server: command_partition_info()
parted_server: Opening outfifo
parted_server: command_partition_info: info for partition with id 1048576-
495817064447
parted_server: partition_with_id(1048576-495817064447)
parted_server: OUT: OK

parted_server: command_partition_info: partition found
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 589
parted_server: Opening infifo
/lib/partman/commit.d/50format_ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 590
parted_server: Opening infifo
/lib/partman/commit.d/50format_jfs:

```
/lib/partman/commit.d/50format_jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 591
parted_server: Opening infifo
/lib/partman/commit.d/50format_jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16   /dev/sdb2
```

```
parted_server: OUT: -1   2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 592
parted_server: Opening infifo
/lib/partman/commit.d/50format_jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
```

ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 593
parted_server: Opening infifo
/lib/partman/commit.d/50format_jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 594
parted_server: Opening infifo
/lib/partman/commit.d/50format_xfs:

/lib/partman/commit.d/50format_xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 595
parted_server: Opening infifo
/lib/partman/commit.d/50format_xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1	32768-2852126719	2852093952	primary
unknown	/dev/sdb1		

parted_server: OUT: 2	2852126720-2945482751	93356032	primary
fat16	/dev/sdb2		

parted_server: OUT: -1	2945482752-15728639999	12783157248	pri/log
free	/dev/sdb-1		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 596
parted_server: Opening infifo
/lib/partman/commit.d/50format_xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1	1048576-495817064447	495816015872	primary
ext4	/dev/sda1		

parted_server: OUT: 5	495818113024-500106788863	4288675840	
logical linux-swap	/dev/sda5		

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 597
parted_server: Opening infifo

```
/lib/partman/commit.d/50format_xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2
```

```
parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 598
parted_server: Opening infifo
/lib/partman/finish.d/20mount_partitions:
*****
/lib/partman/fstab.d/basic:
*****
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1
```

```
parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 599
parted_server: Opening infifo
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
```

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 600
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs:

/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 601
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 602
parted_server: Opening infifo
/lib/partman/fstab.d/efi:

/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 603
parted_server: Opening infifo
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log

free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 604
parted_server: Opening infifo
/lib/partman/fstab.d/ext3:

/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 605
parted_server: Opening infifo
/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 606

parted_server: Opening infifo

/lib/partman/fstab.d/jfs:

/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1	1048576-495817064447	495816015872	primary
ext4	/dev/sda1		

parted_server: OUT: 5	495818113024-500106788863	4288675840	
logical linux-swap	/dev/sda5		

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 607

parted_server: Opening infifo

/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1	32768-2852126719	2852093952	primary
unknown	/dev/sdb1		

parted_server: OUT: 2	2852126720-2945482751	93356032	primary
fat16	/dev/sdb2		

parted_server: OUT: -1	2945482752-15728639999	12783157248	pri/log
free	/dev/sdb-1		

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 608

parted_server: Opening infifo

/lib/partman/fstab.d/xfs:

```
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 609
parted_server: Opening infifo
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 610
parted_server: Opening infifo
/lib/partman/fstab.d/basic:
*****
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 611
parted_server: Opening infifo
/lib/partman/fstab.d/basic: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 612
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs:

/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 613
parted_server: Opening infifo
/lib/partman/fstab.d/btrfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 614
parted_server: Opening infifo
/lib/partman/fstab.d/efi:

/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 615
parted_server: Opening infifo
/lib/partman/fstab.d/efi: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 616
parted_server: Opening infifo
/lib/partman/fstab.d/ext3:
*****
/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4     /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 617
parted_server: Opening infifo
/lib/partman/fstab.d/ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
```

```
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1  2945482752-15728639999  12783157248  pri/log
free     /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 618
parted_server: Opening infifo
/lib/partman/fstab.d/jfs:
*****
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872  primary
ext4     /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 619
parted_server: Opening infifo
/lib/partman/fstab.d/jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
```


unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 620
parted_server: Opening infifo
/lib/partman/fstab.d/xfs:

/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 621
parted_server: Opening infifo
/lib/partman/fstab.d/xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 622
parted_server: Opening infifo
/lib/partman/finish.d/55crypto_config:

/lib/partman/finish.d/70aptinstall_basicfilesystems:

/lib/partman/finish.d/70aptinstall_basicfilesystems: IN: PARTITIONS
=dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 623
parted_server: Opening infifo
/lib/partman/finish.d/70aptinstall_basicfilesystems: IN: PARTITIONS
=dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log

free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 624

parted_server: Opening infifo

/lib/partman/finish.d/70aptinstall_btrfs:

/lib/partman/finish.d/70aptinstall_btrfs: IN: PARTITIONS =dev=sda

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 625

parted_server: Opening infifo

/lib/partman/finish.d/70aptinstall_btrfs: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 626
parted_server: Opening infifo
/lib/partman/finish.d/70aptinstall_ext3:
*****
/lib/partman/finish.d/70aptinstall_ext3: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 627
parted_server: Opening infifo
/lib/partman/finish.d/70aptinstall_ext3: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-1572863999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 628
parted_server: Opening infifo
/lib/partman/finish.d/70aptinstall_jfs:
*****
```

```
/lib/partman/finish.d/70aptinstall_jfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    1048576-495817064447    495816015872    primary
ext4    /dev/sda1
```

```
parted_server: OUT: 5    495818113024-500106788863    4288675840
logical linux-swap    /dev/sda5
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 629
parted_server: Opening infifo
```

```
/lib/partman/finish.d/70aptinstall_jfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

```
parted_server: OUT: 1    32768-2852126719    2852093952    primary
unknown /dev/sdb1
```

```
parted_server: OUT: 2    2852126720-2945482751    93356032    primary
fat16    /dev/sdb2
```

```
parted_server: OUT: -1    2945482752-15728639999    12783157248    pri/log
free    /dev/sdb-1
```

```
parted_server: Partitions printed
parted_server: OUT:
```

```
parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 630
parted_server: Opening infifo
```

```
/lib/partman/finish.d/70aptinstall_xfs:
*****
```

```
/lib/partman/finish.d/70aptinstall_xfs: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK
```

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 631
parted_server: Opening infifo
/lib/partman/finish.d/70aptinstall_xfs: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 632
parted_server: Opening infifo
/lib/partman/finish.d/70crypto_aptinstall:

/lib/partman/finish.d/70crypto_aptinstall: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840

logical linux-swap /dev/sda5

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 633
parted_server: Opening infifo
/lib/partman/finish.d/70crypto_aptinstall: IN: PARTITIONS =dev=sdb
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed
parted_server: OUT:

parted_server: Closing infifo and outfifo
parted_server: main_loop: iteration 634
parted_server: Opening infifo
/lib/partman/finish.d/70iscsi_settings:

/lib/partman/finish.d/75reformat_after_restart:

/lib/partman/finish.d/75reformat_after_restart: IN: PARTITIONS =dev=sda
parted_server: Read command: PARTITIONS
parted_server: command_partitions()
parted_server: Opening outfifo
parted_server: OUT: OK

parted_server: OUT: 1 1048576-495817064447 495816015872 primary
ext4 /dev/sda1

parted_server: OUT: 5 495818113024-500106788863 4288675840
logical linux-swap /dev/sda5

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 635

parted_server: Opening infifo

/lib/partman/finish.d/75reformat_after_restart: IN: PARTITIONS =dev=sdb

parted_server: Read command: PARTITIONS

parted_server: command_partitions()

parted_server: Opening outfifo

parted_server: OUT: OK

parted_server: OUT: 1 32768-2852126719 2852093952 primary
unknown /dev/sdb1

parted_server: OUT: 2 2852126720-2945482751 93356032 primary
fat16 /dev/sdb2

parted_server: OUT: -1 2945482752-15728639999 12783157248 pri/log
free /dev/sdb-1

parted_server: Partitions printed

parted_server: OUT:

parted_server: Closing infifo and outfifo

parted_server: main_loop: iteration 636

parted_server: Opening infifo

/lib/partman/finish.d/80parted:

/lib/partman/finish.d/80parted: IN: QUIT

parted_server: Read command: QUIT

parted_server: Quitting