SIGMA-ALDRICH

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010 Version 7.0 Revision Date 11.11.2015 Print Date 24.06.2017 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

.1	Product identifiers		
	Product name	:	Triethylamine
	Product Number	:	471283
	Brand	:	Sigma-Aldrich
	Index-No.	:	612-004-00-5
	REACH No.	:	01-2119475467-26-XXXX
	CAS-No.	:	121-44-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company

1

1.4 Emergency telephone number

Emergency Phone #

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1A), H314 Specific target organ toxicity - single exposure, Inhalation (Category 3), Respiratory system, H335

Highly flammable liquid and vapour.

Toxic in contact with skin or if inhaled.

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Harmful if swallowed.

Signal word

Danger

Hazard statement(s) H225 H302 H311 + H331 H314 H335 Precautionary statement(s) P210

Causes severe skin burns and eye damage. May cause respiratory irritation.

Keep away from heat, hot surfaces, sparks, open flames and other

	ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: C ₆ H ₁₅ N	
Molecular weight	: 101,19 g/mol	
CAS-No.	: 121-44-8	
EC-No.	: 204-469-4	
Index-No.	: 612-004-00-5	
Registration number	: 01-2119475467-26-XXXX	Ś

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Triethylamine			
CAS-No. EC-No. Index-No.	121-44-8 204-469-4 612-004-00-5	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; STOT SE 3; H225, H302, H331, H311, H314, H335 Concentration limits: >= 1 %: STOT SE 3, H335;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Long-term local effects, Long-term systemic effects	8,4 mg/m3
Workers	Inhalation	Acute local effects, Acute systemic effects	12,6 mg/m3
Workers	Skin contact	Long-term systemic effects	12,1mg/kg BW/d

Derived No Effect Level (DNEL)

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	2,361 mg/kg	
Marine water	0,0064 mg/l	
Fresh water	0,064 mg/l	
Fresh water sediment	0,1992 mg/kg	
Sewage treatment plant	100 mg/l	
Aquatic intermittent release	0,064 mg/l	

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,2 mm Break through time: 49 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of

anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	amine-like
c)	Odour Threshold	No data available
d)	рН	12,7 at 100 g/l at 15 °C
e)	Melting point/freezing point	Melting point/range: -115 °C - lit.
f)	Initial boiling point and boiling range	88,8 °C - lit.
g)	Flash point	-14,99 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 1,2 %(V)
k)	Vapour pressure	68,99 hPa at 20 °C 85,06 hPa at 30 °C
I)	Vapour density	3,49 - (Air = 1.0)
m)	Relative density	0,726 g/cm3 at 25 °C
n)	Water solubility	112 g/l at 20 °C
o)	Partition coefficient: n- octanol/water	log Pow: 1,15
p)	Auto-ignition temperature	> 215 °C
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.
Oth	or opfoty information	

9.2 Other safety information

Sigma-Aldrich - 471283

Surface tension 20,7 mN/m at 20 °C

Relative vapour density 3,49 - (Air = 1.0)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 730 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 7,1 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - 580 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Extremely corrosive and destructive to tissue. (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation

in vivo assay - Guinea pig Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: YE0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

12.2

12.3

12.4

12.5

	Toxicity to fish	LC50 - Oryzias latipes (Orange-red killifish) - 24 mg/l - 96 h (OECD Test Guideline 203)
	Toxicity to daphnia and other aquatic invertebrates	LC50 - Daphnia dubia (water flea) - 17 mg/l - 48 h
	Toxicity to algae	NOEC - Pseudokirchneriella subcapitata (green algae) - 1,1 mg/l - 72 h (OECD Test Guideline 201)
		EC50 - Pseudokirchneriella subcapitata (green algae) - 8 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	LC50 - Bacteria - 95 mg/l - 17 h
2	Persistence and degrad Biodegradability	ability aerobic - Exposure time 28 d Result: 80 % - Readily biodegradable (OECD Test Guideline 301B)
3	Bioaccumulative potent	ial
	Bioaccumulation	Cyprinus carpio (Carp) - 42 d
		Bioconcentration factor (BCF): < 0,5 (OECD Test Guideline 305C)
		Remarks: Does not bioaccumulate.
1	Mobility in soil No data available	
5	Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	

12.6 Other adverse effects

Toxic to aquatic life.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

and

Contaminated packaging

SECTION 14: Transport information

Dispose of as unused product.

14.1	UN number ADR/RID: 1296	IMDG: 1296	IATA: 1296
14.2	UN proper shipping name ADR/RID: TRIETHYLAMINE IMDG: TRIETHYLAMINE IATA: Triethylamine		
14.3	Transport hazard class(es) ADR/RID: 3 (8)	IMDG: 3 (8)	IATA: 3 (8)
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user No data available		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H311 + H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.