

Bell County Public Health District

10/17/2022

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment Type Score In / Out Follow up Date Insp.
Reqd. Closed

BELTON

HEB - BELTON

2509 NORTH MAIN 76513

10/11/2022

Permit

100

9:30 AM
10:20 AM

10/11/2022

-

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN

KASCADE			4400 S FT HOOD ST 76542		
10/13/2022	Other Followup	100	9:20 AM 9:50 AM	<input type="checkbox"/>	10/14/2022
from permit inspection of 8/1/22					

BEST DONUTS - TRIMMIER			3810 TRIMMIER STE 600 76542		
10/12/2022	Permit	100	9:25 AM 9:40 AM	<input checked="" type="checkbox"/>	10/12/2022

BURGER KING			1029 S. FT. HOOD RD 76544		
10/11/2022	Permit	95	1:35 PM 2:15 PM	<input type="checkbox"/>	10/12/2022
10: clean the buildup in the dining room ice chutes (left side) of mold 42: general cleaning required of the walk in cooler floor due to food particle buildup 45: repair the leaking 3 compartment sink (faucet pipe)					

Food contact surfaces and returnables; cleaned and sanitized - 3
 Non-Food Contact surfaces clean - 1
 Physical facilities installed, maintained, clean - 1

CHINESE GOURMET EXPRESS			2100 S WS YOUNG STE 1340 76543		
10/11/2022	Violations Followup	99	10:30 AM 10:40 AM	<input type="checkbox"/>	10/12/2022

From 10/3/2022: all corrected with exception of 42: clean the timer due to excess oil/grease buildup
 Permit is issued
 10: clean dirty cutting board
 clean the ice machine's plastic flap
 29: missing thermometer inside the walk in cooler. Outside thermometer is broken. Must provide working thermometer
 31: no paper towels at the hand sink by the exit door
 no paper towels at handsink in the back of the kitchen
 32: wooden plank of under the lowboy is very dirty. Clean/seal and paint
 42: clean 3 compartment sink
 clean the cookware, stove and fryers
 clean the timer close to the fryer
 45: repair the faucet spray due to leak. Currently wrapped with plastic and cardboard. Must be repaired/replaced as necessary.
 repair hot water handle on the handsink by the exit door

Non-Food Contact surfaces clean - 1

CHURCH'S CHICKEN			1025 S. FT HOOD ST. 76541		
10/11/2022	Permit	96	1:30 PM 1:50 PM	<input type="checkbox"/>	10/12/2022

#42: CLEAN EVERYTHING INSIDE THE WALK IN COOLER (METAL RACKS, FLOOR, PPLASTIC RACKS & WALLS) (DOOR STOPPER).
 #42: CLEAN UNDER THE FRYER DUE TO EXCESS FOOD PARTICLES & OIL RESIDUE.
 #42: CLEAN THE DIRTY DOOR HANDLE WI COOLER.
 #42: CLEAN ALL THE FLOUR CONTAINERS.

10: clean soda spigots
 45: repair/replace the broken side tile close to the fryer

Food contact surfaces and returnables; cleaned and sanitized - 3

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

CHURCH'S CHICKEN

1025 S. FT HOOD ST. 76541

10/11/2022	Permit	96	1:30 PM 1:50 PM	<input type="checkbox"/>	10/12/2022
------------	--------	----	--------------------	--------------------------	------------

from 10/13/2021: All corrected:

- #42: CLEAN EVERYTHING INSIDE THE WALK IN COOLER (METAL RACKS, FLOOR, PPLASTIC RACKS & WALLS) (DOOR STOPPER).
- #42: CLEAN UNDER THE FRYER DUE TO EXCESS FOOD PARTICLES & OIL RESIDUE.
- #42: CLEAN THE DIRTY DOOR HANDLE WI COOLER.
- #42: CLEAN ALL THE FLOUR CONTAINERS.

- 10: clean soda spigots
- 45: repair/replace the broken side tile close to the fryer

Physical facilities installed, maintained, clean - 1

CICIS PIZZA - KILLEEN

832 S FORT HOOD 76541

10/11/2022	Violations Followup	98	1:10 PM 1:20 PM	<input type="checkbox"/>	10/12/2022
------------	---------------------	----	--------------------	--------------------------	------------

from 10/05/2022: all corrected except 32

- 10: CLEAN THE INSIDE AREA OF THE ICE MACHINE OF MOLD BUILDUP
- 32: WOODEN PLAND THAT NOT PROPERLY SEALED; BOTTOM AREA IS VERY DIRTY UNDER THE SINK ACROSS FROM ICE MACHINE: PAINT AND SEAL THIS WOODEN PLANK
- 32/41: MULTIPLE SEASONINGS IN BULK CONTAINER WITHOUT PROPER LABEL AS TO CONTENTS. CONTAINERS ARE VERY DIRTY AND REQUIRE CLEANING
- 42: CLEAN ALL METAL RACKS INSIDE WALK IN COOLER
CLEAN THE DIRTY WALL BY THE WALK IN COOLER (BEHIND METAL RACK)
PUT PLASTICE SHELVING OR USE PAN SHEETS TO PREVENT OIL DRIPPING FROM THE BOXES ACROSS FROM HAND SINK
CLEAN THE METAL RACKS AND THE INSIDE LOCATION OFF THE REACH IN COOLER (EXCESS FOOD PARTICLE BUILD-UP)
CLEAN THE DOOR GASKETS OF THE REACH IN COOLER
CLEAN THE LOWBOY AND LOWBOY GASKETS AND DOOR FRAME BECAUSE OF EXCESS FOOD PARTICLES
- 45: REPAIR THE BROKEN SEAL INSIDE THE WALK IN COOLER (BEHIND METAL RACKS)

- 32: WOODEN PLAND THAT NOT PROPERLY SEALED; BOTTOM AREA IS VERY DIRTY UNDER THE SINK ACROSS FROM ICE MACHINE: PAINT AND SEAL THIS WOODEN PLANK: repeat

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

DJ'S KITCHEN-MFU

2017 PURPLE MARTIN DR 76542

10/11/2022	Permit	100	10:00 AM 10:10 AM	<input type="checkbox"/>	10/13/2022
------------	--------	-----	----------------------	--------------------------	------------

-

MICKEYS #14

4826 STAGECOACH RD, SUITE 100 76542

10/11/2022	Permit	100	10:35 AM 10:50 AM	<input type="checkbox"/>	10/12/2022
------------	--------	-----	----------------------	--------------------------	------------

-

MICKEYS #22

4808 WESTCLIFF 76543

10/11/2022	Permit	99	8:20 AM 8:45 AM	<input type="checkbox"/>	10/12/2022
------------	--------	----	--------------------	--------------------------	------------

- 42: clean fan guard in the walk in cooler

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

KILLEEN

O'MART INC

714 S. FT HOOD ST 76541

10/11/2022	Violations Followup	100	11:30 AM 12:00 PM	<input type="checkbox"/>	10/12/2022
-------------------	---------------------	-----	----------------------	--------------------------	------------

from 10/05/2022: all corrected, permit issued

7: OBSERVED FISH ON THE FLOOR OF THE WALK IN FREEZER THAT WERE OBSERVED DAMAGED AND IN CONTACT WITH FLOOR: REQUIRED TO BE DISCARDED

9: FROZEN PORK BELL WITH A HOLE IN PLASTIC COVER ON TOP OF FROZEN MEAT (DISORGANIZED STORAGE) INSIDE THE REACH IN FREEZER. CORRECTED ON THE SPOT

42: CLEAN/REPAIR/REPAINT RUSTY FREEZER DOOR IN THE FISH SECTION OF THE GROCERY AREA

NUMBER 2 WALK IN FREEZER DOR IN THE GROCERY DEPARTMENT LOCATION WITH BORKEN PALLETS THAT ARE REQUIRED TO BE CLEANED AND REMOVED.

WABAH FOOD COURT WALK IN COOLER LOCATON REQUIRES CLEANING UNDER THE WOODEN RACKS (VERY MOLDY)

CLEAN THE SIDES OF THE FRYER AND UNDER THEFRYER DUE TO EXCESS OIL RESIDUE (WABAH FOOD COURT)

45: REPLACE/SAND OR REPAINT THE RUSTY UPPER COOLER CLOSE TO THE THERMOMETER IN THE VEGGIE LOCATION (BELL PEPPER AREA)

REPLACE/REPAIR THE HOLE IN THE WAK FISH SECITON OF THE GROCERY

REPAIR THE HOLE/BROKEN DOOR OF THE MEAT SECTION OF THE GROCERY AREA

REPAIR HOLES IN WALLS AS NEEDED

FIX/REPLACE THE BROKEN SWINGING DOOR IN THE BACK OF THE GROCERY

REPAIR THE BROKEN METAL SIDE RAIL OF THE WALK IN FREEZER DOORE LOCATED IN THE FISH DEPARTMENT

47: PERSONA ITEM (HAT) ON TOP OF THE MEAT CUTTER IN THE FISH SECTION OF THE GROCERY: COS

SMOKING 2K BBQ SHACK

316 MAPLE STREET 76543

10/12/2022	Permit	100	1:20 PM 1:30 PM	<input type="checkbox"/>	10/12/2022
-------------------	--------	-----	--------------------	--------------------------	------------

WINGS & DELI

2100 SOUTH WS YOUNG 76543

10/11/2022	Violations Followup	99	10:50 AM 11:10 AM	<input type="checkbox"/>	10/12/2022
-------------------	---------------------	----	----------------------	--------------------------	------------

from 10/03/2022: all corrected except 45: repair one leaking faucet at 3 compartment sink 34/42: rat droppings present in the cabinet by the freezer, clean under the camera due to excess food partlces and rat droppings

42: clean under and behind the fryer

clean venthood

45: repair the leaking faucet pipe

Physical facilities installed, maintained, clean - 1

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

SALADO

19TH HOLE BAR & GRILL

1610 CLUB CIRCLE 76571

10/12/2022	Permit	100	10:30 AM	<input type="checkbox"/>	10/12/2022
-------------------	--------	-----	----------	--------------------------	------------

NOTE: gasket ordered for reach in freezer door. On back order

11:00 AM

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

TEMPLE**A NEW DAY FELLOWSHIP CHURCH**

10/13/2022	Permit	100	9:00 AM 9:30 AM	<input type="checkbox"/>	10/14/2022
------------	--------	-----	--------------------	--------------------------	------------

CENTRAL TEXAS 4C

10/13/2022	Permit	100	9:35 AM 9:45 AM	<input type="checkbox"/>	10/14/2022
------------	--------	-----	--------------------	--------------------------	------------

CHILIS - TEMPLE

10/13/2022	Other Followup	100	9:20 AM 9:50 AM	<input type="checkbox"/>	10/14/2022
------------	----------------	-----	--------------------	--------------------------	------------

42 clean all lowboy coolers in ktchen
clean inside of walk in freezer
clean silver metal racks

CICIS PIZZA - TEMPLE

10/13/2022	Permit	99	9:00 AM 9:10 AM	<input type="checkbox"/>	10/14/2022
------------	--------	----	--------------------	--------------------------	------------

42: clean interior surfaces of walk in cooler door of buildup from hand contact to push door open

Non-Food Contact surfaces clean - 1

DAIRY QUEEN - S 31ST

10/13/2022	Permit	99	11:25 AM 11:35 AM	<input type="checkbox"/>	10/14/2022
------------	--------	----	----------------------	--------------------------	------------

47: person items such a wallet observed by the prep area. All personal items required to be stored in an approved area.

Other Violations - 1

EL SOMBRERO TAPATIO MEXICAN RESTAURANT

10/13/2022	Permit	96	9:50 AM 10:25 AM	<input type="checkbox"/>	10/14/2022
------------	--------	----	---------------------	--------------------------	------------

31: observed a pitcher in the handsink in the kitchen. Handsink not accessible for use as required. There was also no hand soap supplied for this sink

42: clean bottom of the reach in freezer by the food warmer due to excess food particles.

clean the dirty fan guards

45: repair the plug cover for men and womens restrooms

repair the faucet and safely secure it (moving/loose) at 3 compartment sink

Non-Food Contact surfaces clean - 1

Adequate handwashing facillities; Accessible and properly supplied, used - 2

Physical facilities installed, maintained, clean - 1

GRAND DADDY'S FOOD TRUCK-MFU

10/11/2022	Permit	100	10:25 AM 11:00 AM	<input type="checkbox"/>	10/11/2022
------------	--------	-----	----------------------	--------------------------	------------

HAT CREEK BURGER CO

99 OLD WACO RD 76502

TEMPLE

HAT CREEK BURGER CO	99 OLD WACO RD 76502				
----------------------------	----------------------	--	--	--	--

10/12/2022	Violations Followup	100	2:25 PM	<input type="checkbox"/>	10/14/2022
From 9/29/22: all items have been corrected, permit is issued.			2:35 PM		

- 10: clean moldy ice chutes
- 32: card board being used as shelf liners. Material not suitable (absorbent, not easily cleanable, not durable) for this purpose
- 42: general cleaning for metal and green racks
- clean all door frames and door gaskets on low boy coolers (all) in kitchen
- clean dirty fan guards in walk in cooler
- clear dirty air vent in both men and women's bathroom
- clean mens bathroom door
- 41: label bulk foods as required
- 46: no hand soap in womens restroom

KERLEYS BBQ by Angel	613 EAST CENTRAL 76501				
-----------------------------	------------------------	--	--	--	--

10/11/2022	Permit	100	12:00 PM	<input type="checkbox"/>	10/11/2022
			12:05 PM		

KERLEYS MARKET	615 EAST CENTRAL 76501				
-----------------------	------------------------	--	--	--	--

10/11/2022	Permit	99	8:30 AM	<input type="checkbox"/>	10/11/2022
from 09/29/2021: 42 clean walk in cooler, 45: repair walk in cooler walls: both corrected			9:00 AM		

- 45: damage to inside surfaces of chest freezer lid has prompted the use of duct tap to secure. Repair lid as required.
- Physical facilities installed, maintained, clean - 1

LULAMAE'S CAJUN CUISINE-MFU	619 BANBURY DR. 76502				
------------------------------------	-----------------------	--	--	--	--

10/11/2022	Permit	100	10:35 AM	<input type="checkbox"/>	10/11/2022
			10:45 AM		

RAISING CANES - TEMPLE	2304 SOUTH 31ST 76504				
-------------------------------	-----------------------	--	--	--	--

10/13/2022	Permit	99	10:40 AM	<input type="checkbox"/>	10/14/2022
42: clean under ther fryers due to excess grease accumulation			11:15 AM		

- Non-Food Contact surfaces clean - 1

YOSHIS	2201 SW HK DODGEN LOOP 76502				
---------------	------------------------------	--	--	--	--

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

TEMPLE

YOSHIS

2201 SW HK DODGEN LOOP 76502

10/12/2022	Other Followup	94	8:50 AM	<input checked="" type="checkbox"/>	10/14/2022
-------------------	----------------	----	---------	-------------------------------------	------------

Pre-opening inspection: permit will be issued provided the items listed are addressed and corrected unless pending correction would otherwise permit permit issuance.

32: shelving (particle board) requires improved surface to render the material non-absorbent and durable

34/42: rat droppings (old) observed in cabinets under all hibachi grill units. Currently Orkin is treating for pests and have been successful at elimination of the rodents. These respective areas must be cleaned up prior to opening.

42/45: frame for sliding glass cover for reach in prep table in grill area requires re-sealing and cleaning

34/45: exit door in rear (both) require screen repair to eliminate holes and replace missing screens.

34/42: rodent droppings observed (old) in small store room off of kitchen. Clean area. No evidence of current activity.

42: clean ceiling vents, tiles and all attached equipment as necessary
 clean all walls and floors and fixed equipment as necessary
 clean the dirty fan guards in walk in cooler, clean walls floors and ceilings of same
 clean all equipment in dish wash area

43: light in walk in cooler does not work due to bad switch. Repair as required
 repair light in back storage room

45:: hibachi grill backsplash does not adequately eliminate the gap between the backsplash and the counter surrounding the grill. This must be repaired/re-worked to eliminate the gap as it will result in food/grease falling down into the cabinet space underneath the grill.

seal floor under neath equipment and all other un-sealed cement repairs
 replace/repair the blue metal racks in the walk in cooler due to severe rust
 replace foam insulation on condensate drain line in walk in cooler
 seal all bare/exposed wood surfaces of doorway closed in (beside employee restrooms)

"spare" walk in cooler floor requires sealing to mak it non-absorbent (unit not to be used)

Physical facilities installed, maintained, clean - 1

No Evidence of Insect contamination, rodent / other animals - 1

Adequate ventilation and lighting; designated areas used - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Non-Food Contact surfaces clean - 1

TEMPLE

YOSHIS

2201 SW HK DODGEN LOOP 76502

10/14/2022	Violations Followup	94	8:20 AM	<input checked="" type="checkbox"/>	
			9:15 AM		10/27/2022

Permit issued with the provision that walk in cooler is checked by service person prior to opening. The cooler began to cool down before inspection was complete, but the temperature of the foods suggest it had been elevated as shown for a long period of time. Foods in cooler reflect this condition.

back cooler to be used for dry storage has new rodent droppings indicating that the presence is still active, but only limited to this area. Pest control with Orkin is ongoing and the owner will let them know of this condition. There are no other active spots in the rest of the restaurant. This cooler also has Brown Recluse spiders as confirmed on previous inspection and this inspection today. The identification was confirmed by inspector knowledge and the App. : "Seek". The pest control person must be notified of this condition and until it is remedied, NO ONE should be in this unit until pest control can confirm eradication. A follow up is scheduled for 10/27/2022

2: salmon: 71 F, beef 62 F, chicken 60 F: 50 lb discarded
27 walk in cooler showed an air temperature of 65 F on dial thermometer (highest level for this device), but it is apparent based on the temperatures documented of the foods that it was higher at one point and time.

Before the inspection was complete, the temperature dropped back down to 50 F. Service person called later same day and confirmed repairs and showed the temperature (face time) to be 35 F.

from 10/12/2022: all corrected except 45: wall by rear door requires finish out and baseboards

32: shelving (particle board) requires improved surface to render the material non-absorbent and durable

34/42: rat droppings (old) observed in cabinets under all hibachi grill units. Currently Orkin is treating for pests and have been successful at elimination of the rodents. These respective areas must be cleaned up prior to opening.

42/45: frame for sliding glass cover for reach in prep table in grill area requires re-sealing and cleaning

34/45: exit door in rear (both) require screen repair to eliminate holes and replace missing screens.

34/42: rodent droppings observed (old) in small store room off of kitchen. Clean area. No evidence of current activity.

42: clean ceiling vents, tiles and all attached equipment as necessary
clean all walls and floors and fixed equipment as necessary
clean the dirty fan guards in walk in cooler, clean walls floors and ceilings of same
clean all equipment in dish wash area

43: light in walk in cooler does not work due to bad switch. Repair as required
repair light in back storage room

45:: hibachi grill backsplash does not adequately eliminate the gap between the backsplash and the counter surrounding the grill. This must be repaired/re-worked to eliminate the gap as it will result in food/grease falling down into the cabinet space underneath the grill.

seal floor under neath equipment and all other un-sealed cement repairs
replace/repair the blue metal racks in the walk in cooler due to severe rust
replace foam insulation on condensate drain line in walk in cooler
seal all bare/exposed wood surfaces of doorway closed in (beside employee restrooms)

"spare" walk in cooler floor requires sealing to mak it non-absorbent (unit not to be used)

Proper cooling method used; Equipment adequate to maintain proper temp - 2

Proper Cold Holding temperature (41F/45F) - 3

TEMPLE

YOSHIS

2201 SW HK DODGEN LOOP 76502

10/14/2022	Violations Followup	94	8:20 AM	<input checked="" type="checkbox"/>	
			9:15 AM		10/27/2022

Permit issued with the provision that walk in cooler is checked by service person prior to opening. The cooler began to cool down before inspection was complete, but the temperature of the foods suggest it had been elevated as shown for a long period of time. Foods in cooler reflect this condition.

back cooler to be used for dry storage has new rodent droppings indicating that the presence is still active, but only limited to this area. Pest control with Orkin is ongoing and the owner will let them know of this condition. There are no other active spots in the rest of the restaurant. This cooler also has Brown Recluse spiders as confirmed on previous inspection and this inspection today. The identification was confirmed by inspector knowledge and the App. : "Seek". The pest control person must be notified of this condition and until it is remedied, NO ONE should be in this unit until pest control can confirm eradication. A follow up is scheduled for 10/27/2022

2: salmon: 71 F, beef 62 F, chicken 60 F: 50 lb discarded
 27 walk in cooler showed an air temperature of 65 F on dial thermometer (highest level for this device), but it is apparent based on the temperatures documented of the foods that it was higher at one point and time.

Before the inspection was complete, the temperature dropped back down to 50 F. Service person called later same day and confirmed repairs and showed the temperature (face time) to be 35 F.

from 10/12/2022: all corrected except 45: wall by rear door requires finish out and baseboards

32: shelving (particle board) requires improved surface to render the material non-absorbent and durable

34/42: rat droppings (old) observed in cabinets under all hibachi grill units. Currently Orkin is treating for pests and have been successful at elimination of the rodents. These respective areas must be cleaned up prior to opening.

42/45: frame for sliding glass cover for reach in prep table in grill area requires re-sealing and cleaning

34/45: exit door in rear (both) require screen repair to eliminate holes and replace missing screens.

34/42: rodent droppings observed (old) in small store room off of kitchen. Clean area. No evidence of current activity.

42: clean ceiling vents, tiles and all attached equipment as necessary
 clean all walls and floors and fixed equipment as necessary
 clean the dirty fan guards in walk in cooler, clean walls floors and ceilings of same
 clean all equipment in dish wash area

43: light in walk in cooler does not work due to bad switch. Repair as required
 repair light in back storage room

45:: hibachi grill backsplash does not adequately eliminate the gap between the backsplash and the counter surrounding the grill. This must be repaired/re-worked to eliminate the gap as it will result in food/grease falling down into the cabinet space underneath the grill.

seal floor under neath equipment and all other un-sealed cement repairs
 replace/repair the blue metal racks in the walk in cooler due to severe rust
 replace foam insulation on condensate drain line in walk in cooler
 seal all bare/exposed wood surfaces of doorway closed in (beside employee restrooms)

"spare" walk in cooler floor requires sealing to mak it non-absorbent (unit not to be used)

No Evidence of Insect contamination, rodent / other animals - 1

YOU DA MAN NOODLE MAN

532 MORNING DOVE COVE 76502

Inspections Between (inclusive): 10/9/2022 and 10/15/2022

Establishment Type Score In / Out Follow up Date Insp.
Reqd. Closed

TEMPLE

YOU DA MAN NOODLE MAN

532 MORNING DOVE COVE 76502

10/12/2022

Permit

100

12:00 PM
12:30 PM

10/12/2022

-