

Bell County Public Health District

11/8/2022

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment      Type      Score      In / Out      Follow up      Date Insp.  
Reqd.      Closed

**TEMPLE**

**ROLLIN N THE DOUGH**

8102 IRON GATE DR 76502

11/3/2022

Permit

100

3:25 PM  
3:30 PM

11/4/2022

-

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

**BELTON**

**LITTLE CAESARS - BELTON**

2411 NORTH MAIN 76513

11/1/2022	Permit	98	10:35 AM	<input type="checkbox"/>	11/1/2022
-----------	--------	----	----------	--------------------------	-----------

42: clean surfaces (floors and walls) as needed  
clean tray racks as needed

10:45 AM

43: replace burned out bulbs above 3 compartment sink. Not light enough to adequately see.

Adequate ventilation and lighting; designated areas used - 1

Non-Food Contact surfaces clean - 1

**MC3 CATERING**

7441 FM 1123 #41 76513

11/1/2022	Permit	100	9:10 AM	<input type="checkbox"/>	11/1/2022
-----------	--------	-----	---------	--------------------------	-----------

from 11/3/2021: 42: clean fanguards and replace gaskets (torn) of reach in coolers: OK

9:20 AM

-

**THE BELTONIAN THEATRE**

219 E CENTRAL 76513

11/3/2022	Permit	100	9:00 AM	<input type="checkbox"/>	11/3/2022
-----------	--------	-----	---------	--------------------------	-----------

9:20 AM

-

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

**HARKER HEIGHTS****AQUA LOUNGE**

11/3/2022	Permit	100	2:00 PM 2:10 PM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	--------------------	--------------------------	-----------

**DOLLAR GENERAL #10331 HH**

11/2/2022	Permit	98	2:55 PM 3:10 PM	<input type="checkbox"/>	11/4/2022
22: proof of food handler certifications required					
Food handler / no unauthorized persons / personnel - 2					

**FAMILY DOLLAR #4329 - HH**

11/2/2022	Permit	100	10:00 AM 10:20 AM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	----------------------	--------------------------	-----------

**GAN GAN'S CHICKEN SHACK**

11/1/2022	Permit	100	1:40 PM 1:50 PM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

**HARKER HEIGHTS HIGH SCHOOL 11P 3R**

11/2/2022	Permit	100	9:35 AM 9:55 AM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	--------------------	--------------------------	-----------

**LITTLE CAESARS - HH**

11/1/2022	Permit	99	2:15 PM 2:30 PM	<input type="checkbox"/>	11/2/2022
42: clean rolling racks in walk in cooler REPEAT FROM 11/2/2021					
Non-Food Contact surfaces clean - 1					

**MOUNTAIN VIEW ELEMENTARY 11P 3R**

11/2/2022	Permit	100	9:00 AM 9:20 AM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	--------------------	--------------------------	-----------

**NOLAN MIDDLE SCHOOL HH 11P 3R**

11/3/2022	Permit	100	9:20 AM 9:40 AM	<input type="checkbox"/>	11/4/2022
FROM 11/04/2021 43: LIGHT IN WALK IN FREEZER HAS BEEN REPLACED					

**PANDA EXPRESS - HH**

11/3/2022	Permit	100	2:45 PM 3:15 PM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	--------------------	--------------------------	-----------

**PIZZA HUT - HH**

11/1/2022	Permit	100	2:30 PM 2:50 PM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

**HARKER HEIGHTS**

<b>PIZZA HUT - HH</b>		520 PAN AMERICAN DR. 76548			
11/1/2022	Permit	100	2:30 PM 2:50 PM	<input type="checkbox"/>	11/2/2022

<b>RAZZOOS</b>		201 EAST CTE STE 1200 76548			
11/3/2022	Permit	95	2:15 PM 2:45 PM	<input type="checkbox"/>	11/4/2022

2/27: observed foods at a marginal temperature in one of the coolers: (43-47 F). TCS foods are required to be maintained at proper temperature of 41 F or lower while on cold hold status. There is excess ice buildup in the cooler in which these foods are stored that indicate a maintenance call is required before unit can continue to store such foods. Foods were moved to a working cooler. Will call when cooler repairs are made.

Proper Cold Holding temperature (41F/45F) - 3

Proper cooling method used; Equipment adequate to maintain proper temp - 2

<b>UNION GROVE MIDDLE SCHOOL 11P 3R</b>		101 E IOWA DR 76548			
11/2/2022	Permit	100	9:20 AM 9:35 AM	<input type="checkbox"/>	11/4/2022

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

**HOLLAND**

**BIG KRUMNOWS CRUMBDOUGHS**

103 N FRANKLIN 76534

11/1/2022	Permit	99	9:45 AM 9:00 AM	<input type="checkbox"/>	11/1/2022
-----------	--------	----	--------------------	--------------------------	-----------

42: clean surfaces of prep areas: OK  
clean up right cooler: REPEAT

from today: 42: clean tray rack as needed  
general cleaning of floors, walls and other surfaces as needed.

Non-Food Contact surfaces clean - 1

**CHEWS CHOPS**

101 N FRANKLIN 76534

11/1/2022	Permit	100	9:35 AM 9:45 AM	<input type="checkbox"/>	11/1/2022
-----------	--------	-----	--------------------	--------------------------	-----------

-

Bell County Public Health District

11/8/2022

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

**KILLEEN**

**7 - ELEVEN #17529**

1000 S WS YOUNG 76543

11/4/2022	Permit	98	8:55 AM 9:10 AM	<input type="checkbox"/>	11/4/2022
-----------	--------	----	--------------------	--------------------------	-----------

all items from 11/02/2021 have been corrected except:

42: cleant dirty hand sink beside 2 compartment sink

45: repair holes in walls as needed

in addition to these two repeats, 42: clean surfaces beneath vent trays in reach in deli cooler

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

**7 - ELEVEN #21135**

1814 NORTH W.S. YOUNG DRIVE 76543

11/4/2022	Permit	100	8:30 AM 8:45 AM	<input type="checkbox"/>	11/4/2022
-----------	--------	-----	--------------------	--------------------------	-----------

-

**ALDI - W S S LOOP**

3501 W STAN SCHLUETER LOOP 76549

11/3/2022	Permit	100	10:00 AM 10:10 AM	<input type="checkbox"/>	11/3/2022
-----------	--------	-----	----------------------	--------------------------	-----------

GENERAL SANITATION EXCELLENT

-

**CASSIDY'S GRILL**

3921 A EAST SS LOOP 76542

10/31/2022	Permit	100	1:55 PM 2:35 PM	<input type="checkbox"/>	11/2/2022
------------	--------	-----	--------------------	--------------------------	-----------

-

**CLIFTON PARK ELEMENTARY (NEW) 11P 3R**

1801 S. 2ND ST. 76541

11/1/2022	Permit	100	8:40 AM 9:00 AM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

-

**DELICIAS MEAT MARKET**

1001 E. VMB, STE #501-H 76541

10/31/2022	Permit	100	9:00 AM 9:40 AM	<input type="checkbox"/>	11/2/2022
------------	--------	-----	--------------------	--------------------------	-----------

-

**GATEWAY ALTERNATIVE SCHOOL 11P 3R**

4100 ZEPHYR 76543

11/1/2022	Permit	100	9:40 AM 9:50 AM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

-

**IRA CROSS ELEMENTARY 11P 3R**

1910 HERNDON 76541

11/1/2022	Permit	100	9:15 AM 9:40 AM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

from 2/28/2022: 42 clean fan guard in walk in cooler: ok

-

**JASONS DELI - KILLEEN**

3213 EAST CTE SUITE 200 76543WI

10/31/2022	Permit	100	9:50 AM 10:20 AM	<input type="checkbox"/>	11/2/2022
------------	--------	-----	---------------------	--------------------------	-----------

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	--------------------	----------------------

**KILLEEN****JASONS DELI - KILLEEN**

3213 EAST CTE SUITE 200 76543WI

10/31/2022

Permit

100

9:50 AM  
10:20 AM

11/2/2022

**LIBERTY HILL MIDDLE SCHOOL 11P 3R**

4500 KIT CARSON 76542

11/3/2022

Permit

100

10:30 AM  
10:45 AM

11/4/2022

**MAUDE MOORE WOOD E.S. 11P 3R**

6410 MORGANITE LANE 76542

11/3/2022

Permit

100

9:55 AM  
10:20 AM

11/4/2022

43 FROM PREVIOUS INSPECTION HAS BEEN CORRECTED

**SUN MART #1**

1515 NORTH 38TH 76543

11/4/2022

Permit

100

9:20 AM  
9:30 AM

11/4/2022

from 11/2/2021:

47: clean around the soda spigots due to residue: ok

46: no hand soap supplied to mens restroom: ok

**SUPER QUICK FOOD MART #3**

3101 W SS LOOP 76549

11/4/2022

Permit

100

9:30 AM  
9:40 AM

11/4/2022

**THE BLOOM COFFEE ROASTERS**

2300 E RANCIER AVE STE 104 76543

11/2/2022

Permit

98

2:10 PM  
2:30 PM

11/4/2022

31: must designate one sink at front as a handwash only sink

Adequate handwashing facilities; Accessible and properly supplied, used - 2

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

**SALADO**

**MUD PIES POTTERY FUDGE**

18 NORTH MAIN 76571

11/2/2022	Permit	100	11:05 AM 11:25 AM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	----------------------	--------------------------	-----------

-

**THE SHED**

220 ROYAL STREET 76571

11/2/2022	Permit	100	9:30 AM 9:50 AM	<input type="checkbox"/>	11/2/2022
-----------	--------	-----	--------------------	--------------------------	-----------

-



**TEMPLE**

**BILLS GRILL**

1906 SOUTH 1ST 76504

<b>11/1/2022</b>	Permit	97	1:45 PM	<input type="checkbox"/>	11/2/2022
------------------	--------	----	---------	--------------------------	-----------

From 10/27/2021: 42/45: clean/repair shelving behind trash can at front counter: OK  
 42: repair broken ice machine lid: OK  
 45: replace rusted cooler racks: REPEAT

42: repair broken ice machine lid: OK  
 45: replace rusted cooler racks: REPEAT

from TODAY:

42: clean lids for bulk potato containers: COS  
 34: Repair screen on rear screen door  
 42: clean floor under sink, table and dishmachine at front  
 minor cleaning for upright reach in freezer required.

Non-Food Contact surfaces clean - 1

No Evidence of Insect contamination, rodent / other animals - 1

Physical facilities installed, maintained, clean - 1

**CEFCO #23**

5510 W. ADAMS 76504

<b>10/31/2022</b>	Permit	97	9:15 AM	<input type="checkbox"/>	10/31/2022
-------------------	--------	----	---------	--------------------------	------------

from 10/29/2021: 9:50 AM

10/42: froyo area: clean build on dispenser toppings: OK

inspection 10/31/2022:

32: replace all the broken lids in reach in cooler  
 42: clean bottom area of the reach in cooler due to food particle build-up

Non-Food Contact surfaces clean - 1

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

**FREEBIRDS WORLD BURRITO**

2320 SOUTH 31ST STE 100 76502

<b>11/1/2022</b>	Complaint Followup	100	1:20 PM	<input type="checkbox"/>	11/2/2022
------------------	--------------------	-----	---------	--------------------------	-----------

Meat for Birria burrito is received frozen, kept in cooler until reheated for hot hold/per-order service. Product is pre-cooked received in that state and is only subject to reheat procedures regarding hot hold.  
 1:40 PM

quat sanitizer: 300-400 ppm, all proper requirements for glove use in place.

temperatures of beef in cooler: 36 F, temperature on hot line: beef 153 F, beans 140 F, rice (two kinds): 144 and 145 F.

**MEEBOON THAI CUISINE**

1521 SW HK DODGEN LOOP 76502

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

**TEMPLE**

**MEEBOON THAI CUISINE**

1521 SW HK DODGEN LOOP 76502

<b>10/31/2022</b>	Violations Followup	100	9:00 AM 9:10 AM	<input type="checkbox"/>	10/31/2022
-------------------	---------------------	-----	--------------------	--------------------------	------------

9: dirty rags on top of 2 buckets of noodles. Noodles were discarded. Rags were being used as a cover, instructed to use a proper lid made of approved material.

42: clean dirty air vent in kitchen  
 clean/replace foil used to cover the bottom of the prep table, torn up and dirty.  
 clean all the seasoning storage drawers and shelves. Dirty  
 clean the prep table  
 clean under the fryer due to excess oil/spillage  
 from inspection of 10/26/2022: all corrected

45: reparable broken floor tiles in kitchen  
 repair leading hand sink faucet

-

**TACO BELL - S 31ST**

3002 S. 31ST 76502

<b>11/1/2022</b>	Complaint Followup	100	8:20 AM 8:30 AM	<input type="checkbox"/>	11/1/2022
------------------	--------------------	-----	--------------------	--------------------------	-----------

both locations (dining self service area and drive through) are free of any contamination on the soda nozzles. There is no visible contamination/foreign objects in plastic cups used by facility for beverages. The soda/drink syrup concentrate boxes are clean and free of any buildup.

-

**TAPA TAPAS AUTHENTIC MEXICAN RESTAURANT**

301 N GENERAL BRUCE 76501

<b>10/31/2022</b>	Permit	99	8:05 AM 8:20 AM	<input type="checkbox"/>	10/31/2022
-------------------	--------	----	--------------------	--------------------------	------------

from 10/27/21: 47 clean men's restroom: ok

note: empty trash in mens restroom

42: clean floor and walls under and around grill areas of excess grease/splatter

CFM expires 11/20/2022: renew soon.

Non-Food Contact surfaces clean - 1

Inspections Between (inclusive): 10/30/2022 and 11/5/2022

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

**TROY**

**DOLLAR GENERAL #13364 - TROY**

155 W MAIN 76579

<b>10/31/2022</b>	Permit	100	8:35 AM 8:45 AM	<input type="checkbox"/>	10/31/2022
-------------------	--------	-----	--------------------	--------------------------	------------

from 1026/21: 42 clean produce display cooler OK, clean reach in freezer OK, 34 gnats by mop sink, clean and treat OK

-

**SUBWAY #18360 - TROY**

1610 COTTON GIN RD 76579

<b>11/2/2022</b>	Complaint Followup	100	8:15 AM 8:30 AM	<input type="checkbox"/>	11/2/2022
------------------	--------------------	-----	--------------------	--------------------------	-----------

one small roach (nymph stage) seen in front prep area, but was not in area that was indicated by complaint. The facility is very clean and they are getting routine pest control on a monthly/as needed basis. They did get pest control done a week prior to this incident which may explain the activity. There was no other evidence of any activity in the facility. The person in charge was able to provide the most recent pest control records and they are specifically being treated for roaches. The absence of any activity and the overall cleanliness indicate adequate control and elimination as required.

no further action is required.

-