



WACO MCLENNAN COUNTY
PUBLIC HEALTH DISTRICT

Waco-McLennan County Public Health District
225 West Waco Drive
Waco, Texas 76707
(254) 750-5464

| | | |
|--|-------------------------------|---------------------------|
| Establishment: Cafe Cappuccino | Permit #: 20A-13032 | Date: 5/22/23 |
| Address: 1101 Richland St | City: WACO | Zip Code: 76710 |

| TEMPERATURE OBSERVATIONS | |
|-----------------------------------|--------------------------------|
| Item/Location/Food Temperature °F | |
| Cooking eggs-Line - 169°F | RIC - Sliced strawberry - 41°F |
| RIC - Diced tomatoes - 40°F | RIC - Refried pinto beans 41°F |
| RIC - Pico de gallo - 39°F | |

OBSERVATIONS AND CORRECTIVE ACTIONS

| Item Number | AN INSPECTION OF YOUR ESTABLISHMENT HAS BEEN MADE. YOUR ATTENTION IS DIRECTED TO THE CONDITIONS OBSERVED AND NOTED BELOW. |
|--------------------|---|
| 10 | Working sanitizer bucket reading 200+ Cl ₂ . COS - Employee diluted to 50 Cl ₂ . |
| 19 | Provide an approved air gap at 3 comp sink and at sink by dishwasher. |
| 32 | Repair/replace cracked wood in cabinet under beverage machine in coffee area. |
| 32 | Replace cracked gasket inside reach-in cooler in coffee area. |
| 32 | Replace all cracked, chipped, heavily worn, heavily pitted cutting boards, working containers etc. |
| 32 | Replace rusted shelves inside walk-in cooler. |
| 36 | Properly store all wiping cloths inside sanitizer bucket. (soiled, damp wiping cloth on counter) |
| 37 | Remove unapproved aluminum foil from top of ice machine. in bucket |
| 39 | Properly store all utensils with handles upright. COS - Utensils inverted |
| 42 | Thoroughly clean and maintain all gaskets to reach-in coolers throughout. COS - Cleaned. |
| 43 | Clean air duct vents ^{on} covers inside kitchen. (Dust accumulation) |
| 4745 ^{on} | Properly post food manager certificates and last inspection or sign of availability in a conspicuous location. |

| | | |
|--|----------------------------|-------------------|
| Received by: (signature) <i>K. Lemdek</i> | Print: Kathy Berdek | Title: Mgr |
| Inspected by: <i>Dani Medina</i> | Print: Dani Medina | |