



90cm freestanding cooker range

Westinghouse has been helping New Zealand families for over 60 years.

Our 90cm freestanding cooker range is for the serious cook. It puts all your cooking needs in one complete workstation, so entertaining and preparing those large family meals becomes a whole lot easier. With a huge 125L gross capacity, super-quick heat-up time and easy-clean features, you'll wonder how you ever did without it.

Our fingerprint-resistant stainless steel models can be completely freestanding or integrated with kitchen cabinetry for that seamless look and are available in both electric and dual fuel.

You can trust the Westinghouse 90cm collection to cook all your favourite meals just the way you like them.





Large oven capacity

With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!



Twin fan system for even cooking

Cook each dish to perfection with the Twin fan system. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



Fast heat-up time

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



Cool touch door

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.



Handy storage compartment

Extra storage always comes in handy, so with a clever storage compartment offered in our freestanding models, you can easily stow away any extra pots and pans.

(Excludes model WFE912SA).



Easy to use hobs

Designed for maximum ease of use, our gas hobs have either a 5 or 6 burner configuration including a triple ring wok. The flat design trivets make it easy to slide pots from one burner to another. The full glass ceramic hob with touch controls, is easy to use and clean.

*Base on international Standard IEC 60350-1

90cm Freestanding

Features[†]



Model	WFE946SA
type	electric freestanding
fingerprint-resistant stainless steel finish	✓
hob[~]	
type	ceramic
burners/elements	5
front left	1200W
front right	1800W
front middle	
rear middle	
middle	1400/2200W (dual zone)
rear left	800/1600/2300W (triple zone)
rear right	1200W
control type	touch
trivets	
ignition	
flame failure	
wok support	
main oven	
type	electric
oven functions	multifunction 10
twin fan system	✓
capacity*	
- gross (litres)	125
- usable (litres)	116
timer	fully programmable touch control
lights	2 x 25W halogen
glass layers in door	3
catalytic liners	sides and rear
grill in oven	✓
removable side racks	✓
shelf positions	7
general features	
australian made	✓
removable stainless steel splashback	✓
wire shelves	2
grill dish	2 x half-width
grill insert	2 x half-width
grill rack	1 x full-width
storage compartment	✓
removable stainless steel kickplate	✓
adjustable feet	✓
connection	
type	hardwire
maximum power rating (kW)	12.3
maximum gas rating (NG)	
dimensions	
overall HxWxD (mm)	910-930 [^] x 895 x 600
removable splashback height (mm)	60
freestanding cut-out (with feet attached) HxWxD (mm)	900 nominal x 900 min x 600
freestanding cut-out (on plinth, feet removed) HxWxD (mm)	755 max x 900 min x 600

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.co.nz

- Burner outputs shown above are for natural gas connection.



WFE912SA	WFE914SA	WFE916SA
dual fuel freestanding	dual fuel freestanding	dual fuel freestanding
✓	✓	✓
gas	gas	gas
5	5	6
5.1 MJ/h	5.1 MJ/h	14.4 MJ/h (wok)
12.1 MJ/h	12.1 MJ/h	12.1 MJ/h
		5.1 MJ/h
		9 MJ/h
14.4 MJ/h (wok)	14.4 MJ/h (wok)	
9 MJ/h	9 MJ/h	9 MJ/h
9 MJ/h	9 MJ/h	9 MJ/h
knobs	knobs	knobs
cast iron	cast iron	cast iron
electronic ignition	electronic ignition	electronic ignition
	✓	✓
✓	✓	✓
electric	electric	electric
multifunction 8	multi-function 8	multifunction 10
✓	✓	✓
125	125	125
116	116	116
3 button push control	3 button touch control	fully programmable touch control
2 x 25W halogen	2 x 25W halogen	2 x 25W halogen
3	3	3
		sides and rear
✓	✓	✓
✓	✓	✓
7	7	7
✓	✓	✓
✓	✓	✓
2	2	2
2 x half-width	2 x half-width	2 x half-width
2 x half-width	2 x half-width	2 x half-width
1 x full-width	1 x full-width	1 x full-width
	✓	✓
	✓	✓
✓	✓	✓
hardwire	hardwire	hardwire
3	3	3.1
49.6 MJ/h	49.6 MJ/h	58.6 MJ/h
910-930 [^] x 895 x 600	910-930 [^] x 895 x 600	910-930 [^] x 895 x 600
60	60	60
900 nominal x 900 min x 600	900 nominal x 900 min x 600	900 nominal x 900 min x 600
755 max x 900 min x 600	755 max x 900 min x 600	755 max x 900 min x 600

[^] Height is adjustable and refers to height to hob. This does not include the height of the trivets above the hob.

* Based on International Standard IEC 60350-1

† Refer to the product information on the back page of this brochure.

54cm & 60cm freestanding cooking range

Our 54cm and 60cm freestanding cooker range features convenient separate grills and the same FamilySize™ oven platform as our latest built-in models. Our latest range of slot-in cookers can be freestanding or integrated into kitchen cabinetry for a seamless design, while the upright range has rear controls to keep those curious little fingers at bay.

Both the 54cm and 60cm ranges are available in full electric and full gas combinations, while selected models are also available in a dual fuel combination of electric oven and gas cooktop.





Class-leading capacity

The large 80L gross capacity oven is designed to fit wide and deep trays with up to 5 shelf positions, allowing you to cook large meals and cater to any number of guests, using either single or multi-shelf cooking.



Handy separate grilling compartment

Enjoy the ability to grill and bake at the same time while keeping different cooking flavours and smells apart. Even with such a large main oven capacity, you can enjoy the convenience of a separate grill, without compromising on precious oven space. *(Selected models only)*



Easy-clean oven

Enjoy easy cleaning with one seamless fully sealed oven cavity. With no awkward joints, nooks or crannies to trap grease, a simple wipe is all you need to keep your oven clean. What's more, the formed shelf supports on the inside of your oven make cleaning easier.



High performance cooktops

Whether you prefer cooking with gas or the practicality of coils, easy-clean solid or stylish ceramic, our cooktops provide the ultimate in power and ease of use.



Durable surfaces

Whether you prefer white enamel or stainless steel, enjoy a sparkling finish every time. With supreme durability on external surfaces, you can be assured your cooker will look as good as new for years to come.

60cm slot-in cooker range



High performance cooktops


Choose between stylish and powerful ceramic cooktops, with high performance elements, including dual zones, or gas models with a high powered triple ring wok burner, allowing you to cook anything with ease, from family stir-frys to slow simmering.



Durable cast iron trivets

The Westinghouse cast iron trivets have been designed for greater pot and pan stability, enabling easy pot movement between burners.

(Selected models only).



Easy clean ceramic surface

Not only aesthetically pleasing, the full glass ceramic hob with touch controls is easy to use and clean and eliminates dirt traps.

(Selected models only).



Easy ignite

For busy kitchens the Easy ignite under knob ignition is quick, simple and safe to use.

(Selected models only).



Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Your customers will keep their ovens looking like new with our easy-to-clean, smudge-free stainless steel.



FamilySafe™ Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished.

(Selected models only).



Model shown: Slot-in electric/ceramic cooker WFE647SA.

60cm slot-in electric & dual fuel

Features[†]



Model	WFE647SA	WFE619WA #	WFE619SA #
type	electric freestanding	dual fuel freestanding	dual fuel freestanding
nominal width (mm)	600	600	600
available finishes	stainless steel	white	stainless steel
grill type	separate electric grill	separate electric grill	separate electric grill
hob			
type	ceramic	gas	gas
number of burners / elements	4	4	4
left front	1000/2200W (dual zone)	14.4 MJ/h (triple ring wok)	14.4 MJ/h (triple ring wok)
left rear	1200W	5.1 MJ/h	5.1 MJ/h
right front	1200W	9.0 MJ/h	9.0 MJ/h
right rear	1800W	12.7 MJ/h	12.7 MJ/h
control type	knobs	knobs	knobs
hot surface indicator	✓		
power on indicator	✓		
trivets		cast iron	cast iron
ignition		electronic underknob	electronic underknob
familysafe™ flame failure		✓	✓
cast vent at rear	✓	✓	✓
main oven			
type	electric	electric	electric
oven functions	fan forced	fan forced	fan forced
capacity+			
gross (litres)	80	80	80
usable (litres)	74	74	74
closed door grilling			
timer	2 hour mechanical	2 hour mechanical	2 hour mechanical
lights	1	1	1
door glass layers	2	2	2
easy clean formed shelf supports	✓	✓	✓
oven flame failure device			
oven burner output (ng)			
general features			
australian made	✓	✓	✓
removable splashback	✓	✓	✓
number of shelves	2	2	2
oven tray	2	2	2
telescopic runners (in grill)	✓	✓	✓
grill dish	✓	✓	✓
grill insert	smokeless	smokeless	smokeless
grill flame failure device			
connection			
type	hardwire	20a plug	20a plug
maximum power rating (kw)	10.5	4.1	4.1
maximum gas rating (mj/h)		41.2	41.2
dimensions			
overall ^ h x w x d (mm)	916 x 596 x 632	916 x 596 x 632	916 x 596 x 632
height of splashback (mm)	60	60	60

IMPORTANT the above dimensions are a guide only. For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.co.nz

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

Depth excludes knobs and handles.

+ Based on International Standard IEC 60350-1

Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

** Gas type must be specified at time of purchase as model cannot be converted to LP or NG.

54cm & 60cm upright cooking range



Easy reach rear controls

The unique easy reach angled rear control system offers you and your family peace of mind while cooking by keeping oven controls far from children's reach.

(Selected models only).



Digital programmable timer

With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.


(Selected models only).



Practical coil elements

Both practical and durable, the coil elements provide an easy cleaning solution as parts can be easily removed for cleaning.

(Selected models only).



Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only).



IN-BUILT POWER POINTS

Designed for the ultimate in practicality, the in-built power points on the side of the cooker, ensure you always have access to power and stay connected.

(Selected models only)



HANDY STORAGE COMPARTMENT

Extra storage always comes in handy, so with a clever storage compartment you can easily stow away any extra pots and pans. Selected models come with a warming drawer, ideal for warming dishes just before serving.

(Selected models only)

54cm upright electric & gas

Features[†]



Model	WLE522WA	WLE547WA
type	electric freestanding	electric freestanding
nominal width (mm)	540	540
available finishes	white	white
grill type	electric grill in oven	separate electric grill
hob		
type	coil	ceramic
number of elements	4	4
left front	1250W	1200W
left rear	1250W	2000W
right front	2050W	1200W
right rear	1250W	1200W
hob ignition		
trivets		
hot surface indicator		✓
power on indicator	✓	
main oven		
oven type	conventional	electric
oven functions		fan forced
capacity		
- gross (litres)	80	80
- usable (litres)	66	66
closed door grilling		✓
timer		programmable
formed runner shelf support	✓	✓
oven/grill ignition		
oven flame failure safety device		
oven light		✓
door glass layers		2
general features		
australian made		✓
easy reach rear controls	✓	✓
number of shelves	2	2
grill dish	✓	✓
grill insert	wire	wire
connection		
type	hardwire	hardwire
maximum power rating	10kW	9.7kW
maximum gas rating		
oven burner output		
grill power	2200W	1.8kW
dimensions[†]		
overall h x w x d (mm)	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910
height of splashback (mm)	240	240

IMPORTANT the above dimensions are a guide only. For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.co.nz

- Burner outputs shown above are for natural gas connection.

^ Height refers to height to hob. This does not include the height of the trivets above the hob.

Depth excludes knobs and handles.

+ Based on International Standard IEC 60350-1

Hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

** Gas type must be specified at time of purchase as model cannot be converted to LP or NG.



WLG503WA	WLG505WA	WLG517WA
gas freestanding	gas freestanding	gas freestanding
540	540	540
white	white	white
separate gas grill	separate gas grill	separate gas grill
gas	gas	gas
4	4	4
12.7 MJ/h	12.7 MJ/h	14.4 MJ/h (wok)
5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
manual	electronic	electronic
enamel	enamel	enamel
gas	gas	gas
conventional	conventional	fan bake and conventional
80	80	80
59	59	59
✓	✓	✓
✓	60 minute	60 minute
piezo	✓	✓
✓	electronic	electronic
✓	✓	✓
2	2	2
✓	✓	✓
2	2	2
✓	✓	✓
wire	wire	wire
not required	10A plug	10A plug
0kW	0.03kW	0.05kW
59.1 MJ	59.1 MJ	60.8 MJ
11.8 MJ/h	11.8 MJ/h	11.8 MJ/h
11.1 MJ/h	11.1 MJ/h	11.1 MJ/h
1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
910	910	910
240	240	240

60cm upright electric

Features[†]



Model	WLE620WA	WLE622WA
name	mercury	colombo
nominal width (mm)	600	600
available finishes	white	white
oven type	electric	electric
grill type	grill in oven	grill in oven
hob		
type	coil	coil
number of elements	4	4
left front	2050W	2050W
left rear	1250W	1250W
right front	2050W	2050W
right rear	1250W	1250W
residual heat indicator		
power on indicator	✓	✓
in-built power points		✓
main oven		
oven functions	conventional	conventional
number of functions	5	
capacity		
– gross (litres)	80	80
– usable (litres)	74	74
timer		2 hour mechanical
formed runner shelf support	✓	✓
oven light	✓	✓
door glass layers	2	2
general features		
warming/storage drawer	storage	storage
easy reach rear controls	✓	✓
number of shelves	2	2
grill dish	✓	✓
grill insert	wire	wire
baking trays	1	1
connection		
type	hardwire	hardwire
maximum power rating	9.7kW	11.7kW
grill power	3kW	3kW
dimensions[†]		
overall h x w x d (mm)	1145 x 596 x 617	11145 x 596 x 617
height to hob (mm)	909	909
height of splashback (mm)	236	236

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

[†] Refer to the product information on the back page of this brochure.



WLE624WA	WLE626WA	WLE644WA	WLE646WA
neptune	saturn	jupiter	apollo
600	600	600	600
white	white	white	white
electric	electric	electric	electric
grill in oven	grill in oven	grill in oven	grill in oven
coil	coil	ceramic	ceramic
4	4	4	4
2050W	2050W	1000W/2200W (dual zone)	1000W/2200W (dual zone)
1250W	1250W	1200W	1200W
2050W	2050W	1200W	1200W
1250W	1250W	1800W	1800W
✓	✓	✓	✓
✓	✓	✓	✓
conventional	multi-function	conventional	multi-function
	5		8
80	80	80	80
74	74	74	74
programmable	programmable	programmable	programmable
✓	✓	✓	✓
✓	✓	✓	✓
2	2	2	2
warming	warming	storage	warming
✓	✓	✓	✓
2	2	2	2
✓	✓	✓	✓
wire	wire	wire	wire
1	2	1	2
hardwire	hardwire	hardwire	hardwire
12.1kW	12.1kW	11.4kW	11.8kW
3kW	3kW	3kW	3kW
1145 x 596 x 617	1145 x 596 x 617	1145 x 596 x 617	1145 x 596 x 617
909	909	909	909
236	236	236	236

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.

* Refer to the product information on the back page of this brochure.



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 0800 436 245
fax: 0800 225 088
email: customercare@electrolux.co.nz
web: westinghouse.co.nz

Westinghouse. We are part of the Electrolux family.
Share more of our thinking at electrolux.co.nz

Warranty

Electrolux (NZ) Ltd warrants that for domestic application, the Westinghouse Freestanding Cookers featured in this brochure are free from defects in materials and workmanship for a period of 24 months from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased and NZ Consumer Law.

† Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux (NZ) Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Consumer Guarantees Act (NZ), Sale of Goods Act (NZ) and Fair Trading Act (NZ Consumer Law).

This document is printed on an environmentally responsible paper, produced using Elemental Chlorine Free (ECF), FSC® Certified, Mixed Source pulp from Responsible Sources, and manufactured under the strict ISO14001 Environmental Management System.

 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license. All Rights Reserved.

© 2015 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WSTOVE NZ_May15