

No. 414

Wendy



DOUBLE KNITTINGS
OR



20/22 CHEST

finely



SHAPE ARMHOLE

Cast off 2 (3) sts. at beg. of next row.
Next Row.—M.st. 17 sts., purl to last st., K.1.
Next Row.—K.2, P.1, sl.1, K.1, p.s.s.o., work to end.
Next Row.—M.st. 17 sts., purl to last st., K.1.
Keeping 17 sts. in M.st. at front edge rept. the last 2 rows until 21 (23) sts. remain, finishing at front edge.

SHAPE NECK

Cast off 14 sts., purl to last st., K.1.
Next Row.—K.2, P.1, sl.1, K.1, p.s.s.o., work to end.
K.2 tog. at neck edge on next and following 2 alt. rows and at the same time dec. at armhole edge as before on every alt. row.
Fasten off.
Mark position of buttons, the 1st 5 rows from commencement, the last $\frac{1}{2}$ inch from neck edge and 4 more equally spaced between.

RIGHT FRONT

Using No. 10 needles cast on 39 (41) sts.
Work 4 rows in M.st. as given for the back.
Buttonhole Row.—M.st. 3, cast off 2, M.st. 7, including st. on needle, cast off 2, M.st. to end.
Next Row.—M.st. to cast off sts., cast on 2, M.st. 7, cast on 2, M.st. to end.
Work 6 rows in M.st.
Change to No. 8 needles.
Next Row.—M.st. 17 sts., knit to end.
Next Row.—Purl to last 17 sts., M.st. 17.
Keeping the 17 sts. at front edge in M.st. and working buttonholes to correspond with positions marked for buttons on left front continue in st.st. until work measures 8 ($8\frac{1}{2}$) ins. from commencement, finishing at side edge.

SHAPE ARMHOLE

Cast off 2 (3) sts. at beg. of next row.
Continue working to correspond with left front reversing all shaping.

SLEEVES - (Both alike)

Using No. 10 needles cast on 35 (39) sts.
Work 12 rows in M.st. as given for back.
Change to No. 8 needles and st.st. inc. one st. each end of the needle on the 5th and every following 6th row until 47 (51) sts. are on the needle.
Continue without further inc. until work measures 8 ($8\frac{1}{2}$) ins. from commencement, finishing on a purl row.

SHAPE TOP

Cast off 2 (3) sts. at beg. of next 2 rows.
Next Row.—K.2, P.1, sl.1, K.1, p.s.s.o., knit to last 5 sts., K.2 tog., P.1, K.2.
Next Row.—K.1, purl to last st., K.1.
Rept. the last 2 rows until 9 sts. remain, finishing on a purl row.
Next Row.—K.2, P.1, sl.1, K.2 tog., p.s.s.o., P.1, K.2.
Next Row.—K.1, purl to last st., K.1.
Next Row.—K.1, sl.1, K.1, p.s.s.o., K.1, K.2 tog., K.1.
Next Row.—K.1, purl to last st., K.1.
Next Row.—K.1, sl.1, K.2 tog., p.s.s.o., K.1.
Next Row.—K.1, P.1, K.1.
Cast off.

COLLAR

Using No. 8 needles cast on 51 (57) sts.
1st Row.—(P.1, K.1) twice, P.1, knit to last 5 sts., (P.1, K.1) twice, P.1.
2nd Row.—(P.1, K.1) twice, purl to last 4 sts., (K.1, P.1) twice.
Rept. the last 2 rows until work measures $2\frac{1}{2}$ ins. from commencement, finishing on a 2nd row.
Next Row.—* P.1, K.1, rept. from * to last st., P.1.
Rept. the last row 5 times more.
Cast off loosely in M.st.

LEGGINGS

TENSION.—6 sts. to 1 inch on No. 8 needles. Cour-telle No. 9.

LEFT LEG

Using No. 8 needles or No. 9 in place of No. 8 to be used throughout this garment if knitting in Courtelle, cast on 66 sts.
Work 4 rows in K.1, P.1 rib.
Next Row.—K.1. * wl.fwd., K.2 tog., rib 2, rept. from * to last st., P.1.
Work 5 rows in K.1, P.1 rib.

COMMENCE BACK SHAPING

Next Row.—Knit.
1st Row.—Purl 8 sts., turn.
2nd and Alt. Rows.—Knit to end.
3rd Row.—Purl 16 sts., turn.
5th Row.—Purl 24 sts., turn.
7th Row.—Purl 32 sts., turn.
Next Row.—Purl across all sts.
Commencing with a knit row continue in st.st. inc. 1 st. at end of the 3rd and every following 6th row until 74 sts. are on the needle.

Continue without further inc. until short side of work measures 9 ins. from commencement, finishing on a purl row.

SHAPE THE LEG

** Continue in st.st. K.2 tog. each end of the needle on next and every alt. row until 36 sts. remain.
Continue without further dec. until work measures 16 ins. from commencement, measured in centre.
Change to No. 11 needles and work 6 rows in K.1, P.1 rib. **

Change to No. 8 needles.
Next Row.—Knit 17 sts., turn, slip remaining 19 sts. onto a st. holder.

Next Row.—Purl 10 sts., turn.
Working on these 10 sts. only, work 18 rows in st.st. Break off wool.

Rejoin wool at point of right hand needle, using the same needle, pick up and knit 12 sts. up right side of instep, knit across 10 sts. on left hand needle, pick up and knit 12 sts. down left side of instep. Slip 19 sts. from st. holder onto a No. 8 needle and knit across. — (60 sts.)

Commencing with a purl row, work 7 rows in st.st.

SHAPE THE FOOT

1st Row.—K.18, K.2 tog., K.8, K.2 tog. t.b.l., K.22, K.2 tog., K.2, K.2 tog. t.b.l., K.2.
2nd and 4th Rows.—Purl.
3rd Row.—K.17, K.2 tog., K.8, K.2 tog. t.b.l., K.20, K.2 tog., K.2, K.2 tog. t.b.l., K.1.
Cast off.

RIGHT LEG

Using No. 8 needles cast on 66 sts., and work as instructions given for left leg to commencement of back shaping.

1st Row.—Knit 8, turn.
2nd and Alt. Rows.—Purl to end.
3rd Row.—Knit 16 sts., turn.
5th Row.—Knit 24 sts., turn.
7th Row.—Knit 32 sts., turn.
Next Row.—Knit across all sts.
Next Row.—Purl.

Continue in st.st. inc. 1 st. at beg. of the 3rd row and every following 6th row until 74 sts. are on the needle.

Continue without further shaping until short side measures 9 ins. from commencement, finishing on a purl row.

SHAPE THE LEG

Work from ** to ** of left leg.
Change to No. 8 needles.
Next Row.—Knit to last 7 sts., turn.
Next Row.—Purl 10 sts., turn, slip remaining sts. onto a st. holder.
Work to correspond with Left Foot reversing all shapings.

BONNET

TENSION.—6 sts. to 1 inch on No. 8 needles, Cour-telle No. 9.

Using No. 8 needles cast on 71 sts.

Work 2 ins. in M.st. as given for back of coat.

Commencing with a knit row continue in st.st. until work measures 5½ ins. from commencement, finishing on a purl row.

SHAPE CROWN

1st Row.—* K.5, K.2 tog., rept. from * to last st., K.1. **2nd and Every Alt. Rows.**—Purl to end.

3rd Row.—* K.4, K.2 tog., rept. from * to last st., K.1.

5th Row.—* K.3, K.2 tog., rept. from * to last st., K.1.

Continue in this manner dec. on every alt. row, working 1 st. less between the decs. until K.2 tog., K.1, has been worked.

Next Row.—Purl.

Next Row.—K.2 tog., to last st., K.1.

Thread wool through remaining sts., draw up and fasten off.

HELMET

TENSION.—6 sts. to 1 inch on No. 8 needles. Cour-telle No. 9.

Using No. 8 needles cast on 71 sts.

Work 1 inch in M.st. as given for back of coat.

Work 2 rows in st.st. commencing with a knit row.

1st Row.—Knit to last 3 sts., K.2 tog., turn.

2nd Row.—Sl.1, purl to last 3 sts., P.2 tog., turn.

3rd Row.—Sl.1, knit to last 4 sts., K.2 tog., turn.

4th Row.—Sl.1, purl to last 4 sts., P.2 tog., turn.

5th Row.—Sl.1, knit to last 5 sts., K.2 tog., turn.

6th Row.—Sl.1, purl to last 5 sts., P.2 tog., turn.

Continue dec. in this manner on every row until 15 sts. remain in centre, finishing on wrong side of work.

1st Row.—Sl.1, K.14 sts., pick up loop between st. just worked and next st. and knit it together with the next st., turn.

2nd Row.—Sl.1, purl 15 sts., pick up loop between st. just worked and next st. and purl it together with the next st., turn.

3rd Row.—Sl.1, K.16 sts., pick up loop between st. just worked and next st. and knit it together with the next st., turn.

4th Row.—Sl.1, purl 17 sts., pick up loop between st. just worked and next st. and purl it together with the next st.

Continue in this manner working 1 st. more on every row until all sts. are on one needle.

Cast off.

Using No. 8 needles cast on 12 sts.

Using same needle and with right side of helmet facing pick up and knit 53 sts. round lower edge. — 65 sts.

Work 4 rows in M.st.

Next Row.—M.st. to last 5 sts., cast off 2, M.st. to end.

Next Row.—M.st. 3, cast on 2 sts., M.st. to end.

Work 3 rows in M.st.

Cast off M.st.

PRESSING

It is important to follow these instructions when making up the garment.

WENDY COURTELLE ONLY

Work over the right side of each piece of the garment with a cool iron. Taking a small area at a time stretch your knitting lengthways and sideways (pull hard), let it

relax, then pat over with the iron using no pressure, this evens out the knitting and sets it.

ALL OTHER WENDY QUALITIES

With wrong side of work facing, pin out all pieces to measurements given. Using a hot iron and damp cloth press carefully.

COAT

MAKING UP

Join side and sleeve seams by back stitching, omitting M.st. sew M. st. by top sewing.

Pin sleeves into position and sew by back stitching. Pin collar into position with front edges of collar

half way along buttonhole band, sew on by top sewing. Buttonhole stitch all buttonholes.

Sew on buttons to correspond with buttonholes.

Press all seams flat.

LEGGINGS

Join front and back seams by back stitching, omitting rib, join rib by top sewing.

Join leg seams by back stitching and the foot seam by top sewing.

Thread elastic through waist ribbing.

Press all seams flat.

BONNET

Join back seam from centre crown to 1 inch below crown shaping by top sewing.

Fold front facing onto right side.

Work double crochet round neck edge of bonnet.

Cut the ribbon in half and sew in position to each side of bonnet. Press the seam flat.

THE HELMET

Buttonhole stitch the buttonhole.

Sew on button to correspond with buttonhole.

A FINAL WORD

You have taken a lot of care in knitting this Wendy Design. Your garment deserves equal care when washing. By following these instructions, you will find that the life, shape and softness of your garment will be preserved.

- (1) NEVER USE HOT WATER.
- (2) **Washing.** Place your garment in a well-dissolved solution of Soap Flakes and WARM WATER. Work the garment gently with the hands for approximately two minutes. NEVER RUB the garment and do NOT leave it to soak.
- (3) **Rinsing.** EVERY TRACE OF SOAP MUST BE REMOVED. Rinse in three changes of clean, warm water, squeezing gently, but NEVER wring the garment.
- (4) **Removing Water.** Place the garment between dry towels and squeeze without twisting.
- (5) **Drying.** Immediately spread the garment out to its original shape and size and DRY FLAT on a clean towel, SLOWLY, and in a warm place. NEVER hang up your garment to dry.

WASHING COURTELLE

SO EASY TO WASH AND CARE FOR

Treat your own make of knitted in Courtelles just as you would bought ones. That is, WASH by hand, as soon as they get slightly dirty. Use soapless detergent or soap flakes or powder dissolved in water comfortably hot to the hand. RINSE thoroughly. Squeeze lightly or roll in towel. Do not put through wringer. DRY flat.

Do not press with a damp cloth, instead, work over the right side of each garment piece with a COOL iron (set at Rayon temperature). Taking a small area at a time, stretch your knitting lengthwise and sideways (pull hard), let it relax, then pat over it with the iron, using no pressure. This evens out the knitting and sets it.



Our Knitting Bureau will gladly give you any assistance or advice on Wendy Designs if you write to

CARTER & PARKER LTD., GUISELEY, YORKS.

Prices apply only in Great Britain and Northern Ireland.