www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.4 Revision Date 15.04.2023 Print Date 24.08.2023 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Dimethylamine
	Product Number Brand Index-No. REACH No.	:	295280 Aldrich 612-001-00-9 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
	CAS-No.	:	124-40-3
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
1.4	Telephone Fax E-mail address Emergency telephone		+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
1.4	Emergency Phone #	:	0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

weltweit)

Flammable gases (Category 1), H220 Gases under pressure (Liquefied gas), H280 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 1 of 12



Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram			
Signal Word	Danger		
Hazard statement(s) H220 H280 H315 H318 H332 H335 H412	Extremely flammable gas. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye damage. Harmful if inhaled. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.		
Precautionary statement(s) P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P261 P273 P280 P305 + P351 + P338	Avoid breathing gas. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P410 + P403	Protect from sunlight. Store in a well-ventilated place.		
Supplemental Hazard Statements	none		

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Lachrymator.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula Molecular weight	: C₂H ₇ N : 45,08 g/mol		
CAS-No.	: 124-40-3		
EC-No.	: 204-697-4		
Index-No.	: 612-001-00-9		
Component		Classification	Concentration

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 12

dimethylamine			
CAS-No. EC-No. Index-No.	124-40-3 204-697-4 612-001-00-9	Flam. Gas 1A; Press. Gas Liquefied gas; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Chronic 3; H220, H280, H332, H315, H318, H335, H412 Concentration limits: >= 5 %: Skin Irrit. 2, H315; >= 5 %: Eye Dam. 1, H318; 0,5 - < 5 %: Eye Irrit. 2, H319; >= 5 %: STOT SE 3, H335;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Aldrich- 295280

Page 3 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Pay attention to flashback. Vapors are heavier than air and may spread along floors.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from combustible materials and sources of ignition.

Contents under pressure.

Storage class

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 12

Storage class (TRGS 510): 2A: Gases

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/mists are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

Aldrich- 295280

Page 5 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

-		nysical and chemical properties
а	 Physical state 	compressed liquefied gas
b) Color	colorless
С) Odor	ammoniacal
d	l) Melting point/freezing point	Melting point/range: -93 °C - lit.
e	 Initial boiling point and boiling range 	7 °C - lit.
ſ) Flammability (solid, gas)	No data available
g	 Upper/lower flammability or explosive limits 	Upper explosion limit: 14,4 %(V) Lower explosion limit: 2,8 %(V)
h	i) Flash point	-6,69 °C - closed cup
i)) Autoignition temperature	402 °C
j) Decomposition temperature	420 °C
k	с) рН	No data available
I)) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
n	n) Water solubility	No data available
n	 Partition coefficient: n-octanol/water 	No data available
0) Vapor pressure	4.596 hPa at 52 °C 1.703 hPa at 20 °C
р) Density	0,68 g/cm3 at 20 °C - lit.
	Relative density	No data available
q	 Relative vapor density 	No data available
r) Particle characteristics	No data available

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 12

- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

```
Relative vapor 1,55 - (Air = 1.0) density
```

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature).
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available LC50 Inhalation - Rat - 6 h - 4540 ppm

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Lungs, Thorax, or Respiration:Dyspnea. Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 12



Test Type: in vivo assay Species: Rat

Application Route: Inhalation

Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: IP8750000

Severe irritation, Corneal opacity, keratitis, Inhalation may provoke the following symptoms:, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 17 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 46 mg/l - 96 h

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 88 % - Readily biodegradable. (OECD Test Guideline 301C)

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 12

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Pressurised gas bottle: dispose of only in empty condition!

SECTION 14: Transport information 14.1 UN number ADR/RID: 1032 IMDG: 1032 IATA: 1032 14.2 UN proper shipping name ADR/RID: DIMETHYLAMINE, ANHYDROUS DIMETHYLAMINE, ANHYDROUS IMDG: Dimethylamine, anhydrous IATA: Passenger Aircraft: Not permitted for transport 14.3 Transport hazard class(es) ADR/RID: 2.1 IMDG: 2.1 IATA: 2.1 14.4 Packaging group IMDG: -ADR/RID: -IATA: -14.5 Environmental hazards ADR/RID: no IMDG Marine pollutant: no IATA: no 14.6 Special precautions for user Tunnel restriction code : (B/D) Further information : No data available

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

National legislation

Seveso III: Directive 2012/18/EU of the European : FLAMMABLE GASES Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H220 H280 H315	Extremely flammable gas. Contains gas under pressure; may explode if heated. Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Extremely flammable gas.
H335	Contains gas under pressure; may explode if heated.
H412	Causes skin irritation.

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada

P~A

Page 10 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 12

Aldrich- 295280

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 12

