





## Tension

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.


## Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

## Abbreviations

**K**=knit; **P**=purl; **st**=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **tbl**=through back of loops; **inc**=increase by working into front and back of st; **dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **fol**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **in**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **yfwd**=yarn forward; **psso**=pass slip st over; **patt**=pattern; **0**=no st, row or time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

**K1bw**=K1 below, K into next st 1 row below, at the same time slipping off st above (see diagram).



**MB**=make bobble as follows: (K1, P1, K1, P1, K1, P1, K1) in next st, then pass 2nd, 3rd, 4th, 5th, 6th and 7th sts on right needle separately over first st.

**Tw2R**=K into front of second st on left needle, then K into front of first st and slip both sts off needle together.

**Tw2L**=K into back of second st on left needle, then K into front of first st and slip both sts off needle together.

**Cr2FP**=slip next st on cable pin and leave at front of work, P1, then K1 from cable pin.

**Cr2BP**=slip next st on cable pin and leave at back of work, K1, then P1 from cable pin.

**Cr3FP**=slip next st on cable pin and leave at front of work, P2, then K1 from cable pin.

**Cr3BP**=slip next 2 sts on cable pin and leave at back of work, K1, then P2 from cable pin.

## U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Instructions are given for the first size, with larger size(s) given in square brackets [ ]. Where only one figure is given this applies to both (all) sizes.

Before starting to knit, read the instructions carefully and circle all figures relating to your size with a coloured pencil.

## Drying Instructions

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

|   |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |
|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | cm |
|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|

# Design 5

## Jacket (illustrated in Shade 4300)

### Measurements

#### To fit chest

41-46 **51-56**cm

16-18 **20-22**in

#### Actual size

53 **59** cm

21 **23** in

#### Finished length

26 **29** cm

10 **11 1/2** in

**Sleeve**, measured down centre, approx

16 **26** cm

6 1/2 **10** in

### Quantities

#### Patons Fairytale 4 ply

3 **4** 50 gram balls

Quantities of yarn are approximate as they are based on average requirements.

Check actual yarn colour - as printing may not match yarn exactly.

Pair each Patons 2 3/4 mm (UK 12/USA 2) and 3 1/4 mm (UK 10/USA 3) needles. 8 buttons.

### Tension

**28 sts and 36 rows to 10 cm (stocking st) on 3 1/4 mm needles or size needed to achieve stated tension.**

For notes and abbreviations, see first page of text.

## BACK

With 2 3/4 mm needles, cast on 75 [83] sts.

**Rib row 1** - K2, \*P1, K1; rep from \* to last st, K1.

**Rib row 2** - K1, \*P1, K1; rep from \* to end.

Rep these 2 rows 5 times more, thus ending with RS facing for next row.

**Change to 3 1/4 mm needles and patt** thus:

**Row 1** - (RS), K5 [9], \*K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5; rep from \* to last 10 [14] sts, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5 [9].

**Row 2 and every alt row** - P.

**Row 3** - K4 [8], \*K2tog, (K1, yfwd) twice, K1, sL1K, K1, pssso, K3; rep from \* to last 1 [5] sts, K1 [5].

**Row 5** - K3 [7], \*K2tog, K2, yfwd, K1, yfwd, K2, sL1K, K1, pssso, K1; rep from \* to last 2 [6] sts, K2 [6].

**Row 7** - K2 [6], K2tog, \*K3, yfwd, K1, yfwd, K3, sL1K, K2tog, pssso; rep from \* to last 11 [15] sts, K3, yfwd, K1, yfwd, K3, sL1K, K1, pssso, K2 [6].

**Row 9** - K3 [7], \*yfwd, sL1K, K1, pssso, K5, K2tog, yfwd, K1; rep from \* to last 2 [6] sts, K2 [6].

**Row 11** - K3 [7], \*yfwd, K1, sL1K, K1, pssso, K3, K2tog, K1, yfwd, K1; rep from \* to last 2 [6] sts, K2 [6].

**Row 13** - K3 [7], \*yfwd, K2, sL1K, K1, pssso, K1, K2tog, K2, yfwd, K1; rep from \* to last 2 [6] sts, K2 [6].

**Row 15** - K3 [7], \*yfwd, K3, sL1K, K2tog, pssso, K3, yfwd, K1; rep from \* to last 2 [6] sts, K2 [6].

**Row 16** - P.

These 16 rows form patt.

Cont in patt until work meas 15 [16] cm, ending with RS facing for next row.

Place a marker at each end of last row for armholes.

Work a further 38 [46] rows, thus ending with RS facing for next row.

### Shape shoulders

Keeping patt correct, cast off 5 [6] sts at beg of next 8 rows.

Cast off rem 35 sts.

## LEFT FRONT

\*\*With 2 3/4 mm needles, cast on 19 [23] sts and work in rib as on Back for 12 rows, thus ending with RS facing for next row.

**Change to 3 1/4 mm needles and patt as on Back, placing first 6 rows thus:\*\***

**Row 1** - (RS), K5 [9], K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5, K2tog, yfwd, K2.

**Rows 2 and 4** - P.

**Row 3** - K4 [8], K2tog, K1, (yfwd, K1) twice, sL1K, K1, pssso, K3, K2tog, K1, yfwd, K2.

**Row 5** - K3 [7], K2tog, K2, yfwd, K1, yfwd, K2, sL1K, K1, pssso, K1, K2tog, K2, yfwd, K2.

**Row 6** - P.

These 6 rows **set** patt as on Back.

\*\*\*Cont in patt as set, repeating the 16 patt rows until Left Front matches Back to markers, ending with RS facing for next row. Place a marker at left side edge on last row for armhole.

Work a further 38 [46] rows, thus ending with RS facing for next row.

### Shape shoulders

Cast off 5 [6] sts at beg of next and foll 2 alt rows. Work 1 row. Cast off rem 4 [5] sts.\*\*\*

## RIGHT FRONT

Work as Left Front from \*\* to \*\*.

**Row 1** - (RS), K2, yfwd, sL1K, K1, pssso, K5, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5 [9].

**Rows 2 and 4** - P.

**Row 3** - K2, yfwd, K1, sL1K, K1, pssso, K3, K2tog, (K1, yfwd) twice, K1, sL1K, K1, pssso, K4 [8].

**Row 5** - K2, yfwd, K2, sL1K, K1, pssso, K1, K2tog, K2, yfwd, K1, yfwd, K2, sL1K, K1, pssso, K3 [7].

**Row 6** - P.

Work as Left Front from \*\*\* to \*\*\*, placing marker at right side edge, working an extra row before shaping shoulder.

## SLEEVES

With 2 3/4 mm needles, cast on 39 sts and work in rib as on Back for 11 rows, thus ending with WS facing for next row.

**Increase row** - Rib 2, \*(M1, by picking up horizontal loop lying before next st and working into back of it, rib 2) twice, M1, rib 1; rep from \* to last 2 sts, M1, rib 2 (61 sts).

**Change to 3 1/4 mm needles and patt as on Back, placing first 4 rows thus:**

**Row 1** - (RS), K3, \*K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5; rep from \* to last 8 sts, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K3.

**Row 2** - P.

**Row 3** - K2, \*K2tog, (K1, yfwd) twice, K1, sL1K, K1, pssso, K3; rep from \* to last 9 sts, K2tog, (K1, yfwd) twice, K1, sL1K, K1, pssso, K2.

**Row 4** - P.

These 4 rows **set** patt as on Back. Cont in patt as set, repeating the 16 patt rows, shaping sides by inc 1 st at each end of 13th [11th] row (from beg of patt) and every foll 12th [10th] row until there are 67 [75] sts, taking inc sts into stocking st.

Work 9 [11] rows, thus ending with RS facing.

Cast off **loosely**.

## LEFT FRONT PANEL

With 2 3/4 mm needles, cast on 59 sts and work in rib as on Back for 46 [52] rows, thus ending with RS facing for next row.

### Shape front slope

**Row 1** - Rib to last 10 sts, P2togtbl, rib 8.

**Row 2** - Rib 8, sL1K, K1, pssso, rib to end.

**Row 3** - Rib to last 10 sts, P2togtbl, rib 8.

**Row 4** - Rib 8, K1, rib to end.

Rep last 4 rows 10 [6] times more (26 [38] sts).

Dec 1 st as before inside 8 edge sts on next and every alt row until 13 sts rem. Work 1 row. Cast off 4 sts at beg of next row (9 sts). Work a further 23 rows, thus ending with RS facing. Cast off in rib.

## RIGHT FRONT PANEL

With 2 3/4 mm needles, cast on 59 sts and work in rib as on Back for 2 rows.

**Next row** - (Buttonhole row), rib 4, yfwd, K2tog, rib 48, yfwd, K2tog, rib 3.

Work a further 13 [15] rows in rib, thus ending with RS facing for next row.

Rep last 14 [16] rows twice more, then buttonhole row again.

Work 1 row, thus ending with RS facing for next row.

### Shape front slope

**Row 1** - Rib 8, P2tog, rib to end.

**Row 2** - Rib to last 10 sts, K2tog, rib 8.

**Row 3** - Rib 8, P2tog, rib to end.

**Row 4** - Rib to last 9 sts, K1, rib 8.

Rep last 4 rows 10 [6] times more (26 [38] sts).

Dec 1 st as before inside 8 edge sts on next and every alt row until 13 sts rem. Work 2 rows. Cast off 4 sts at beg of next row (9 sts).

Work a further 22 rows, thus ending with RS facing. Cast off in rib.

## MAKE UP

Do not press.

Using back stitch, sew front panels to Fronts. Join shoulder seams. Sew ends of panels round to centre back neck. Join panels at centre back neck.

Place centre of cast-off edge of Sleeves to shoulder seams, then sew Sleeves to Back and Fronts between markers. Join side and sleeve seams.

Sew on buttons.