

# KNOW IBM ? KNOW LEXMARK ? THEN YOU ALREADY KNOW A LOT ABOUT US.

## Introducing Unicomp, your key component

Yes, we're a new company. But no newcomer ever had a better family background. Or a bigger head start.



Our corporate history stretches only back to April, 1996, when we purchased keyboard technology from Lexmark, former manufacturer of IBM keyboards. But Unicomp employees average 20 + years of experience with those

Unicomp, Inc.  
510 Henry Clay Blvd.  
Lexington, KY 40505

859-233-2130 fax 859-231-8282



**Your Key Component**

multi-national companies.

And many of the same people, who in 1995 produced millions of keyboards for Lexmark customers worldwide, continue to manufacture keyboards for us today.

***We even cover all Lexmark keyboard service and warranty agreements. Lexmark trusted us. You can, too.***

We intend to be the keyboard industry's acknowledged leader in technology, quality, and service. In many ways, at our 100,000-square-foot home in Lexington, Kentucky, we're already near that goal.

### ***Here's what we can do for you***

#### **KEYBOARDS**

Pointing Stick keyboards  
Trackball keyboards  
Keyboards for IBM Terminals  
Space-saving keyboards  
Adjustable keyboards  
Custom layouts and colors  
45 foreign language layouts

#### **POINTING STICK DEVICES AND CONTROLLERS**


Exclusive patent-protected keyboard locations  
FSR Technology (Force Sensing Resistor)  
Strain Gauge Technology

#### **KEYBUTTONS FOR LEXMARK AND IBM KEYBOARDS**

50 different button styles  
15 stocked colors, plus clear caps  
Custom colors available in large quantity orders  
300 + foreign language and terminal keyboard layouts  
Millions of keybuttons in inventory  
IBM Point of Sale keyboard lens caps and buttons

#### **CONTACT US**

[www.pckeyboard.com](http://www.pckeyboard.com)



Your Key Component

## The Classic 101/104 Keyboard

*The Keyboard That Set The Standard For The Industry*



### Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback
- Available with buckling spring (BS) or heavy rubber dome (EQT)
- Spill-resistant design
- Available in raven black or classic pearl white
- Many language formats available
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

The critically acclaimed keyboards are back! Unicom's "Customizer" is the keyboard that won *PC Computing's* Editors' Choice award in 1993 and critical acclaim on ZDTV's "Screen Savers" program.

IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.


PC Computing and ZDTV are trademarks of Ziff Davis Corp.

Copyright © 2004 Unicom, Inc., All rights reserved.

### Technical Summary

<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	101 US/102 Worldwide
<b>Size</b>	492 mm x 210 mm x 45 mm (19.4" x 8.3" x 1.8")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	1.8 (72") attached cable with 6-pin mini DIN -- 5-pin DIN adapter available at no charge
<b>Total Weight</b>	2.3 kg (5.1 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149") BS; 3.0 mm (.118") EQT
<b>Peak Tactile Force</b>	72 gms ± 20 gms
<b>Travel to Peak Tactile Force</b>	1.9 mm typical BS; 2.5 mm typical (EQT)
<b>Keyswitch Life</b>	Minimum 25 million (BS); 10 million (EQT)
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

The Customizer features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Now available in both a 101 or 104 format, the Customizer's patented buckling spring key technology has brought back the standard by which quality keyboards are measured. Contact us at 800-777-4886 to talk with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely on line at [www.pckeyboard.com](http://www.pckeyboard.com).



Your Key Component

## The Emulator Keyboard

*Two Keyboards in One -- A Terminal and PC*



### Features

- IBM® and IBM® compatible terminal systems
- Curved profile, user-adjustable angle
- Audible and tactile feedback (buckling spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Customizable with many language formats available
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

The IBM-style 122 key keyboards are back with a new twist! Unicomp's "Emulator" allows the user the same expanded functionality as the original terminal keyboards but in a PC compatible model.


IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

Copyright © 2004 Unicomp, Inc., All rights reserved.

### Technical Summary

<b>Keyboard Compatibility</b>	Keyboard layouts vary, 24 function buttons IBM® PS/2®, AT® and compatible terminal models
<b>Number of Keys</b>	122 US/Worldwide
<b>Size</b>	525 mm x 215 mm x 45 mm (22.6" x 8.5" x 1.8")
<b>Required Voltage</b>	5 volts ± 10%
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Layouts Available</b>	3270, 5250, and customized layouts in many different languages
<b>Cable</b>	2.0 mm (78") attached cable with 6-pin mini DIN, or 5-pin DIN
<b>Weight</b>	2.3 kg (5.1 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149"); 3.0 mm (.118") EQT
<b>Peak Tactile Force (PTF)</b>	72 gms BS; 67 gms EQT; ± 20 gms
<b>Travel PTF</b>	2.5 mm typical BS; 1.0 mm EQT
<b>Keyswitch Life</b>	Minimum 25 million BS; 10 million EQT
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

The "Emulator" keyboards feature the same crisp, tactile feedback as other IBM and Lexmark keyboards. Unicomp's patented buckling spring key technology has brought back the standard by which quality keyboards are measured. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely on-line at [www.pckeyboard.com](http://www.pckeyboard.com).



Your Key Component

## Point of Sale (POS) Keyboard

*Combining Devices For a Complete Solution*



### Features

- IBM® and IBM® compatible terminal systems
- Curved profile, user-adjustable angle
- Audible and tactile feedback (buckling spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Customizable 101, 104 and 122 (shown above) models available with many language formats
- Compatible with Microsoft® Windows and most POS software
- Integrated pointing device models available
- Made in the USA
- 18-month parts and labor warranty

Unicomp offers a complete solution for your Point of Sale needs. The POS line of products allow you to incorporate peripheral devices into one compact space.


IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

Copyright © 2004 Unicomp, Inc., All rights reserved.

### Technical Summary

<b>Keyboard Compatibility</b>	Keyboard layouts vary, 24 function buttons IBM® PS/2®, AT® and compatible terminal models
<b>Number of Keys</b>	122 US/Worldwide
<b>Size</b>	525 mm x 215 mm x 45 mm (22.6" x 8.5" x 1.8")
<b>Required Voltage</b>	5 volts ± 10%
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Layouts Available</b>	3270, 5250, and customized layouts in many different languages
<b>Cable</b>	2.0 mm (78") attached cable with 6-pin mini-DIN, or 5-pin DIN
<b>Weight</b>	2.3 kg (5.1 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149"); 3.0 mm (.118") EQT
<b>Peak Tactile Force (PTF)</b>	72 gms BS; 67 gms EQT; ± 20 gms
<b>Travel PTF</b>	2.5 mm typical BS; 1.0 mm EQT
<b>Keyswitch Life</b>	Minimum 25 million BS; 10 million EQT
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

Choose a 101 or 104 key model or select the popular 122-key model shown above. All models are available with either a magnetic stripe reader, external bar code port, integrated pointing device, or all of the above. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely on-line at [www.pckeyboard.com](http://www.pckeyboard.com).



Your Key Component

## The 122 Key Terminal Keyboard

*True Terminal Keyboards Are Still Available!*



### Features

- IBM® and IBM® compatible terminal systems
- Curved profile, user-adjustable angle
- Audible and tactile feedback (buckling spring)
- Tactile feedback (Enhanced Quiet Touch)
- Spill resistant design
- Customizable with many language formats available
- Made in the USA
- 18-month parts and labor warranty

The IBM-style 122 key keyboards are back! Unicomp's "Terminal" provides the user with a better solution for their terminal system needs. Numerous layouts are available including the widely used 5250 and 3270 models.


IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

Copyright © 2004 Unicomp, Inc., All rights reserved.

### Technical Summary

<b>Keyboard Compatibility</b>	Keyboard layouts vary, 24 function buttons IBM® PS/2®, AT® and compatible terminal models
<b>Number of Keys</b>	122 US/Worldwide
<b>Size</b>	525 mm x 215 mm x 45 mm (22.6" x 8.5" x 1.8")
<b>Required Voltage</b>	5 volts ± 10%
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Layouts Available</b>	3270, 5250, and customized layouts in many different languages
<b>Cable</b>	2.0 mm (78") attached cable with RJ45, 6-pin mini DIN, or 5-pin DIN
<b>Weight</b>	2.3 kg (5.1 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149"); 3.0 mm (.118") EQT
<b>Peak Tactile Force (PTF)</b>	72 gms BS; 67 gms EQT; ± 20 gms
<b>Travel PTF</b>	2.5 mm typical BS; 1.0 mm EQT
<b>Keyswitch Life</b>	Minimum 25 million BS; 10 million EQT
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

The "Terminal" keyboards feature the same crisp, tactile feedback as other IBM and Lexmark keyboards. Unicomp's patented buckling spring key technology has brought back the standard by which quality keyboards are measured. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely on-line at [www.pckeyboard.com](http://www.pckeyboard.com).



Your Key Component

# The EnduraPro 104 Keyboard

*Expect More From Your Keyboard*



## Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle requires 20% less desk space
- Audible and tactile feedback
- Integrated pointing stick mouse
- Available in raven black or classic pearl white (as shown)
- Factory programmable
- Patented home row placement between the G-B-H keys
- External PS/2 mouse support via pass-through port
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

Unicomp's EnduraPro keyboard is the ideal product for those who expect more from their keyboard. It combines flexibility with functionality to provide the most complete desktop solution available today.


IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

Copyright © 2004 Unicomp, Inc., All rights reserved.

## Technical Summary

<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	104 US English only at this time
<b>Size</b>	454 mm x 181 mm x 48 mm (17.9" x 7.1" x 1.9")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	2.5 m (100") attached Y cable with PS/2® connectors
<b>Total Weight</b>	1.7 kg (3.6 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149")
<b>Peak Tactile Force</b>	72 gms ± 20 gms
<b>Travel to Peak Tactile Force</b>	2.5 mm typical (BS)
<b>Keyswitch Life</b>	25 million minimum
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA
<b>Mouse Life Expectancy</b>	5 million cycles of deflection
<b>Cursor Control</b>	Infinite direction--speed is function of force

At last a keyboard that works for you! The EnduraPro is the first in a series of keyboards that promises real choice to the end user. Featuring Unicomp's patented buckling spring key technology, the EnduraPro sets a new standard for the industry. Contact us at 800-777-4886 to talk with a Unicomp representative.



Your Key Component

## The Mighty Mouse Space Saver Keyboard

*Developed with confined workspaces in mind*



### Features

- IBM® PS/2®, AT® and compatible models
- Low profile, user-adjustable angle and small footprint
- Tactile feedback
- Available with or without pointing stick
- Patented home row placement between the G-B-H keys
- Available in raven black or classic pearl white
- Optional numeric keypad
- External PS/2 mouse support via pass-through port
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

The 84-key space saving model referred to as the “Mighty Mouse” is the premier keyboard for confined workspaces. It offers all the functions of a standard keyboard in two-thirds the space.


IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

### Technical Summary

<b>Keyboard</b>	84-key QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	84 US/85 worldwide
<b>Size</b>	330 mm x 160 mm x 44 mm (13.0" x 6.3" x 1.7")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	With mouse, 2.5 m (100") attached Y cable with PS/2® connectors, without mouse, 2.0 m straight attached cable
<b>Total Weight</b>	.76 kg (1.7 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.0 mm (.18")
<b>Peak Tactile Force (PTF)</b>	60 gms ± 20 gms
<b>Travel to PTF</b>	1.0 mm typical (BS)
<b>Keyswitch Life</b>	10 million minimum
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA
<b>Mouse Life Expectancy</b>	5 million cycles of deflection
<b>Cursor Control</b>	Infinite direction--speed is function of force

The Mighty Mouse features a specially engineered rubber dome mechanism that offers a crisp, tactile feedback similar to its IBM and Lexmark predecessors. Contact us at 800-777-4886 to talk with a Unicom representative about purchasing yours or incorporating it into your OEM product line. Order safely at [www.pckeyboard.com](http://www.pckeyboard.com).

Copyright © 2004 Unicom, Inc., All rights reserved.



Your Key Component

## The Pointing Stick 101 Keyboard

*Your Fingers Will Never Leave Your Keyboard Again!*



### Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback
- Available with buckling spring only
- Spill-resistant design
- Integrated pointing stick using FSR technology
- Patented home row placement - "GBH" keys
- External PS/2 mouse support
- Many language formats available
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

### Technical Summary


<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	101 US/102 Worldwide
<b>Size</b>	492 mm x 210 mm x 45 mm (19.4" x 8.3" x 1.8")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	2.5 (100") coiled Y cable with 6-pin mini DIN
<b>Weight</b>	2.0 kg (4.4 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149")
<b>Peak to Tactile Force (PTF)</b>	72 gms ± 20 gms
<b>Travel PTF</b>	1.9 mm typical
<b>Keyswitch Life</b>	Minimum 25 million
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

Unicomp's "On The Stick" keyboard is the ideal product for users who need a space saving solution. Once seen only in laptops, these popular devices leave the cursor right at your fingertips.

The "On The Stick" 101 keyboard features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicomp's patented buckling spring key technology has brought back the standard by which quality keyboards are measured. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely on-line at [www.pckeyboard.com](http://www.pckeyboard.com).

IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.

Copyright © 2004 Unicomp, Inc., All rights reserved.



Your Key Component

## The Trackball Keyboard

### *The On-The-Ball 101 Keyboard*



#### Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback (buckling spring)
- Tactile feedback (Enhanced Quiet Touch - EQT)
- Integrated 25 mm trackball
- Available in pearl white only
- Spill resistant design
- Customizable with many language formats available
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty

Unicomp's On-The-Ball Keyboard is the same product that *Personal Computing* once called "the industry's best." It features an integrated trackball with dual functioning mouse button controls for greater flexibility and comfort.


PC Computing and ZDTV are trademarks of Ziff Davis Corporation. IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.

Copyright © 2004 Unicomp, Inc., All rights reserved.

#### Technical Summary

<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	101 US / 102 Worldwide
<b>Size</b>	492 mm x 210 mm x 45 mm (19.4" x 8.3" x 1.8")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	2.5 m (100") attached Y cable with PS/2® connectors
<b>Total Weight</b>	2.0 kg (4.4 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149") BS; 3.0 mm (.118) EQT
<b>Peak Tactile Force (PTF)</b>	72 gms ± 20 gms BS; 67 gms ± 20 gms EQT
<b>Cursor Control</b>	25 mm trackball with twin left/right buttons and unique locking function on top and front face of keyboard
<b>Travel to PTF</b>	2.5 mm typical (BS); 1.0 mm 1.9 typical (EQT)
<b>Keyswitch Life</b>	25 million (BS); 10 million EQT minimum
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

The On-The-Ball features the same crisp, tactile feedback as its IBM and Lexmark predecessors. Unicomp's patented buckling spring key technology has brought back the standard by which all keyboards are measured. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely on-line at [www.pckeyboard.com](http://www.pckeyboard.com).



Your Key Component

## The Trackball Plus Keyboard

*You'll never need a mouse again!*



### Features

- IBM® PS/2®, AT® and compatible models
- Curved profile, user-adjustable angle
- Audible and tactile feedback
- Integrated pointing stick plus a 25 mm trackball
- Dual mouse button sets with unique locking button feature
- Both the trackball and pointing stick can be used interchangeably
- Available in pearl white only
- Spill resistant design
- Customizable with many language formats available
- Microsoft® Windows compatible
- Made in the USA
- 18-month parts and labor warranty


### Technical Summary

<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	101 US / 102 Worldwide
<b>Size</b>	492 mm x 210 mm x 45 mm (19.4" x 8.3" x 1.8")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	2.5 m (100") attached Y cable with PS/2® connectors
<b>Total Weight</b>	2.0 kg (4.4 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.8 mm (.149") BS
<b>Peak Tactile Force (PTF)</b>	72 gms ± 20 gms BS
<b>Cursor Control</b>	25 mm trackball with twin left/right buttons and unique locking function on top and front face of keyboard
<b>Travel to PTF</b>	2.5 mm typical BS
<b>Keyswitch Life</b>	25 million BS
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

The On-The-Ball Plus features the same crisp, tactile feedback as its predecessors and includes an integrated pointing stick for added convenience. Unicomp's patented buckling spring key technology provides the unique "click" feel that so many users have grown to love. Contact us at 800-777-4886 to talk with a Unicomp representative about purchasing yours or incorporating it into your OEM product line. Order safely online at [www.pckeyboard.com](http://www.pckeyboard.com).

PC Computing and ZDTV are trademarks of Ziff Davis Corporation. IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation.

Copyright © 2004 Unicomp, Inc., All rights reserved.



Your Key Component

# The ValuePlus 104 Keyboard

*The Low Cost Keyboard With a Difference*



## Features

- IBM® PS/2®, AT® and compatible models
- Streamlined profile, user-adjustable angle requires 20% less desk space
- Soft touch with positive tactile feedback
- Models with commands printed on the buttons
- Available with mini DIN or DIN connector
- U.S. English only
- Microsoft® Windows compatible
- 12-month parts and labor warranty

## Technical Summary

<b>Keyboard</b>	Standard QWERTY layout with 12 function keys
<b>Compatibility</b>	IBM® PS/2®, AT® and compatible models
<b>Number of Keys</b>	104 US English only at this time
<b>Size</b>	464 mm x 159 mm x 35 mm (18.3" x 6.3" x 1.4")
<b>Required Voltage</b>	5 volts
<b>Storage Temperature</b>	-40°C to 60°C (-40°F to 140°F)
<b>Operating Temperature</b>	10°C to 40°C (50°F to 104°F)
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	1.8 m (170") attached cable with PS/2® or 5-pin DIN connector
<b>Total Weight</b>	8.4 kg (1.85 lbs.)
<b>Distance between Keys</b>	19.0 mm (.75")
<b>Total Travel Key</b>	3.0 mm (.118")
<b>Peak Tactile Force</b>	55 gms ± 10 gms
<b>Travel to Peak Tactile Force</b>	1.0 mm typical
<b>Keyswitch Life</b>	10 million minimum
<b>Agency Approvals</b>	FCC Class B, UL, CE and CSA

This keyboard delivers excellent performance at a price that even the most cost-conscious buyer will appreciate.

The ValuePlus is a reduced footprint keyboard with a solid look and feel that fits well with today's PCs. Contact us at 800-777-4886 to talk with a Unicom representative. Order safely on line at [www.pckeyboard.com](http://www.pckeyboard.com).

IBM, PS/2, and AT are trademarks of International Business Machines. Microsoft Windows is a trademark of Microsoft Corporation in the United States and/or other countries.



Your Key Component

# THE WEBBOARD 88 KEY KEYBOARD

The Unicom Keyboard Family Has Grown!



## Features

- IBM® PS/2®, AT® and compatible models
- User-adjustable angle and small footprint
- Tactile feedback (Customized Quiet Touch)
- Infra-red and cabled versions available
- 4 AA batteries included
- Two pointing stick devices
- Two sets of mouse buttons
- Internet browsing scroll buttons
- Multimedia control buttons included
- Microsoft® Windows 3.1x/95/98/® compatible
- One Year Parts and Labor Warranty

The Webboard adds a new twist to the popular Mighty Mouse line of products. Available in wireless and cabled models, it offers more choice and functionality for confined workspaces.

## Technical Summary

<b>Keyboard</b>	88 keys featuring QWERTY layout, 12 function buttons, Windows 95 buttons
<b>Compatibility</b>	IBM PS/2 compatible models
<b>Number of Keys</b>	88 US layout only
<b>Size</b>	340 mm x 170 mm x 28 mm
<b>Required Voltage</b>	5 Volts
<b>Storage Temp.</b>	20° C to 60° C
<b>Operating Temp.</b>	0° C to 50° C
<b>Operating Humidity</b>	8% to 80%
<b>Cable</b>	2.0 m coiled attached cable with 6 pin Mini Din
<b>Total Weight</b>	1 kg
<b>Distance Between Keys</b>	19.0 mm
<b>Total Travel Key</b>	4.0 mm
<b>Peak Tactile Force</b>	60gms +/- 20gms
<b>Travel to Peak Tactile Force</b>	1.0mm Typical
<b>Keyswitch Life</b>	10 Million Minimum
<b>Agency Approvals</b>	FCC Class B, CE approved

The Webboard features a specially engineered rubber dome mechanism that offers a crisp, tactile feedback similar to its IBM and Lexmark predecessors. The keyboard also offers the user several options including wireless capability, multiple pointing devices/mouse buttons, and scrolling button features. Contact us at 1-800-777-4886 to speak with a Unicom representative about purchasing yours. Order safely online at [www.pckeyboard.com](http://www.pckeyboard.com)