

# Part of Thermo Fisher Scientific

## SAFETY DATA SHEET

Creation Date 24-Jun-2014	Revision Date 24-Jun-2014	Revision Number 1		
	1. Identification			
Product Name	Zinc Acetate Dihydrate (Certified)			
Cat No. :	Z20-500; Z20-500LC			
Synonyms	Acetic acid, zinc salt, dihydrate.			
Recommended Use	Laboratory chemicals.			
Uses advised against Details of the supplier of the safety	No Information available data sheet			
<b>Company</b> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887			

2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Serious Eye Damage/Eye Irritation Category 4 Category 2

#### Label Elements

Signal Word Warning

#### Hazard Statements Harmful if swallowed Causes serious eye irritation



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear eye/face protection

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

- Rinse mouth
- Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

## 3. Composition / information on ingredients

Component	CAS-No	Weight %
Zinc Acetate dihydrate	5970-45-6	>95
Zinc acetate	557-34-6	-

	4. First-aid measures
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Obtain medical attention.
Ingestion	Do not induce vomiting. Obtain medical attention.
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically

5. Fire-fighting measures						
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.					
Unsuitable Extinguishing Media	No information available					
Flash Point Method -	No information available No information available					
Autoignition Temperature Explosion Limits	Not applicable					
Upper	No data available					
Lower Sensitivity to Mechanical Impact	No data available					
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available					

## Specific Hazards Arising from the Chemical

Do not allow run-off from fire fighting to enter drains or water courses.

## Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) zinc

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	<b>Flammability</b> 0	Instability 0	Physical hazards N/A					
	6. Accidental rel	ease measures						
Personal Precautions	Use personal protective equestion Avoid contact with skin, eye	uipment. Ensure adequate ver	tilation. Avoid dust formation.					
Environmental Precautions		the environment. See Section	12 for additional ecological					
Methods for Containment and Cle Up	Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.							
	7. Handling a	and storage						
Handling		quipment. Ensure adequate ven ngestion and inhalation. Avoid	entilation. Do not get in eyes, on dust formation.					
Storage	Keep containers tightly clos	ed in a dry, cool and well-vent	ilated place.					
8. Exposure controls / personal protection								
Exposure Guidelines	This product does not conta established by the region s		ith occupational exposure limits					
Engineering Measures		n, especially in confined areas se to the workstation location.	. Ensure that eyewash stations					
Personal Protective Equipment Eye/face Protection		e eyeglasses or chemical safe ction regulations in 29 CFR 19	y goggles as described by 10.133 or European Standard					
Skin and body protection Respiratory Protection	Wear appropriate protective Follow the OSHA respirator EN 149. Use a NIOSH/MSF	HA or European Standard EN	1910.134 or European Standard 149 approved respirator if					
Hygiene Measures	Handle in accordance with	ed or if irritation or other symp good industrial hygiene and sa e regular cleaning of equipmer	afety practice. When using, do not					

## 9. Physical and chemical properties

Physical State
Appearance
Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Relative Density
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature

Solid White vinegar-like No information available 6.0-7.0 (@ 25 ) 5% in water (25°C) 237 °C / 458.6 °F No information available No information available Not applicable No information available

No data available No data available No information available Not applicable 1.840 No information available No data available Not applicable Decomposition temperature Viscosity Molecular Formula Molecular Weight No information available Not applicable C4 H6 O4 Zn . 2 H2 O 219.5

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), zinc			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

## 11. Toxicological information

Acute Toxicity

## Product Information

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc Acetate dihydrate	794 mg/kg (Rat)	Not listed	Not listed
Zinc acetate	2510 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic	No information available		

#### Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to eyes

Sensitization No information available

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Zinc Acetate dihydrate	5970-45-6	Not listed	Not listed	Not listed	Not listed	Not listed	
Zinc acetate	557-34-6	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	S	No information ava	ailable.				
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated exp		None known None known					
Aspiration hazard		No information ava	ailable				
Symptoms / effects both acute and dela	•	No information available					
Endocrine Disrupto	r Information	No information ava	ailable				
Other Adverse Effect	cts	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.					

## 12. Ecological information

#### Ecotoxicity

Very toxic to aquatic organisms. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea					
Zinc Acetate dihydrate	Not listed	LC50: 0.88 mg/l/96 H (Pimephales proelas) LC50: 0.55mg/l/96 H (Onchorynchus mykiss)	Not listed	Not listed					
Persistence and Degradability Soluble in water May persist									
Bioaccumulation/ Accumulation No information available.									
Mobility	Will likely be	mobile in the environment	due to its water solubility.						
	13. Di	sposal considera	ations						
Waste Disposal Methods	hazardous w	ste generators must deterr aste. Chemical waste gen ardous waste regulations to	erators must also consult						
	14. Transport information								
DOT UN-No Proper Shipping Nam Proper technical nam Hazard Class Packing Group TDG UN-No Proper Shipping Nam Hazard Class Packing Group IATA UN-No Proper Shipping Nam Hazard Class Packing Group	e (ZINC ACET) 9 III UN3077 e ENVIRONME 9 III UN3077	ENTALLY HAZARDOUS SI ATE DIHYDRATE) ENTALLY HAZARDOUS SI ENTALLY HAZARDOUS SI	UBSTANCES, SOLID, N.(	O.S.					
IMDG/IMO UN-No Proper Shipping Nam Hazard Class Packing Group	UN3077 e ENVIRONME 9 III	ENTALLY HAZARDOUS S	UBSTANCE, SOLID, N.O	.S.					
15. Regulatory information									

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Zinc Acetate dihydrate	-	Х	-	-	-		Х	-	Х	Х	-
Zinc acetate	Х	Х	-	209-170-2	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA. S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

#### TSCA 12(b)

Not applicable

#### SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc Acetate dihydrate	5970-45-6	>95	1.0
Zinc acetate	557-34-6	-	1.0
SARA 311/312 Hazardous Categorization		•	
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

#### Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Zinc Acetate dihydrate	-	-	Х	-
Zinc acetate	Х	1000 lb	Х	-

#### **Clean Air Act**

**OSHA** Occupational Safety and Health Administration Not applicable

#### CERCLA

Component	Hazardous	Substances RQs	CERCLA EHS RQs
Zinc acetate	1	000 lb	-
California Proposition 65	This product doos not contain	any Proposition 65 ch	omicals

California Proposition 65 This product does not contain any Proposition 65 chemicals

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Zinc Acetate dihydrate	-	Х	Х	-	-
Zinc acetate	Х	Х	Х	-	-

## U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade

No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

D1B Toxic materials D2B Toxic materials



## 16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 24-Jun-2014 24-Jun-2014 24-Jun-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

#### Disclaimer

**Prepared By** 

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

## **End of SDS**