# **SIGMA-ALDRICH**

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.2 Revision Date 30.04.2013 Print Date 16.01.2017 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

SEC		substance/mixture and of the company/undertaking
1.1	Product identifiers Product name	<sup>:</sup> Barium manganate
	Product Number Brand Index-No. REACH No. CAS-No.	<ul> <li>210196</li> <li>Aldrich</li> <li>056-002-00-7</li> <li>A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.</li> <li>7787-35-1</li> </ul>
1.2		the substance or mixture and uses advised against
	Identified uses	: Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the	ne safety data sheet
	Company	: Sigma-Aldrich Chemie GmbH Riedstrasse 2 D-89555 STEINHEIM
	Telephone Fax E-mail address	<ul> <li>+49 89-6513-1444</li> <li>+49 7329-97-2319</li> <li>eurtechserv@sial.com</li> </ul>
1.4	Emergency telephone num	ber
	Emergency Phone #	: 0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)
SEC	TION 2: Hazards identificatio	n
2.1	Classification of the substance or mixture	
	Classification according to Regulation (EC) No 1272/2008 Oxidizing solids (Category 2), H272 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Oral (Category 4), H302	
	For the full text of the H-Statements mentioned in this Section, see Section 16.	
	Classification according to O Oxidising Xn Harmful	EU Directives 67/548/EEC or 1999/45/EC R 8 R20/22
	For the full text of the R-phra	ses mentioned in this Section, see Section 16.
2.2	Label elements	
	Labelling according Regular Pictogram	ation (EC) No 1272/2008
	Signal word	Danger
	Hazard statement(s) H272	May intensify fire; oxidiser.

H302 H332	Harmful if swallowed. Harmful if inhaled.
Precautionary statement(s) P220	Keep/Store away from clothing/ combustible materials.
Supplemental Hazard Statements	none

#### 2.3 Other hazards - none

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	:	BaMnO <sub>4</sub>
Molecular Weight	:	256,26 g/mol
CAS-No.	:	7787-35-1
EC-No.	:	232-109-6
Index-No.	:	056-002-00-7

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

	Classification	Concentration
7787-35-1	Ox. Sol. 2; Acute Tox. 4;	<= 100 %
232-109-6	H272, H302 + H332	
056-002-00-7		
	232-109-6	7787-35-1       Ox. Sol. 2; Acute Tox. 4;         232-109-6       H272, H302 + H332

#### Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Barium manganate			
CAS-No. EC-No. Index-No.	7787-35-1 232-109-6 056-002-00-7	Xn, R20/22	<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3 Indication of any immediate medical attention and special treatment needed** no data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Barium oxide, Manganese/manganese oxides

#### **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

#### **5.4** Further information Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions Do not let product enter drains.

- 6.3 Methods and materials for containment and cleaning up Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

## 7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: dark grey
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	no data available
f)	Initial boiling point and boiling range	no data available
g)	Flash point	not applicable
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or	no data available

explosive limits

- k) Vapour pressure no data available
- I) Vapour density no data available
- m) Relative density 4,85 g/cm3 at 25 °C
- n) Water solubility no data available
- Partition coefficient: n- no data available octanol/water
- p) Auto-ignition no data available temperature
- q) Decomposition no data available temperature
- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 2.
- 9.2 Other safety information no data available

## SECTION 10: Stability and reactivity

- 10.1 Reactivity no data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4 Conditions to avoid** Avoid moisture.
- **10.5 Incompatible materials** acids, Reducing agents
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity no data available

## Skin corrosion/irritation no data available

# Serious eye damage/eye irritation no data available

# Respiratory or skin sensitisation no data available

## Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

no data available

## Specific target organ toxicity - single exposure no data available

# Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

#### **Additional Information**

RTECS: Not available

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

- 12.1 Toxicity no data available
- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## **Contaminated packaging**

Dispose of as unused product.

SEC	TION 14: Transport in	formation		
14.1	<b>UN number</b> ADR/RID: 1479	IMDG: 1479	IATA: 1479	
14.2	ADR/RID: OXIDIZIN IMDG: OXIDIZIN	<b>name</b> NG SOLID, N.O.S. (Barium manganate) NG SOLID, N.O.S. (Barium manganate) I solid, n.o.s. (Barium manganate)		
14.3	Transport hazard cl ADR/RID: 5.1	ass(es) IMDG: 5.1	IATA: 5.1	

14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no

**14.6** Special precautions for user no data available

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H332	Harmful if inhaled.
Ox. Sol.	Oxidizing solids

#### Full text of R-phrases referred to under sections 2 and 3

Xn	Harmful
R 8	Contact with combustible material may cause fire.
R20/22	Harmful by inhalation and if swallowed.

#### **Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.