



## Tension

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.


## Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

## Abbreviations

**K**=knit; **P**=purl; **st**=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **tbl**=through back of loops; **inc**=increase by working into front and back of st; **dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **fol**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **in**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **yfwd**=yarn forward; **psso**=pass slip st over; **patt**=pattern; **0**=no st, row or time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

**K1bw**=K1 below, K into next st 1 row below, at the same time slipping off st above (see diagram).



**MB**=make bobble as follows: (K1, P1, K1, P1, K1, P1, K1) in next st, then pass 2nd, 3rd, 4th, 5th, 6th and 7th sts on right needle separately over first st.

**Tw2R**=K into front of second st on left needle, then K into front of first st and slip both sts off needle together.

**Tw2L**=K into back of second st on left needle, then K into front of first st and slip both sts off needle together.

**Cr2FP**=slip next st on cable pin and leave at front of work, P1, then K1 from cable pin.

**Cr2BP**=slip next st on cable pin and leave at back of work, K1, then P1 from cable pin.

**Cr3FP**=slip next st on cable pin and leave at front of work, P2, then K1 from cable pin.

**Cr3BP**=slip next 2 sts on cable pin and leave at back of work, K1, then P2 from cable pin.

## U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Instructions are given for the first size, with larger size(s) given in square brackets [ ]. Where only one figure is given this applies to both (all) sizes.

Before starting to knit, read the instructions carefully and circle all figures relating to your size with a coloured pencil.

## Drying Instructions

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	cm
---	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----

# Design 1

## Sweaters

### Measurements

#### To fit chest

41	46	51	56	cm
16	18	20	22	in

#### Actual size

#### 3 Ply Versions

45	51	57	60	cm
17 <sup>1/2</sup>	20	22 <sup>1/2</sup>	23 <sup>1/2</sup>	in

#### 4 Ply Versions

48	54	61	64	cm
19	21 <sup>1/2</sup>	24	25	in

#### DK Versions

46	54	59	61	cm
18	21 <sup>1/2</sup>	23	24	in

#### Finished length, approx

22	25	28	31	cm
8 <sup>1/2</sup>	10	11	12	in

#### Sleeve, measured down centre

11	14	16	18	cm
4 <sup>1/2</sup>	5 <sup>1/2</sup>	6 <sup>1/2</sup>	7	in

### Quantities

#### 3 Ply Versions

##### Patons Fairytale 3 ply (3300) - V and Crew Neck Versions

2	2	2	3	50 gram balls
---	---	---	---	---------------

#### 4 Ply Versions

##### Patons Fairytale 4 ply (4300) - V and Crew Neck Versions

2	2	3	3	50 gram balls
---	---	---	---	---------------

#### DK Versions

##### Patons Fairytale DK (6300) - V and Crew Neck Versions

2	3	3	3	50 gram balls
---	---	---	---	---------------

Quantities of yarn are approximate as they are based on average requirements.

Check actual yarn colour - as printing may not match yarn exactly.

#### 3 Ply Versions

Pair each Patons 2<sup>1/4</sup> mm (UK 13/USA 1) and 3mm (UK 11/USA 3) needles.

#### 4 Ply Versions

Pair each Patons 2<sup>3/4</sup> mm (UK 12/USA 2) and 3<sup>1/4</sup> mm (UK 10/USA 3) needles.

#### DK Versions

Pair each Patons 3<sup>1/4</sup> mm (UK 10/USA 3) and 4 mm (UK 8/USA 6) needles.

#### All Versions

3 buttons. Ribbon rose buds (if required).

#### Tension

#### 3 Ply Versions

32 sts and 40 rows to 10 cm (stocking st) on 3mm needles or size needed to achieve stated tension.

#### 4 Ply Versions

28 sts and 36 rows to 10 cm (stocking st) on 3<sup>1/4</sup> mm needles or size needed to achieve stated tension.

#### DK Versions

22 sts and 30 rows to 10 cm (stocking st) on 4 mm needles or size needed to achieve stated tension.

For notes and abbreviations, see first page of text.

### 3 PLY V NECK VERSION

#### BACK

\*\*With 2<sup>1/4</sup> mm needles, cast on 71 [81, 91, 95] sts.

**Rib row 1** - (RS), \*K1, P1; rep from \* to last st, K1.

**Rib row 2** - P1, \*K1, P1; rep from \* to end.

Rep these 2 rows 7 times more, thus ending with row 2.

**Change to 3 mm needles** and starting with a K row, work in stocking st until Back meas 9 [11, 13, 15] cm, ending with RS facing for next row.

#### Shape raglans

Cast off 2 [3, 3, 3] sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.\*\*

Rep last 4 rows 5 [4, 2, 1] times more (55 [65, 79, 85] sts).

Dec 1 st as before at each end of next and every alt row until 45 [47, 49, 49] sts rem. Work 1 row, thus ending with RS facing for next row.

#### Divide for back opening

**Row 1** - K2, sL1K, K1, pssso, K21 [22, 23, 23], turn and work this side first (24 [25, 26, 26] sts).

**Row 2** - K5, P to end.

**Row 3** - K2, sL1K, K1, pssso, K to end.

Rep rows 2 and 3 twice more, then row 2 once more.

**Row 9** - (Buttonhole row), K2, sL1K, K1, pssso, K to last 3 sts, yfwd, K2tog, K1.

Rep last 8 rows once more (16 [17, 18, 18] sts).

Work 1 row, thus ending with RS facing for next row. Leave rem 16 [17, 18, 18] sts on a spare needle.

With RS facing, rejoin yarn to rem sts, cast on 5 sts for Button Border, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings and omitting buttonholes, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

### FRONT

Work as Back from \*\* to \*\*.

Rep last 4 rows 3 [3, 2, 1] times more (59 [67, 79, 85] sts).

**56 cm size:** Dec 1 st as before at each end of next and every alt row until 79 sts rem. Work 1 row.

#### All sizes: Shape V Neck

**Next row** - K2, sL1K, K1, pssso, K25 [29, 35, 35], turn and work this side first (28 [32, 38, 38] sts).

**41 and 46 cm sizes:** Dec 1 st as before at raglan edge on every foll 4th row, **at the same time**, dec 1 st at neck edge on every alt row from previous dec until 22 [29] sts rem.

**All sizes:** Dec 1 st as before at raglan edge on every alt row, **at the same time** dec 1 st at neck edge on every alt row from previous dec until 16 [19, 28, 28] sts rem. Dec 1 st as before at raglan edge on every alt row 9 [11, 17, 17] times, **at the same time** dec 1 st at neck edge on every foll 4th row 4 [5, 8, 8] times (3 sts).

**Next row** - P3.

**Next row** - K1, sL1K, K1, pssso.

**Next row** - P2.

**Next row** - K2tog and fasten off.

With RS facing, slip first st on a safety-pin, rejoin yarn to rem sts, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

## SLEEVES

With 2 1/4 mm needles, cast on 39 [41, 43, 47] sts and work in rib as on Back for 9 [9, 11, 11] rows, thus ending with row 1.

**Increase row:** Rib 2 [3, 4, 1], \*M1 (by picking up horizontal loop lying before next st and working into back of it), rib 5; rep from \* to last 2 [3, 4, 1] sts, M1, rib to end (47 [49, 51, 57] sts).

**Change to 3 mm needles** and starting with a K row, work in stocking st, shaping sides by inc 1 st at each end of 5th and every foll alt [alt, alt, 4th] row until there are 57 [55, 55, 65] sts, then on every foll 4th [4th, 4th, 6th] row until there are 61 [67, 71, 75] sts.

Work straight until Sleeve meas 11 [14, 16, 18] cm, ending with RS facing for next row.

### Shape raglans

Cast off 2 [3, 3, 3] sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.

Rep last 4 rows 1 [2, 2, 2] times more (53 [55, 59, 63] sts).

Dec 1 st as before at each end of next and every alt row until 9 [11, 11, 13] sts rem. Work 1 row, thus ending with RS facing. Cast off.

## MAKE UP

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 2 1/4 mm needles, K16 [17, 18, 18] from left back, **knit up** 43 [50, 57, 59] sts evenly across top of left sleeve and down left side of neck, K st from safety-pin (mark this st with a coloured thread), **knit up** 43 [50, 57, 59] sts evenly up right side of neck and across top of right sleeve, then K16 [17, 18, 18] from right back (119 [135, 151, 155] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, P1, P2togtbl, \*\*K1, P1; rep from \*\* to last 5 sts, K5.

**Row 2** - K6, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, K1, P2togtbl, K1, \*\*P1, K1; rep from \*\* to last 5 sts, K5.

Rep these 2 rows 3 times more, then row 1 once more, working buttonhole as before on 4th of these rows.

Cast off in rib, dec as before.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.

## 3 PLY CREW NECK VERSION

### BACK AND SLEEVES

Work as Back and Sleeves of 3 Ply V Neck Version.

### FRONT

Work as Back of 3 Ply V Neck Version from \*\* to \*\*.

Rep last 4 rows 5 [4, 2, 1] times more (55 [65, 79, 85] sts).

Dec 1 st as before at each end of next and every alt row until 43 [45, 49, 49] sts rem. Work 1 row, thus ending with RS facing for next row.

### Shape Neck

**Next row** - K2, sL1K, K1, pssso, K11 [11, 13, 13], turn and work this side first (14 [14, 16, 16] sts).

Dec 1 st as before at raglan edge on every alt row, **at the same time** dec 1 st at neck edge on every alt row from previous dec until 4 sts rem. Work 1 row. Dec 1 st at raglan edge **only** on next row (3 sts).

**Next row** - P3.

**Next row** - K1, sL1K, K1, pssso.

**Next row** - P2.

**Next row** - K2tog and fasten off.

With RS facing, slip first 13 [15, 15, 15] sts on a spare needle, rejoin yarn to rem sts, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

## MAKE UP

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 2 1/4 mm needles, K16 [17, 18, 18] from left back, **knit up** 25 [27, 29, 31] sts across top of left sleeve and down left side of neck, K13 [15, 15, 15] from front, **knit up** 25 [27, 29, 31] sts up right side of neck and across top of right sleeve, then K16 [17, 18, 18] from right back (95 [103, 109, 113] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to last 4 sts, K4.

**Row 2** - K6, \*P1, K1; rep from \* to last 5 sts, K5.

Rep these 2 rows 3 times more, then row 1 once more, working a buttonhole as before on 4th of these rows.

Cast off in rib.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.

## 4 PLY V NECK VERSION

### BACK

\*\*With 2 3/4 mm needles, cast on 67 [75, 85, 89] sts.

**Rib row 1** - (RS), \*K1, P1, rep from \* to last st, K1.

**Rib row 2** - P1, \*K1, P1; rep from \* to end.

Rep these 2 rows 7 times more, thus ending with row 2.

**Change to 3 1/4 mm needles** and starting with a K row, work in stocking st until Back meas 9 [11, 13, 15] cm, ending with RS facing for next row.

### Shape raglans

Cast off 3 [3, 4, 4] sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.\*\*

Rep last 4 rows 6 [4, 3, 3] times more (47 [59, 69, 73] sts).

**41 cm size:** Dec 1 st as before at each end of next row (45 sts). Work 1 row.

**46, 51 and 56 cm sizes:** Dec 1 st as before at each end of next and every alt row until [45, 47, 47] sts rem. Work 1 row.

### All sizes: Divide for back opening

**Row 1** - K2, sL1K, K1, pssso, K21 [21, 22, 22], turn and work this side first (24 [24, 25, 25] sts).

**Row 2** - K5, P to end.

**Row 3** - K2, sL1K, K1, pssso, K to end.

Rep rows 2 and 3 twice more, then row 2 once more.

**Row 9** - (Buttonhole row), K2, sL1K, K1, pssso, K to last 3 sts, yfwd, K2tog, K1.

Rep last 8 rows once more (16 [16, 17, 17] sts).

Work 1 row, thus ending with RS facing. Leave rem sts on a spare needle.

With RS facing, rejoin yarn to rem sts, cast on 5 sts for Button Border, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings, omitting buttonholes, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

### FRONT

Work as Back from \*\* to \*\*.

Rep last 4 rows twice more (55 [63, 71, 75] sts).

Dec 1 st as before at each end of next row (53 [61, 69, 73] sts). Work 1 row.

### Shape V neck

**Next row** - K26 [30, 34, 36], turn and work this side first.

**41 and 46 cm sizes:** Work 1 row. Dec 1 st as before at raglan edge on next and every foll 4th row **at the same time** dec 1 st at neck edge on next and every alt row until 15 [25] sts rem.

**41 cm size:** Work 1 row.

**Next row** - K2, sL1K, K1, pssso, K to last 2 sts, K2tog (13 sts).

**46, 51 and 56 cm sizes:** Work 1 row. Dec 1 st as before at raglan edge on next and every alt row. **at the same time** dec 1 st at neck edge on next and every alt row until [19, 22, 28] sts rem.

**All sizes:** Dec 1 st as before at raglan edge on every alt row 7 [11, 13, 17] times, **at the same time** dec 1 st as before at neck edge on every foll 4th row 3 [5, 6, 8] times (3 sts).

**Next row** - P3.

**Next row** - K1, sL1K, K1, pssso.

**Next row** - P2.

**Next row** - K2tog and fasten off.

With RS facing, slip first st on a safety-pin, rejoin yarn to rem sts, K to end.

Work to match first side, reversing shapings, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

## SLEEVES

With 2 <sup>3</sup>/<sub>4</sub> mm needles, cast on 37 [39, 39, 45] sts and work in rib as on Back for 9 [9, 11, 11] rows, thus ending with row 1.

**Increase row:** Rib 4 [2, 2, 2], \*M1 (by picking up horizontal loop lying before next st and working into back of it), rib 6 [5, 4, 6]; rep from \* to last 3 [2, 1, 1] sts, M1, rib to end. (43 [47, 49, 53] sts).

**Change to 3 <sup>1</sup>/<sub>4</sub> mm needles** and starting with a K row, work in stocking st, shaping sides by inc 1 st at each end of 5th and every foll alt [alt, 4th, 4th] row until there are 53 [53, 59, 61] sts, then on every foll 4th [4th, 6th, 6th] row until there are 57 [63, 65, 71] sts.

Work straight until Sleeve meas 11 [14, 16, 18] cm, ending with RS facing for next row.

### Shape raglans

Cast off 3 [3, 4, 4] sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.

Rep last 4 rows 2 [2, 4, 4] times more (45 [51, 47, 53] sts).

Dec 1 st as before at each end of next and every alt row until 9 [11, 11, 13] sts rem. Work 1 row, thus ending with RS facing. Cast off.

## MAKE UP

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 2 <sup>3</sup>/<sub>4</sub> mm needles, K16 [16, 17, 17] from left back, **knit up** 43 [49, 52, 58] sts across top of sleeve and evenly down left side of neck, K st from safety-pin (mark this st with a coloured thread), **knit up** 43 [49, 52, 58] sts evenly up right side of neck and across top of right sleeve, then K16 [16, 17, 17] from right back (119 [131, 139, 151] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, P1, P2togtbl, \*\*K1, P1; rep from \*\* to last 5 sts, K5.

**Row 2** - K6, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, K1, P2togtbl, K1, \*\*P1, K1; rep from \*\* to last 5 sts, K5.

Rep these 2 rows 3 times more, then row 1 once more, working buttonhole as before on 4th of these rows.

Cast off in rib.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.

## 4 PLY CREW NECK VERSION

### BACK AND SLEEVES

Work as Back and Sleeves of 4 Ply V Neck Version.

### FRONT

Work as Back of 4 Ply V Neck Version from \*\* to \*\*.

Rep last 4 rows 6 [4, 3, 3] times more (47 [59, 69, 73] sts).

Dec 1 st as before at each end of next and every alt row until 43 [43, 47, 47] sts rem. Work 1 row, thus ending with RS facing for next row.

### Shape Neck

**Next row** - K2, sL1K, K1, pssso, K11 [11, 13, 13], turn and work this side first (14 [14, 16, 16] sts).

Dec 1 st as before at raglan edge on every alt row **at the same time** dec 1 st at neck edge on every alt row until 4 sts rem. Work 1 row. Dec 1 st as before at raglan edge **only** on next row (3 sts).

**Next row** - P3.

**Next row** - K1, sL1K, pssso.

**Next row** - P2.

**Next row** - K2tog and fasten off.

With RS facing, slip first 13 sts on a spare needle, rejoin yarn to rem sts, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

## MAKE UP

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 2 <sup>3</sup>/<sub>4</sub> mm needles, K16 [16, 17, 17] from left back, **knit up** 25 [27, 29, 31] sts across top of left sleeve and down left side of neck, K13 from front, **knit up** 25 [27, 29, 31] sts up right side of neck and across top of right sleeve, then K16 [16, 17, 17] from right back (95 [99, 105, 109] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to last 4 sts, K4.

**Row 2** - K6, \*P1, K1; rep from \* to last 5 sts, K5.

Rep these 2 rows 3 times more, then row 1 once more, working a buttonhole as before on 4th of these rows.

Cast off loosely in rib.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.

## DK V NECK VERSION

### BACK

\*\*With 3 <sup>1</sup>/<sub>4</sub> mm needles, cast on 51 [59, 65, 67] sts.

**Rib row 1** - (RS), \*K1, P1; rep from \* to last st, K1.

**Rib row 2** - P1, \*K1, P1; rep from \* to end.

Rep these 2 rows 5 times more, thus ending with row 2.

**Change to 4 mm needles** and starting with a K row, work in stocking st until Back meas 9 [11, 13, 16] cm, ending with RS facing for next row.

### Shape raglans

Cast off 3 sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.\*\*

Rep last 4 rows 5 [3, 3, 2] times more (33 [45, 51, 55] sts).

**46, 51 and 56 cm sizes:** Dec 1 st as before at each end of next and every alt row until [35, 37, 37] sts rem. Work 1 row.

### All sizes: Divide for back opening

**Row 1** - K2, sL1K, K1, pssso, K15 [16, 17, 17], turn and work this side first (18 [19, 20, 20] sts).

**Row 2** - K5, P to end.

**Row 3** - K2, sL1K, K1, pssso, K to end.

Rep rows 2 and 3 once more, then row 2 once more.

**Row 7** - (Buttonhole row), K2, sL1K, K1, pssso, K to last 3 sts, yfwd, K2tog, K1.

Rep last 6 rows once more (12 [13, 14, 14] sts). Work 1 row, thus ending with RS facing. Leave rem sts on a spare needle.

With RS facing, rejoin yarn to rem sts, cast on 5 sts for Button Border, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings and omitting buttonholes, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

---

## FRONT

---

Work as Back from \*\* to \*\*.

Rep last 4 rows once more (41 [49, 55, 57] sts).

Dec 1 st as before at each end of next row (39 [47, 53, 55] sts). Work 1 row.

### Shape V Neck

**Next row** - K19 [23, 26, 27], turn and work this side first.

**41, 46 and 51 cm sizes:** Work 1 row. Dec 1 st as before at raglan edge on next and every foll 4th row, **at the same time** dec 1 st at neck edge on next and every foll alt row until 14 [18, 21] sts rem.

**46 and 51 cm sizes:** Work 1 row.

**Next row** - K2, sL1K, K1, pssso, K to last 2 sts, K2tog ([16, 19] sts).

**41 and 56 cm sizes:** Work 3 [1] rows. Dec 1 st as before at each end of next and every foll 4th [alt] row until 10 [19] sts rem.

**All sizes:** Dec 1 st as before at raglan edge on foll 5 [9, 11, 11] alt rows, **at the same time** dec 1 st at neck edge on every foll 4th row 2 [4, 5, 5] times (3 sts).

**Next row** - P3.

**Next row** - K1, sL1K, K1, pssso.

**Next row** - P2.

**Next Row** - K2tog and fasten off.

With RS facing, slip first st on a safety-pin, rejoin yarn to rem sts, K to end.

Work to match first side, reversing shapings, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

---

## SLEEVES

---

With 3 1/4 mm needles, cast on 29 [29, 31, 33] sts and work in rib as on Back for 7 [7, 9, 9] rows, thus ending with row 1.

**Increase row:** Rib 4 [2, 3, 3], \*M1 (by picking up horizontal loop lying before next st and working into back of it), rib 7 [5, 5, 4]; rep from \* to last 4 [2, 3, 2] sts, M1, rib to end (33 [35, 37, 41] sts).

**Change to 4 mm needles** and starting with a K row, work in stocking st, shaping sides by inc 1 st at each end of 5th and every foll alt [alt, 4th, 6th] row until there are 39 [41, 49, 51] sts, then on every foll 4th [4th, 6th, 8th] row until there are 43 [49, 51, 53] sts.

Work straight until Sleeve meas 11 [14, 16, 18] cm, ending with RS facing for next row.

### Shape raglans

Cast off 3 sts at beg of next 2 rows.

**Next row** - K2, sL1K, K1, pssso, K to last 4 sts, K2tog, K2.

Work 3 rows, thus ending with RS facing for next row.

Rep last 4 rows 3 [2, 3, 3] times more (29 [37, 37, 39] sts).

Dec 1 st as before at each end of next and every alt row until 7 [9, 9, 11] sts rem. Work 1 row, thus ending with RS facing. Cast off.

---

## MAKE UP

---

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 3 1/4 mm needles, K12 [13, 14, 14] from left back, **knit up** 35 [40, 43, 45] sts evenly across top of left sleeve and down left side of neck, K st from safety-pin (mark this st with a coloured thread), **knit up** 35 [40, 43, 45] sts evenly up right side of neck and across top of right sleeve, then K12 [13, 14, 14] from right back (95 [107, 115, 119] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, P1, P2togtbl, \*\*K1, P1; rep from \*\* to last 5 sts, K5.

**Row 2** - K6, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, K1, P2togtbl, \*\*P1, K1; rep from \*\* to last 5 sts, K5.

Rep these 2 rows twice more, then row 1 once more, working buttonhole as before on 2nd of these rows. Cast off in rib.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.

---

## DK CREW NECK VERSION

---

### BACK AND SLEEVES

---

Work as Back and Sleeves of DK V Neck Version.

---

## FRONT

---

Work as Back of DK V Neck Version from \*\* to \*\*.

Rep last 4 rows 5 [3, 3, 2] times more (33 [45, 51, 55] sts).

Dec 1 st as before at each end of next and foll 0 [5, 6, 8] alt rows (31 [33, 37, 37] sts). Work 1 row.

### Shape neck

**Next row** - K2, sL1K, K1, pssso, K8 [8, 10, 10], turn and work this side first (11 [11, 13, 13] sts). Work 1 row.

Dec 1 st as before at raglan edge on next and every alt row, **at the same time** dec 1 st at neck edge on next and every alt row until 3 sts rem.

**Next row** - P3.

**Next row** - K1, sL1K, K1, pssso.

**Next Row** - P2.

**Next row** - K2tog and fasten off.

With RS facing, slip first 7 [9, 9, 9] sts on a spare needle, rejoin yarn to rem sts, K to last 4 sts, K2tog, K2.

Work to match first side, reversing shapings and omitting buttonholes, **noting** that **K2tog** will be worked in place of sL1K, K1, pssso at raglan shaping.

---

## MAKE UP

---

Omitting ribbing, press lightly under a **dry** cloth using a cool iron.

Join raglans.

### Neck Border

With RS facing and 3 1/4 mm needles, K12 [13, 14, 14] from left back, **knit up** 19 [20, 23, 25] sts across top of left sleeve and down left side of neck, K7 [9, 9, 9] from front, **knit up** 19 [20, 23, 25] sts up right side of neck and across top of right sleeve, then K12 [13, 14, 14] from right back (69 [75, 83, 87] sts).

**Row 1** - (WS), K5, \*P1, K1; rep from \* to last 4 sts, K4.

**Row 2** - K6, \*P1, K1; rep from \* to last 5 sts, K5.

Rep these 2 rows twice more, then row 1 once more, working a buttonhole as before on 2nd of these rows. Cast off in rib.

Join side and sleeve seams. Sew Button Border in position at base of opening and sew on buttons. Decorate with purchased ribbon rose buds as in photograph, if required.