



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		400
Se	0.00 µg/l	0 µg/l	-0.10		400
Cd	0.00 µg/l	0 µg/l	-0.10		400
Sn	0.00 µg/l	0 µg/l	-0.10		400
Sb	0.00 µg/l	0 µg/l	-0.10		400
As	0.00 µg/l	0 µg/l	-0.10		400
Al	67.21 µg/l	2.00 µg/l	65.21		400
Pb	0.00 µg/l	0 µg/l	-0.10		400
Ti	0.00 µg/l	0 µg/l	-0.10		400
Cu	8.04 µg/l	0 µg/l	7.94		400
La	0.00 µg/l	0 µg/l	-0.10		400
Sc	0.00 µg/l	0 µg/l	-0.10		400
W	0.00 µg/l	0 µg/l	-0.10		400

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10964.00 mg/l	10700.00 mg/l	264.00		400
Ca	459.00 mg/l	440.00 mg/l	19.00		400
Mg	1446.00 mg/l	1370.00 mg/l	76.00		400
K	417.00 mg/l	400.00 mg/l	17.00		400
Br	72.99 mg/l	62.00 mg/l	10.99		400
B	4.36 mg/l	4.50 mg/l	-0.14		400
Sr	4.93 mg/l	8.00 mg/l	-3.07		400
S	701.00 mg/l	900.00 mg/l	-199.00		400

**Li-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	22.01 µg/l	200.00 µg/l	-177.99		400
Ni	2.41 µg/l	5.00 µg/l	-2.59		400
Mo	27.63 µg/l	12.00 µg/l	15.63		400

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		400
Zn	6.91 µg/l	4.00 µg/l	2.91		400
Mn	0.00 µg/l	2.00 µg/l	-2.00		400
I	101.00 µg/l	60.00 µg/l	41.00		400

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		400
Co	0.00 µg/l	0 µg/l	-0.10		400
Fe	0.00 µg/l	0 µg/l	-0.10		400

Ba-Group



Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	75.10 µg/l	10.00 µg/l	65.10		400
Be	0.00 µg/l	0 µg/l	-0.10		400

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	101.00 µg/l	100.00 µg/l	1.00		400



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	4.69 µg/l	6.00 µg/l	-1.31		400
PO4	0.014 mg/l	0.018 mg/l	-0.004		400