

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.3 Revision Date 18.06.2015

Print Date 06.03.2017

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Furfural

Product Number : 185914

Brand : Sigma-Aldrich

Index-No. : 605-010-00-4

REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 98-01-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH
Riedstrasse 2
D-89555 STEINHEIM

Telephone : +49 89-6513-1444

Fax : +49 7329-97-2319

E-mail address : eurtechserv@sial.com

1.4 Emergency telephone number

Emergency Phone # 0800 181 7059 (CHEMTREC Deutschland)
+49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Acute toxicity, Oral (Category 3), H301
Acute toxicity, Inhalation (Category 3), H331
Acute toxicity, Dermal (Category 4), H312
Skin irritation (Category 2), H315
Eye irritation (Category 2), H319
Carcinogenicity (Category 2), H351
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

| | | |
|----|----------|-----------|
| | | R40 |
| T | Toxic | R23/25 |
| Xi | Irritant | R36/37/38 |
| Xn | Harmful | R21 |

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H301 + H331

Toxic if swallowed or if inhaled

H312

Harmful in contact with skin.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

H351

Suspected of causing cancer.

Precautionary statement(s)

P261

Avoid breathing vapours.

P280

Wear protective gloves/ protective clothing.

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P311

Call a POISON CENTER or doctor/ physician.

Supplemental Hazard Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Photosensitizer.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 2-Furaldehyde
Furan-2-carboxaldehyde

Formula : C₅H₄O₂
Molecular weight : 96,08 g/mol
CAS-No. : 98-01-1
EC-No. : 202-627-7
Index-No. : 605-010-00-4

Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component | Classification | Concentration |
|---|--|---------------|
| 2-Furaldehyde | | |
| CAS-No. 98-01-1 EC-No. 202-627-7 Index-No. 605-010-00-4 | Acute Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Carc. 2; STOT SE 3; H301 + H331, H312, H315, H319, H335, H351 | <= 100 % |

Hazardous ingredients according to Directive 1999/45/EC

| Component | Classification | Concentration |
|---|--|---------------|
| 2-Furaldehyde | | |
| CAS-No. 98-01-1 EC-No. 202-627-7 Index-No. 605-010-00-4 | T, Carc.Cat.3, R21 - R23/25 - R36/37/38 - R40 | <= 100 % |

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|---|
| a) Appearance | Form: clear, viscous, liquid Colour: light brown |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | Melting point/range: -36 °C - lit. |
| f) Initial boiling point and boiling range | 162 °C - lit. |
| g) Flash point | 61,7 °C - closed cup |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 19,3 %(V) Lower explosion limit: 2,1 %(V) |
| k) Vapour pressure | 18,0 hPa at 55 °C 2,3 hPa at 20 °C |
| l) Vapour density | 3,32 - (Air = 1.0) |
| m) Relative density | 1,16 g/cm ³ at 25 °C |
| n) Water solubility | soluble |
| o) Partition coefficient: n-octanol/water | log Pow: 0,41 |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

- | | |
|-------------------------|--------------------|
| Surface tension | 43,5 mN/m at 20 °C |
| Relative vapour density | 3,32 - (Air = 1.0) |

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 145 - 204 mg/kg

LD50 Oral - Rat - female - 90 - 119 mg/kg

LC50 Inhalation - Rat - male and female - 4 h - > 0,54 - < 1,63 mg/l
(OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 2.000 mg/kg
(OECD Test Guideline 402)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation - 24 h
(OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig

Did not cause sensitisation on laboratory animals.
(OECD Test Guideline 406)

Germ cell mutagenicity

Mouse

lymphocyte

Mutation in mammalian somatic cells.

Human

HeLa cell

DNA inhibition

Human

lymphocyte

Sister chromatid exchange

Carcinogenicity

Carcinogenicity - Rat - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors.

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Limited evidence of carcinogenicity in animal studies

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Furaldehyde)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: LT7000000

Central nervous system depression, Headache, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 32 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h

Toxicity to algae EC50 - other microorganisms - 570 mg/l - 24 h

12.2 Persistence and degradability

Biodegradability aerobic Biochemical oxygen demand - Exposure time 28 d
Result: 93,5 % - Readily biodegradable
(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

| | | | |
|--|---------------------------|---------------|--|
| 14.1 UN number | | | |
| ADR/RID: 1199 | IMDG: 1199 | IATA: 1199 | |
| 14.2 UN proper shipping name | | | |
| ADR/RID: FURALDEHYDES | | | |
| IMDG: FURALDEHYDES | | | |
| IATA: Furaldehydes | | | |
| 14.3 Transport hazard class(es) | | | |
| ADR/RID: 6.1 (3) | IMDG: 6.1 (3) | IATA: 6.1 (3) | |
| 14.4 Packaging group | | | |
| ADR/RID: II | IMDG: II | IATA: II | |
| 14.5 Environmental hazards | | | |
| ADR/RID: no | IMDG Marine pollutant: no | IATA: no | |
| 14.6 Special precautions for user | | | |
| No data available | | | |

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

| | |
|-------------|-----------------------------------|
| Acute Tox. | Acute toxicity |
| Carc. | Carcinogenicity |
| Eye Irrit. | Eye irritation |
| H301 | Toxic if swallowed. |
| H301 + H331 | Toxic if swallowed or if inhaled |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |

Full text of R-phrases referred to under sections 2 and 3

| | |
|-----------|--|
| T | Toxic |
| R21 | Harmful in contact with skin. |
| R23/25 | Toxic by inhalation and if swallowed. |
| R36/37/38 | Irritating to eyes, respiratory system and skin. |
| R40 | Limited evidence of a carcinogenic effect. |

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.