

Bell County Public Health District

3/6/2023

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

No City

Cheezy's Meat Market LLC - MFO			Bell County		
3/1/2023	Permit	100	8:00 AM 9:00 AM	<input type="checkbox"/>	3/1/2023

Da Geezers Original Hawaiian Shave Ice			Bell County		
3/1/2023	Permit	100	11:15 AM 12:15 PM	<input type="checkbox"/>	3/1/2023

Taqueria Mi Lindo Nayarit #2-MFO			Bell County		
2/27/2023	Permit	100	9:30 AM 10:00 AM	<input type="checkbox"/>	2/27/2023

Thai LAW			BELL COUNTY		
3/1/2023	Permit	100	1:00 PM 2:00 PM	<input type="checkbox"/>	3/1/2023

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

ELLIOTT'S EDIBLES

2415 N. MAIN 76513

3/1/2023	Permit	100	10:30 AM	<input type="checkbox"/>	3/1/2023
----------	--------	-----	----------	--------------------------	----------

NOTE: provide backsplash behind prep tables.

10:45 AM

3rd compartment of the 3 compartment sink does not drain well. It is either the angle (slope) of the drain line under sink, the size of the drain line, or a combination of both. Make repairs to ensure this sink will properly drain (not using this compartment at this time).

ERNIES FRIED CHICKEN

805 SOUTH MAIN 76513

3/1/2023	Permit	98	9:30 AM	<input type="checkbox"/>	3/1/2023
----------	--------	----	---------	--------------------------	----------

42/45: clean and paint rusted portions of chest freezer lids as necessary.

9:50 AM

45: replace screen on rear door. Doors new, screen door required to be re-attached.

42/45: minor cleaning and reseal of flooring as necessary.

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

FAMILY FOOD MART

418 SOUTH MAIN ST. 76513

3/1/2023	Permit	91	9:50 AM	<input type="checkbox"/>	3/1/2023
----------	--------	----	---------	--------------------------	----------

10/33: meat slicer and band saw were not properly cleaned from previous day operation. Meat market currently closed until later today. These items must be properly washed, rinsed and sanitized at the end of use. This process must occur before these items can be used today.

10:20 AM

32/45: rusted surfaces of equipment must be properly cleaned and painted to permit easy cleaning (meat market).

42/45: clean and repair floor by the reach in cooler near the meat market (corner of floor) where condensate drain line drains into the floor.

42: minor cleaning required for display coolers

Food contact surfaces and returnables; cleaned and sanitized - 3

Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

Warewashing Facilities; installed, maintained, used - 2

Non-Food Contact surfaces clean - 1

Physical facilities installed, maintained, clean - 1

MAIN STREET NUTRITION

2154 NORTH MAIN STREET 76513

3/1/2023	Permit	100	8:15 AM	<input type="checkbox"/>	3/1/2023
----------	--------	-----	---------	--------------------------	----------

8:35 AM

WALMART SUPERCENTER - BELTON

2604 NORTH MAIN 76513

3/3/2023	Permit	100	9:20 AM	<input type="checkbox"/>	3/3/2023
----------	--------	-----	---------	--------------------------	----------

10:10 AM

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

BELTON

WALMART SUPERCENTER - BELTON			2604 NORTH MAIN 76513		
3/3/2023	Permit	100	9:20 AM 10:10 AM	<input type="checkbox"/>	3/3/2023

-

WHATABURGER - BELTON #570			307 NORTH IH 35 76513		
3/1/2023	Permit	100	8:55 AM 9:25 AM	<input type="checkbox"/>	3/1/2023

-

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

HARKER HEIGHTS

CORNER DONUTS & KOLACHES		3045 STILLHOUSE LAKE RD #101 76548			
3/1/2023	Permit	100	8:45 AM 9:00 AM	<input type="checkbox"/>	3/2/2023

SONIC - HH		704 INDIAN TRAIL 76548			
3/1/2023	Permit	99	9:05 AM 9:30 AM	<input type="checkbox"/>	3/2/2023
43: repair/replace freezer light as needed to provide minimal required lighting ceiling light in paper area must have proper shielding (tube or panel).					

Adequate ventilation and lighting; designated areas used - 1

TEXAS TYKES DAYCARE		546 FM2410 SUITE D 76548			
3/1/2023	Permit	100	8:30 AM 8:45 AM	<input type="checkbox"/>	3/2/2023

KILLEEN

ARIANA'S LEARNING ACADEMY			415 E. AVE D 76541		
2/27/2023	Permit	100	8:25 AM 8:35 AM	<input type="checkbox"/>	2/27/2023

ASIAN BUFFET			1104 EAST CTE 76541		
2/28/2023	Permit	91	10:00 AM 10:50 AM	<input type="checkbox"/>	2/28/2023

This inspection also includes the complaint from january regarding rodent presence.

- 42: clean a/c vents and ceiling tiles as/where needed
- 20/45: repair required for floor drain in dishwasher room. Currently clogged
- 45: replace missing floor tile grout and tiles as/where needed.
- 7: observed a box of whole raw potatoes that had 2 of the potatoes with rodent gnaw damage. These items were discarded (no ofther evidence of rodent damage). Items were discarded.

pest control is actively addressing rodent issues. The absence of rodent droppings in this area reflects that current pest control measures, along with good overall sanitation are controlling any issues regarding rodents. Permit application will be withheld until all items in hibatchi grill area (rodent entry points, droppings in cabinet under the counters) have been resolved. A follow-up is scheduled for 3/14/23.

- No Evidence of Insect contamination, rodent / other animals - 1
- Non-Food Contact surfaces clean - 1
- Approved Sewage/Wastewater Disposal System, proper disposal - 3
- Food and ice obtained from approved source; good condition, safe - 3
- Physical facilities installed, maintained, clean - 1

DOUSE ELEMENTARY 11P 3R			700 REBECCA LYNN LN 76542		
2/28/2023	Routine	97	8:15 AM 8:50 AM	<input type="checkbox"/>	2/28/2023

31: no hand soap at the handwash sink. COS

- 42: replace missing celing tile in 3 compartment sink area
- Adequate handwashing facillities; Accessible and properly supplied, used - 2
- Non-Food Contact surfaces clean - 1

FERRARIS PIZZA PASTA & SUBS			716 WEST VMB 76541		
2/28/2023	Permit	100	11:25 AM 11:45 AM	<input type="checkbox"/>	2/28/2023

regarding complaint:

no cats are observed as described. There are cats on the outside of the facility which are present in the outside picnic table area, but this would not be a violation of the standards that require exclusion of animals from a retail food facility.

regarding the absence of a certified food manager: owner has not had one in some time, but was granted an exemption of such based on the conditions observed at the facility (excellent). The options to obtain the certification were provided to the owner who stated that he would get the registration done to come in to compliance. He understood the inability of the Health District to specifically grant exemption based on the new requirements and would comply with the requirements.

GOLDEN FRIED CHICKEN - KILLEEN			1610 S FORT HOOD 76542		
---------------------------------------	--	--	------------------------	--	--

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN**GOLDEN FRIED CHICKEN - KILLEEN**

1610 S FORT HOOD 76542

3/1/2023

Routine

100

12:30 PM



2/23/2023

COVID DEFER

12:45 PM

LIVE OAK RIDGE MIDDLE SCHOOL 11P 3R

2600 ROBINETTE 76549

3/1/2023

Routine

99

9:15 AM



3/2/2023

42: clean the dirty dor gaskets of coolers as needed.

9:45 AM

Non-Food Contact surfaces clean - 1

O'BOK RESTAURANT & CLUB

2815 S FORT HOOD ST 76542

2/27/2023

Permit

100

2:00 PM



2/28/2023

2:25 PM

O'MALLEYS

2703 EAST VMB 76543

2/28/2023

Permit

99

9:45 AM



2/28/2023

item number 45 from 3/1/22 has been corrected.

10:10 AM

45: repair missing floor tile behind the bar: Repeate from 3/1/22

Physical facilities installed, maintained, clean - 1

PALO ALTO MIDDLE SCHOOL 11P 3R

2301 ELMS RD 76549

3/1/2023

Routine

99

1:00 AM



3/2/2023

42: clean the dirty fan guards as needed (coolers)

1:45 AM

Non-Food Contact surfaces clean - 1

PAT CARNEY ELEMENTARY SCHOOL 11P 3R

5501 AZURA WAY 76549

2/28/2023

Routine

100

9:35 AM



2/28/2023

10:10 AM

PERSHING PARK ELEMENTARY 11P 3R

1500 WEST CTE 76542

3/1/2023

Routine

100

8:00 AM



3/2/2023

8:40 AM

REECES CREEK ELEMENTARY 11P 3R

400 SS LOOP 76542

2/27/2023

Routine

100

9:55 AM



2/27/2023

10:20 AM

ROY J SMITH MIDDLE SCHOOL 9P 1R

6000 BUSHY CREEK 76549

2/28/2023

Routine

100

10:30 AM



2/28/2023

10:55 AM

SUPPORT YOUR TROOPS RESALE CENTER

401 N 8TH STREET 76541

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

KILLEEN

SUPPORT YOUR TROOPS RESALE CENTER			401 N 8TH STREET 76541		
3/1/2023	Permit	100	10:00 AM 10:20 AM	<input type="checkbox"/>	3/2/2023

SUSHI YA - TRIMMIER			2511 EAST TRIMMIER 76542		
2/27/2023	Permit	100	2:30 PM 2:50 PM	<input type="checkbox"/>	2/28/2023

TAQUERIA MEXICO #2			1915 EAST VMB 76541		
2/27/2023	Permit	100	9:35 AM 10:10 AM	<input type="checkbox"/>	2/27/2023
all items from previous inspections have been corrected 42/45					

THE GREAT PLAY PLACE			1709 OLD FM 440 76549		
2/27/2023	Permit	100	9:00 AM 9:15 AM	<input type="checkbox"/>	2/27/2023

TRIMMIER ELEMENTARY 11P 3R			4400 SUCCESS DR 76542		
2/27/2023	Routine	100	8:00 AM 8:30 AM	<input type="checkbox"/>	2/27/2023

WILLOW SPRINGS ELEMENTARY 11P 3R			2501 W SS LOOP 76549		
2/27/2023	Routine	100	8:45 AM 9:15 AM	<input type="checkbox"/>	2/27/2023

WOK ON FIRE			1708 E VMB 76541		
2/28/2023	Complaint Followup	97	11:05 AM 11:30 AM	<input checked="" type="checkbox"/>	3/7/2023

34/42/45: rodent presence noted (entry points, droppings) that will need to be addressed beyond the routine pest control that is currently "treating" for these pests. The facility's general sanitation is well below minimal standards, the maintenance and upkeep is lacking, and immediate attention is needed. The facility will have one week to make all corrections (cleaning, repair, additional pest control measures as may be necessary). A follow-up is scheduled for 3/7/2023. closure of facility will be required if these items are not adequately addressed by that time. Measures must begin today.

- Physical facilities installed, maintained, clean - 1
- Non-Food Contact surfaces clean - 1
- No Evidence of Insect contamination, rodent / other animals - 1

Establishment	Type	Score	In / Out	Follow up Req'd.	Date Insp. Closed
---------------	------	-------	----------	------------------	-------------------

TEMPLE

BUSHES CHICKEN - S 31ST			4609 SOUTH 31ST ST. 76502		
3/2/2023	Permit	100	2:00 PM	<input type="checkbox"/>	3/2/2023
from 3/31/21, 2/23/22: 45: replace grout on floor as needed: ok			2:20 PM		

CEFCO #14			3805 SOUTH 31ST 76502		
2/27/2023	Permit	99	9:45 AM	<input type="checkbox"/>	2/27/2023
42: clean under the soda syrup boxes (spills)			10:05 AM		
Non-Food Contact surfaces clean - 1					

CENTRAL TEXAS CHILDRENS CENTER			2000 MARLANDWOOD RD. 76502		
3/1/2023	Permit	100	2:10 PM	<input type="checkbox"/>	3/2/2023
			2:20 PM		

COMFORT INN & SUITES			1414 SW HK DODGEN LOOP 76504		
2/27/2023	Permit	100	9:05 AM	<input type="checkbox"/>	2/27/2023
			9:15 AM		

CTLC			702 W AVENUE G 76504		
3/2/2023	Permit	100	8:00 AM	<input type="checkbox"/>	3/2/2023
			8:30 AM		

DYNASTY CHINESE RESTAURANT			2501 AIRPORT RD 76504		
3/2/2023	Complaint Followup	94	9:20 AM	<input type="checkbox"/>	3/2/2023
Eggs sitting out for over three weeks in storage room, non temperature control environment. Eggs then being utilized in preparing meals.			10:00 AM		

investigation cannot confirm the length of time that the eggs have been sitting outside of temperature controls.

there were 8 cases of 15 dozen each case sitting at room temperature in a rear storage/prep room. This room was not climate controlled. 3 separate eggs were temped in 3 different cases. The eggs temped between 68 and 72 F. This is inconsistent with the required temperature control of 45 F or lower for shell eggs. The picture provided shows other conditions that would indicate its being taken at a time of at least 24 hours prior to this investigation.

there were 2,440 eggs in total (based on 8 cases X 15 dozen per case X 12 per dozen) that were discarded. Based on an approximate weight of 2 oz/egg, the total weight of the product that was destroyed was approximately 300 lbs.

All shell eggs when received, must be received under refrigerated conditions and be kept under such conditions until used. The only exception would be shell eggs that have been treated to eliminate Salmonella species. These eggs were not such eggs.

Food and ice obtained from approved source; good condition, safe - 3

Proper Cold Holding temperature (41F/45F) - 3

EBONY & IVORY'S CHILDCARE LEARNING CENTER			1706 W AVENUE M 76504		
--	--	--	-----------------------	--	--

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

EBONY & IVORY'S CHILDCARE LEARNING CENTER			1706 W AVENUE M 76504		
3/1/2023	Permit	100	1:50 PM 2:00 PM	<input type="checkbox"/>	3/2/2023

EL TACO JALISCO			1602 SOUTH 31ST 76502		
2/27/2023	Permit	94	8:35 AM 9:00 AM	<input type="checkbox"/>	2/27/2023

31: hand sink in kitchen did not have paper towels: COS
 32/42: replace severely rusted walk in cooler racks, cannot be cleaned
 43: replace missing light panel above floor mixer by rear entrance door

- Adequate ventilation and lighting; designated areas used - 1
- Adequate handwashing facilities; Accessible and properly supplied, used - 2
- Non-Food Contact surfaces clean - 1
- Food and Non-food Contact surfaces cleanable, properly designed, and used - 2

FAIRFIELD INN			1402 SW HK DODGEN LOOP 76504		
2/27/2023	Permit	100	9:20 AM 9:30 AM	<input type="checkbox"/>	2/27/2023

FREEZING POINT CREAMERY			2112 S.W. H.K. DODGEN LOOP 76504		
3/2/2023	Permit	100	10:20 AM 10:35 AM	<input type="checkbox"/>	3/2/2023

32/42 from 3/10/2022: clean prep table and ice scoop: corrected

HOLIDAY INN - TEMPLE			5247 S GENERAL BRUCE 76502		
3/3/2023	Permit	100	8:35 AM 8:50 AM	<input type="checkbox"/>	3/3/2023

42: from 3/3/22: clean excess oil/grease residue under fryers: corrected. Fryer had leak, has been replaced.

PAPA JOHNS - TEMPLE			2320 SOUTH 31ST STE 106 76504		
3/2/2023	Permit	100	10:00 AM 10:10 AM	<input type="checkbox"/>	3/2/2023

General Sanitation Very Good.

PIGNETTIS			14 SOUTH 2ND 76501		
------------------	--	--	--------------------	--	--

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

PIGNETTIS

14 SOUTH 2ND 76501

3/1/2023

Complaint Followup

100

2:20 PM



3/2/2023

2:50 PM

I would like to voice my concerns of a restaurant I encountered.

As we were finishing up our meal we noticed roaches crawling behind us and coming out from behind picture frames.

When we notified the server (Kat) she stated that she was new and said she was warned when she started she would see roaches and it's not a big deal. She then took my napkin off the table and killed the roach right in front of us. As we were waiting for our bill we saw numerous roaches and notified the manager but he blamed it on other neighboring businesses and took no accountability or did anything to compensate the terrible experience we encountered.

I do not feel like a roach infested issue is a safe space, and after eating I wanted to puke when she smushed the roach in front of me. I have a weak stomach. The manager noted that the issue has been "going on for weeks" and there is nothing he can do. He stated he took the photos off the wall and he personally sprays daily, and could not provide us with a company that is doing their extermination. If this issue is being resolved there wouldn't be roaches crawling around as I ate dinner.

I would like to report pignettis

RESULTS OF INVESTIGATION:

pest control done routinely by White Knight Pest Control

recent remodel of catering kitchen (other side of wall from where incident occurred) disturbed severely damaged flooring, walls, and other conditions that would be conducive to a surge presence. All issues regarding the conditions that would have likely caused this condition have been remedied. Pest control is conducting a specific need treatment.

at the time of the investigation, there was no evidence of any activity, nor any evidence of an established or out of control presence. As there have been no further notifications along this avenue of concerns, combined with the absence of any activity, it appears this has been an isolated incident associated with a specific event that otherwise would not have led to what was reported.

general sanitation is very good in entirety of the facility.

-

SAM'S SOUTHERN EATERY

221 SW HK DODGEN LOOP 76502

3/2/2023

Permit

100

2:25 PM



3/2/2023

2:45 PM

10/21/21, 11/9/21, 3/10/22: 45 exterior structural repairs required (owner repairs pending): improved, no significant issues remain, minor aesthetic issues remain. No follow up necessary.

-

STARBUCKS - N GENERAL BRUCE

4307 N GENERAL BRUCE 76501

2/27/2023

Permit

100

1:15 PM



2/27/2023

1:30 PM

-

SUGAR N SPICE CATERING

2916 COUNTRY LANE 76504

2/27/2023

Permit

100

10:15 AM



2/27/2023

10:40 AM

-

SUZY Q'S

1401 S. 31ST, SUITE E 76504

Inspections Between (inclusive): 2/26/2023 and 3/4/2023

Establishment	Type	Score	In / Out	Follow up Reqd.	Date Insp. Closed
---------------	------	-------	----------	-----------------	-------------------

TEMPLE

SUZY Q'S

1401 S. 31ST, SUITE E 76504

3/2/2023	Permit	100	8:40 AM 9:05 AM	<input type="checkbox"/>	3/2/2023
----------	--------	-----	--------------------	--------------------------	----------

-

TACO BELL - S 31ST

3002 S. 31ST 76502

3/2/2023	Complaint Followup	100	1:45 PM 2:00 PM	<input type="checkbox"/>	3/2/2023
----------	--------------------	-----	--------------------	--------------------------	----------

Tuesday evening around 530pm drive thru, ordered food. Started getting sick around 11pm. Had beef tacos and mexican pizza, drank Dr. Pepper. Symptoms: vomiting, diarrhea, fever 101 fahrenheit. Diarrhea has continued as well as weakness for the last 2 days.

investigation:

ground beef cold: 41 F, diced tomatoes cold: 41.9 F

ground beef hot: 145 F, Beans hot: 150 F

general sanitation good, quat sanitizer 300 Quat

no other issues noted.

-

TEMPLE DONUTS DBA DUNKIN

7451 WEST ADAMS 76502

3/1/2023	Complaint Followup	100	8:20 AM 5:30 AM	<input type="checkbox"/>	3/1/2023
----------	--------------------	-----	--------------------	--------------------------	----------

Customer has been to Dunkin 4 times and this weekend was the last time.

Customer alleges to had seen a lot of unsanitary actions.

Worker with hair down, not pulled back at all and no hairnet.

Worker using same gloved hand to get donuts for customers and ring up sale on register.

Worker who had some coffee/foam spill on her hand and she LICKED IT OFF and continued to handle/clean up the drink before giving it to customer.

Worker wiping hand on his hair/face and not washing hands.

did not observe improper hair restraint methods

policy is contrary to this observation. They will reiterate policy with all staff

cannot confirm this allegation. Provided details to PIC. They stated this would not be acceptable under any circumstance. Will investigate internally

provided information to staff regarding hands in contact with hair/face. Cannot confirm this allegation, but they will handle internally.

-

TROY

TROY NUTRITION

309 N. CENTRAL #100 76579

2/27/2023

Permit

100

1:40 PM



2/27/2023

31: handsink has been identified and is ready for use.

2:05 PM

45: bare exposed wood on prep surfaces at counter has been properly sealed.

both corrections from 3/3/22

-