© 2018 Savant Systems, LLC. All rights reserved.



Exclusive TrueImage technology delivers sophisticated lighting control with true-to-life images. Use the Savant Pro App to take photos of lighting in every room. Simply touch the image of the lights to adjust color and brightness in real time.

TAKE CHARGE WITH TRUEIMAGE

Use photos to contol the lights throughout your home rather than confusing load lists



Tap on the **Image** of the light to toggle it on and off.

Tap on **Distribution** to send the selected color and brightness to other lights in your home.

Light and enhance every room with a near infinite range of colors.

Tap on **Favorites** to access a list of your most used colors.

Tap on the **Sliders** to access **WRGB** control of your lights which allow for extremely detailed color selection.



Whites



WRGB Sliders



WRGB Input



Distribution



Favorites



Set a range of hues and brightness to accompany your daily routine — for work, play, yoga, relaxing with your family and friends. Scheduling is a breeze or set to mimic circadian rhythm throughout the daytime hours.

A SCENE FOR EVERY MOMENT

Scenes are handy app settings that put lighting routines at your fingertips: home arrival, bedtime and more.



Create instant ambiance with a touch using captured scenes.

Create custom scenes that can be unique to each user or **Shared**.

Tap on **+** to create a new scene.

Create **Timers** for your lights based on exact time, dawn, sunrise, sunset or dusk.



Edit Scenes



Create New Scene



Scene Timer



Shared Scene



Custom Image

NEW HEIGHTS OF COLOR CONTROL

CLASSIC WHITE

USAI's proprietary Classic White LED light engines provide clean, uniform white light with perfect color consistency from fixture to fixture. You'll see the results in balanced, beautiful white light throughout your space.

Savant Control:
Phased Line Voltage Dimming & 0-10V Low Voltage Dimming down to 1%

WARM GLOW DIMMING

USAI's Warm Glow Dimming provides warmth and glow once only possible in incandescent light sources. Utilizing proprietary technology, Warm Glow Dimming precisely mimics the black body curve of an incandescent lamp by gradually shifting warmer as you dim. The result is virtually indistinguishable from an incandescent light source.

Savant Control:
Phased Line Voltage Dimming & 0-10V Low Voltage Dimming down to 1%



COLOR SELECT TUNABLE WHITE

USAI's Color Select tunable white replaces a variety of sources from daylight to candlelight with one fixture type, allowing personalized lighting controls from warm to cool and everything in between, all while maintaining beautiful classic white color consistency and independent control of light level.

Savant Control:
0-10V Low Voltage Dimming (dual) down to 1%

INFINITE COLOR+

USAI's Infinite Color+ gives you complete freedom to define your own perfect light, from architectural whites to accents and saturated colors– all with one light fixture. Instead of painting the walls one color, transform your space with light whenever the mood strikes you.

Savant Control:
DMX Digital Low Voltage Dimming down to .01%

RECESS 4.5

ROUND TRIMMED

The Recess 4.5 is perfect for residential applications with high ceilings, including applications that call for wall wash and adjustable lighting. It is available across all color technologies plus a variety of styles including both traditional round or modern square styles.

RECESS 4.5

SQUARE TRIMMED

RECESS 4.5

SQUARE TRIMLESS

LED COLOR TECHNOLOGY CHOICES

Classic White
- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

Warm Glow Dimming
- 3000k to 2200k Variable based on Dim Level
- CRI: 90+

Color Select Tunable White
- 2200k to 6000k Tunable
- CRI: 80+

Infinite Color+
- Programmable WRGB
- CRI: Variable

TRIM FINISH

White

PREMIUM

Black

Statuary Bronze

Black Anodized

Clear Matte Anodized

Metalized Grey

Primer

USE	Recommended for ceiling heights 10 - 20 ft	
WATTAGE	• 24 Watts - Classic White • 32 Watts - Warm Glow, Color Select, Infinite Color+	
DIMMING	• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming • DMX Digital Low Voltage Dimming	
REGRESS	• 1 inch Regress	
SHAPE		4.5" X 4.5" Aperture
		4.5" Diameter Aperture
TRIM		Trimmed - For use with all ceiling types.
		Trimless - For use in sheetrock and plaster ceilings.
		Millwork - For use in wood and stone ceilings.
FUNCTION		Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination.
		Adjustable Accents - Provide a single beam of light that can be tilted and aimed to place light precisely where you need it.
		Wall Wash - Great for providing vertical illumination on a feature wall, highlighting art and architectural features.
HOUSING		Flat Housing - Smallest available, also available IC-rated for direct contact with insulation.
		New Construction - Narrow Width Housing.
		Retrofit Housing - for use in existing ceilings.
		New Construction / IC Rated Housing - All-in-one universal housing for direct contact with insulation.



RECESS 3

SQUARE TRIMMED

Good things come in small packages. Recess 3 has an aperture of only 3”, and is available across all color technologies, including Tunable White and Infinite Color+. It is available in a wide array of trim finishes and housing options, making it a perfect fit for both new construction and retrofit projects.

RECESS 3

SQUARE TRIMLESS



RECESS 3

SQUARE MILLWORK

LED COLOR TECHNOLOGY CHOICES

Classic White
- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

Warm Glow Dimming
- 3000k to 2200k Variable based on Dim Level
- CRI: 90+

Color Select Tunable White
- 2200k to 6000k Tunable
- CRI: 80+

Infinite Color+
- Programmable WRGB
- CRI: Variable

TRIM FINISH

White

PREMIUM

Black

Statuary Bronze

Black Anodized

Clear Matte Anodized

Metalized Grey

Primer

USE	Recommended for ceiling heights 8 - 14 ft
WATTAGE	• 14 Watts - Classic White • 18 Watts - Warm Glow, Color Select, Infinite Color+
DIMMING	• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming • DMX Digital Low Voltage Dimming
REGRESS	• 1 inch Regress
SHAPE	3" X 3" Aperture 3" Diameter Aperture
TRIM	 Trimmed - For use with all ceiling types.  Trimless - For use in sheetrock and plaster ceilings. Millwork - For use in wood and stone ceilings.
FUNCTION	Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination. Adjustable Accents - Provide a single beam of light that can be tilted and aimed to place light precisely where you need it. Wall Wash - Great for providing vertical illumination on a feature wall, highlighting art and architectural features.
HOUSING	Flat Housing - Smallest available. Flat / IC Rated - Smallest available for direct contact with insulation.  Retrofit Housing - for use in existing ceilings. New Construction - All-in-one universal housing. New Construction / IC Rated Housing - All-in-one universal housing for direct contact with insulation.



RECESS PINHOLE

1/4 INCH REGRESS ROUND, TRIMMED

The Recess Pinhole is the ideal fixture for traditional applications that need modern efficiency and the lifetime benefits of LED Lighting. Providing a true point source solution, it is the highest performing recessed LED pinhole available.

RECESS PINHOLE

1 INCH REGRESS ROUND, TRIMMED

RECESS PINHOLE

1/4 INCH REGRESS SQUARE TRIMMED

LED COLOR TECHNOLOGY CHOICES

Classic White

- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

Warm Glow Dimming

- 3000k to 2200k Variable based on Dim Level
- CRI: 90+

TRIM FINISH

White

PREMIUM

Black

Statuary Bronze

Metalized Grey

Primer

USE	Recommended for ceiling heights 8 - 14 ft	
WATTAGE	• 15 Watts - Classic White • 16 Watts - Warm Glow	
DIMMING	• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming	
REGRESS	• 1/4 inch Regress • 1 inch Regress	
SHAPE		1.75" X 1.75" Aperture
		1.75" Diameter Aperture
TRIM		Trimmed - For use with all ceiling types.
		Flush Mount - For use in sheetrock and plaster ceilings.
FUNCTION		Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination.
		Adjustable Accents - Provide a single beam of light that can be tilted and aimed to place light precisely where you need it.
		Wall Wash - Great for providing vertical illumination on a feature wall, highlighting art and architectural features.
HOUSING		New Construction - All-in-one universal housing, also available IC Rated for direct contact with insulation.

RECESS MULTICELL

4 CELL MILLWORK

The Recess Multicell is a linear alternative to traditional downlight and wall wash options, delivering unparalleled performance in a small, modern form factor. Precision engineered from the inside out, the patented design meets the most demanding specifications in a miniature scale.

RECESS MULTICELL

4 CELL TRIMMED



RECESS MULTICELL

8 CELL TRIMMED

LED COLOR TECHNOLOGY CHOICES

Classic White

- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

FLANGE FINISH OPTIONS

Matte White

PREMIUM

Matte Black

BEVEL FINISH OPTIONS

Matte White

PREMIUM

Matte Black

Specular Black

Matte Silver

Specular Silver

Specular Rose Gold

Specular Bronze

USE		Recommended for ceiling heights 8 - 20 ft
WATTAGE		• 8 Watts - 2 cell • 13 Watts - 4 cell • 27 Watts - 8 cell
DIMMING		• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming
SIZE		2 cell - 1.25″ x 2.5″ Aperture
		4 cell - 1.25″ x 5″ Aperture
		8 cell - 1.25″ x 10″ Aperture
TRIM		Trimmed - For use with all ceiling types.
		Trimless - For use in sheetrock and plaster ceilings.
		Millwork - For use in wood and stone ceilings.
FUNCTION		Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination.
		Adjustable Accents - Provide a single beam of light that can be tilted and aimed to place light precisely where you need it.
		Wall Wash - Great for providing vertical illumination on a feature wall, highlighting art and architectural features.
HOUSING		Remote Driver Housing - smaller for use with remotely located driver.

CYLINDER 3

6″ WITH CABLE

Power and beauty are both in play with our sleek architectural cylinders. Cylinder 3 offers a beautiful solution for open or inaccessible ceilings and architectural accents – and allows for either a surface or cable mount installation.

CYLINDER 3

10" SURFACE MOUNT WITH GLOW GLASS

CYLINDER 3

10" WITH CABLE AND GLOW GLASS

LED COLOR TECHNOLOGY CHOICES

Classic White
- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

Warm Glow Dimming
- 3000k to 2200k Variable based on Dim Level
- CRI: 90+

FINISH

White

PREMIUM

Black

Statuary Bronze

Metalized Grey

Conduit Silver

Satin Nickel

USE		Use as a pendant or surface mount fixture
WATTAGE		• 14 Watts, Classic White, 6″ long cylinder • 20 Watts, Classic White, 10″ long cylinder • 18 Watts, Warm Glow Dimming, 10″ long cylinder
DIMMING		• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming
SHAPE		3″ Diameter Aperture
MOUNT		Surface mount to recessed junction box
		48″ cable, recessed junction box
		48″ cable, surface junction box + conduit
		96″ cable, recessed junction box
		96″ cable, surface junction box + conduit
FUNCTION		Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination.
OPTIONS		Surface Mount Downlight 6″ and 10″ Lengths
		Cable Mount Pendant 6″ and 10″ Lengths
		Surface Mount Glow Glass 6″ and 10″ Lengths
		Cable Mount Glow Glass Pendant 6″ and 10″ Lengths

BLOCK 5

ROUND SURFACE MOUNT

The Block 5 works with any surface or ceiling height, including exposed conduit applications, with no sacrifice in aesthetics. The Block 5 offers a complete solution, with both downlight and wall wash options available in round and square shapes.

BLOCK 5

SQUARE SURFACE MOUNT

BLOCK 5

SQUARE CONDUIT MOUNT

LED COLOR TECHNOLOGY CHOICES

Classic White
- 2700k or 3000k
- CRI: 90+
- 2-Step MacAdam Ellipse

Warm Glow Dimming
- 3000k to 2200k Variable based on Dim Level
- CRI: 90+

FINISH

White

PREMIUM

Black

Statuary Bronze

Metalized Grey

Conduit Silver

USE	• Recommended for ceiling heights 12 - 20 ft
WATTAGE	• 24 Watts - Classic White • 16 Watts - Warm Glow
DIMMING	• Phased Line Voltage Dimming • 0-10V Low Voltage Dimming
SHAPE	5.75" Diameter Aperture 5.25" x 5.25" Aperture
FUNCTION	Downlights - Provide general lighting for spaces with smooth, symmetric cones of light for even illumination. Wall Wash - Great for providing vertical illumination on a feature wall, highlighting art and architectural features.
OPTIONS	Surface Mount - recessed junction box Conduit Cut Out Mount - surface junction boxes and conduit

SAVANT | USAI®

savant.com

Architect: Cooper Joseph Studio
Photographer: ©Elliott Kaufman Photography

© 2018 Savant Systems, LLC. All rights reserved.