

Peter Pan



Darling 4 p



... for someone
special

MATINEE JACKET, SHAWL AND BONNET in Peter Pan Darling 4 Ply

No. P430
Worked in Darling
Shade 800 Pure White

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in brackets.
Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Chest Sizes	41	46	51	cm.
	16	18	20	ins.
Peter Pan Darling 4 Ply (20g.) Matinee Jacket Shawl Bonnet	3 20 1	4 20 1	5 20 1	Balls Balls Balls
3 mm. Aero Crochet Hook. 3 Buttons — Matinee Jacket. Ribbon for Bonnet.				
Matinee Jacket Length from Back of Neck	23 9	25 9½	26.5 10½	cm. ins.
Sleeve Seam	14 5½	15 6	16.5 6½	cm. ins.
Shawl	122 48	122 48	122 48	cm. ins.square
Bonnet Round Face	24 9½	25.5 10	28 11	cm. ins.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

d.c. — double crochet; tr. — treble; h.tr. — half treble; sl. — slip; st(s). — stitch(es); ch. — chain; y.o.h. — yarn over hook; tog. — together; h.tr.2tog. — half treble 2 together (y.o.h., hook into next st. pull loop through) twice, y.o.h. pull through all loops; patt. — pattern; sp. — space; 0 — no sts. or rows to be worked in that particular size; cm. — centimetres; ins. — inches.

Success will be assured if you . . .

Use ONLY the Wendy or Peter Pan yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used.) Follow our instructions exactly, make certain you have the right tension. Measure (without stretching) to see you're working the right number of stitches as stated. Too many?—use larger hook. Too few?—use finer hook. Once the tension is right, the size will be right.

TENSION

4 patts. and 5 rows to 5 cm. (2 ins.) and 12 h.t.r. and 8 rows to 5 cm. (2 ins.) on 3 mm. hook.

MATINEE JACKET

YOKE

Commence at Neck

Using 3 mm. hook make 41 ch. loosely.

1st Row — 1 h.tr. into 2nd ch. from hook, 1 h.tr. into each ch. to end, turn. (40 sts.).

2nd Row — 2 ch., * 1 h.tr. into next h.tr., (2 h.tr. into next h.tr.) twice, rept. from * to last 3 sts., 1 h.tr. into next h.tr., 2 h.tr. into next h.tr., 1 h.tr. into 2nd of 2 ch., turn. (65 sts.).

3rd Row — 2 ch., (1 h.tr. into next h.tr.) 3 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 7 times, rept. from * to last 5 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 3 times, 1 h.tr. into 2nd of 2 ch., turn. (73 sts.).

4th Row — 2 ch., (1 h.tr. into next h.tr.) 4 times, * 2 h.tr., into next h.tr., (1 h.tr. into next h.tr.) 8 times, rept. from * to last 5 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 3 times, 1 h.tr. into 2nd of 2 ch., turn. (81 sts.).

5th Row — 2 ch., (1 h.tr. into next h.tr.) 4 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 9 times, rept. from * to last 6 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 4 times, 1 h.tr. into 2nd of 2 ch., turn. (89 sts.).

6th Row — 2 ch., (1 h.tr. into next h.tr.) 5 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 10 times, rept. from * to last 6 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 4 times, 1 h.tr. into 2nd of 2 ch., turn. (97 sts.).

7th Row — 2 ch., (1 h.tr. into next h.tr.) 5 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 11 times, rept. from * to last 7 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 5 times, 1 h.tr. into 2nd of 2 ch., turn. (105 sts.).

8th Row — 2 ch., (1 h.tr. into next h.tr.) 6 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 12 times, rept. from * to last 7 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 5 times, 1 h.tr. into 2nd of 2 ch., turn. (113 sts.).

9th Row — 2 ch., (1 h.tr. into next h.tr.) 6 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 13 times, rept. from * to last 8 sts., 2 h.tr. into next h.tr., (1 h.tr.

into next h.tr.) 6 times, 1 h.tr. into 2nd of 2 ch., turn. (121 sts.).

10th Row—2 ch., (1 h.tr. into next h.tr.) 7 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 14 times, rept. from * to last 8 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 6 times, 1 h.tr. into 2nd of 2 ch., turn. (129 sts.).

11th Row—2 ch., (1 h.tr. into next h.tr.) 7 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 15 times, rept. from * to last 9 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 7 times, 1 h.tr. into 2nd of 2 ch., turn. (137 sts.).

(46 and 51) cm. (18 and 20) inch sizes only

12th Row—2 ch., (1 h.tr. into next h.tr.) 8 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 16 times, rept. from * to last 9 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 7 times, 1 h.tr. into 2nd of 2 ch., turn. (145 sts.).

(51) cm. (20) inch size only

13th Row—2 ch., (1 h.tr. into next h.tr.) 8 times, * 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 17 times, rept. from * to last 10 sts., 2 h.tr. into next h.tr., (1 h.tr. into next h.tr.) 8 times, 1 h.tr. into 2nd of 2 ch., turn. (153 sts.).

ALL SIZES

Commence Patt.

Foundation Row (Right Side)—* Lengthen loop on hook to $\frac{1}{4}$ inch, 1 ch., 2 h.tr. into long loop taking in top 2 strands of loop, miss 1 h.tr., 1 d.c. into next h.tr., rept. from * to end, turn. 69 (73, 77) patts.

Next Row—(Lengthen loop, 1 ch., 2 h.tr. into long loop, 1 d.c. into single strand of long loop of previous row) 11 (12, 12) times, miss 13 (13, 14) patts. for **RIGHT SLEEVE**, work 21 (23, 25) patts. for **BACK**, miss 13 (13, 14) patts. for **LEFT SLEEVE**, work 11 (12, 12) patts.

Continue on these 43 (47, 49) patts. for Back and Front.

Patt. Row—* Lengthen loop, 1 ch., 2 h.tr. into long loop, 1 d.c. into single strand of long loop of previous row, rept. from * to end, turn.

The last row forms the patt.

Continue in patt. until work measures 14 (15, 16.5) cm. $5\frac{1}{2}$ (6, $6\frac{1}{2}$) ins. from armhole finishing on a wrong side row. Fasten off.

SLEEVES (Both Alike)

With wrong side facing, rejoin yarn at underarm. Continue in patt. across the 13 (13, 14) patts. missed on yoke until sleeve measures 13.5 (14.5, 16) cm. $5\frac{1}{4}$ ($5\frac{1}{4}$, $6\frac{1}{4}$) ins. finishing on a right side row, turn.

CUFF

Next Row—* 2 ch., 1 d.c. into single strand of long loop of previous row, rept. from * to end, turn.

Next Row—2 ch., * 1 d.c. into 2 ch. loop, 1 d.c. into next d.c., rept. from * to end, turn.

Work 3 more rows in d.c. Fasten off.

SHAWL

Using 3 mm. hook, make 178 ch. very loosely.

Foundation Row (Right Side)—* Lengthen loop on hook to $\frac{1}{4}$ inch, 1 ch., 2 h.tr. into long loop taking in top 2 strands of loop, miss 1 ch., 1 d.c. into next ch., rept. from * to end, turn. (89 patts.).

Patt. Row—* Lengthen loop, 1 ch., 2 h.tr. into long loop taking in top 2 strands of loop, 1 d.c. into single strand of long loop of previous row, rept. from * to end, turn.

Work should measure approx. 114.5 cm. (45 ins.) in width.

Rept. the last row until work measures 114.5 cm. (45 ins.) from commencement finishing on a wrong side row, turn.

Border

Next Round—* 2 ch. 1 d.c. into single strand of long loop, rept. from * to corner, ** 2 ch., 1 d.c. into sp. of row ends, rept. from ** to corner, fasten off.

Miss the foundation row rejoin yarn at next corner, work from ** to end, join with a sl.st.

Next Round—3 ch., * 1 tr. into 2 ch. space, 1 tr. into next d.c. rept. from * to end working 3 trs. into corners, join with a sl.st.

Next Round—4 ch., miss 1 tr., 1 ch., * 1 tr. into next tr., miss 1 tr., 1 ch., rept. from * to end working (1 tr. 1 ch. 1 tr. 1 ch.) into corners join with a sl.st.

Next Round—4 ch., miss 1 ch., 1 tr. into next tr., * 1 ch., miss 1 ch., 1 tr. into next tr., rept. from * to end, working (1 ch., 1 tr. into next sp., 1 ch., 1 tr. into next tr.) twice into corner, join with a sl.st.

Picot edge—* 4 ch., 1 d.c. into 2nd ch. from hook, 2 ch., 1 d.c. into next sp., rept. from * to end, join with a sl.st. Fasten off.

BONNET

Using 3 mm. hook, work 38 (42, 50) ch. very loosely to measure approx. 24 (25.5, 28) cm. $9\frac{1}{2}$ (10, 11) ins. Work foundation row as given for Shawl. 19 (21, 25) patts.

Rept. patt. row as given for Shawl until work measures 7.5 (9, 10) cm. 3 ($3\frac{1}{2}$, 4) ins. from commencement finishing on a right side row.

Shape Crown

Next Row—* 2 ch., 1 d.c. into single strand of long loop, rept. from * to end, turn.

Work 2 rows in h.tr., working 1 h.tr. into each d.c. and 1 h.tr. into each 2 ch. sp. turn 38 (42, 50) sts.

Next Row (Dec. Row)—2 ch., 1 h.tr. into each of next 3 (3, 4) h.tr., * h.tr.2tog., 1 h.tr. into each of next 4 (5, 6) h.tr., rept. from * to last 4 (3, 5) sts., h.tr.2tog., 1 h.tr. into each of next 1 (0, 2) h.tr. 1 h.tr. into turning ch., turn. 32 (36, 44) sts.

Work 1 row in h.tr., turn.

Next Row (Dec. Row)—2 ch., 1 h.tr. into each of next 2 (2, 3) h.tr., * h.tr.2tog., 1 h.tr. into each of next 3 (4, 5) h.tr., rept. from * to last 4 (3, 5) sts., h.tr.2tog., 1 h.tr. into each of next 1 (0, 2) h.tr., 1 h.tr. into turning ch., turn. 26 (30, 38) sts.

Work 1 row in h.tr., turn.

Next Row (Dec. Row)—2 ch., 1 h.tr. into each of next 1 (1, 2) h.tr., * h.tr.2tog., 1 h.tr. into each of next 2 (3, 4) h.tr., rept. from * to last 4 (3, 5) sts., h.tr.2tog., 1 h.tr. into each of next 1 (0, 2) h.tr. 1 h.tr. into turning ch., turn. 20 (24, 32) sts.

Work 1 row in h.tr., turn.

Next Row (Dec. Row)—2 ch., * h.tr.2tog., 1 h.tr. into each of next 1 (2, 3) h.tr., rept. from * to last 4 (3, 6) h.tr., h.tr.2tog., 1 h.tr. into each of next 1 (0, 3) h.tr., 1 h.tr. into turning ch., turn. 14 (18, 26) sts.

Inches
 CM 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

(51) cm. (20) inch size only

Next Row (Dec. Row) – 2 ch., * 1 h.tr., h.tr.2tog., rept. from * to end, 1 h.tr. into turning ch. (18) sts.

ALL SIZES

Fasten off.

PRESSING

Pin out all pieces to measurements given. Press as instructions.

MAKING UP

MATINEE JACKET

Join sleeve seams by top sewing.

Neck and Front Edgings

With right side facing rejoin yarn at lower edge on right front, work 1 row of d.c. evenly up right front, round neck and down left front. Fasten off.

Mark position for buttons on left front edging, the first one at 1st row of yoke, the last one 1 cm. (1/2 inch) from neck and 1 more equally spaced between.

With right side facing, rejoin yarn at lower edge of right front, work 1 more row in d.c. working buttonholes to correspond with positions marked for buttons as follows: –

1 ch., miss 1 d.c.

Fasten off.

Sew on buttons.

BONNET

Join crown by top sewing.

With right side facing, rejoin yarn at face edge, work picot edge as given for shawl round face edge. Fasten off.

Neckband

With wrong side facing, rejoin yarn at face edge, work from ** of border for shawl round neck edge of bonnet, turn.

Next Row – 2 ch., * 2 d.c. into 2 ch. sp., 1 d.c. into next d.c. rept. from * to end, turn.

Work 1 row in d.c.

Fasten off.

Sew on ribbon.

Press seams.



WASHING AND PRESSING INSTRUCTIONS

	WASHING	PRESSING
Peter Pan Darling	 Warm water, hand or machine wash, short spin, do not wring, dry flat.	 Use a dry cloth and cool iron.

Our Knitting Bureau will gladly give you any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope

CARTER & PARKER LTD., GUISELEY, YORKS.

© Carter & Parker Ltd.
 HRP P.430

Prices apply only in Great Britain and Northern Ireland

Printed in England