Towing Electrics



12N plug Loose **012003A** Singly or 20 per outer

Polybagged **012003B** Singly or 12 per outer



12S plug Loose **012014A** Singly or 20 per outer

Polybagged **012014B** Singly or 12 per outer



13 pin plug Loose 012037A Singly or 20 per outer

Polybagged **012037B** Singly or 12 per outer



ec

Socket gasketPolybagged **012047A**Singly or 20 per outer



12N socketWith fog cut out
Loose **012025A**Singly or 20 per outer

Polybagged **012025B** Singly or 12 per outer



12S socket Loose **012036A** Singly or 20 per outer

Polybagged **012036B** Singly or 12 per outer



13 pin socketWith fog cut out
Loose **012038A**Singly or 20 per outer

Polybagged **012038B** Singly or 12 per outer



Socket cover Loose Black **012163A** Loose Grey **012165** Singly or 20 per outer



7 pin 12N plug to 13 pin socket Polybagged 012044A Singly or 12 per outer



7 pin 12N plug to 13 pin socket mini adaptor Polybagged 012054 Singly or 12 per outer



13 pin plug to 7 pin 12N socket mini adaptor Polybagged 012052 Singly or 12 per outer



7 pin 12N & 12S plugs to 13 pin trailing socket
Polybagged 012041A
Singly or 12 per outer



13 pin plug to 7 pin 12N & 12S trailing sockets
Polybagged 012042A
Singly or 12 per outer



Towballs and accessories



AK270 coupling head The AL-KO AK270 with soft touch grip and safety indicators for both engagement and wear. 2700kg max total weight with 120kg imposed load. Boxed with fitting kit including 35, 40 and 45mm spacers 007361A



AL-KO soft dock For AK7, AK10/2 and AK252. Display box of 12 007159



Spacers 13mm 007040 007051 25mm



Drop plates 007007 51mm 007018 76mm 100mm adjustable **007029**



13 pin alignment tool A simple tool to re-align the pins when the plug and socket have not separated correctly. Singly or 10 per outer 012050





High tensile bolts (2) Singly or 10 per outer

45mm pair 65mm pair 75mm pair 100mm pair 007085

Carded.

Singly or 10 per outer Ring 55mm **014475** Ring 75mm **014478**



Bump guard

Singly or 10 per outer **012109**

points.

Socket mounting plates

Manufactured from mild steel plate.



Mini bump guard With two socket mounting Singly or 10 per outer 012110



Ring towball cover Chrome **014452** Black 014455



AL-KO towball kit Extended necked towball includes 2 x 50mm nuts, bolts and spring washers 008003



AL-KO towball boot Black plastic 008006



AL-KO soft ball Supplied in a display box of 24 Red 012200 012201 Black

012202



Towball 50mm ball. 'E' approved. Singly or 10 per outer 007062



Towball boot Black plastic Loose (50) **012191** Packaged 014460

W4 Socket

bolt set (3)

10 per outer

010515



AL-KO 7/13 Pin plug holder

Suitable for either 7 or 13 pin plugs **012060**



W4 Cover-up

Plug and ball cover holder 012058

Singly or 10 per outer



 Improves damping performance Reduces stabiliser pad squeal

• Fast, effective, deep cleaning action

200ml. 10 per outer 007064





Blue

Combination relay

charging auxiliary battery & operating a refrigerator

automatic cut off **014405**

Split charge relay for

whilst towing. With

Audible relay

relay

014407

Rear mounting sensor

Ring Towing accessories





Coiled cable kits

Consists of a length of cable which extends to 1.2m and has a 7 pin plug on each end. Kit contains a 7 pin socket to mount on caravan A frame.

12N **014310**

12S **014311**

Complete towing stand

Ask your sales contact for details **014479**



Metal plugs 12N **014314** 12S **014332**



Metal sockets 12N 014315 12S 014330



Socket cover Black 014457



Towball covers Chrome 014452 Black 014455



Towball boots
Black with reflector
014465
Black
014460



Twin socket
Pre-wired with fog
cut out 014395



Socket plates Single 014445 Twin 014450 Singly or 10 per outer



High tensile bolts (2) 55mm 014475 75mm 014478 Singly or 10 per outer



Trailer lamps
Small square
014424



Socket seal kit Singly or 10 per outer 014470



13 Core Cable 5 x 2.5mm & 8 x 1.5mm to ISO 11446

3 meter **011554** 5 meter **011555**

12N Tester





Plug / Socket Tester

Simple battery powered tool to allow you to test and identify issues with both the 12N socket on the towing vehicle and the 12N plug on the trailer. Identifies the colour of the wire causing the problem to make simple repairs easily achievable, and more complex problems less expensive at professional repair facilities. Singly or 20 per outer **012011**



7 core Black 21 x 0.2mm 100m roll 011542

7 core Grey 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll **011553**







W4 Combi Master

Combined fridge power supply and charging relay enabling the fridge to operate and an auxiliary battery to be charged whilst towing **014076**









ERL11 ERL7
Automotive relays
12V 40A - Centre pin not used
ERL11

ERL11 12V 20/30A ERL7



Wheel rims



Prins LD1361 rim 4.5J x 13" 4 Stud 005016 Prins LD1360 rim 5J x 13" 4 Stud 005004



Prins LD1362 rim 4.5J x 13" - B + B **005038**



Trailer wheels & tyresWheel rim with 4 ply tyre
400-8" No cut out **005048**500-10" **005050**






Alloy wheel lock nuts M12 Set of 4 005148



Lemmerz rim 5.5J x 14" 4 stud **005020**



Lemmerz rim 5.5J x 14" 5 stud **005025** 6J x 15" 5 stud **005030**



Motorhome trims 15" Silver 006022 16" Silver 006024



Ring commercial wheel trims
16" Silver 006024



Polus trims (4) 13" silver 006026



Gyro trims (4) 14" silver **006027**



Ikon trims (4) 14" silver **006028**



Polar trims (4) 14" white 006029



Nelux trims (4) 15" silver 006030





Wheel cover protectors

Protect your investment by protecting your wheel and tyre from UV, wind and rain. Colours may change periodically. Sold individually



Spare wheel accessories

AL-KO side lift jack

Can be fitted to all caravans manufactured after 1980. The jack is easy to position and operate and is supplied with mounting brackets which are bolted to the main chassis members immediately behind the wheel. The jack can also be used as an aid to levelling. Can be lowered to 85mm and raised to 375mm. The mounting bracket design ensures correct positioning and operation. WARNING: When in use the caravan must be attached to the towing vehicle.



AL-KO side lift jack 800kg

Maximum load 1600kg Static load 800kg Bagged **007364** Boxed **007351**



AL-KO side lift jack 1000ka

Maximum load 2000kg Static load 1000kg 007357




Side lift jack bracket kit

Suitable for use only with Al-Ko Side Lift Jack or 2 Tonne Jack. Comprises of 2 x galvanised mounting brackets and fixing kit

007403

Spare bracket ONLY 007402



For AL-KO chassis with fixing holes. Check AL-KO technical brochure for wheel size compatibility. Telescopic action for easy wheel removal and replacement.

AL-KO part no. 1555934 (WAS 209550) 004018


For chassis with a distance between the main members of 1050mm - 1250mm

AL-KO part no. 1556005 (WAS 241859) **004004**

For chassis with a distance between the main members of 1265mm - 1515mm

AL-KO part no. 1556010 (WAS 241860) **004015**

For chassis with a distance between the main members of 1465mm - 1815mm



Aluminium axle stands

Supplied in a pack of 4. Max load

Adjustable in height from min 28cm to max 43cm. Weight 0.9kg each 007353

Plastic axle stands

Plastic UV resistant axle stands supplied in a pack of 4. Max load 750kg Adjustable in height from min 31cm to max 44cm.

Weight 0.8kg each

007352



12v air compressor inflater/deflater

Preset pressure mode with automatic cut off. High intensity LED white light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes

017304



Stack Jack axle stands

Set of 4 aluminium axle stands. Max capacity 2722kg per jack. Extends 28-43cm. For stabilising only-Not for lifting

007358

Digital 12v air compressor

Preset pressure mode with automatic cut off. Red light for SOS and high intensity LED light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes

017303



Hitch covers



W4 hitch cover

White P.V.C. weather - proofing cover with drawstring for secure fixing. Singly or 10 per outer **007335**



W4 'A' Frame cover

Hard-wearing cover which protects the hitch, handbrake mechanism and cable storage ports.
Singly or 5 per outer **007336**



AL-KO hitch cover black

To cover the towing hitch/stabiliser Suitable for the AKS2004/3004 stabiliser **007350B**

National hitch covers PVC coated nylon cover with drawstring. Singly or 10 per outer



England **007342**



Scotland 007343



Wales **007344**



Nylon hitch covers

PVC coated nylon cover with drawstring. Singly or 10 per outer Green **007340** Black **007340BL**

Printed nylon hitch covers

Printed with your company name and logo. Minimum order of 100 pieces. Alternative colours also available **007341**

Keep Calm and Caravan hitch covers Nylon hitch cover with drawstring. 007345A



products also available

Matching

Mains cable bag **016177A**

Peg bag **109563A**







Breakaway cables

Note: Cables should be connected as per instructions to ensure effective operation.

W4 Breakaway cables Singly or 10 per outer. Poly-bagged and header carded.













W4 standard breakaway cable 007118

W4 plastic coated cable 007120

W4 cable W4 easy fit with split ring cable 007125

Octagon shock absorbers

Al-ko Standard 007130

Al-ko detachable 007135

Shock absorbers







Designed to complement AL-KO Euro Axles. Colour coded for easy weight

Green

Upto 900kg for single axle Upto 1600kg for tandem axle 007425

Blue

901-1350kg for single axle 1601-2700kg for tandem axle

Red

1351-2000kg for single axle 2701-3500kg for tandem axle

2001-4000kg for single axle 3501-7500kg for tandem axle 007424

Corner steady braces & wheel wrenches



Extension sockets

Singly or 20 per outer

30cm

45cm

55cm

For use with cordless drills for

lowering and raising corner steadies. 19mm socket.

007161

007162

007162A





Master wheel wrench

Chrome plated carbon steel body with 17/19mm vanadium socket. Telescopic handle gives adjustable length. 350-530mm. Product supplier changes occasionally Singly or 10 per outer 007169A

AL-KO corner steady brace Singly or 10 per outer



Kronings corner steady brace Ideal for use with kronings semi-automatic movers

006699

Chassis spares

Note: More chassis spares can be found in our spares catalogue





WOW Bulk offers of 50 or more are available on One shot nuts

Corner steady nuts 16mm thread ø **007428** 20mm thread ø **007429**

Products

One shot nuts Supplied 10 per outer 20mm thread ø 32mm Socket 25mm thread ø 36mm Socket

007662 007689

Levelling accessories



HTD jack padsSet of four high quality pads with metal pins. Specially moulded to locate perfectly into HTD foot

Singly or 12 per outer

007391A



HTD wheel chocks (2)

A vital safety device when parking up or changing a wheel. 90 x 150 x 100mm

Singly or 24 per outer 007312A



Target level

Circular spirit level for 360° levelling indication. 007297V HTD W4 packed 007297 10 per outer



Fiamma Plates pro

Kit of 4 anti-sinking bases with pins, permanently fitted whilst travelling. 007382



HTD Level aid

Singly or 10 per outer 007299



HTD foot stackers

Set of four foot stackers for levelling the vehicle on very uneven ground. For use with jack pads. Singly or 12 per outer 007392



Fiamma Plates

Kit of 4 reinforced anti-sinking plates for the feet of the caravan.

007381







U-Level

The wireless levelling system. The smart & safe way to level your caravan before towing and also to level your caravan or motorhome on site.

Contains two units, a transmitter and receiver as well as a handy hanging/carrying strap. By simply turning on both units and placing the transmitter on a suitable flat surface inside the vehicle, the receiver can then be used outside to adjust and refine the level and weight distribution.

007300





Levelling accessories



WOW For more information on Fiamma products see our comprehensive Fiamma section at the end of the catalogue



Level Up (2)

Dimensions (mm) 570 x 200. Maximum height 130. Maximum axle weight 5 tons. Grey **007326** Level bag 007333



Level PRO (2)

Dimensions (mm) 430 x 170. Maximum height 90. Maximum axle weight 5 tons. Singly or 6 per outer. Grey **007320** Level bag **007332**



Anti slip plate (2) To help prevent slipping on paved surfaces. Suitable for all blocks except Level System

Chock level (2)

Jumbo 007328

Lightweight chock for use with Level up, Pro and Magnum on longer stays. Comes with 2 steel hooks to firmly fasten to chocks when used on levels 007327

Each kit comes with 2 Level Ups and a washable Polyester carry bag. Easy to carry with comfortable shoulder strap.



Kit Level Up (2)

Dimensions (mm) 570 x 200. Maximum height 130. Maximum axle weight 5 tons. Comes with washable polyester carry bag. Easy to carry with comfortable shoulder strap. Grey **007316**



Kit Level Up Jumbo (2)

Dimensions (mm) 580 x 240. Maximum height 140. Maximum axle weight 8 tons. Comes with washable polyester carry bag. Easy to carry with comfortable shoulder strap. Grey **007318**



Level bag S

For level pro (007320), magnum (007322) and wheel saver (007331) 007332

Level bag For level up (007326) 007333



Level Plate (2)

Anti skid system for installation on Fiamma level up. It increases traction, avoiding skids and slips on smooth surfaces and helps to prevent sinking on soft ground. Grey **007329**

Magnum (2)

Dimensions (mm) 500 x 200. Maximum height 90. Maximum axle weight 8 tons Singly or 6 per outer Yellow **007322** Level bag **007332**



Dimensions (mm) 600 x 260. Maximum height 120. Maximum axle weight 12 tons Yellow 007323





Fiamma Grip System (2)

Anti skid system with superior traction. The two grips can be combined into one long piece to position under the motor home or caravan wheels. Ideal on sand or mud.

Grey **007367**

Ideal for long stays or storage. Suitable for wheels up to 70cm diameter.

Dimensions (mm) 460 x 210. Maximum height 60. Can use level bag S 007332 Grey **007331**





AL-KO MkII AKS 3004 stabiliser

Developed for caravans and trailers from 200kg up to a maximum gross weight of 3000kg Stabiliser only 007938

> WOW MkII AKS 3004 Triple pack consisting of stabiliser, premium security device, towball and safety ball 007939



Winterhoff WS3000 stabiliser

The slender design guarantees excellent angular flexibility for manoeuvring. Stabiliser only **007850**

AL-KO stabiliser accessories



Towball kit 008003

Towball cover 008006



AKS security barrel and two keys For all models 007723



3004 4x4 handle Replacement handle for 4x4's to avoid fouling of the rear door. For red AKS 3004

007934



Safety ball Locks into hitch head for extra security. Supplied in a display box of 24 **002120**

Replacement friction pads



Side 1300 Stabilisers 007957



Side 2000/2500 stabilisers To 1993 **008004**



Side 2004/3004 stabilisers From 1994 **008005**



Front/rear 2004 stabilisers 007935



Front/rear 3004 stabilisers From 1994 **007936**



Winterhoff friction pads For Winterhoff WS3000 Stabiliser from Aug 2002 onwards **007852**



Stabilisers AL-KO Trailer Control



Avoidance manoeuvres or side wind can cause caravans to start swaying. AL-KO Trailer Control (ATC) actively works against these forces and gently brakes the caravan automatically. The emergency system reacts when the swaying of the vehicle combination exceeds limit values.



- Sensors react to small lateral accelerations
- The caravan immediately brakes automatically. The driver barely notices this correction
- The caravan is brought back into line and under control automatically. The vehicle combination once again drives safely

WOW ATC is now available as a retrofit for nearly all caravans. Please call with the year, make, model, maximum weight and whether it is a single axle or twin axle to establish the model required.

Personnel who have not been trained to fit ATC can request specific training in how to fit, service and upgrade ATC by contacting AL-KO either by phone on 01926 818500 or via email mail.uk@alko-tech.com

AL-KO No.	Grove No.	Weight Limits
1289273	007870	Single Axle 750 - 1300Kg
1289274	007872	Single Axle 1301 - 1500Kg
1289275	007874	Single Axle 1501 - 1800Kg
1289276	007875	Twin Axle 1301 - 1600Kg
1289277	007876	Twin Axle 1601 - 2000Kg
1289278	007877	Twin Axle 2001 - 2500Kg
1289279	007878	Single Axle 750 - 1300Kg
1289280	007880	Single Axle 1301 - 1500Kg
1289281	007882	Single Axle 1501 - 1800Kg
1289282	007883	Twin Axle 1301 - 1600Kg
1289283	007884	Twin Axle 1601 - 2000Kg
1289284	007885	Twin Axle 2001 - 2500Kg

1289286	007886	Single Axle 1301 - 1500Kg
1289288	007887	Twin Axle 1301 - 1600Kg
1289289	007888	Twin Axle 1601 - 2000Kg
1289290	007890	Twin Axle 2001 - 2500Kg
1289296	007892	Single Axle 750 - 1300Kg
1289297	007894	Single Axle 1301 - 1500Kg
185001001	007896	Single Axle 750 - 1300Kg
185001002	007897	Single Axle 1301 - 1500Kg
185001003	007898	Single Axle 1501 - 1800Kg
185001004	007899	Single Axle 1601 - 2000Kg
185001009	007915	Twin Axle 1601 - 2000Kg

Leaf type stabilisers - Spares shown for Driver stabiliser



Driver stabiliser

Comes with quick release kit, 4.5" friction discs and standard L bracket to suit AL-KO and similar taperline chassis

007800



Stronghold stabiliser

2 year mechanical warranty, with quick release mechanism and fast fit 'L' bracket that clamps onto the chassis which eliminates drilling. Fitted with 2 x 4" friction discs. Supplied with canvas carry bag.

007775



4 Hole car plate **007804**



2 Hole car plate **007805**



TC car plate **007808**

007824



L bracket **007812**



Extended L bracket **007814**



Slipper block **007822**



Toggle screw **007819**



4.5" Friction discs **007825**





Jockey wheel assemblies


Al-ko standard	Plastic
Shaft Ø	48mm
Length closed	470mm
Extension max	220mm
Stationary load max	150kg
Nose load max	90kg
Wheel type	Plastic rim / solid rubber
Wheel size	200x50mm
Weight	4.8Kg
Grove Number	007194



Al-ko standard	metal
Shaft Ø	48mm
Length closed	550mm
Extension max	250mm
Stationary load max	150kg
Nose load max	90kg
Wheel type	Metal rim / solid rubber
Wheel size	200x50mm
Weight	5.0Kg
Grove Number	007179



Al-ko H/Duty Pnuematic		
Shaft Ø	48mm	
Length closed	580mm	
Extension max	250mm	
Stationary load max	200kg	
Nose load max	120kg	
Wheel type	Metal rim / Pneumatic	
Wheel size	260x85mm	
Weight	5.0Kg	
Grove Number	007197	



Al-ko H/Duty Plastic	
Shaft Ø	48mm
Length closed	560mm
Extension max	250mm
Stationary load max	150kg
Nose load max	90kg
	Plastic rim / Soft rubber
Wheel size	215x65mm
Weight	5.0Kg
Grove Number	007195



Al-ko Premium		
Shaft Ø	48mm	
Length closed	645mm	
Extension max	250mm	
Stationary load max	300kg	
Nose load max	180kg	
Wheel type	Metal rim / solid rubber	
Wheel size	230x80mm	
Weight	9.8Kg	
Grove Number	007193B	



Al-ko Soft Wheel		
Shaft Ø	48mm	
Length closed	490mm	
Extension max	250mm	
Stationary load max	150kg	
Nose load max	90kg	
Wheel type	Soft Wheel	
Wheel size	240x90mm	
Weight	4.8Kg	
Grove Number	007192	



Trailer 34mm	
Shaft Ø	34mm
Length closed	575mm
Extension max	200mm
Max load	100kg
Wheel type	Metal rim / solid rubber
Wheel size mm	160x60
Clamp	Included
Weight	4.1kg
Grove Number	007170





AL-KO manoeuvring handleFor use with caravan and trailer jockey wheel assemblies with 48mm diameter stems **007250**



Jockey wheel accessories



For 34mm jockey assembly Overall ø 160mm Spindle hole length 60mm



Pneumatic wheel & tyre Overall ø 250mm Spindle hole length 90mm 007189



Steel clamp Pressed steel for 90S/3 assembly 007639



For std 48mm jockey assembly Overall ø 195mm Spindle hole length 60mm



Pneumatic wheel Overall ø 260mm Spindle hole length 85mm 007198



Steel clamp Pressed steel for 161S & 251S assembly 007619



Al-Ko Soft wheel Overall ø 240mm Spindle hole length 90mm 007196



Jockey wheel clamp Suitable for 48mm tube **007276**




Cast clamp Pressed steel for 161S & 251S assembly 007640




Jockey wheel clamp for rotary airer

For use with caravan and trailer jockey wheel assemblies with 48mm diameter stems. Ideal for both TV aerial poles and rotary airers



















Flange nut 20mm (32mm socket) 1637/2051



007663 **Dust cap**



Flange nut 25mm (36mm socket) 2361



007690 **Dust cap**



007659 100 x 4 / m12 x 1.5 1637 - After 10/94



007684 100 x 4 / m12 x 1.5 2051



007685 112 x 5 / m12 x 5.5 2051 - Less than 750Kg



007684A 101.6 x 4 / m10



007660 Brake Shoe Kit for 1637 after 1994



BRAKES

007683 Brake Shoe Kit for 2051 after 1994



007687 Brake Shoe Kit for 2361 after 1994

CORNER STEADIES



007432 Corner steady 205808



007433 Corner steady 205817



007434 Corner steady 267265



007435 Corner steady 1221694



007428 Nut 16mm



007429 Nut 20mm



007436 Security Device Premium



007430 Nut 20mm and washer kit of 5







HTD Aluminium nose weight gauge Comes with plastic foot.

Comes with plastic foot.
Measures nose weight up to 100kg.
Singly or 20 per outer **007313**



HTD Plastic nose weight gauge

Measures nose weight up to 100kg.
Singly or 20 per outer **007314**



W4 weigh-it extra

Calibrated in both pounds and kilograms. Measures nose weight up to 250lbs/115kg **007310**



Caravan Weight Control

The Caravan Weight Control (CWC) gives you 100% control over the total weight and the partial weights of the individual wheels. Using the handy balance may easily prevent excess and uneven loads which may have a negative impact on vehicle handling.

- Can measure the load per wheel up to 1000Kg yellow or 1500kg orange
- Totals the weight once measured on either a single or twin axle vehicle
- Can be used as a nose weight gauge
- Requires 3 x AAA batteries (not included)
- Simple to use
- Weighs 1 Kg1500Kg orange **007304**1000Kg yellow **007305**



Reich TLC

Towbar Load Control. Accurate and reliable digital measurement in 1kg intervals up to 100kg. Simply place on Tow ball then rest the caravan on the TLC for an accurate measurement of weight on the towball. Requires 2 x AA batteries not supplied.

007306

MUST BE REMOVED BEFORE TOWING.

Specialist Jockey wheels





WOW Al-ko Premium jockey wheel with a built-in nose weight gauge shown on page 12



Towing Safety



Collapsible safety cone Sturdy reflective safety cone 007396











21 LED warning triangle Battery powered (3 x AA not supplied) 21 bright LEDs.

GRAYSTON

440 x 440 x 440mm.

007393

Grayston coil spring assisters

To stiffen and raise suspension by approximately 38mm.

To measure the size - jack the vehicle up to take weight from springs then measure the gap between two parts of the spring

GE13 18mm-25mm 008019 800800 **GE14** 26mm-38mm **GE15** 39mm-51mm 008027 **GE15A** 52mm-65mm 008036





16 LED warning disk Magnetic warning disk, high visibility,

with multiple light settings. In case of emergency place on car roof 007398



Warning triangle

E approved. Singly or 10 per outer 007390



Rear view lens

Manufactured from optical grade PVC with viewing angles of upward 13° sideways 25° and downward 28°, these lenses help eliminate the blind spot and therefore make reversing safer.

9"x 7" 120137 10" x 8" 120138 14" x 11" 120139

Beam converters

 $Head lamp\ beam\ adaptor\ for\ continental$ driving. By law, at any time - day or night, when driving in Europe you must convert your headlamps to avoid dazzling other road users 015606



Towing mirrors Note - All mirrors sold by Grove are "E" marked

HANDY mirror range

This range features the unique "Handy" ratchet system which gives minimal vibration and maximum stability. Simple to install and remove: the unique "Handy" ratchet allows a tight fit to the existing mirror every time. Attaching to the vehicle's existing mirror these universal fitting mirrors are suitable for most vehicles and include models suitable for vans and motorhomes as well as cars, and will fit left or right hand mirrors. Glass size 190mm x 120mm. All Singly or 6 per outer.





Handy XL standard mirror Arm length 310mm 120140



Handy Super Flex mirror Wide angle arms for most vans and motor homes. Arm length 230mm 120144

WOW The Handy XL achieved "Best Overall towing mirror" when on test in Practical Caravan magazine - September 2013. Conclusion: "(the) ratchet tensioning system gives a satisfyingly secure feel when fitted" and "once securely fastened to the towcar mirror it was rock steady. The mirror image was superb with no distortion visible. The field of view was massive and vibration was insignificant." 89/100



Standard towing mirror

Glass size 150mm x 110mm. Arm length 220mm Singly or 20 per outer **120154** Spare straps **120153**



Summit RV98T

Adjustable arms, mirror head adjustable through 360° and shatterproof glass. Singly or 10 per outer **120148**



Summit RV3200

Removeable arm, mirror head adjustable through 360°, shatterproof glass and complete with built-in blind spot.

Singly or 10 per outer **120151**



Excellent View towing mirror

After initial set up the bracket can be left on, head and extension mirror can be removed.

Glass size 185mm x 120mm. Arm length 270mm Singly or 20 per outer **120168** Spare straps **120169**



Ring RCT1440 Multi fixing

- Adjustable clamp system for multivehicle fixing
- Dual angle flat/convex lens for improved field of vision
- Fully adjustable mirror to ensure the correct field of vision
- Improved rearward visibility when towing
- Suitable for left and right fixing / top or bottom fixing
- Reg 46 'E' Approved
 120147 Singly or 10 per outer





XXL towing mirror

Glass size 185mm x 120mm. Arm length 200mm Singly or 20 per outer **120158**



Kronings mirror set

A pair of extruded aluminium and ABS towing mirrors. Minimum vibration. Designed to fit 95% of all vehicles, this set comes with all required tools and fitment combinations.

Supplied with: 3 different sized gripping handles, 2 x flat and 2 x convex mirrors, 4 x different sized holding pins, 2 x different sized rubber ends. Weight 468g

120130

Kronings spares

 Speed strap
 120131

 Flat mirror glass (2)
 120132

 Convex mirror glass (2)
 120133



(WA)

Self adhesive stickers All stickers are sold 10 per outer



Scotland flag Medium rectangle 110 x 65mm 013577



SCO Large oval 140 x 100mm 013576



Wales flag Medium rectangle 110 x 65mm 013582



Cymru Large oval 140 x 100mm 013581



Ireland flag Medium rectangle 110 x 65mm 013588

(WA)



IRL Large oval 140 x 100mm 013587



AA GB Magnetic badge

Large oval 180 x 135mm 013598



Large oval 140 x 100mm 013586



Tracking fitted 110 x 65mm

Motorhome 013613 Caravan **013614**



GB sticker

Large oval 180 x 135mm 013603



Euro Scotland 122 x 88mm 013575

Vital Statistics Metric is	nperial
Max Ladar Weight	
Philippe	
Width Marors Further	dillo
Width with Mirrors	(444)
Shipping Langth	

Vital statistics 60 x 48mm 013619



GB sticker

Large oval 140 x 100mm 013602



Euro Cymru 122 x 88mm 013580



Tyre pressure 60 x 48mm 013615



Euro GB 122 x 88mm 013605



French speed limit stickers

150mm ø. 2 stickers included (80 & 90) 013609F



60mph 100mm ø 013609



LPG sticker 100 x 100mm 013610



Fresh water 60 x 55mm 013618

Rectangular number plate stickers

Adapt your number plate with ease at low cost



GB 013608



SCO 013578

(WA)



CYMRU 013583



IRL 013589



SCO 013578A







Number plates

AJ5I WXX








Reflective backings

100 per outer	
Reflective yellow	013305
Reflective white	013313
Bordered yellow	013303
Bordered white	013322
Scottish yellow	013311
Scottish white	013310
Border Scottish yellow	013309
Cymru yellow	013312
Cymru white	013312W
Square yellow	013317



Acrylic plates

50 per outer Oblong **013306** 25 per outer Square **013315**



Adhesive pads

6mm (150)

20 per outer	
1mm	013523
6mm	013524
Bulk	
1mm (200)	013525



Followed by number or letter

Followed by number or letter

3D digits (20)

013409

ABCDEFGHIJKLMN PQRSTUVWXYZ 0123456789

Individual digits (20) Digit starter pack 100 of each digit

013407





013526

Staticlean fluid

Apply to the acrylic sheet (and to the reflective if required) before use in order to reduce static 50ml **013512A**

Sponge pad bottle 013421

Trailer boards



3' Trailer board

H135 x W915 x D70mm. 4m cable 12N plug $\mathbf{015248}$



4' Trailer board

H140 x W1230 x D70mm. 4m cable 12N plug **015259**

Marker lamps



Jokon EL61 Lamp 015457A



Jokon Lamp 015465A



Jokon PL96 Lamp 015454A



Britax 881Lamp **015438**



Jokon EL61 Lamp 015459A



Jokon Lamp 015467A Lens 015468



Jokon PL96 Lamp 015456



Britax 883 Lamp **015440**



Jokon EL61 Lamp 015452A



Britax 814 Lamp 015384



Britax 813Lamp **015404**



Britax 882 Lamp 015442



Hella oblong Lamp 015461



Hella oval Lamp 015444



Britax 536 Lamp 015450



Britax 764 Lamp 015337



Hella oblong Lamp 015463



Hella oval Lamp 015446

Number plate lamps



Britax Small 015476



Hella Small 015479



Hella oblong Lamp **015464**



Jokon Lamp 015470A



Jokon with clip on lens
Lamp 015472A



Jokon with screw on lens 015473



Jokon oblong red/ white 015474A



Caraluna caravan lights



MK1 left hand, reverse **015001**



MK1 left hand, fog light **015018**



MK2 left hand, reverse **015000**



MK2 left hand, fog light **015017**



MK2 left hand fog clear lens **015021**



MK1 right hand, fog light **015002**



MK2 right hand, fog light **015003**



MK2 right hand clear lens **015020**

Other rear lights



Britax 9300 wrap round Stop/tail, flasher, fog & reverse 382mm x 130mm **015050**



Jokon wrap round Stop/tail, flasher, reverse & fog 385mm x 112mm **015007A**



Britax 9002 lamp 015056



Caraluna motorhome lights



MK1 left hand 015015



MK2 left hand, reversing light 015013



MK1 Right hand, fog light **015016**



MK2 Right hand, fog light



Caraluna vertical Dimensions (HxWxD): 406 x 168 x 80mm Left hand - Includes reverse 014493



Caraluna modular Dimensions (HxWxD): 612 x 163 x 92mm Left hand 014490



Caraluna modular Dimensions (HxWxD): 612 x 163 x 92mm Right hand 014491

Reflectors



Self adhesive reflectors

105 x 50mm. 79mm hole centres.

Red 015268 Amber 015277 White **015286**



(W4)



Road light repair stickers 250 x 70mm 10 per outer Headlight - Silver vinyl **013620**

Brake/Tail - Red vinyl 013621 Reverse - Clear vinyl 013623 Indicator - Amber vinyl 013622

HTD Caravan Covers



Superior heavy duty breathable 4 ply material allows condensation to evaporate Outer layer - durable non-woven to give UV and water resistance, but with breathability 2nd layer - Treated non-woven to give UV protection and strength 3rd layer - PE film, enables the cover to breathe but helps with water resistance Inner layer - Extra soft non-woven material to protect the vehicle's paintwork

- Easy to fit (fitting instructions included)
- Ideal for winter storage
- UV stable
- Nylon straps for a secure fitElasticated hem for a tailored fit
- Storage bag included
- 2 YKK zips either side for easy access
- 12 months warranty

WOW Available in 3 widths for a more tailored fit!

Standard		
Part No.	Length	Imperial Size
106754	Up to 450cm	Up to 14'9"
106755	450 to 500cm	14'9" to 16'4"
106756	500 to 550cm	16'4" to 18'0"
106757	550 to 600cm	18'0" to 19'8"
106758	600 to 650cm	19'8" to 21'3"
106759	650 to 700cm	21'3" to 22'11"
106760	700 to 750cm	22'11" to 24'7"







253cm wide	1)		
Extra wide			
Part No.	Length	Imperial Size	
106761	Up to 650cm	19'8" to 21'3"	
106762	650 to 700cm	21'3" to 22'11"	
106763	700 to 750cm	22'11" to 24'7"	

750 to 800cm 24'7" to 26'2"

106764

Caravan Cover

wide	•)		
Extra narrow			
Part No.	Length	Imperial Size	
106750	Up to 450cm	Up to 14'9"	
106751	450 to 500cm	14'9" to 16'4"	
106752	500 to 550cm	16'4" to 18'0"	
106753	550 to 600cm	18'0" to 19'8"	



HTD Motorhome Covers




2nd layer - Treated non-woven to give UV protection and strength 3rd layer - PE film, enables the cover to breathe but helps with water resistance Inner layer - Extra soft non-woven material to protect the vehicle's paintwork

- Easy to fit (fitting instructions included)Ideal for winter storage
- UV stable
- Nylon straps for a secure fit
- Elasticated hem for a tailored fit
- Storage bag included
- 2 YKK zips either side for easy access
- 12 months warranty

Part No.	Length	Imperial Size
106765	Up to 550cm	Up to 18'0"
106766	550 to 600cm	18'0" to 19'8"
106767	600 to 650cm	19'8" to 21'3"
106768	650 to 700cm	21'3" to 22'11"
106769	700 to 750cm	22'11" to 24'7"
106770	750 to 800cm	24'7" to 26'2"









Motorhome Cover



Top covers



Caravan top cover

- Superior top cover offering protection for your caravan
- Water resistant heavy duty silver polyester material
- Ideal for winter storage
- UV stable material ensuring long product life
- Elasticated straps with nylon coated steel hooks
- Elasticated hem for tailored fit
- Storage bag included
- Additional straps supplied for different fitment options
- 12 months warranty


106830	Caravan top cover up to 14'
106831	Caravan top cover 14-17'
106832	Caravan top cover 17-19'
106833	Caravan top cover 19-21'
106834	Caravan top cover 21-23'
106835	Caravan top cover 23-25'


Thermoval screen protectors Thermoval® Thermov

All-season thermal windscreen covers

- Made with PVC film bonded to a thin foam
- Opening panels to allow in the light (Luxe models)
- Won't wrinkle or tear
- Easy to roll up and store
- Easy to fit and remove
- Ultra-quick wipe clean and dry
- Reduces condensation
- 2 year Guarantee

Grove No.	Model	To Fit
106900	Standard	Peugeot / Fiat / Citreon June 1993 onwards
106901	Standard	Peugeot / Fiat / Citreon June 2006 onwards
106902	Standard	Ford Transit June 2006 onwards
106903	Standard	Ford Transit June 2014 onwards
106904	Standard	Mercedes June 2006 onwards
106905	Standard	Renault Master June 2010 onwards
106906	Standard	VW T5 June 2002 onwards
106907	Luxe	Peugeot / Fiat / Citreon June 1993 onwards
106908	Luxe	Peugeot / Fiat / Citreon June 2006 onwards
106909	Luxe	VW T5 June 2002 onwards





















Fiamma covers



Cover Premium M For motor homes up to 7.1m long Dimensions 7.16 x 2.59 x 2.74m Weight 10kg 106870A

Cover Premium L

For motor homes up to 8m long Dimensions: 8.08 x 2.59 x 2.74m Weight 11kg 106872A



Fiamma Thermoglas **XXL Ducato**

For Fiat Ducato after 06/2006 Weight 11kg 106466



For fiat Ducato after 06/2006 Dimensions: 182 x 150cm Weight 1.8kg **106470**



Rear Door Cover Fiat Ducato 106893

(Citroën Jumper, Peugeot Boxer and Mercedes Sprinter high roof after 06/06) Comes with: Double rail, awning with sides and front panel, rafter for increased stability and an elastic tension kit

VW T5 106895

Comes with: Set of floor poles, complete enclosure, set of pegs and an elastic tension kit.

Canopy poles 106897

Set of aluminium poles to extend the door





Fiamma Cover Top

Sturdy and hard wearing cover made with UV resistant and heavy duty vinyl to protect the motor home from dirt and sun. Easy to tighten using ropes or elastic cords (not included). Reinforced corners and tie down grommets.

Dimensions: 8.5 x 5.2m.

Weight 6kg

106875



Fiamma Coverglas XL Ducato

For Fiat Ducato after 06/2006 Weight 3.5kg 106465



Fiamma Draught skirt

- 1 Motorhome: L 550cm H 60cm
- 2 Caravan: L 450cm H 60cm
- 3 VW T5/T6: L 250cm H 42cm
- 4 Fiat Ducato: L 397cm H 55cm
- 5 VW T5/T6 Rear
- 6 Fiat Ducato Rear

The Camper Trolley



Camper Trolley's revolutionary design provides an innovative solution to the limitations of movers presently on the market. No wiring or drilling, simply attach the bracket, the Camper Trolley is moved into place and attached to the bracket, the unit can then be moved into place by remote control.

Stylish, compact and powerful, it can be fitted to chassis with low ground clearance, or where a conventional mover cannot be fitted due to restrictions. It can also be used on multiple vehicles or retained when a new vehicle is purchased (saving your investment)

Includes: The CamperTrolley Mover, remote control, battery charger, mounting fittings and bag for storage



CT1500 Low tower for single axles up to 1500kg 006590




High tower for Twin axles up to 2500kg 006592



Closed frame bracket 006595

Kronings Caravan mover mounting accessories




ERIBA Touring kit 006615



AL-KO Vario III kit For "Flat Frame" BPW or Al-Ko Vario III chassis 006617



M-Chassis kit 006635



Low chassis kit 006633



Spacer Kit 15mm **006625** 30mm **006627**



Flat clamp set



Upper clamp bracket 006665



Lower clamp bracket 006666



Mounting bolts set 006669



006637

Remote control Single axle **006662** Twin axle **006660**



Wiring set 006673



Main switch 006675



Centre bar Comes with synchronising bar 006698



Stop block set (2) Stops any Kronings mover from slipping on the chassis 006639



Anti-theft lock bolt set (2) To help prevent the mover from being removed without authorisation 006642



Kronings winding handle



Caravan moving systems

Buy the caravan mover that gives you more year after year!

Each product is carefully tested before shipment. Kronings caravan moving systems and equipment have a built in 64 bit encryption radio transmitter as standard. This Kronings Code technology protects your remote control against interference from other transmitters and receivers!

WOW Five year warranty on all movers when the mover is serviced after years 1 and 3 by a Kronings service centre! Future proof – Software upgrades available through Kronings service centres!

k<u>roning</u>s



Light weight Caravan mover Manual engagement

Compact, clean design and minimal maintainance - easy to use. Manual engagement with cross actuation allowing both rollers to be engaged from one side.

Controlbox on all models can be individually programmed by Kronings service centres, to meet the exact demands of the customer.

When new software is developed, the controlbox can always be upgraded with newest functions by any Kronings service centre.

Single axle up to 1,800kg Twin axle with 4 motors (all wheel drive) up to 3,000kg 006600 006604



Caravan mover Fully Automatic engagement

Compact, clean design and minimal maintainance - easy to use. Automatic engagement by control buttons on the handset.

Controlbox on all models can be individually programmed by Kronings service centres, to meet the exact demands of the customer.

When new software is developed, the controlbox can always be upgraded with newest functions by any Kronings service centre.

Single axle up to 2,000kg
Twin axle with 2 motors
up to 2,300kg
Twin axle with 4 motors

006610

(all wheel drive) up to 3,000kg

006600 006604 006606 006608 006610 MANUAL ENGAGEMENT **AUTOMATIC ENGAGEMENT** Twin axle Twin axle Twin axle Single axle Single axle 4 motors (AWD) 4 motors (AWD) 2 motors 28.7kg Weight 57.5kg 32kg 64kg 32kg 433.92MHz 433.92MHz Frequency 433.92MHz 433.92MHz 433.92MHz Voltage 12V 12V 12V 12V 12V Recommended 85-105 (Ah) 105 (Ah) 85-105 (Ah) 85-105 (Ah) 105 (Ah) **Battery Size** 16% (1800kg) 13% (2500kg) 17% (1800kg) 15% (2300kg) 14% (3000kg) Rise 23% (1275kg) 15% (2100kg) 25% (1275kg) 18% (2000kg) 20% (2000kg) Electric Usage (Firm ground) 25-35Ah 25-35Ah 25-35Ah 25-35Ah 25-35Ah Standby < 10mAh < 10mAh < 10mAh < 10mAh < 10mAh Speed cm/s 12-14 12-14 13-16 13-15 14-15 (Firm ground)



Powrtouch Caravan Movers

Powrtouch caravan movers are designed to fit caravans that have shock absorbers fitted or have a narrow gap (less than 105mm) between the chassis and the tyre. They are fitted with a reduction gearbox to provide more moving power to the caravan wheels than comparative traditional caravan movers. Under ideal conditions it is expected that Powrtouch movers will move a 1,500 Kgs (approx 1.5UK tons) caravan up a 1 in 4 slope.

CARAVAN MOVERS

WOW 5 Years Warranty on Powrtouch movers!



Powrtouch Freedom Caravan Mover

- Powrtouch Freedom mover for single axle caravans will fit all standard Alko & BPW chassis with or without shock absorbers
- Powrtouch adaption brackets are available to allow fitment to non standard chassis
- High strength, high grade steel reduction gearbox giving improved power delivery
- Ability to engage both rollers from one side via the included cross actuation engagement system
- Powerful enough to move caravans weighing 1500kgs on a 1 in 4 slope (levelling ramps)
- Robust and durable construction achieved through the use of high grade steel & materials
- Hard wearing roller construction in aluminium to save weight
- Precise & accurate Soft Start Powr Drive control giving smooth mm by mm manoeuvring
- 360° directional precision control with in-motion directional adjustment
- Comprehensive directional performance, all with 4 speed settings
- Multifunction handset and base unit warning indication system
- Designed & manufactured to the highest industry standards including ISO 9001:2008
- Industry leading five year no guibble guarantee is fully supported by Powrtouch's factory trained technicians and engineers 006813

HTD Mirror Protectors

Protect-it

Protect your wing mirrors as well as your wallet. Protect, upgrade, customize!

- Helps to prevent damage to wing mirrors. Improves the appearance of the vehicle, covers existing damage with a professional gloss lacquer finish.
- Easy to fit, simply stick on to the mirror housing without the need for any additional tools. Extra strong double-sided permanent adhesive tape for protection against theft
- Impact resistant up to 90kmph against stationary and moving objects
- ●Set of 2

For Fiat Ducato, Peugeot Boxer and Citreon Relay (Jumper) models manufactured after 2006

Coachbuilt (motorhome) version for long arm mirrors

120171W White Black 120171B Chrome **120171C**

Utility (campervans) version for short arm mirrors

120170W White Black 120170B Chrome **120170C**













Hitchlocks and security devices





fits



AKS 3004

Fits all models of 2004/3004 stabilisers 007941

AKS 1300 / AK300

Fits 1300 stabilisers and AK300 coupling heads 007961



Safety Premium meets the highest international safety standards such as the criteria for the "Sold secure Gold standard"

The sturdy steel construction with powder-coated housing and a solid galvanised bolt (free of chromium(VI)) is supplied with two keys.



AK160 Fits AK160 50mm coupling heads 007975









AKS 1300

Comes with necessary fittings 007960





fits



Fits all models of 2004/3004 stabilisers 007940



AKŞ security barrel and two keys 007723



The tried-and-tested solution offers protection both on the road and when parked. So the caravan remains secure even when taking a break. With additional drill protection! Especially high-strength steel, additional reinforcements and the lock with drill protection, the Plus version offers great anti-theft protection even in unsafe areas. The red colour also means this caravan is perfectly secured



AKS 2700 security device Supplied with safety ball



Corner steady lock For use with AL-KO premium corner steady 007436







Plus Supplied with safety ball 007860



Trailerlock Mk2 To fit 50mm ball couplings. Supplied with 2 keys 002090



AL-KO coupling lock A compact and sturdy universal 50mm ball coupling lock. Singly or 5 per outer 002092



Grayston hitchlock To fit 50mm ball couplings. Supplied with 2 keys 002087



Integral lock for the AKS1300 stabiliser. Comes with 2 keys 002118



AL-KO AK 10 lock

For Al-Ko AK 7, 9 + 10 hitches. Comes with 2 keys. Singly or 10 per outer 002105



AL-KO AK 13 lock

Integral lock for Al-Ko AK13, AK21 and AKS 2700 stabiliser. Comes with 2 keys



AL-KO safety ball Dispaly box of 24 002120

<u>66</u>

AL-KO Secure wheel clamps

Lozenge insert only - Is the red insert only


Compact kit - Includes: Rim Specific Insert, Kneeling Mat, Wheel Brace Lock Components Box Including:

- Locking Bolt & Locking Bolt Socket
- Barrel Lock & 2 Barrel Lock Keys
- Barrel Lock Weather Cover
- Instruction Manual With Registration Card

















WOW

The AL-KO Secure Wheel lock has been tested to Diamond standard from SOLD Secure and is the only product on the market with this level of security.

wow

Many more models held in stock not illustrated. Other models available to order by special request!

Compact No. 26 **001891** Insert No. 26 001891INS 001883 Compact No. 22 Insert No. 22 001883INS Compact No. 21 001888 Insert No. 21 001888INS Compact No. 18 001899 001899INS Insert No. 18 001896 Compact No. 17 001896INS Insert No. 17 Compact No. 14 001897 Insert No. 14 001897INS Compact No. 11 001904 Insert No. 11 001904INS 001902 Compact No. 10 Insert No. 10 001902INS 001898 Compact No. 3 001898INS Insert No. 3



Hawk 14" Used by Various 1287647

001900 Compact Kit 001900INS Insert Only



Challenger 14"

Used by Swift on Challengers & Conquerors < 2014 1287992

001892 Compact Kit Insert Only 001892INS



Salida 14"

Used only by Lunar 1287650

001903 Compact Kit 001903INS Insert Only



Bailey 14"Used by Swift on various models 1287993

Compact Kit Insert Only

001909 001909INS



Hawk 15"

Used by various manufacturers 1287990

Compact Kit 001908 Insert Only 001908INS



Pageant 6 14"

Used by Bailey on Pageant series 6 models 1287645

Compact Kit 001882 Insert Only 001882INS



Roven 14"

Used by Swift on a range of models < 2015 1289106

Compact Kit 001894 Insert Only 001894INS





Lunar 5514 14" Used only by Lunar 1289166

Compact Kit Insert Only

001895 001895INS



Storm 14"Used by Swift on a range of models < 2015 1289487

Compact Kit Insert Only

001890 001890INS



Pegasus 14"
Used by Bailey on Pegasus & Olympus models 1289779

Compact Kit Insert Only

001889 001889INS



Unicorn 15"

Used only by Bailey on Unicorn models 1289824

Compact Kit Insert Only

001884 001884INS



Vortex 14"

Used by Coachman 1553574

Compact Kit 001885 Insert Only 001885INS



Vortex 15"

Used by Coachman 1553575

Compact Kit 001886 Insert Only 001886INS



Lunar 14" Used only by Lunar

1555497

Compact Kit Insert Only

001887 001887INS



Bailey 14" Used by Bailey 1556873

001880 Compact Kit Insert Only 001880INS



Scorpion 15" Used by Swift 1556874

Compact Kit Insert Only

001881 001881INS



Tardis 14"

Aftermarket potential on All Hymer, Corona, Xplore, Avante, Affinity and dealer specials 1557310

Compact Kit Insert Only

001877 001877INS



Scorpion 14"

1557312

Compact Kit Insert Only

001879 001879INS

No. 36



Vision 14"

Used by Coachman 1557613

Compact Kit Insert Only

001875 001875INS







AL-KO Secure wheel clamps



Lunar 14" Used by Lunar 1557619 Compact Kit Insert Only

001876 001876INS



Swift 15" Used by Swift 1559389 Compact Kit Insert Only

001873 001873INS



Bailey 14" Used by Bailey 1558298 Compact Kit Insert Only

001880A **001880AINS**



Swift 14" Used by Swift 1559417 Compact Kit Insert Only

001872 001872INS

001870INS



Lunar 14" Used by Lunar 1558766 Compact Kit Insert Only

001874 001874INS



Falcon 15" Used by Coachman 1559565 001886A Compact Kit 001886AINS Insert Only



Otium 14" Used by Bailey Option on Pegasus Grande 1821118

Compact Kit 001871 Insert Only 001871INS



Otium 15" Used by Bailey Option on Pegasus Grande 1821134 Compact Kit 001870

Insert Only



Basecamp 16" Used by Swift 1821165 Compact Kit 001869 001869INS Insert Only



Protective	Covers	Secure No.35	001984A
Secure No.2	001960	Secure No.36	001985
Secure No.5	001963	Secure No.37	001986
Secure No.8	001966	Secure No.38	001987
Secure No.15	001968	Secure No.43	001993
Secure No.23	001972	Secure No.44	001994
secure No.26	001973	Secure No.48	001998
Secure No.30	001980	Secure No.49	001999
Secure No.34	001984	Secure No.50	002000



Receiver Cap Yellow Pack of 5 001959





Replacement Barrel and 2 keys 001850



Stronghold Security

Stronghold products come with a 2 year mechanical warranty. The hitchlocks can be fitted hitched or unhitched. All locks have high security pick free locks, supplied with 3 keys giving millions of key combinations. Handy and colour pictorial fitting instructions

DO NOT USE WHILST TOWING



Stronghold AL-KO hitchlock

- Sold Secure Gold
- Fits Alko Hitches, AK130, AK160, AKS1300, AKS2004 and AKS3004 (all versions)
- Easy fit in under 10 seconds
- Case hardened steel body and locking bolt

001703



Stronghold Winterhoff hitchlock

- Sold Secure Gold
- Fits Winterhoff WS3000 hitches
- Easy fit in under 10 seconds
- Supplied with steel security ball for the un-hitched
- Case hardened anti-saw location pins



Maypole AL-KO hitchlock

- Fits Alko Hitches, AK130, AK160, AKS1300, AKS2004 and AKS3004 (all versions)
- Lightweight and robust construction
- Insurance approved 001703A



Maypole strongbox hitchlock

- Fits Alko, Albe, Winterhoff, Harrison, B&B and most other original open handle hitch types
- Robust steel construction
- Anti-prising lip 001701



- Sold Secure Gold
- Fully adjustable for wheel diameter (set once)
- Strong and robust steel hardened patented design
- Covers wheel nuts, wheel trims and alloy wheels
- Protective rubber on back plate to prevent damage to the wheel
- Easy to fit in under a minute no tools required

12"-13" Fits tyre widths up to 165mm 001716A

13"-15" Fits tyre widths 175-195mm

15"-18" Fits tyre widths 205-225mm 001720A



The leg lock

- 2 year mechanical warranty
- Supplied with 3mm allen key and hexagon adjustor key





Alloy wheel clamp ● Sold Secure Gold

- Fits 13" to 15" rim sizes
- Fits 165mm to 205mm tyre sizes
- Easy fit onto security wheel bolt in under a minute
- Strong and robust hardened steel construction

001722



Atlas wheel clamp

- Sold Secure Gold
- Fits steel and alloy wheels up to 265mm width
- Easily fitted in under a minute
- Durable PVC coating prevents damage to the wheels

001714A



Protector wheel clamp

- Sold Secure Gold
- Universal fit not restricted by tyre size or width
- Prevents tow away theft by stopping rotation of the wheel
- Easily fitted in under a minute
- Foam protection to prevent damage to the wheels
- Ideal for alloy wheels

001730A




Maypole security post

- Additional security for private or commercial use
- Highly visible deterent
- Folds down for convenient vehicle access
- 3 mounting holes for bolts (not included
- Includes integral lock and protective cover

001729

SECURITY








Security 31

Security device made from solid painted aluminium with 30mm diameter and 2mm thickness. It also serves as a conventional handle to make entering and exiting the vehicle easier. Adapts to all doors opening both to the right and to the left.

001201




Security S

M-shaped ergonomic handle with less projection than the standard handle

001200A





6 cm 1.5 cm 47,5 cm 41,5 cm 46 cm 33,5 cm



Security 46

Kit Security Grip

001203A

Comfortable polyester anti-slip cover to protect the safety grip of the security handles. Now delivered as standard with security handles it is available as an option for previous versions.

Extra long version of Security 31 001203

Special version of Security for motor home doors or for applications where a strong structure is required. Made in light but solid aluminium. Delivered with Kit Security Lock that offers major safety and strength thanks to a third fastening point on the door.

001204



6 cm

1.5 cm

10,5 cm

Kit Security Lock

Optional additional safety lock kit for Security 31 and Security 46 to be installed on the door of the motorhome. Delivered as standard with keys and internal brackets. Weight 0.5kg. White 001218

Duo-Safe Pro

Strong security bar allows blocking of the front doors from the inside. Quick and ready to use. Universal model thanks to the telescopic frame and Quick Lock hooks provided, to adapt to most vehicle cabins. Tested on:

Fiat Ducato, Citroen Jumper, Peugeot Boxer and Renault Master before 06/2006 Mercedes Sprinter, Fiat Ducato, Renault Master and Ford Transit after 06/2006 Also suitable for Iveco Daily cabin.

Weight 1kg

Grey **001204A**





Safe Door®


Safety block for motor home or caravan door. It works as an anti-theft device as it is made from sturdy anodized aluminium without plastic parts. It is easily installed to the vehicle wall with bolts and internal support brackets. Weight 0.6kg.

White 001206A 001206B Grey Black 001206C

Safe Door® 3

A set of 3 Safe Doors with the same key number for convenience.


White 001206D 001206E Grey Black 001206F



Safe Door® Magnum


A Safe Door® with extended length to 20cm to cover the locks of camper doors. Weight 0.6kg. White. 001211











Ducato After 09/09 001214



Safe Door® Frame

A Safe Door® that is installed on the side frame of the door or garage compartment with self-tapping screws. Weight 0.5kg.

White 001208A 001208B Grey Black 001208C Safe Door® Frame 3

A set of 3 Safe Door Frames with the same key number for convenience

White 001208D 001208E Grey Black 001208F



Safe Door® Magnum Frame


Installed on the inside profile of the door this special Safe Door® Frame Magnum is a Safe Door® Frame with extended length to 20cm to cover the locks of camper doors.

Weight 0.6kg. White.

001211A

Safe Door® Guardian


Security block created to be placed on the inside of the door or the garage of the motor home or caravan to secure the doors of the vehicle. Excellent protection against theft as it is made of strong aluminium, without any plastic parts. It is installed instead of the standard plastic security blocks, in the same position and using the same fixing holes.



Ducato After 06/06 before 09/09 001214A



Transit After 06/06 001214C





Exterior door locks



WOW A left hand lock fits on a door with the hinges on the left as you look from the outside



Caraloc 640

Left hand complete Right hand complete Left hand interior only Right hand interior only





Zadi round door lock

Right hand black Left hand black

001131 001132



001001





Compartment lock assembly

Complete assembly and 2 keys 001168



Black oblong 50mm 001161



Left hand complete Right hand complete Left hand interior only Right hand interior only



Zadi round door lock

Right hand cream Left hand cream (black interior)



001133 001134



Caraloc 700

Left hand Right hand Exterior only 001078 001089 001091



W4 external locker door lock Replacement door lock assembly complete with WD lock and 2 keys. Used by manufacturers on external lockers 001169



Black square 45mm 001180



Black square 45mm Including cover **001162**



Locks and keys



WD Standard barrel

Supplied with 2 WD keys standard barrel with removal tool

001164



WD Short barrel Supplied with 2 WD keys 001166



Caraloc security barrel

To replace caraloc and WD standard barrels with a high security lock with over 1000 combinations. Comes with removal tool and 4 keys 002127



Snake cut lock barrel

Replacement barrel lock cylinder, complete with one fold-away key fob and one over-moulded key. As used by Coachman Caravans 001170





WD short threaded barrel

Supplied with 2 WD keys. A WD short barrel lock with a female thread to enable attachment to gas locker door mechanisms 001167



Caraloc spare barrel Supplied with 2 MC keys 001130



Zadi spare barrel

As used on Hartal doors and Vecam lock assemblies. Supplied with 2 Zadi keys 001154



Waterproof laminated padlock

Singly or 20 per outer 001177

AL-KO Personal effects safe

Complete with removable internal shelf, mounting plate, with all fixings and 2 keys. 14 Litres. Outer wall thickness: 3mm External Dimensions: 300 x 240 x 200mm. Weight: 8.5kgs 002165



All keys are supplied individually packed in outers of 3

MC keys

001147 followed by key number

Key merchandiser

Includes 3 of the available keys between 1 and 40 **001149**

41 and 80 **001150**

ALL NUMBERS BETWEEN 1 AND 80 ARE AVAILABLE



All keys are supplied individually packed in outers of 3

WD keys 001155

followed by the key number Key merchandiser Includes 3 of the available 72 keys between 1 and 199 001160

1	2	3	4
5	19	20	28
29	30	32	47
48	52	53	54
58	59	60	62
64	67	69	78
82	83	84	85
97	98	99	100
101	105	106	107
108	109	110	123
124	125	126	130
131	132	133	134
135	148	149	150
151	152	156	157
158	159	160	161
174	175	176	177
178	182	183	184
185	186	187	199







Swift Stinger 310 002178S



Coachman Stinger 310

Sargent Stinger 300 Alarm kit

The Stinger 300 is best suited to aftermarket applications or as a replacement for our older AS210 system. It uses a simple to fit 2 wire power connection and is supplied with a mating cable for use if your caravan doesn't have an appropriate socket. Key fob operated alarm system with:

- PIR movement sensor
- Tilt Sensor
- Awning light operation (via extra wiring)
- Battery back-up
- Loud 110db siren

002177





IDM PIR sensor Fits IDM 2, 3 & 4 002173A



IDM charger Fits IDM 2, 3 & 4 **002171**



IDM battery Fits IDM 2, 3 & 4 **002172**



IDM Key pad Fits IDM 4 002175

IDM4 Alarm kit

A keypad operated alarm system able to operate for many months from its integral battery.

- Stylish keypad with 10,000 possible codes, sensor and battery test functions and programmable settings
- 3 possible power sources plug-top charger, leisure battery, solar panel (optional extra) **002174**









Haegil H-847 Caravan alarm

A 12 volt remote control caravan / motorhome alarm that provides interior protection with a night mode to protect while you sleep. It features tow vehicle ignition sensing, unauthorised hitch-up detection, two sirens and an awning light output. It has been designed with additional alarm trigger inputs that allow the alarm to be tailored to your specific requirements, providing the ability to use additional pin switches, magnetic contacts or shock sensors to protect external lockers and equipment.

The system is supplied with 2 remote control encrypted transmitters each with its own panic facility. The main module contains an integrated tilt sensor which can be adjusted to any angle, ensuring the alarm will sound if an attempt is made to hitch-up the caravan illegally. A separate movement sensor fitted within the vehicle provides interior protection that can be disabled when you wish to sleep in the caravan with the alarm switched ON. An external awning light can be set to illuminate when switching the alarm ON or OFF for convenience on returning to the caravan. The alarm has 2 sirens, one with its own internal battery for additional security.

002150

Safe Can

Store your valuables where the thief won't find them. All labels and cans are 100% genuine and supplied by the manufacturer under licence. Recognised by Police Forces, Neighbourhood Watch groups and Insurance Companies worldwide as an excellent deterrent to theft, the Safe Can is an ideal place to hide money, jewellery and valuables. Just unscrew one end to reveal a great hiding place. Supplied 10 per outer

Soup **002252** Beans **002253**

Supplied 50 per outer

Assorted soup, beans, spaghetti 002250



Mains Extension Leads

230V 16A IP44. 3 x 2.5mm² cable. Conform to:

- BS EN 60309 (Plug & Coupler)
 BS EN 50525 (Cable)

 - Low Voltage Directive (LVD2014/35/EU)

Mains extension lead with carry bag

016161A 10m lead 25m lead 016162A

Mains extension lead in polybag

10m lead 016161B 016162B 25m lead



230V 16A IP44. Conform to:

- BS EN 60309 (Couplers)
- BS EN 1363-1:2016 (UK Socket)
- BS EN 1363-1:2016 (UK Plug)
- VDE BS EN 50525-2:2011 (Cable)
- Low Voltage Directive (LVD2014/35/EU)





Mains hook-up adapter

Polybagged and header carded Singly or 12 per outer 016118A

Mains Plugs & Couplers 230V 16A IP44. Conform to: • BS EN 60309 Low Voltage Directive

(LVD2014/35/EU)

Mains hook-up adapter Continental

Polybagged and header carded Singly or 12 per outer 016125A



Mains site plug

Singly or 12 per outer Polybagged and header carded 016007Ă

Singly or 10 per outer Loose 016008A

Trailing socket

Polybagged and header carded Singly or 12 per outer 016090A



Mains coupler

Singly or 12 per outer Polybagged and header carded 016018Ă

Singly or 10 per outer Loose 016019A





W4 mains hook-up adaptor

Enables a mains lead to be connected to a 13A 3 pin socket Singly or 10 per outer 016118



W4 mains tester

Singly or 5 per outer 016099A



W4 mains hook-up adaptor continental

Enables a mains lead to be connected to a continental 13A 2 pin socket Singly or 10 per outer 016125



W4 13A trailing socket

230v male site plug with 13A trailing

Singly or 10 per outer 016090



For electrical safety. Considered essential on the continent. Tests Earth, Live and Neutral.



W4 mains testing kit

For checking the polarity directly from site electrical post. Components can be used separately 016095A

W4 universal mains testing kit

All you need to test the site supply at source, both in the UK and Europe. Especially useful for testing for polarity reversal 016100A



W4 mains splitter 3 way

230v male 3 pole 16A to 3 way female splitter. Conforms to EN60309 Weight 363g Singly or 10 per outer 016020



W4 universal bulb kit

Contents: H1, H4 & H7 headlight

bulbs. 11 x assorted bulbs 3 x assorted blade fuses

2 x assorted mini blade fuse 010802



W4 inside/outside kit

Contents:

20mm fuses x 5 (1A, 2A, 3A, 5A & 10A), 30mm fuses x 3 (5A, 10A & 15A), Mains fuses x 2 (5A & 13A), Blade fuses x 4 (3A, 5A, 10A & 15A) 12V bulbs x 9 (Stop and tail, flasher/fog, no. plate, tail, 10W spot, 15W spot, 10W G4, 5W festoon & 10W festoon). Singly or 25 per outer 010800



W4 budget kit

Contents:

12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s) 2 x Blade fuses (10A, 15A) 010801



W4 motor home headlight kit

Contents:

12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s)

3 x Blade fuses (10A, 15A & 20A),

2 x Mini blade fuses (10A & 15A)

Plus the following

H1 headlight bulb 010803

H4 headlight bulb 010804

H7 headlight bulb 010805

230v mains inlets and outlets



Oblong flush mains inlet

230v male 3 pole 16A mains inlet in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) White **016036** Grey **016036G**






Cover and pins

Grey **016040G**

Fits 016036, 016038, 016039, 016044 and 016043 (by cutting fins). 160 x 100mm White **016040**



W4 flush mains inlets

230v male 3 pole 16A mains inlet with lever release in an IP44 housing. Installation hole: 100x100x80mm (HxWxD). Singly or 10 per outer White **016045** Black **016046**



W4 waterproof flush socket

IP55 230v 13A socket in an IP44 housing. Installation 150x92x65mm (HxWxD) 016043



W4 flush mains outlet

230v female 13A socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016039



W4 mains angled inlet

Surface mounted 230v male 3 pole 16A inlet complying with BS4343 and IEC 309 CEE17 016029



W4 garage socket 230V female 3 pole 16A mains outlet. IP44 016049



W4 waterproof socket 230v 13A socket IP55 016044



W4 flush dual 230v/12V outlet

230v female 13A socket & 12V lighter type socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016038



Truma mains outlet

230v 13A socket in an IP44 housing. Prewired for simple installation. Installation hole: 90x80x65mm (HxWxD) Overall dimensions: 140x125x108mm (HxWxD) 840701

"Keep Calm and Caravan" mains cable bag Reinforced nylon bag 016174A



Mains lead bag Reinforced nylon bag 016174



Cord wheel
Stores up to 45 meters of cable, cord, rope or flat hose keeping it tangle free and ready for use.
6 per outer 016269



Matching Hitch cover **007345A** Peg bag **109563A**



W4 cable keeper & storage bag

Will hold up to 25 metres of cable comes with nylon storage bag **016267**



W4 cable keeper
Will hold up to 25 metres of cable
016266



Cable connecting case
Waterproof safety box for housing the
connection when using 2 mains cables
016188

WOW Printed bags have the same unit cost as standard bags (for single colour printing) minimum quantity 100. Please speak to your sales contact for more details. For personalised product please allow a minimum of 6 weeks for first time orders and 4 weeks for repeat orders to receive your delivery.

Cables

Priced per metre. Sold by the roll. Except 13 core cable which is sold by the length. All PVC sheath with PVC insulated cores

7 core Black - 7 cores of 21 strands x 0.2mm Ø 100m roll **011542**

7 core Grey - 6 cores of 21 strands x 0.3mm \varnothing and 1 core of 35 strands x 0.3mm \varnothing 30m roll

011553

13 core Black - 5 cores x 2.5mm \varnothing & 8 cores x 1.5mm \varnothing manufactured to ISO 11446 3m length **011554**

5m length **011555**

Twin core flat - 2 x 32/0.2, 8 amp, (1.0mm²) black 30m roll **011586**

Mains cable 3 x 2.5mm² with orange 100m roll **016175**





Solar panel kits Monocrystalline

Rigid solar panel kits

High-performance monocrystalline cells. Supplied with integrated aluminium brackets, relevant charge controller, 6m cable, roof grommet, sealant and primer kit.

Part No.	010365	010366A	010367A
Pmax (W)	75	100	120
Vmp (V)	18	18	18
Imp (A)	4.31	5.56	6.67
Isc (A)	4.74	5.94	7.13
Voc (V)	21.06	21.06	21.06
Tolerance	+/- 5%	+/- 5%	+/- 5%
Dim. (LxWxD mm)	1096 x 540 x 57	1296 x 540 x 57	1326 x 660 x 57
Weight (Kg)	9.2	10.5	12.6

WOW All Vechline solar panels comply with NCC recommendation EN1648

3 year

Construction guarantee

10 year

Cell output guarantee (Cells will produce a minimum of 90% of the rated output after 10 years)



All Vechline solar panel kits are supplied with the relevant charge controller, 6m cable, roof grommet, sealant & primer



Flexible solar panel Kits


Ideal for use on curved roof, profiles, greenhouses, boats and awnings. Highperformance monocrystalline cells. Bending radius 10° max. Excellent holding in the marine environment. Ultra lightweight and high efficiency. Break-resistant. Supplied with relevant charge controller, 6m cable, roof grommet, sealant and primer kit.

KIC.			
Part No.	010369AK	010369BK	010369CK
Pmax (W)	100	120	150
Vmp (V)	18.97	18.97	17.8
Imp (A)	5.28	6.33	8.45
Isc (A)	5.69	6.83	9.30
Voc (V)	22.76	22.76	22.76
Tolerance	+/- 5%	+/- 5%	+/- 5%
Dim. (LxWxD mm)	1240 x 570	1430 x 680	1600 x 680
Weight (Kg)	4.0	4.5	4.8













Solar Technology panels

Solar Panel kits for use on motorhomes and caravans. High efficiency crystalline cell for "all weather" charging. Solar Technology panels are all accredited with the internationally recognised IEC 61215 certification that guarantees robust construction and high performance in all weather conditions. 10 year module warranty – 20* year cell output warranty. (*Output will be minimum 80% of specification after 20 years)

Solar







40Wp **010351**

60Wp **010352**

Folding solar panel kits includes solar panel with fold away support legs, extension cable with crocodille clips, premium carry bag and fitting instructions

Part no.	Kit Power	Dimensions (mm)	Charge Control Included	Weight	Average Amp/ hours per day
010351	40Wp	500 x 353 x 76	10Ah (010380A)	7kg	Up to 15.54
010352	60Wp	500 x 500 x 76	10Ah (010380A)	8.5kg	Up to 22.3
010353	90Wp	700 x 520 x 76	10Ah (010380A)	11.5kg	Up to 33.41



Aero profile panel kits includes solar panel, relevant charge controller, 5m cable bundle, 1 set of Aero profiles, cable feed gland, tube ISR bonding agent, pack of fuses / ring terminals etc. and fitting instructions

Part no.	Kit Power	Dimensions (mm)	Charge Control Included	Weight	Average Amp/ hours per day
010363A	60Wp	685 x 670 x 35	10Ah (010380A)	6kg	Up to 23.82
010364A	80Wp	815 x 670 x 35	10Ah (010380A)	7.8kg	Up to 30
010367	120Wp	1250 x 670 x 35	10Ah (010380A)	12kg	Up to 47.58
010368	150Wp	1490 x 670 x 35	10Ah (010380A)	15.2kg	Up to 58.32



Foldout solar panel 4W. Encased in hard wearing

4W. Encased in hard wearing ABS material and it can be used in all weather conditions – inside and out!

- Support stand incorporated in the hard wearing body
- In built LED charge indicator 010350A



Premium profiles 18cm straight pack of 2 Corner pack of 4

010388
010386

Waterproof cable gland

Single comes with an extra gland to add a 2nd cable in future if necessary
Single 010391
Double 010390

WOW Charge controllers comply with NCC recommendation EN1648



Twin charge controllers

Can charge up to 2 batteries simultaneously 10Ah **010380A**

10Ah **010380A** 20Ah **010383A**



Twin charge controller

LCD Display to provide intelligent information about the solar panel performance

 Protects against battery reverse feed, overload, open circuit, lightning surge, deep discharge and currents up to 30A 30Ah
 010384

Solar panels and accessories

Ring solar autotrickle charger 12V

Designed for cars and motorhomes when in storage to send a maintenance level charge to the battery, helping prevent flat batteries. Simply sits on the dashboard or windscreen and connects to the 12V cigar lighter socket.

Complete with suction cups (for windscreen mounting), LED charge indicator, 12V DC power plug, battery clips and 2.7 metre lead. Can be left connected overnight.

- Solar panel trickle charger to manage battery drain in parked vehicles.
- Can be connected to the cigarette lighter or directly to the battery.
- Will not overcharge or damage batteries.

• Charging voltage 13-14V, open circuit 22V.







Power 6W 580x385x60mm (HxWxD) 010377

Power 1.5W 520x170x30mm (HxWxD)

010370

Power 2.4W 525x265x35mm (HxWxD) 010373

ROKK wireless charging

The IPX6 waterproof 12/24V Qi certified waterproof wireless charging range enables wireless charging for the outdoor environment, without the need for phone charging cables. Designed from the ground up, this is the world's first waterproof wireless charge system created specifically for use on board, with the unique technology is housed in an IPX6, fully encapsulated and sealed unit.

Working directly with 12/24V systems, ROKK Wireless is ideal for life on the move and is perfect for sail and power boats and also RV. Easy install, anywhere you need your phone - indoors or out. No more wires! Exceeding the latest and highest standards of the Qi wireless protocol, ROKK Wireless is independently certified to deliver ultra-safe, wireless charging anywhere on board.



12/24V wireless charger

Sub-surface, hidden from view but always ready to charge. Engineered to be installed under the surface and leave the top surface un-cluttered and looking perfect. Simply etch in your logo to identify the charge location. Ideal for GRP or wood, the unit can be installed under tables, cabinets, consoles or worktops. The installation system is simple to install and works with a variety of panel depths and materials.

010060



ROKK receiver patch

Simply plug the Micro USB or Lightning charge patch into your phones charging port, place on the back of the phone and then clip on your phone case over

Lightning (iphone) Micro USB (android)

Products

010064 010065



12/24V wireless charger

Low-profile, flush-mounted charge pad with an ultra grippy, nonslip surface. Contemporary look with twotone colour, designed to complement modern interiors and exteriors. Designed to fit to any smooth surface, indoors or out.

010061



ROKK Waterproof high impact cable seal

Watertight installations for your aerial and solar panel cables! Produced in high impact, UV stable, glass filled nylon. IPX6 & 7 rated. Seal compression system, no sealant required with 3M waterproof gasket supplied.

2-6mm Cable seal 6-10mm Cable seal

010066 010067



12/24V wireless charger

The easiest to install, this option includes the non-slip surface pad but simplifies installation even further. Simply drill a 10mm cable access hole and fit to your chosen location and fast, Qi wireless charging is ready to go. 010062



ROKK Waterproof double USB socket

Easy Install. Click and lock lid. IPX6 waterproof with cover closed.

Output current 4.2A (total), up to 3x faster than standard USB sockets. Waterproof with 1, 2 and even no cables plugged in. Anti-corrosion coating on circuit board. UV resistant., with 316 stainless hinge and spring. Anti-snag cover aligns cables when closed.

29 x 94mm **010063**

Ring 12V MultiSockets & testers

RING **Automotive** Enables multiple use of 12V appliances with cigar lighter plugs. All come with battery status indicator with the exception of 011701 & 011710. All are blister packed with euro slot



Twin MultiSocket & tester Singly or 10 per outer

011702

(U)



Triple MultiSocket & tester Singly or 10 per outer 011703



4-way MultiSocket & tester Singly or 10 per outer **011704**



Twin MultiSocket 12V/USB & tester Allows the recharging of MP3 players and mobile

phones. Singly or 10 per

outer 011712



Can Multi-Socket & tester

10 amp 12V DC can shaped multi socket with battery analyser, width adjusting fitment collar, guide light rings and coiled cable. Singly or 10 per outer Twin with twin USB 011714

12/24V plugs and sockets



Lighter type socket

12/24V, surface mounted, heavy-duty socket. 20amp 011695



Lighter type socket & cap

12/24V. Flush mounted, with a dust and splash proof cap. Push fit mounting. 20amp 011698



DIN to Lighter type converter

12/24V. Converts any single pole socket to a lighter-type socket. No fuse. 8amp 011691



DIN socket &

Single pole socket surface mounted with a dust & splash-proof cap. 16amp 011690



DIN multisocket

12/24V. Three single pole sockets mounted on a 90 x 36mm panel. 16amp 011693



Universal plug

12/24V. Heavy duty suitable for use in both lighter type sockets and single pole sockets. 8 amp fused 011665



Universal plug

12/24V. Heavy duty suitable for use in both lighter type and single pole sockets. 16 amp fused, built in power indication LED 011694



Bendable

universal plug A heavy duty plug similar to 011665 but can be angled at up to 90°. 8 amp fused 011696



Standard DIN plug

12/24V basic single pole plug without a fuse. Rated 8amp 011689



Standard DIN plug

A high-quality single pole plug without a fuse. Rated 15amp 011697



Coiled extension lead

12/24V. 8amp fused universal plug with coiled cable (0.6 to 3m) 011699



Lighter socket extension 3.6m

12/24V. Heavy-duty extension lead rated to 20amps. Lighter-type plug on one end, lighter-type socket on the other. Length 12 feet, 3.6 metre 011682



Plugs, sockets, multisockets and testers



W4 illuminated cigar socket

For flush fitting in a 28mm Ø hole. 12V 011671

W4 Dual purpose

Can be used as both lighter

type and single pole plug.

12V, 8 Amp. 10 per outer

W4 DIN socket

fitting socket. For flush

fitting in a 18mm Ø hole.

Single pole 12V, 19A flush

Plug

011686

011631



W4 recessed lighter socket

Flush mounted socket for permanent fixing. 12V, 5A. 10 per outer **011669**

W4 fused lighter

12V with 5amp fuse.

10 per outer **010647**

W4 DIN plug &

socket. 10 per outer

Single pole 12V, 8A plug &

socket

011630

Plug



W4 quick fit lighter socket

12V 20A. 29mm ø. 42mm depth 011647A



W4 adapt-it

2 pin 12V plug to lighter type socket adaptor. 10amp. Singly or 5 per outer 011650



3 pin 12V plug to lighter type socket adaptor. 2amp.





Singly or 5 per outer 011652



W4 adapt-it 3

Parallel pin 12V plug to lighter type socket adaptor. 10amp. Singly or 5 per outer

011654



W4 lighter socket Inline socket. 12V, 5amp.

10 per outer 011649



Hella plug and socket

Single pole 12V plug. Singly or 10 per outer 011635 Single pole socket & cap 011646



W4 compact double USB socket

12/24V with reverse polarity protection. LED power indicator. 36.8mm ø. 40mm depth. Output: 5V DC 2.1A Max. No data transmission possible 010648



W4 2-way adaptor

Converts a lighter type socket to a double socket - internally fused at 15amps. Singly or 10 per outer 011685



W4 adapt-it 4

2 fully insulated crocodile clips to lighter type socket adaptor with 1 metre cable. 10amp. Singly or 5 per outer

011655



W4 adapt-it 5

Single pole plug to lighter type socket adaptor. 8 amp. Hella type. Singly or 5 per outer

011657



W4 cigar plug/socket lead

Adaptor lead to extend lighter type sockets to a distance of 2 or 5 metres. Fuse (5 amp) built into plug. Singly or 10 per outer 2m **011675** 5m **011680**



Pack-it Ranges Electrical & TV

Stands complete with 10 packs of 24 of the best selling items in each range are available as a stand package. Please speak to your sales contact for details. All pack-it items are sold in outers of 10 unless otherwise stated



30A Terminal strip 6 wav 010500



2A Terminal strip 12 way 010531



cover (4)

010503

Push-on terminal & Push-On terminal (3) Insulated female 6.35mm

Push-On terminal (3) Male 6.35mm Red **010569** Red **010566** Blue **010570**



Push-On terminal (3) Female 2.8mm Red **010575**



Piggy back terminal (3) 6.35mm Blue **010573**



Self stripping cable connectors (4) Blue **010506**

Female 6.35mm



Cable clip (10) Flat 10mm 010501



Cable clip (10) Round 6mm **010502** 10mm **010565**



(pair)

Crocodile clips

Crocodile clips (pair) 50A 010529

010530



Blue 6mm ø

Yellow 8mm ø

010578 *

010579

Cable ties 100 x 2.5 mm (6) 010526 * 190 x 4.8 mm (3) 010527



Releasable cable ties (3) 300 x 4.8 mm 010593 *



Cable tie base (3) 010528



Cable clip (3) Self adhesive 010592



PVC insulation tape 19m x 4.5mm 010507



25A

Bolt set (3) For towing sockets M5 x 35mm 010515



2 pin plug 2 pin socket 040535 040536



2 pin flush fitting socket & plug 040537



Microswitch for taps 010583



Brass battery terminals (Pair) 010645



Surface TV point 040546



Surface coaxial / satellite point 040588



Surface satellite point 040576



2-way coaxial splitter 040586



Coaxial coupler 040544



Coaxial plug 040543



Satellite 'F' plug 040577



W4 Battery tester Useful gadget for

checking power in all sizes of dry cell batteries. Singly or 10 per outer 016093



DC voltage tester 6-24v DC

tester with neon indicator complete with 1 metre lead and crocodile clip. Singly or 10 per outer 016041



Press switch 010514



040585

Aerial lead 2m Male to male 040547



12v 1.8m power lead with reversible socket and 4 interchangeable plugs 1.3mm, 2.1mm, 2.5mm, and 3.5mm mono jack plug. 040595



W4 multimeter

Tests AC/DC voltage, DC current and resistance, diode & transformer check. Audible continuity check. Auto polarity indication. With impact resistant holder and plug in leads. Battery supplied. Singly or 10 per outer



W4 Compact multimeter

Tests AC/DC voltage, DC current, resistance. Audible continuity check. Automatic low battery indicator. Singly or 10 per outer 016094



Rolson multimeter

Tests AC/DC voltage, DC current, decibel ratios, continuity, diode transistors. With plug in leads. Battery supplied. Singly or 24 per outer 016097



Travel adaptor

UK 3 pin socket to Euro 2 pin plug 7.5A capacity. Singly or 10 per outer White **016130** Black **016131**



016096

WOW STABIlight technology stops flickering. 12 & 24v operation with a 3 Year Warranty.

Vechline lighting LEDs consume very little energy compared to traditional bulbs. Their performance is exceptional, 40-100 lumen / watt depending on the model. They emit virtually no heat and are highly resistant to vibration. Vechline lighting LEDs have a lifespan of 50,000 hours and use STABIlight technology that allows guaranteed lighting without flickering (especially when starting up other electrical appliances). Vechline have selected a light colour that allows for the ideal compromise between visual comfort and ambient brightness

- 12V & 24v (10-30v functioning range)
- Colour temperature 4500°K (cool white)
- Class A++
- 3 Year Warranty



Ba15d bulb 12/24V, 0.6w, 60 lumen, 16 SMDs. **010450**



Ba15s bulb 12/24V, 0.6w, 60 lumen, 16 SMDs. **010451**



MR11 G4 bulb 12/24V, 2.5w, 220 lumen, 3 SMDs 30°. 010455



Vech

Bulb terminoligy

s = Single contact d = Double contact MR = Multifaceted reflector

Ba = bayonette fitting

E = Eddison screw fitting

G/GX/GU = Bi-pin connector

MR16 GU5.3 bulb 12/24V, 5w, 220 lumen, 4 SMDs 30° 010456



G4 back pin bulb 12/24V, 2w, 205 lumen, 12 SMDs. **010452**



G4 side pin bulb 12/24V, 2w, 200 lumen, 12 SMDs. **010453**



G4 bulb 12/24V, 0.7w, 85 lumen, 15 SMDs. 360° **010454**



G4/Ba15s dome bulb 12/24V, 1.6w, 145 lumen, 30 SMDs. **010460**



31mm Festoon bulb 12/24V, 0.8w, 70 lumen, 4 SMDs. **010457**



37mm Festoon bulb 12/24V, 0.5w, 50 lumen, 3 SMDs. **010458**



42mmFestoon bulb 12/24V, 0.5w, 50 lumen, 3 SMDs. **010459**



T10 bulb 12/24V, 1.2w, 85 lumen, 15 SMDs. 360° **010461**



12V 21W Ba15s Indicator **010510**



12V 21W Ba15s Amber. Indicator 010564 Offset pins 010595



12V Ba15s 10W **010551** 15W **010552**



12V LED Ba15s P21 **010657A**



12V LED Ba15s 207 **010657C**



12V 5W Ba15s Tail/side **010512**



12V Ba15s Halogen 5W **010558** 10W **010559**



12V Ba15d Tail/interior 5W **010550** 21W **010553**



12V 21/5W Ba15d Stop/tail **010509**



12V LED Ba15d P21/5 **010657B**



12V 10 SMD G4 Back entry 2W 10 SMD **010540**



12V 12 SMD G4 Side Entry 2.4W 12 SMD **010539**



12V LED Wedge 501 **010657D**



12V 5W capless Tail/side **010556**



12V 1.2W capless 5mm **010556A**



12V LED G4 1.5W 130 Lumen **010541**



12V LED G4 2.5W 170 Lumen **010657F**



12V G4 Halogen (2) 5W **010543** 10W **010563** 20W **010591**



230v 25W G9 halogen **010544**



12V LED G9 2.5W 220 Lumen **010657G**



12V G4 30° MR11 dichroic 10W **010533** 20W **010534**



12V SMD G4 30° MR11 dichroic 1.8W 9 SMD **010538**



12V SMD GX5.3 36° MR16 dichroic 1.2W 12 SMD **010656**



12V GX5.3 36° MR16 dichroic 10W **010651** 20W **010652**



230v GU10 40° dichroic Singly 50W **010589**



12V E14 15W**010554** 25W**010555**



230V 25W E14 Pigmy bulb **010561**



230v 25W E14 Golf ball bulb **010562**



12V 24W B22d **010560**



230v B22d Globe bulb 25W **010590** 40W **010596**



12V 10W Ba9s Halogen Side/No. plate **010650**



12V 4W Ba9s Side/No. plate **010511**



12V LED Festoon 239 **010657E**



12V Festoon Interior/Awning 5W **010508** 10W **010513** 18W **010557**



Fuses



Blade fuses mixed (10) 2 x 3A, 5A, 10A, 15A & 20A 10 packs per outer 010633

Standard blade fuses (3)

10 packs per outer

3A **010634**

5A **010635**

7.5A **010636**

10A **010637**

15A **010638**

20A **010639**

25A **010640**

30A **010641**



10A in-line fuse holder 010516



30 x 6.35mm fuses (3)

10 packs per outer

3A **010519**

5A **010520**

10A **010521**

15A **010518**



Mini blade fuses mixed (8) 2 x 5A, 10A, 15A & 20A 10 packs per outer 010631

Mini blade fuses (3)

10 packs per outer

5A **010605**

10A **010610**

15A **010615**

20A **010620**



4 Way blade fuse box 010594





LED Blade fuses (3)

10 packs per outer

5A **010670**

10A **010671**

15A **010672**

20A **010673**

LED glows when fuse blown

Continental fuse mixed (6) 10 packs per outer 2 x 8A, 16A & 25A 010643



010642

20 x 5mm fuses (3)

Blade fuse holder

10 packs per outer

1A **010632**

2A **010522**

3A **010523**

5A **010524**

10A **010525**



010644

Clipsal plugs, sockets and switches



Coax and 2 pin socket 86 x 32mm 038638



2 pin socket and coax

12V polarised socket and coax socket 87 x 87mm 038681



Double switch

10 amp. Two gang switch. 86 x 32mm 038643



Single gang socket

Brown and silver sand 87 x 87mm 038682



Silver sand surround only 038684



Fused switch with neon

230v 13 amp fused switch with neon indicator 038675



Single flush mounting box

With push on black trim. 89mm x 89mm x 30mm 038664



Blanking plate 038686



Coax socket 87mm x 87mm 038622



2 pin socket and coax 87 x 87mm 038678



2 pin socket 15 amp polarised socket

87 x 87mm 038617



Divided box

For two single sockets. Overall: 175mm x 85mm Recess: 165mm x 75mm 038669



W4 mains backing boxes

Suitable for flush fitting of most 13 amp sockets. Adjusts from 1-10mm. Singly or 10 per outer

038723 Double 038724 Single Twin 038725






UK socket

250V 13A BS1363 White

038800 Anthracite 038801 Brown 038802



Rocker switch

Can be used as 12V or 230V (16A at 230V) 2 pole

White 038828 Anthracite 038829 Brown 038830 Chrome 038831



TV aerial point

White 038812 Anthracite 038813 038814 Brown



12V cigar socket / TV point


Anthracite

038815



Single pole socket

6-24V, 16A White 038808 Anthracite 038809 Brown 038810



Rocker switch twin

12V/230V, 16A, 2 pole. Common input terminal White 038832

Anthracite 038833 Brown 038834 Chrome 038835

Satellite point

12V cigar socket /

satellite point

Anthracite

White

Brown

Anthracite



Cigar socket

6-24V, 20A (at 2.5mm²) White 038806 Anthracite 038805



Rocker switch twin

12V, 5A, 2 pole. Isolated input terminals Anthracite 038836



USB charging point

5V output (not for data) White 038824 Anthracite 038825 Brown 038826



Twin USB charging point

5V output (not for data) Anthracite 038827



TV/satellite point

White 038816 038817 Anthracite Brown 038818



Blanking plate

Anthracite 038882



Step switch

5 contact push button for step. 12-24V 038840

Anthracite



Frame & lid

With foam gasket. IP44 White 038870 Anthracite 038871 Gloss chrome 038856A



Frames are available in two design styles: "Pure"-flat & "Flow"-bevelled

038819

038820

038821

038822

White Flow

Anthracite Flow

Matt Chrome Flow

Stainless Steel Pure

Gloss Chrome Flow

Gloss black Pure

Brown Flow

Frames

An approximation of colours is shown opposite.

Granite frames

Single 038851 038860 Double

White frames

038852 Single Double 038861 Triple 038866W Single & lid (IP44) **038870**

Anthracite frames Single 038853

Double 038862 038866 Triple Single & lid (IP44) 038871

Matt chrome frames

038855 Sinale Double 038864

Stainless steel frames

038856PSS Single Double 038864PSS Triple 038868PSS

Gloss chrome frames

038856 Single Double 038865 Triple 038867 Single & lid (IP44) 038856A

Gloss black frames

Single 038857 Double 038865GB 038868 Triple

Brown frames

Single 038854 038863 Double



Back box

45.5mm depth. Flame resistant 038850



Back box

Surface mounted. Can be used with all frames, single, double and triple 038880



CBE sockets and switches



WOW CBE switches and sockets are supplied in three parts. Please order the support frame and "nl" frame as well as the switch or socket required.



Support frames grey

Single 86x78mm Double 139x78mm Triple 192x78mm

038500 038503 038506



Module "nl" frames

Single dark grey Single light grey Double dark grey Double light grey Triple dark grey Triple light grey





12V Switch 2 way 038527



12V Switch & **LED** 038530



12V Double switch 2 way 3853³



12/24V Switch & step switch 3 position 2 way 038563



Pump & light switch 038560



230V uk socket Comes with back box 038536



12V lighter type socket 038545



12V watertight lighter type socket 038548



12V Single pole socket 038551



USB charging socket 038539



TV & satellite socket 038542



12V lighter type, TV & satellite socket 038554



12V single pole, TV & satellite socket 038557



12V battery tester 4 level indication. Does not include surround. 038569



Fuse holder 4 fuse 038590





Fresh water level indicator



Waste & fresh water level

4 level fresh and full indication waste. Includes 2 x 4m cables, frame, spacer and probes. **038566**



Digital clock LCD 65x32x11mm 038584



4 level indication. Includes 4m cable, frame, spacer and probe. 038578



Fuse holder 50A 038587



Back box 50mm 34mm depth 038593 45mm 22mm depth 038596

Waste water level indicator

4 level indication. Includes 4m cable,

Sargent Electrical





EC155 Power Supply Unit

The EC155 is specifically designed for converters. If you have a one off build or are a small to medium manufacturer then this would be the perfect choice for your requirements. It is a compact 155W power supply unit and charger. Includes:

- RCD & 3 x MCB mains output protection
- 155w Electronic Charger / Converter
- Battery input fuses
- Multiple output fuses
- Built in charging & EMC relays
- Multiple relay switching channels





EC155 kit with EC50 control panel

The kit contains comes with the EC50 control panel that is connected via a 2m control lead. The DIY harness simply plugs into the EC155 unit and provides the available 230V and 12V inputs and outputs for you to terminate to. Kit Contents:

- EC155 Power Supply Unit
- EC50 Control Panel
- 5 metre length Control Lead
- DIY 230V & 12V Harness

016912



EC155 kit with EC51 control panel

As above with the addition of the fresh and waste water sensor harnesses, both connect directly onto the back of the EC51 control panel to show the levels of the fresh water tank, and indicates when the waste tank is full. Can be used to indicate one or both tanks.

- Kit contents:
- EC155 Power Supply Unit
- EC51 Control Panel
- 5 Metre length Control lead
- EC155 DIY 230V & 12V Harnesses
- Waste Water Harness
- Fresh Water Harness
- Waste Tank Sensor
- Fresh Tank Sensor Kit

016914





EC160 Power Supply Unit

The EC160 PSU features a 230v AC 16A input via a pre-wired lead.

İncludes:

- RCD & 3 x 10a MCB mains output protection
- 150w Electronic Charger / Converter
- 5 x 10a 12v fused outputs
- Built in split charging relay
- EMC isolation relay
- Digital voltmeter with on/off switch
- Reverse polarity indicator

Black horizontal EC160
Black vertical EC160V
Silver horizontal EC160S
Silver vertical EC160SVS
016898



EC328 Power Supply Unit

The EC328 PSU that has now replaced the earlier EC325 model.

New intelligent 300W (~25A) battery charger and power supply which incorporates a 3 stage inteligent charge routine. Built in solar panel regulator for the direct connection of up to a 100 watt solar panel providing the simultaneous charging of both the leisure and vehicle batteries. The charge current is displayed on the matching EC328 control panel. Attractive 'round edge' case in silver with distinctive graphics and logical component layout. **016920**



EC328 kit

The EC328 Complete Electrical Kit is specifically designed for customers that are building their own motorhome or caravan conversion, and have the need for a powerful 25 amp charging system with added features. The kit contains:

- EC328 power supply unit
- Digital display EC328 control panel
- 5 metre length data control lead
- DIY 230V and 12V harness
- Fresh and waste water cables including sensors
- External temperature cable with probe

016922



Sargent Electrical



PSU2005

The PSU2005 has been a popular unit for over 5 years. The unit provides protection for the 230V (mains) and 12V equipment, supplies 12V power and charges the internal leisure battery

016902



PX300 3 stage charger

A 300W 3 stage intelligent battery charger and power supply.

This air cooled unit is ideal as a replacement for many makes and models of charger, and is also suitable for new installations.

It comes with a short adaptor cable which matches the 12V connector on many Nordelettronica charger units. This cable can also be used with 6.3mm female spade terminals. A short 230V mains cable is also supplied, for connection to a 5A fused 230V supply.

016900



Digital control panel

Works with the EC328, EC325, EC225 and EC200 PSUs. Menu displays water levels, battery voltage and current*, auto battery protect circuit, clock / alarm with event timer*. Connects to the PSU via a 20-way data cable, available separately. * depends on PSU 016934



EC50 control panel

LED logic control panel for use with the EC155 PSU, via a low current data link.

- 5 LED bar graph for battery voltage
- Battery protect automatic cut-off (both batteries)
- Pump control with pump active indication
- Lighting circuit power control via dedicated switch (lights are connected direct to the PSU)
- Easy selection between leisure and vehicle batteries



EC51 control panel

LED logic control panel for use with the EC155 PSU, via a low current data link.

- 5 LED bar graph for battery voltage and fresh water levels
- Waste tank full indicator
- Battery protect automatic cut-off (both batteries)
- Pump control with pump active indication
- Easy selection between leisure and vehicle batteries

016932

Other mains electrical products





W4 MCB Mini Circuit Breaker 16A 010597



W4 mains electrical pack

Contains all the necessary components for a safe and efficient mains installation in a caravan. Supplied with comprehensive fitting instructions
Contents:

- Consumer Unit A compact housing with hinged clear lid (IP44) enclosing doublepole RCD together with a 6 and 10 amp MCB
- 2 x 13 amp sockets with flush fitting backing boxes
- Surface mounting angled mains inlet
- All necessary cables and connectors.

Grove Products

016277





STE48

Mains consumer unit includes the same charger specifications as STE47 3 stage charger

Main unit specification

- 0-16A 230V AC input (site limited)
- 3 x 10A MCB 40A RCD protected
- Water & space heater outputsBS EN 60335-2-29 approved
- Singly or 5 per outer

017125







STE48 to Nord NE143DU 017127

Bonus Electrical (CEC / Plug-in-systems)



Mains unit 225SPN

Fully insulated enclosure (IP65) containing a 40A RCD and two single pole, neutral switched MCB's (10A and 6A). Used in conjunction with a charging system and distribution panel the 225SPN can supply and protect all aspects of power supply to a caravan or motor home. Dimensions: 150x110x90mm





CEC PMS 3

Power management system combining mains/12V distribution and protection with an 18A battery charger. Terminal block connections for easy installation. 40A RCD, 3 resettable MCBs (10A, 6A & 6A), polarity indicator, pump switch, battery selector switch and battery condition indicator Vertical **017040** Horizontal 017041



CP1 volt meter 017060



CP2 distribution panel

Switch the power from car/cab batteries and van/auxiliary batteries or isolate both. 017062



3 stage charger 18A

A light weight and efficient leisure battery charger. Thermal, short circuit and overload protection. Fan protection. 3-stage charging - bulk mode, absorption mode and float mode - charges your battery to 100% capacity. Operates from 184v to 264v AC. Temperature operation -25°C to +50°C. Dimensions: 176x162x74mm (LxWxD)





CEC PMS 4

A combined mains 230v AC and 12V DC distribution unit. Earth leakage protection via 40A RCD device. Over current protection via 3 x MCB devices (10A, 6A & 6A). Reverse polarity 240v neon indicator. 12A or 18A charger with overcurrent, short circuit and thermal protection. Six fused outputs via automotive blade fuses. Connecting kit with all necessary plugs and sockets provided. Dimensions: 225x335x115mm

017051



Custom volt meter 017055



CP3 distribution panel

Switch the power from van/auxiliary batteries. Includes pump isolation switch. Pump running indicator displays water pump activity 017063



Open charger 18A

This open charger can be used on all CEC units. May need slight adjustment on the fixing points on older models. If you are using this on an ESM2000 make sure the small switch on the side is pointing at "FLOAT" not "3 stage". Dimensions: 167x113x59mm (LxWxD)

017052



ESM 2000/2

Designed to operate on a mains supply of 185-265 volts AC. The 40A RCD gives protection against earth faults and also acts as the main switch. Includes 3 resettable MCBs, to protect against overcurrent. Allocation of the MCBs is as follows: MCB1 (10A) - Sockets / heater MCB2 (6A) - Water heater / Lights MCB3 (6A) - Fridge / Charger Includes a transformer/charger. Provides 12V circuits with power and charges the 12V battery when connected to the mains supply. 18A maximum output. Dimensions: 225x123x255mm (HxWxD)

017045



KT9SCU distribution panel

Switch the power from car/cab batteries and van/auxiliary batteries or isolate both. Includes pump isolation switch. Pump running indicator displays water pump activity 017057



Zig Electronics





CF8 charger

Fully automatic electronic charging plus 230/12V conversion. 12A max charge depending on battery state. Up to 4.5A continuous current on transformer. Features include 3 x 10A switched and fused outlets for the vehicle accessories, battery condition monitor, automatic self re-setting, current overload and thermal trip. Dimensions: 162x206x110 (HxWxD)

Black **017024** Brown **017026**



X70 ce charger 12.5A

A lightweight compact battery charger and power supply with a stabilised output for maximum efficiency and control.
L195 x W115 x H70mm
017020



CF9 charger

Fully automatic electronic charging plus 230/12V conversion. 12A max charge depending on battery state. Up to 4.5A continuous current on transformer. switched selection of source, car or auxiliary battery. Double pole illuminated mains switch. Safety - the C9 incorporates no less than 8 protection devices to eliminate overheating and over current problems. Dimensions: 105x300x140mm (HxWxD)

Brown **017028**



X80 ce charger 16.5A

A lightweight 230V AC low noise forced cool battery charger and power supply with increased power for additional accessories.

L195 x W115 x H90mm **017022**



CBE Power Supply and Distribution





CBE Waste & fresh water level indicator

4 level fresh and only full indication of waste. Includes 2 x 4m cables, frame, spacer and probes. **038566**



4 level indication. Includes 4m cable, frame, spacer and 300mm probe. 038581









CBE Fresh water level indicator

4 level indication. Includes 4m cable, frame, spacer and 300mm probe. **038578**



4 level LED indication. Does not include frame. 038569







PC100 control panel

Microprocessor controlled digital system with LED control panel. Includes: Vehicle and auxilliary battery indicator (B1 and B2 condition), fresh water tank level indicator and waste water tank alarm. Controls for battery, fridge and lights. Fuse protection fuses and save battery function. PC100 192 x 78mm

038599



PC150 control panel

Microprocessor controlled digital system with LED control panel. With the same specifications as the PC100 PC150 245 x 165mm 038597



PC200 control panel

LCD control panel only. Microprocessor controlled digital system. Includes: Clock, battery (car and aux) level indication, fresh water level indication (%), internal and external temperature display, and controls for lights, water pump, fridge, vehicle battery charging and exterior lights. Fuse protection and save battery function. Dimensions: 192 x 78mm

017003



DS120 mains distribution unit

The DS120 is a RCD main switch with a double pole 13A MCB to control and protect various mains circuits. 138x180x85mm



6m Cable for control panel



Cables with temperature sensors

Internal and external temperature sensors 017015



6m Cables for probes 017012



DS300 12V distribution unit

For use with PC200 017006 For use with PC100/150 038598



Fresh water **Tank Probes** 400mm **017007** 300mm **017009**



Fuse 50A & holder 038587



Waste water Tank Probes 017010



White iunction box 016190



Chargers

Designed specifically for the caravan, motorhome and marine markets. Thermal protection from overheating and short circuit and reverse polarity protection on 12V. For lead acid and gel batteries. TUV approved. Automatic operation, once voltage is reached it will continue to charge for 90mins (lead acid) or 8hrs (gel). Continuous maintenance 13.5V (lead acid) and 13.8V (gel). After 10 hours of maintenance the charger will switch to standby and charge again only when the battery drops below 13V. Dimensions: 180x140x85mm (LxWxD) 10A CB510 **017000**

Please order the following products to build a CBE electrical kit

Control panel 230V distribution 12V distribution Charger Fresh water probes Waste water probes Cables for probes Cable for control panel Temperature sensor

Fuse with holder

038599 PC100 **038597** PC120 017003 PC200 017004 DS120

038598 DS300

017000 10A

017001 16A **017007** 400mm **017009** 300mm

017010

017012 1 separately required for fresh and 1 for waste **017013** 6m

017015 Cables with temperature sensors

038587 50A



CTEK chargers charge all types of batteries to the maximum capacity. Lightweight and portable. Enables the leisure battery to provide as much as 25% more power than the

'on board' system. Can significantly prolong a battery's life. Can help prevent a 'dead' battery. Can be permanently connected to ensure perfect battery condition.



MXS 7.0 transformer/charger

Battery size 14ah to 150ah (or 225ah

Max charging current 7.0A

Supply Voltage 13.6V

for maintenance only)


8 charging steps

010027



MXS 5.0 charger

Max charging current 5.0A Battery size 1.2ah to 110ah (or 160ah for maintenance only) 8 charging steps **010026**





MXS 3.8 charger

Max charging current 3.8A
Battery size 1.2ah to 85ah (or 120ah
for maintenance only)
7 charging steps (no "Recondition"
function)
010025

Ring Automotive SmartChargers

Multi stage fully automatic chargers, ideal for charging 12V batteries. Supplied with 230v 13A plug with interactive LCD display. Auto charge applies the fastest charge, based on battery size, settings for vehicles with start/stop function and battery repair tools to increase performance and battery life.

Includes the following battery and alternator analysis tools:

- Battery Voltage % display for voltage status of the battery
- Start power test Measures voltage drop during engine start to identify potential problems
- Alternator test check Tests the recharging performance of the alternator
- Battery cranking perfomance (12A only) Measures the cold cranking performance to determine the engine starting ability



SmartCharge 8A Up to 8A

Up to 8A **010047A** SmartCharge 12A Up to 12A 010049A

For batteries from 25 to 300Ah. Memory saver function allows vehicle and audio settings to be retained if the battery has been removed



Ring Automatic Workshop Charge 20

12V, 20A fully automatic battery charger. Tough metal and rubber construction for professional use. Fast (20A) and slow (3A) charge rate settings. 80A jump start function. High quality professional battery chargers. Dim. (HxWxD) 215x265x230mm **010058**



Ring Automatic Standard Charge 8

12V, 8A fully automatic battery charger. Fast (8A) and slow (3.7A) charge rate settings. Easy to read LED indicators clearly show charger status. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery charging. Dim. (HxWxD) 215x260x100mm For leisure batteries up to 120Ah **010054**



Ring Automatic Standard Charge 12

12V, 12A fully automatic battery charger. LED display screen shows battery voltage and charge rate applied. Fast (12A) and slow (3.7A) charge rate settings. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery charging.

Dim. (HxWxD) 215x260x100mm For leisure batteries up to 180Ah **010056**



Kronings battery charger

Commercial automotive battery charger/maintainer - Automatic switching power, digital processing. Shows status as follows:

- No AC power
- Stand by
- Stand byCharging
- 75% Charged
- Charged and maintaining
- Deeply discharged or defective battery
 For lead acid, Gel, AGM and VRLA leisure batteries up to 180Ah
 010292



PowerSource inverters

PowerSource inverters are suited to leisure and occasional use applications such as charging mobile phones, laptops etc, for periods of up to 4 hours continuously. They connect either by attaching directly to the leisure battery or into the 12V cigar socket. Made from light weight durable ABS. Includes an AC socket and a 2.1A USB charging socket.





E:Can Inverter 150w

12V DC to 230v AC can sized modified sine inverter suitable for cup holders. Suitable for laptop computers, video game consoles, MP3 players etc. USB charging point to allow the recharging of electronic devices. Peak Power Rating: 240W. Operates from 10-15 volts. Low battery shutdown protection, over voltage protection, overload protection and temperature protection

017213

150W 300W 500W 017215 017234 017230

300W compact inverter 300W continuous power rating with 0.5amp USB charging socket. 195 x 95 x 58mm 017230A

PowerSourcePro Inverters

High quality modified sine inverters, ideal for the professional user requiring mains power for heavy duty applications. These are well suited to more demanding applications and can provide power for up to 12 hours continuously. Now with a smaller footprint (40% smaller area than previous versions). Heavy duty extruded casings.



1kW

1kW continuous power rating. 2kW peak power rating. 2.1amp USB charging socket. 340 x 170 x 81.5mm. 2.7kg

017238



2kW

2kW continuous power rating. 4kW peak power rating. 340 x 170 x 162mm. 4.6kg **017241**



3kW

With integrated multi-function LCD 3kW continuous power rating. 6kW peak power rating. 400 x 170 x 162mm. 5.7kg 017243

PowerSourcePure Inverters

Providing an extremely pure sine output which replicates the normal domestic mains supply, and as such are ideal for powering more sensitive electronic euipment. Certain products are not compatible with modified sine wave inverters such as some power tool re-chargers, coffee machines, laser printers, and sensitive audio/video equipment. The hard wired outputs on these models allow a more integrated solution for service vehicle and similar installations. With integrated multifunction LCD display for up to 12 hours continuous use. Heavy duty extruded casings.



1kW

1kW continuous power rating. 2kW peak power rating. 2.1amp USB charging socket. 320 x 247 x 118.5mm. 4.3kg 017239



2kW

2kW continuous power rating. 4kW peak power rating. 2.1amp USB charging socket. 420 x 247 x 118.5mm. 5.9kg 017242







EFOY COMFORT

The best energy supply for your travel enjoyment irrespective of the weather and all year round.





Can be used all year round

In summer or very cold winter, whether you are under a shady tree, or on a cloudy day - even at sub-zero temperatures!



When EFOY COMFORT is installed as recommended, you will not hear it at all.

Fully automatic and maintenance-free

All you have to do is to make sure that fuel is always supplied. You do not even need to clean or maintain the EFOY COMFORT!

Eco-friendly

The EFOY COMFORT is economical in use and does not produce emissions that harm the environment.

How does it work?

The EFOY COMFORT charges the on-board battery fully automatically. The integrated charge controller permanently monitors the charge level of the 12V battery. The EFOY COMFORT starts automatically and switches off again once the battery is charged.



Fuel catridge + EFOY COMFORT

Battery

Consumer

EFOY Fuel Cartridges - No mains supply for weeks at a time

EFOY fuel cartridges are a safety-tested fuel system that was specially developed for EFOY fuel cells. EFOY fuel cartridges can be changed in seconds. With an M10 fuel cartridge, you could be on the road for up to 4 weeks without a mains supply.





EFOY COMFORT Models



Supplied with full installation kit.

5 Years Warranty

Part number

For all three EFOY COMFORT models you have the opportunity to purchase a 5 year extended warranty. You get a two year warranty free with all models.

https://garantie.efoy.com/en/home.html

EFOY WARRANTY

010342

Energy Calculator

With the convenient new online energy calculator you can quickly and easily find the right EFOY COMFORT model to meet your needs.

010336

010340

www.efoy-comfort.com/energy-calculator

	Accessories		Part number	
	Service Fluid		010334	
Server Server Florid	Extension cable for "Sense" 8 m	line,	010328	
	Extension cable for Power li 8 m	ne,	010329	
	Control Panel for EFOY 600-	-2200	010332	
	Insulated exhaust hose		010326	
	Off heat tube		010327	



Other EFOY spares / accessories are available to order please speak with your sales contact for more details.


















• We have a duty to protect the environment that we work and live in. After all, a healthy planet and a healthy community go hand in hand.



This scheme provides product verification for batteries used in leisure vehicles. With modern leisure vehicles featuring more technology and electrical appliances than ever before, buying an NCC verified leisure battery will give you confidence that the battery purchased is fit for purpose and will perform as advertised.



U

Light weight battery packs

kronings

Optima high-performance AGM batteries aren't like any other batteries in the world. Their exclusive spiral cell technology design is among the most advanced commercially available lead-acid technologies out there. It delivers an incredibly strong and clean power source that can't be touched by today's lead-acid batteries. With longer lasting battery life under both starting and deepcycle applications. Vibration resistant, spill proof and built to last. Low internal resistance also provides more constant power output and faster recharges.



4.2 power pack For vehicles up to 2000 kg 010284

5.5 power pack For vehicles over 2000 kg 010286

Specifications	Optima			
YTS = Yellow Top Standard terminals	41Ah 2.7 YTS	55Ah 4.2 YTS	75Ah 5.5 YTS	
Rated voltage	12.0V	12.0V	12.0V	
Fully Charged voltage	13.1V	13.1V	13.1V	
Cut-off voltage	10.5V	10.5V	10.5V	
Battery Charger recommended	13.8 to 15V, 10A max	13.8 to 15V, 10A max	13.8 to 15V, 10A max	
Charging time at 50A Charging time at 10A	65 mins (90%) 6-12 hours (100%)	75 mins (90%) 6-12 hours (100%)	112 mins (90%) 6-12 hours (100%)	
Length	237mm	254mm	325mm	
Width	129mm	172mm	165mm	
Height (at terminals)	227mm	200mm	238mm	
Weight	11.6kg	19.9kg	26.5kg	
	010282	010284	010286	

Battery accessories

Battery boxes

Acid resistant plastic boxes. Comes with battery strap, 2 retainers and a buckle.





Via Mondo battery isolator switch and

12V 100A. Max rating 300A for 5 seconds. Includes key.






W4 battery strap retainers

2 per pack. 10 packs per outer 010324



Via Mondo isolator switch key Loose **010303**



Lift-Off battery clamps

Suitable for all standard round battery terminals. Colour coded.

Pair (packed). Singly or 10 per outer 010009 Bulk pack. 150 pairs per outer

200100




A pair of zinc plated multi-wire battery connectors. For round battery terminal posts. Connect up to 5 cables. Simply tighten the screws onto wires. 010011



Dry cell batteries

Fuji EnviroMAX batteries



- Contains no harmful Mercury or Cadmium
- Will not harm the environment if disposed of through normal waste systems
- Fully recyclable packaging
- Made in some of the world's most eco-respectful battery plants, operating under some of the most strict standards of environmental responsibility

No other batteries are so respectful of our environment as Fuji EnviroMAX.



AA MN1500 (4) Alkaline 12 per outer **019159**



AA MN1500 (2) Alkaline 12 per outer **019158**



AAA MN2400 (4) Alkaline 12 per outer **019161**



C MN1400 (2) Alkaline 12 per outer **019155**



D MN1300 (2) Alkaline 12 per outer **019154**



9V MN1604 Alkaline 12 per outer **019163**



AA MN1500 (4) Zinc Extra Heavy Duty 12 per outer 019169



9V MN1604Zinc
Extra Heavy duty
12 per outer **019172**

Duracell alkaline batteries



AA MN1500 (4) 20 per outer **019126**



AA MN1500 (2) 20 per outer **019135**



AAA MN2400 (4) 10 per outer **019140**



C MN1400 (2) 10 per outer **019117**



D MN1300 (2) 10 per outer **019108**



9V MN1604 10 per outer **019144**

Zinc Chloride batteries

Good value, high quality dry cell batteries.

Please note that images are for illustration purposes only - the manufacturer may change periodically.



AA MN1500 (4) 24 per outer **019204**



C MN1400 (2) 24 per outer **019202**



D MN1300 (2) 12 per outer **019200**



9V MN1604 24 per outer **019206**



MN9100 (2) Clock battery 10 per outer 019145



E23A
Hob / Ingnitor
10 per outer
019147
Grove

Lighting FIAMMA

LED awning light

LxDxH: 574 x 36 x 32mm 31 LED 12V **018500**

LED sensor light

LxDxH: $574 \times 36 \times \overline{3}2$ mm 31 LED 12V with light and movement sensors **018508**



12V LED lights for F45 (not T5 models) and Fiamma ZIP awnings. Delivered with 5 x 50cm lengths (one with 12V wiring attached)

018509

Case Kit 50

Additional 50cm lengths **018510**



Rafter LED

Suitable for use with F45s, F45L and Fiamma ZIP awnings. Can be used on F65s and F65L with optional 108263L shown below. 12V, 36 LED lights



018505

Adaptor kit for Rafter LED To use Rafter LED on F65s and F65L

108263L



Awning arms LED 4 x 30cm LED light kits for any

F45, F65 or ZIP awning **018503**



Kit awning LED

12V switched LED light with 2 x 10 LED lengths. 5m of cable **018501**





Kit cables guide

2 x lengths of flexible profile 1225mm long, 6.5mm ø **018515**



Kit cables rail

2 x Self adhesive lengths of 1225x13x3mm.

018514



LxDxH: 574 x 36 x 32mm 31 LED 12V with switch **018511**

LED awning gutter light

LxDxH: 690x 80 x 35mm 31 LED 12V. Ideal to stop the drips of rain above the door **018502**



LED step light 12V

12V 6 LED. It can be shortened from 50-23cm **106204**



12V switched, 36 LED lights for F35 and Caravanstore awnings.

018506



Kit awning LED strip

Suitable for use with F65L and F80 awnings. Consisting of a 5m high brightness LED sticky strip, can be easily cut to length. Supplied with 10×50 cm lenses to fit inside the profile of the lead bar.

12V, 300 LED lights

018504



LED warning solar lights (2)

LxDxH: 80 x 25 x 55mm Kit of 2 rechargeable lights **018520**



lighting on the move www.lumo.eu.com





12V 8W switched fluorescent. 375 x 55 x 22mm Singly or 10 per outer Clear/white **018046**



 $12V\ 2\ x\ 8W$ switched fluorescent. $375\ x\ 85\ x\ 27mm$ Clear/white **018057**



018000

Satin



LED24 RotaLite

12V 2W LED rotating head, switched.
390 x 35 x 32mm
Grey 018001



LED20 RotaLite Mini

12V 2.4W LED rotating head, switched. 345 x 25 x 20mm Satin **017999**



LED Rigid StripLite

Can be cut to size every 3 LEDs. 12V 18 LED 300mm **017978** 12V 30 LED 500mm **017979**



Ellipse

Stylish elliptical 12V switched ceiling light. 2 x 8W fluorescent 418 x 100 x 32mm
Silver sand 018276



Coronet

Discreet 12V switched wall or ceiling light. 220 x 140 x 47mm. 9W PL Chrome **018274**



LED Coronet

Discreet 12V switched wall or ceiling light. 220 x 140 x 47mm. 3.5W LED.
Chrome **018019**



LED Crown

12V switched wall or ceiling light 3.5W LED. 217mm diameter. 47mm depth Satin **018017**



LED21 CeilingLite

12V 1.75W LED unswitched with 'dimming facility', water-resistant. 150mm diameter. 25mm depth Satin 018003



LED Corner Light

12V switched wall light. LED Silver sand **018003C**



LED01 ecospot 12V 1W LED, switched

12V 1W LED, switched Brushed Nickel **017984**



LED Spotlight

12V 40mm arm. 1W LED, switched Chrome **017983A**



LED Spotlight

12V 1W LED, switched Chrome **017985**



LED01 FlexSpot 12V 1W LED, switched Brushed Nickel 018022



LED Downlight 12V LED, soft touch, switched. Satin **018003B**



lighting on the move



LED9 CeilingLite 12V 0.75W LED, switched. Surface mount or recess Satin **018009**



LED 6 Square Step Light 12V 0.36W 6 LEDs, square step light Chrome **018022A**



LED021L DownLite 12V 2W 21LEDs. Warm White 65mm ø, 50mm hole ø, 25mm Brushed Nickel 018004



LED 6 Round Step Light 12V 0.36W 6 LEDs, round step light Chrome **018022B**

Common replacement interior bulbs



LED tubes

Includes instructions on how to replace 8W fluorescent tubes with an LED tube. Under no circumstances should the tube be simply swapped. It must be wired directly to the 12V DC supply.

T5 LED30 tube **018044**




G4 LED1 Capsule Singly or 10 per outer 018014



G4 LED12 MR11 PL-S tubes Singly or 10 per outer 018013



Replacement 4-pin tubes in cool white 11W **019537**



Fluorescent tubes

10 per outer Replacement 8W tube Replacement 13W tube

018249 018257



2D bulb 4 pin 12V 16W W4 **010587** Singly or 10 per outer

Ring Lights







Ring awning lamp 12V surface mounted exterior light H55 x W246 x D86 mm

Silver 0183915 White 018391W

adaptors and 2m cables. Velcro or clip attachment for universal

fitting. Light output: 294 lumens. Singly or 6 per outer



30cm solid 27 LED tent/awning light. Velcro or clip attachment for universal fitting. More add on units can be added for bespoke lighting solutions. Light output: 155

> Starter kit Comes with 12V and 230V adaptors and 2m cables. 019646



Link light

lumens per length.

Add on unit (requires starter kit) has 2m additional cable 019647





019653

Flexi tent light





Labcraft Trilite LED

12V switched LED. 320 Lumen, 3W. Single LED striplight that is brighter than a twin tube fluorescent version and takes only half the power. 10 Year warranty. Made in the UK.

381 x 78 x 24mm KL LED **018221**



Labcraft Appollo LED

12V switched LED. 1108 Lumen, 12W. The internal LED strip can be positioned in 3 different angles by the user to direct the light exactly where it is needed. 10 Year warranty. Made in the UK. 610 x 37 x 16mm

018213





Labcraft Astro LED awning light

12V LEDs encapsulated in a weatherproof (IP66) casing. 554 Lumen, 6W. Incorporates the Orizion LED strip light. 10 year warranty. Made in the UK.

594 x 43 x 31mm White 018043

018043A Grey





Labcraft Orizon LED

12V LEDs encapsulated in a weatherproof (IP66) casing. 554 Lumen, 6W. Budget light with 24 high intensity LEDs. 10 year warranty. Made in the UK. 522 x 17 x 10mm

018028






Labcraft Nebula LED

12V switched LEDs encapsulated in a weatherproof (IP66) casing. 554 Lumen, 6W. Incorporates the Orizion LED strip light. 10 year warranty. Made in the UK. 624 x 44 x 14mm

018025





Labcraft Callisto LED downlighter

12V LED downlighter. 160 Lumen, 1.25W. 10 year warranty. Made in the UK.

018039



Britax 891 awning lamp

12V switched light. Can be used as interior or awning lamp. Complete with 10W festoon bulb. Dimensions: 133 x 133mm

891 awning light **018404** Spare lens 018415 018388 Spare switch



Vechline

Lights and torches

Vechline rechargeable fan

Charged by a USB cable supplied. Fan,

360° light and torch with an integrated

recharge other products via the USB.

hanging hook. Can be used to

190 x 88mm Ø. 405g



lantern

019767

Vech The



Vechline rechargeable bug killer lantern

Charged by a USB cable supplied. With 3 light levels and an integrated hanging hook. 129 x 88mm Ø. 269g **019768**



Vechline bug killer lantern

230V. Attracts and kills flying insect pests. Chemical free and effective for up to 20m^2 . Supplied with 1.5m cable. 235 x 155 x 105mm. 774g **019769**



Rolson 24 LED bright light

Super bright 24 LED, now with dimmer switch, complete with hanging ring Ideal for camping or as a patio table light Supplied with 4 x D batteries.

2 per display box

019733



Milestone ultra bright 12 LED mini lantern

Super bright 12 LED. Soft touch rubber casing. Dimmer controls to adjust light levels. Indoor and outdoor use. Light weight with folding carry handle. 3 x AA batteries not included. 6 per outer **019733A**



Vech fine

Milestone ultra bright waterproof LED lantern

Waterproof to IP54. Pull open to activate. Super bright LEDs, metal carrying handle. Light weight compact design. Operates for 8 hours. 3 x AA batteries not included. 2 per display box **019733B**



Folding USB desk lamp

USB / battery operated desk lamp. Supplied with USB lead and 4 x AAA batteries. 100% / 50% / off. 127 x 71.5 x 40mm closed 127 x 71.5 x 320mm open 6 per display box 019499



W4 LED handy lamp

Powered by USB lead (supplied) or 3 x AA batteries (not supplied). Singly or 10 per outer **019498**



LED pull light

Hang anywhere, pull on/off. 970mm chord length. Cool white 50 lumens. Battery powered (supplied). **019496**



LED sticky light setBright white LED that can

Bright white LED that can last up to 100 hours on a single set of batteries. Simply stick to any surface. Push to activate the 3 LEDs. Each light requires 3 x AAA batteries (not supplied)
8 per display box
019740



3 SMD Camping light

70mm ø x 42mm height. Supplied with swivel hook and 5 x modes (100% / 50% / 30% / quick flashing and flashing). 3 x AAA batteries supplied 5 per display box **019737**





LED switch light

Ultra bright 3W (200 lumen) long lasting LEDs. 3 x AAA batteries (not included). 75 x 112 x 25mm. 10 per outer 019497A



LED switch light double

Ultra bright 4 way 2W (200 lumen) long lasting LEDs. 4 x AA batteries (not included). 120 x 112 x 25mm. 10 per outer 019497B



Compact LED switch light

Ultra bright (200 lumen) long lasting 8 LEDs. 3 x AAA batteries (not included). 75 x 95 x 20mm. 019497C



LED switch light with dimmer

Ultra bright 2W (200 lumen) long lasting LEDs with dimmer control. 4 x AA batteries (not included).

110 x 112 x 25mm.



3 Watt COB light

LED. Manufactured in ABS with rubber housing finish. With hook and magnet. 3 x AAA batteries supplied. 6 per display box 019736



Rolson 72 LED camping

Super bright 72 LED light with three strong magnets on reverse for mounting on most metal objects, along with swivel hook for hanging. Supplied with 4 x AA batteries.

5 per display box

019730



Multi-purpose 3 LED COB

With magnetic stand and hanging hook. 3 x AAA batteries (not included). 12 per outer

019736A





LED Wire lights

Decorative wire frame with pretty LED lights

- Brighten up any room with a warm white glow
- High quality LED's for energy efficiency
- Use 3 x AA batteries (not included)

"LOVE" 019800A "HOME" 019800B "DREAM" 019800C "HAPPY" 019800D





Rolson 28 LED aluminium torch

Manufactured from aluminium, simple push button operation with 28 LED's - 100 Lumens. Supplied with 3AAA batteries. Complete with wrist strap.

12 per outer

019742





3W COB LED aluminium torch (2)

Manufactured from aluminium, simple push button operation with 28 LED's - 100 Lumens. Supplied with 3AAA batteries. Complete with wrist strap.

12 per outer 019741



Ω

Vehicle Specific Naviceivers



■>□□ Naviceiver: Model for: Fiat Ducato, Citroën Relay (Jumper), Peugeot Boxer 038885D Z-E3756



■>GD Naviceiver: Model for: Mercedes Sprinter II, Vito, Viano, A and B class Z-E4626 038885E



E>GD Naviceiver: Model for: Volkswagon, Seat and Skoda platforms, including VW T5 . Z-E2050 **038885F**

Vehicle specific naviceivers by ZENEC. Innovative and advanced motorhome navigation systems specifically developed for the motorhome market and each vehicle's dashboard. They blend in perfectly with the original look of the vehicle, and can be conveniently controlled from the high resolution 7" / 17.8cm touchscreen display. With ZENEC you are able to experience an amazing range of entertainment options in the vehicle. Thanks to its new multituner

system, there is a crystal clear radio reception, including for DAB+. The built in CD/DVD drive and a USB port (with 0.8m extension) on the rear of the device will allow you to play the latest video and audio formats. A 4 X 50 Watt amplifier complete with DSP suite (equalizer, time alignment and vehicle presets) ensures optimum sound quality. The powerful bluetooth module from Parrot, now with database support, gives you easy access to telephone functions and playlists. With European map package with 47 countries, including the camping point of interest package with more than 6 million premium points of interest, the ZENEC will guide you safely to any destination. By choosing vehicle specific profile and entering vehicle-specific data, you can plan any route more effectively.



Vehicle Specific

Fits seemlessly into the dashboard of the most common base vehicles for motorhomes, stalk controls for steering wheel interface available separately on most models



CampingSchaf Points of **Interest Package**

6m+ POI package includes more than 20,000 sites and stop over points. A comprehensive database allows you to see facilities with a connective phone no.



Motorhome/Caravan **Navigation Software**

Specifically designed software ensures the most appropriate route for your journey, with 47 EU country maps included



Bluetooth from Parrot

Advanced phonebook contact search and favourites. Two smart devices can be connected at one time



Multituner with DAB+

Optimal signal and choice with two FM/AM and two DAB+ tuners. A fifth tuner takes care of traffic management



USB Media Management

Gracenote function allows you to set your play list by your mood or genre, MLT (more like this) function perfectly designed for entertainment on the move



Preconfigured Vehicle Profiles

Set your vehicle dimensions and weight to plan your route more effectively. Various profiles available (towing, roof boxes, bike racks etc)



Digital Sound Processing

For perfect sound staging whilst listening to the radio in the driver's seat or in the habitation area of the motorhome



FLAC digital audio

Plays most modern audio and video files without complicated conversion



Screen Rear View Camera Interface (Camera optional) Adjustable distance markers

on screen (rather than on the camera) mean accurate distance obeservations



Camera Hard Key

Access the camera at any time via a touch of the button



ZENEC for Future Proof

With easy software updates your ZENEC is future proof



Fiat Ducato Installation

Also for Peugeot Boxer and Citroen Relay (Jumper)



To replace OEM DAB+ radio (U-Connect 3):			To replace OEM FM radio (U-Connect 3):		
Z-E3756	Naviceiver	038885D	Z-E3756	Naviceiver	038885
or F220 Naviceiver 038890C		or F220 Naviceiver 03		038890C	
Fiat	OEM facia	038884	Fiat	OEM facia	038884
014.808-0	Steering wheel In	terface	014.808-0	Steering wheel In	nterface
	_	038894E		_	038894E
FD2319	Fakra to DIN	038896	FD2319	Fakra to DIN	038896
FS2352	Fakra to SMB	038896B	AS2611	DAB+ Splitter	038895A



To replace U-C	Connect 5 that has I	DAB+ radio:
Z-E3756	Naviceiver	038885
or F220 Navio	eiver	038890C
Fiat	OEM facia	038884
011.801-2	Steering wheel	Interface
	_	038894D
FD2319	Fakra to DIN	038896
FS2352	Fakra to SMB	038896B

To replace U-Cor DAB+ radio:	nnect 5 that doe	es not have
Z-E3756	Naviceiver	038885
or F220 Navicei	ver	038890C
Fiat	OEM facia	038884
011.801-2	Steering whee	l Interface
	_	038894D

Fakra to DIN

DAB+ Splitter

038896

038895A



For new vehicles without OEM radio DAB+ solution: Z-E3756 038885 Naviceiver or F220 Naviceiver AS2611 DAB+ Splitter

For new vehicles without OEM radio FM solution: Any universal naviceiver

038890C 206.000-0 DIN to DIN 038896A 038895A 002.285-3 Bracket 038893A 014.805-0 Steering wheel Interface

038894A

FD2319 AS2611

Where a Z-E3756 or F220 Naviceiver is suggested, a more cost effective solution can be found by replacing this with any 2-DIN universal product X-402

038890E

Also add:

002.306P0-3 Bracket 038893B Do not use Fiat OEM facia 038884 where suggested.

VW Installation



For VW installations simply add a DAB+ aerial where vehicles have no DAB+ aerial installed otherwise this aerial is not required:

038885B Z-E2026 Naviceiver DA2770 Active DAB+ Window Antenna 038895G

Mercedes Installation



Mercedes-Benz

For new vehicles with DAB+ Aerial:

Z-E4626 Naviceiver 038885E Please call with new vehicles details to see what additional products are necessary, if any.

For vehicles with FM aerial:

038885E Z-E4626 Naviceiver FD2319 038896 Fakra to DIN AS2611 DAB+ Splitter 038895A

DA2770 Active DAB+ Window Antenna 038895G



C₁

Multimedia systems



XZENT X-F220

Fiat Ducato vehicle specific multimedia system:
FIAT Ducato III · Type 250/251 · model year 2006 – 2011
FIAT Ducato III · Type 250/251 · model year 2011 – 2014
FIAT Ducato III · Type 250/251 (X290) 2014 onwards
Citroën Jumper II · Type 250/250D/250L 2006 onwards
Peugeot Boxer II · Type 250/251 2006 onwards

- FM and DAB+ radio
- 6.2"/ 15.7 cm 16:9 touchscreen display
- DVD/CD player
- 6.2" / 15.7cm TFT LCD touchscreen
- Bluetooth connectivity with internal Bluetooth microphone for handsfree calling
- 2 x rear USB 2.0 port, supporting Apple, Android and other audio and video formats
- 4 x 40W amplifier

F220 **038890G**





SDHC card with motorhome specific navigation software for F220. EU map package with 47 countries, Camping POI package and 6 million+premium POI

. X-F220-SDFEU **038890D**

XZENT



XZENT X-402

Multimedia system:

- FM and DAB+ radio
- 6.2"/ 15.7 cm 16:9 touchscreen display
- DVD/CD player
- 6.2" / 15.7cm TFT LCD touchscreen
- Bluetooth connectivity with internal Bluetooth microphone for handsfree calling
- 2 x rear USB 2.0 port, supporting Apple, Android and other audio and video formats
- 4 x 40W amplifier

X-402 **038890E**



SDHC card with navigation software for X402. EU map package with 47 countries and 6 million+ premium POI X-402-SDFEU **038890F**

Audio Accessories



Zenec DAB+ Tuner ZE-DAB60 038887



Zenec TV Tuner ZE-DVBT40 038887A



ATB20P Active Subwoofer 038888B



AXTON 2 Channel Amp A250 038888



AXTON 4 Channel Amp A460 038888A



N-ADUC-IS01 Plug and play 1 Channel 038889



N-ADUC-IS02 Plug and play 2 Channel 038889A



N-ADUC-IS04 Plug and play 4 Channel 038889B



Fiat speaker ATC26-DUC 038891



Voltage stabiliser 12V 13285-004.02300 Plug and play behind the radio 038897



Installation Accessories



1 Din installation bracket 001.285-3

Fiat Ducato without OEM radio fitted > 2006 038893



1 Din installation bracket 001.10251-2

For all VW T5 models 2010-2014 038893E



Steering wheel remote control interface Fiat 014.805-0

Only for vehicles without OEM radio but with telephone buttons on the steering wheel > 2015 038894A



Amplifies the signal from the aerial and provides FM and DAB+ inputs for the radio, with +20dB gain. For use with passive aerials (038895D)

038895A




Passive Splitter PS2912

Splits signal from aerial and provides FM and DAB+ inputs. For use with an active aerial 038895B



2 Din installation bracket Fiat Ducato without OEM radio fitted > 2011. 002.285-3 Matt Black

038893A 002.285P0-3 Gloss Black 038893C



2 Din installation bracket PRVC EU 90001/bp

For all VW T5 models 2010-2014

038893D



Steering wheel remote control interface Fiat 014.309-0

For vehicles without OEM radio > 2011 038894





FS2352

2 Din installation bracket 002.306P0-3

Fiat Ducato with OEM radio fitted > 2011

Gloss Black 038893B



Use when raplacing a Factory fitted radio or Naviceiver in new vehicles 038884



Fakra to SMB

To connect original DAB+ Fiat antenna to Zenec/Xzent products

038896B



Fakra to DIN FD2319

To allow simple connection to the original U-connect wiring

038896



FM Fiat connector 206.000-0

To connect FM Fiat antenna to a radio 038896A



Steering wheel remote control interface Fiat 014.808-0

For vehicles with U-connect 3 OEM radio (no Sat Nav) 038894E



Steering wheel remote control interface Fiat 011.801-2

For vehicles with U-connect 5 OEM radio (with Sat Nav) 038894D



Active Splitter AS2611



Passive Antenna PA1501

For use with active splitter (always use with 038895A)

038895D



Steering wheel remote control interface Mercedes 014.857-0

For Mercedes Sprinter 038894F

Steering wheel remote control interface T5 014.810-0

2010 - 2014 038894B



Steering wheel remote control interface T6 014.811-0

> 2015 038894C

Phantom power antenna 204.104-3 For all VW T5 models 2010-2014 038895



Dipole Antenna

DP0407 Simple active aerial for installation on stable base such as fibreglass 038895C



Active DAB+ Disc **Mount Antenna DA2762**

Requires 12v & earth 038895F



Active DAB+ Window Antenna DA2770 No extra earth required

038895G



Active DAB+ Glass **Antenna DA4570**

For vehicles with fixed windows. No extra earth required 038895E



Reversing Cameras



Compact rear view camera for motor homes

ZE-RVSC62

- Aluminum die cast housing
- Automatic day and night mode with 4 night vision IR LEDs
- View angles: 115° horizontal / 80° vertical
- IP protection rating: IP68
- Dimensions (WxHxD): 36 x 31 x 40 mm
- Weight: 60 g
- 3 m length of main wire harness with 15 m extension wire included

038886



Rear view camera for campers and caravans ZE-RVSC70

- Corrosion resistant housing with automatic motorised cover made of stainless steel
- Automatic day and night mode with 18 night vision IR LEDs
- View angle: 115° horizontal
- IP protection rating: IP68
- Dimensions (WxHxD): 93 x 111 x 75 mm
- Weight: 590 g
- 5 m length of main wire harness with 12 m extension wire included

038886A



Rear view camera for motor homes

ZE-RVSC90

- Powdered coated Aluminum die cast housing
- Automatic day and night mode with 10 night vision IR LEDs
- Built-in microphone
- View angles: 150° horizontal / 125° vertical
- IP protection rating: IP68
- Dimensions (WxHxD): 84 x 71/99 x 65 mm
- Weight: 330 g
- 3 m length of main wire harness with 15 m extension wire included

038886B



Compact rear view camera for simple mounting

ZE-RVSC80MT

- Aluminum die cast housing
- Super light sensitivity yeilds a super sharp image even in difficult light conditions of dusk and dawn
- View angle: 140° horizontal
- IP protection rating: IP68
- Dimensions (WxHxD): 50 x 20x 78 mm
- Weight: 74 g
- 3 m length of main wire harness with 6 m extension wire included

038886C



Rear view camera built into the number plate holder ZE-RVC50LP

- Super light sensitivity yeilds a super sharp image even at night
- View angle: 120° horizontal
- Power supply: DC 12 V
- IP protection rating: IP67

038886D



Rear view camera for Fiat Ducato

ZE-RCE3701

- Plastic injected housing with stainless steel bolts
- Fits between the high level rear brake light and the vehicle, brilliantly discrete
- View angles: 130° horizontal / 85° vertical / 150° depth
- IP protection rating: IP69K
- Dimensions (WxHxD): 270 x 40 (exc light) x 49 mm
- Weight: 74 a
- 30cm length of main wire harness with 11 m extension wire included

038886M



Rear view camera for pick up trucks, motorhomes and vans 7F-RCF4605

- High quality materials guarantee high resistance to corrosion and long life
- Automatic day and night mode with 9 night vision IR LEDs
- View angle: 120° horizontal
- IP protection rating: IP67
- Dimensions (WxHxD): 23 x 19 x 30 mm
- Weight: 200 g
- 10 m length of main wire harness included

038886E



Vechline Visio Reversing cameras





Mirror mounted for motorhomes 002228



Evo Van For Van Conversions 002224



Evo For motorhomes



Evo Dual

For Motorhomes (Close & broad view) 002226

Screen: 5" or 7" is common on reversing camera systems. All Visio products have a 7" LCD colour screen with 400cd/m² that allows you to see the screen in bright conditions and 300000 pixels resolution for a clear picture. Also include antiglare shield.

Wired or wireless: All Visio products are wired to eliminate interference and signal loss. Audio/microphone function: All Visio products have a built in microphone on the camera with an audio function on the screen, this allows you to hear, as well as see, behind

Mirror function: Allows you to choose whether you see the true picture or as if you were looking in a mirror, all Visio products have this feature.

Camera: All Visio cameras have a wide 120° horizontal viewing angle (with the dual also having 45° on the additional camera). The EVO, EVO Easy and EVO Dual have a waterproof rating of IP69K which is the highest available for use with pressure washers. The EVO van has IP68 which is waterproof. Many others on the market are IP66

Mounting: Solid adhesive mounting plates with screw holes. With the exception of the Visio Easy monitor (which is 5G) each model has a camera and monitor with a vibration resistance of 10G (many others on the market have 5G cameras and/or monitors)





		INN	OTION	
Visio Model	EVO Easy 002228	EVO Van 002224	EVO 002222	EVO Dual 002226
		Monitor		
Voltage	12/24V	12/24V	12/24V	12/24V
Power	4W	3.6W	3.6W	5W
Screen	7", 16:9	7", 16:9	7", 16:9	7", 16:9
Video Std	PAL / NTSC	PAL / NTSC	PAL / NTSC	PAL / NTSC
Brightness	400cd/m ²	400cd/m ²	400cd/m ²	400cd/m ²
Resolution	420 TV lines	420 TV lines	420 TV lines	420 TV lines
Anti-glare	YES	YES	YES	YES
Audio func'n	YES	YES	YES	YES
Bracket	Clip on	Adhesive	Adhesive	Adhesive
Mirror func'n	YES	YES	YES	YES
Remote control	YES	YES	YES	YES
Automatic stand by	YES	YES	YES	YES
Working temperature	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C
Vibration resistance	5G	10G	10G	10G
Dimensions mm	250 x 108 x 23	182 x 124 x 38	182 x 124 x 35	182 x 124 x 35
Weight	800g	800g	800g	1100g
Anti-glare	YES	YES	YES	YES
Audio func'n	YES	YES	YES	YES
Bracket	Clip on	Adhesive	Adhesive	Adhesive
Mirror func'n	YES	YES	YES	YES
Remote control	YES	YES	YES	YES
Automatic stand by	YES	YES	YES	YES
Working temp	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C
		Camera		
Voltage	12V dc	12V dc	12V dc	12V dc
Lens	1/3" CCD	1/4" CCD	1/4" CCD	2 x 1/4" CCD
Viewing Angle	120°	120°	120°	120°+ 45°
Night vision with 0 lux	18 Infra Red LEDs, 15m	9 Infra Red LEDs, 15m	18 Infra Red LEDs, 15m	30 Infra Red LEDs, 20m
Waterproof	IP69K	IP68	IP69K	IP69K
Resolution	300000 pixels	300000 pixels	300000 pixels	300000 pixels
Cable, mini-DIN	18m	10m	20m	2 x 15m
Sunshield	(Yes) Alu	NO	(Yes) Alu	(Yes) Alu
Audio func'n	YES	YES	YES	YES
Heating	YES	YES	YES	YES
Anti-mist	YES	YES	YES	YES
Working temp	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C	-20°C to 65°C
Vibration resistance	10G	10G	10G	10G
Dimensions mm	72 x 52 x 42	205 x 134 x 59	80 x 60 x 71	98 x 56 x 82
Weight	350g	350g	350g	420g
	Voltage Power Screen Video Std Brightness Resolution Anti-glare Audio func'n Bracket Mirror func'n Remote control Automatic stand by Working temperature Vibration resistance Dimensions mm Weight Anti-glare Audio func'n Bracket Mirror func'n Remote control Automatic stand by Working temperature Vibration resistance Dimensions mm Weight Anti-glare Audio func'n Bracket Mirror func'n Remote control Automatic stand by Working temp Voltage Lens Viewing Angle Night vision with 0 lux Waterproof Resolution Cable, mini-DIN Sunshield Audio func'n Heating Anti-mist Working temp Vibration resistance Dimensions mm	Voltage 12/24V Power 4W Screen 7", 16:9 Video Std PAL / NTSC Brightness 400cd/m² Resolution 420 TV lines Anti-glare YES Audio func'n YES Bracket Clip on Mirror func'n YES Remote control YES Automatic stand by Working temperature Vibration resistance Dimensions mm 250 x 108 x 23 Weight 800g Anti-glare YES Audio func'n YES Bracket Clip on Mirror func'n YES Bracket Clip on Mirror func'n YES Audio func'n YES Audio func'n YES Bracket Clip on Mirror func'n YES Bracket Clip on Mirror func'n YES Audio func'n YES Remote Control Automatic Stand by Working temp -20°C to 65°C Voltage 12V dc Lens 1/3" CCD Viewing Angle Night vision With 0 lux Waterproof IP69K Resolution 300000 pixels Cable, mini-DIN 18m Sunshield (Yes) Alu Audio func'n YES Working temp -20°C to 65°C Voltage IP69K Resolution 300000 pixels Cable, mini-DIN 18m Sunshield (Yes) Alu Audio func'n YES Working temp -20°C to 65°C Vibration resistance Dimensions mm 72 x 52 x 42	Visio Model EVO Easy EVO Van 002224	VISIO Model 002228' 002224 002222 Woltage 12/24V 12/24V 12/24V Screen 7", 16:9 7", 16:9 7", 16:9 7", 16:9 Video Std PAL / NTSC PAL / NTSC PAL / NTSC PAL / NTSC Breightness 400cd/m² 400cd/m² 400cd/m² 420 TV lines Anti-glare YES YES YES YES Audio func'n YES YES YES YES Bracket Clip on Adhesive Adhesive Adhesive Mirror func'n YES YES YES YES Remote control YES YES YES YES Working temperature YES YES YES YES Working temperature YES YES YES YES Working temperature YES YES



Satellite Tv Equipment To Suit Any Vehicle & Budget





Roof Mount Satellite System

Fully automatic system. Press and go, the convenience of having all your TV channels ready to watch in an instant at the touch of a button. The ultimate in home entertainment on the move.

- Average search time 30-60 seconds typical
- 'Easy adjust' manual skew systemSingle LNB fitted as standard
- 5 pre-programmed satellites as standard (ASTRA 1, 2, 3, Hotbird & Thor)
- Easy to use wired control box
- Future proof with free software updates via a USB stick
- Watch all available UK TV channels in the UK and into parts of Europe
- Low stream line profile, only 17cm
- With 65 or 85cm dish
- All weather resistant construction
- For permanent mounting, can be transferred to another
- 3 year guarantee With 65cm dish **040014C** With 85cm dish 040014D









Crank-up Satellite System

Manual operation system. Raising dish using handle, locate satellite and park system from the comfort of inside

- Ergonomic handle optimises positional accuracy
- Cable entry junction box allows for the system to be fitted in the most convenient position on roof
- Easy to align using the ceiling mounted handle and elevation zone map
- Watch all available UK TV channels in the UK and into parts of Europe
- Low stream line profile, only 17cm
- With 65 or 85cm dish
- All weather resistant construction
- For permanent mounting, can be transferred to another vehicle
- 3 year guarantee

With 65cm dish 040014A With 85cm dish 040014B








Clear and easy to read elevation angles with simple and effective locking device



Kronings Ultra Light Weight satellite system





Full automatic satellite dish

ONLY 4.7 kg....

Aluminium dish, 62cm oval, designed to use 30-40% more reflective material than traditional round satellite dishes.

DiSEqC controlled: Fully automatic.

Gain of 80.6 dB signal in digital with BER -0.6, equivalent to a round 80cm dish.

Full HD ready LNB.

Quick intelligent automatic satellite search.

Remembers the last used satellite, leading to fast and easy usage.

Prepared for digital TV.

User friendly display.

Automatic closing when driving.

Can be mounted close to solar panels and airconditioning systems.

• 9 satellites pre-programmed in memory.

- Türksat 3A	42.0E
- Astra 1N/2A/2F	28.2E
- Astra 3A/3B&Thor 2	23.5E
- Astra 1KR/1L/1M/2C	19.2E
- Eutelsat Hotbird	13.0E
- Sirius / Astra 4	4.8E
- Thor 5&6 & Intelsat 10-02	0.8W
- Atlantic Bird / Eutelsat 5	5.0W
- Hispasat 1E	30.0W
 Power supply voltage 	11/16 Volt
 Stand-by system absorption 	20mA
 Research system absorption 	2A typical - 3,5A peak
Trustant annuals store	20 (0

Re Typical search time 30-60 sec

Max time for complete scanning 300 sec

 External unit weight 4.7 Kg

EN 55022, EN 55024, EN 12100-1, EN 12100-2, EN 294, EN 349, EN 60529, 95/56/CEE

If connected via power supply instead of battery:

Voltage: 12V (+/- 15% Max),

Power: 2A (Min), Power: 24W (Min)

039978



Twin LNB adapter 039978A

Other roof mounted satellite systems

RoadPro domes powered by Wiworld

Complete protection against wind and weather. Roadpro domes offer the widest range of models of any sat-dome manufacturer. Average satellite search times of 30 seconds. One button operation, just switch it on!

- Operating voltage 12V
- Fixes to the roof with sikaflex and / or screws
- Space required for operation: 76cm diameter including mounting feet



- Astra 2 (N & S), Eurobird 1, Astra 1, Hotbird, Sirius, Atlantic bird 3, Hispasat
- Off-set dish inside a protective plastic cover
- All weather resistant white dome casing, can be
- Can be used with any satellite receiver including Freesat, Free to air & SKY receivers (not included)
- 3 year guarantee

Dish Part size		Weight approx.		Dome	Current Amps approx.		
Number	(W x H) cm	type	kg (Dish & motor)	height cm	During search	In use (search complete)	
	Static models						
039992	46 x 35	Single	9.5	40	1.5	< 0.1	
039990A	46 x 35	Twin	9.7	40	1.5	< 0.1	

WOW Use twin LNB version to use pause, record, or other functions of a recording receiver or to use 2 receivers at once.

Portable satellite systems **MAXVIEW** EST 1964 Remora 40 Suction mount- Portable Satellite System

For people on the move, the Remora 40 is the ideal portable satellite TV kit, using high strength suction mounts for easy, temporary attachment to a vertical surface on your vehicle

Specifications:

Use: For outdoors

Satellite TV: SD & HD channels*, reception

dependant on satellite &

satellite footprint

Suction Mount: Dual silicone suction mount suitable

for a smooth surface only

Dish: 40cm Plastic Dish

Single Universal LO 10.7 - 12.75 GHz LNB:

Elevation: 10° to 50° -30° to +30° Skew: * Satellite receiver required

Remora 40 - 040002D

WOW "So simple to fit, so easy to use, ideal for people

on the move"

N. Greentree - Independent Industry Expert



Easy set up

3 part design requires no tools to assemble or disassemble

High strength dual suction mount

Allows for quick, secure & non-permanent fitting to most flat, vertical surfaces

Level Indicator

Aids a quicker, more accurate setup & elevation reading

Elevation Adjustment

Lets the users easily set the antenna elevation to a high level of accuracy

Rotation Lock

Fixes the system into place once satellite signal has been acquired

Security Fixing Point

Gives peace of mind / security of the satellite system

Quick Release Lever

Two built in quick release levers for easy mount & dismount

5m Flexible Cable

Makes it easier to route to your satellite receiver



3 Main parts for compact storage in high quality bag



10.7 - 12.75 GHz LNB

5m High flex F to F cable



Portable satellite systems **MAXVIEW** EST 1964

Tripod - Portable Satellite Systems


PRECISION ID

PRECISION

WOW Precision ID includes a Satellite Identification with a 'Sat Found LED' for user indication. This innovative design now makes it easier than ever to find the right satellite for you.

Sat Found LED: Makes sure you find the right satellite in the simplest way possible. It is designed to let you know you have found the correct

satellite easily. When scanning for the satellite you want, the LED will turn on only when the correct satellite is found saving time, effort and guess work.



Limited satellite zone. Reduces margin for error, so locking on to the correct signal is quicker and





Pre-assembled parts for very quick and easy set up. Top unit simply drops onto tripod as shown.





Sat ID LED - Only included on Precision I.D models


Unique and innovative features include...

A. Elevation indicator, easy to view elevation read



B. Integrated Sat Finder, helps you align your dish to the satellite

C. Level indicator, a level tripod will allow for quicker set up and a more accurate elevation reading



E. Magnetic LNB lock, to secure LNB arm for easy storage

Manual satellite systems - All models feature the below

Comes complete with holdalls for

asy handling

- Designed with the user in mind for easy set up and quick signal finding
- Watch all available UK TV channels in the UK and into parts of Europe
- Lightweight yet sturdy design, suitable for most terrains
- Unique and innovative features see linked
- Includes, Compass, System and Tripod Holdalls, Ground Pegs, Elevation map, Quick Set Up Guide, 10m Flexible 'F' Cable, Sat Finder, Tripod & choice of LNB
- Available with either 55cm or 75cm dish. Plus Twin or Single LNB options
- Patent pending design Designed and manufactured in the UK
- 2 year guarantee



PRECISIÓN

With 55cm dish & single LNB 040001A With 65cm dish & single LNB 040002A With 55cm dish & twin LNB 040001B With 65cm dish & twin LNB 040002B With 75cm dish & twin LNB **040002C**

PRECISION ID


With 55cm dish & single LNB 040001AB With 75cm dish & twin LNB 040002CB







Both tripods include ground pegs for extra stability



- Stainless steel fixings • Portable mount to position satellite dish in convenient position to achieve clear line of sight to satellite
- Upper mast section rotates freely for ease of use to aid satellite dish alignment (A)
- Long legs and an additional locking device ensure stability
- Folds together for compact storage in supplied holdall
- Lightweight and stable design
- Mast diameter 34mm
- Dimensions: Full height 165cm when legs fully extended

040005

Satellite Tripod

- Stainless steel fixings
- Portable mount to position satellite dish in convenient position to achieve clear line of sight to satellite
- Upper mast section rotates freely for ease of use to aid satellite dish alignment (A)
- Long legs and an additional locking device ensure stability
- Folds together for compact storage
- Lightweight and stable design
- Mast diameter 34mm (Top)
- Dimensions: Full height 93cm when legs fully extended

040003





See our set up video search 'Maxviewltd'



Optional kit for roof mounting



Portable Satellite System

TV/Radio coverage throughout the UK and Europe

- Press and go, the convenience of having all your TV channels ready to watch in an instant at the touch of a button
- Receives transmissions from Astra 1, Astra 2, Astra 3 and Hotbird
- Designed to be permanently mounted to vehicle roof and for portable
- Ultra lightweight with ergonomically designed carry handle for easy
- Can be permanently roof mounted to any touring vehicle using the add on mount pack below. Capable of being transferred to another vehicle if required
- Can be chained to any fixed object looped through the handle. Includes alarm for added peace of mind
- Twin LNB as standard
- 35cm cassergrain dish, equivalent to 50cm offset dish giving increased
- Clear and easy to use LED Control Box, which is compact in size (W:13 x D:9.5 x H:3cm) allowing unobtrusive mounting in a cupboard
- All weather resistant and robust casing
- Compatible with any SD/HD Free to air satellite receivers (inc SKY)
- 2 year guarantee

Specifications:

- Weight: 3.5kg
- Frequency: 10.70 12.75GHz
- Powering by12V Control Box
- Dimensions (mm)
- 490 front to back
- 430 side to side
- 350 top to bottom

Includes:

- 12V Control Box
- Velcro Control Box pads
- All required cables & User instructions
- 2 year quarantee

040054B

TV Aerials

MAXVIEW Est 1964





Gazelle Touring TV Aerial

- Omnidirectional receives all available digital and HD TV channels through 360 degrees
- For permanent or temporary mounting
- Also receives FM and DAB signals
- Aerodynamic design
- Includes 12/24V Variable Signal Booster
- Includes 5m coaxial cable for mounting accessories
- 2 year guarantee

040008



Omnimax Touring TV Aerial

- Omnidirectional receives all available digital and HD TV channels through 360 degrees
- For permanent or temporary mounting
- Also receives FM and DAB signals
- Includes 12/24V Variable Signal Booster
- Includes 5m coaxial cable and mounting accessories
- 2 year guarantee

040Ó06



Mobile TV Aerial - 14 Element

- Receives all available digital, HD & 3D signals
- For all UK coverage
- Quick and easy assembly
- Compact size for travel and storage
- Complete kit, includes accessories shown right above
- Designed for quick, easy and simple installation
- 1 year guarantee

Aerial only with coaxial cable 040043A Aerial Kit including mast & cable 040043B



Includes 5m Coaxial Cable



Quick release clamp enables compact size for storage







Mobile TV Aerial - 9 Element

- Receives all available digital, HD & 3D signals
- For all UK coverage
- Quick and easy assembly
- Compact size for travel and storage
- Complete kit, includes accessories shown right above
- Designed for quick, easy and simple installation
- 1 year guarantee

040043



Truvision - Indoor TV Aerial

- Receives all available digital, HD & 3D signals
- For all UK coverage
- Ready to use just flip up and connect to TV
 Stylish design and folds flat for easy storage
- 2m coaxial cable allows easy positioning
- 1 year guarantee



Masts **MAXVIEW**_{Est 1964}









Unimax Mast

- Use to mount a touring TV aerial
- For mounting on the side of a vehicle
- Includes quick release spring action clamps
- Clamps can be fixed to any smooth surface.

040089

Vehicle Side Mast

- Use to mount a touring TV aerial
- For mounting on the side of a vehicle
- 4 piece section mast allows up to 2.6m
- height Clamp can be fixed to any smooth surface

040113

Jockey Wheel Mast

- Use to mount a touring TV aerial
- Mounts onto a caravan jockey wheel
- 4 piece section mast allows up to 2.6m height
- Easy installation, no tools required 040114

Accessories



Magnetic Base

- Designed for use with Maxview Omnimax only
- Temporary fixing to any flat steel surface to provide secure mounting base

040081



Suction Pad Base

- Designed for use with Maxview Omnimax only
- For temporary fixing
- 4 heavy duty suction pads for secure mounting

040080



Unimax Clamps

- Mounts to the side of any touring vehicle
- Can be either screwed into position for permanent mounting or attached using the self adhesive backing for temporary mounting

040017 Packed 040086 Loose



Sat Finder

- Designed to help align satellite dish to the satellite with varying audio tone and ascending visual LED display
- Signal sensitivity control for ease of satellite dish adjustment and alignment

040011



Satellite Compass

- Satellite alignment zone to help locate the signal direction for all the main European satellites Astra 1, Astra 2 & Hotbird
- For use as normal navigational compass 040013



- Satellite alignment zone to help locate the direction of the signal for all the main European satellites
- All major European satellite positions pre programmed
- Modes: ASTRA 1, 2 & Hotbird, Digital time, thermometer & compass
- Features bubble level
- Back lit LCD display for low light viewing

040018





- Assists and speeds up aerial alignment for the best terrestrial TV (digital/HD/3D) reception available
- Optimise signal reception before auto tuning TV/receiver
- Features signal sensitive control for high or low signal strength areas
- For use with a directional touring TV aerials
- Simply connects to aerial, adaptors
- Includes battery and velcro mounts 040048



Variable Signal Booster

- Increases the strength of all incoming terrestrial TV (digital/ HD/3D) and radio (FM/DAB) signals in weaker reception areas
- 12/24V ideal for use with any touring TV/radio
- Variable gain for high or low signal strength areas
- Gold plated 'F' connectors for improved connectivity
- Low power consumption
- Wall mounting option available
- 2 year guarantee

Sockets & plugs **MAXVIEW** Est 1964



Weatherproof Sockets

- Provides a neat, external weatherproof cable entry point(s) into a vehicle or boat
- Complete with self adhesive foam seal and screws for easy installation
- Unobtrusive design
- 3m Cable length

Models available:

040023 Single Socket & 'F' Connector (A)

040095 Single Socket & Coaxial Connector (B) 040015 Twin Socket & 'F' & Coaxial Connector (C)

040022 Twin Socket & Twin 'F' Connectors (D)



Weatherproof Cable Box

- Waterproof IP66 double membrane seal
- Designed for roof mounting
- Self adhesive foam seal
- Optional four point screw fixing

Multi strand core for

added cable flexibility Less likely to tangle Less likely to take a set

Reduces potential trip

• For all cable types 5 - 9mm Ø

shape

hazard

Easy to handle Compact


• Can take 2 cables 040034



All products featured are supplied in full colour blister packs - see example



040038A 1m 040038 2m 4m 040039 10m 040040







Coaxial Flyleads

040026 2m 040083 4m 10m 040029



Coaxial Flyleads

2m 040027 040028 4m 10m 040084



Flexible 'F' Cables

10m Single 10m Twin

040040A 040040B



2 Way Coaxial 'Y' Splitter 040035



2 Way Coaxial 'Y' Splitter - Gold 040035A





0.8m 040085 040037 1.5m 040037A 3m







Alloy Coaxial Plugs (2) 040019



Back to Back Coaxial (2) 040031



Back to Back 'F' (1) 040032



Coaxial Cable Kit 040033



Satellite 'F' Conne Cable -ctor (2) 040041 Kit



'F' to Coaxial Adaptors(2) 040042



Push on 'F' Connectors (2)040090



Fast Fit Coaxial Plugs (2) 040030

New angled accessory range. These adaptors allow a tight angle, perfect for use on slimline (mainly LED) or any flatscreen TV's where space is limited behind TV once wall mounted. Use for easy access to those awkward to get to sockets.



Coaxial Angled Adaptor 040082



Coaxial Angled Adaptor - Gold 040082A



'F' Angled Adaptor 040082B



'F' Angled Adaptor - Gold 040082C



HDMI Angled Adaptor Adaptor - Gold 040082D



HDMI Pivot Adaptor Adaptor - Gold 040082E **Products**

Accessories



Application example



Universal Satellite Receiver Mounting Brackets




- Mount your receiver securely inside your touring vehicle
- High performance velcro tested to withstand vehicle motions, vibration & shock
- Multi mounting position options to suit almost any cupboard space
- Robust, lightweight design
- Stand off clearance, designed to allow airflow to prevent receiver overheating
- Includes all fixings below for secure permanent mounting in a cupboard or shelving space
- Designed for quick and easy installation

040087



Moonraker DTV-1000 Digi Pro aerial

The DTV-1000 has been specifically designed for digital TV reception. It has an integrated low noise amplifier which can be powered either by the antenna power out option on your set top box, digital TV or even via the 12v DC power cord supplied. The flexible and varied mounting options make the DTV-1000 the simplest way to enjoy digital TV on the road! 040049







Ring FM aerial

Compact design 12v electronic leisure aerial. Telescopic with six sections – overall length 39cm

040129



W4 satellite finder

Easy to read analogue dial as well as an audible signal. Enables effective, quick and reliable satellite alignment for optimum reception. Adjustable gain and sensitivity to suit all situations 040009



Pole mounting



A Digital Antenna

B 12V Power Lead

C 230V Mains Lead

D Power inserter

E 3m Co-axial cable

F Screws and wall plugs for fixed mounting

G U-bolts and wing-nuts for pole mounting

H Mounting bracket for pole and permanent mounting

I Sucker mounting bracket for window / wall mounting







Cosmos aerial

Omni-directional 360° touring aerial, ideal for permanent or temporary mounting

- 12/24v operation
- Also receives FM and DAB signals
- Aerodynamic design
- Built in amplifier
- Includes 4m coaxial cable
- 200mm High x 315mm ø
- Light weight 2830g

Standard 040008C 040008D Magnetic base



Fittings supplied

Flip down TV bracket

This under cabinet mount fits LCD / LED flat screen TVs and monitors from 15" to 37" is and can also be used as a ceiling mount. The sturdy mount features a space saving design that conveniently tucks your flat panel display under a cabinet when not in use. This high-tech look mount offers perfect viewing angle adjustment.

The arm that is connected to the TV can be extended or shortened to allow the best elevation for the TV. The mount comes with a special lip to secure the TV in folded or closed position. The bracket is sturdy and will hold TVs up to 20kg. Made with high grade quality rugged materials. All mounting hardware included.

Designed for tight spaces, this bracket is ideal for Caravans and Motorhomes or at home in the kitchen.

- Locking and fully rotating
- 110° tilt, 180° swivel left and right
 Fits TVs with VESA mounting hole pattern of 75×75 (3"x3"), 100×100 (4"x4"), 200×100 (8"x4"), 200×200 (8"x8")
- Holds TVs that weigh up to 20kg 040000A



Matrix aerial

Omni-directional 360° touring aerial, ideal for permanent or temporary mounting

- 12/24v operation
- Also receives FM and DAB signals
- Aerodynamic design
- Built in amplifier
- Includes 4m coaxial cable
- 300mm High x 182mm ø 040007A Standard Magnetic base 040007B



Metal mount disc

Everything you need to fix magnetic-based accessories to non-metallic surfaces.

Simply clean the small area you wish to mount your TV aerial, WiFi aerial or other accessory, apply the supplied adhesive, put the ultra-lightweight disc on top (only weighs 40 grams!), wait 24 hours for the adhesive to cure and that's it. You can now fit any magnetic based product to your composite roof and remove when you have finished.

- Rustproof ultra-light metal disk
- 5ml of waterproof adhesive
- 96mm diameter x 4mm thick
- Weight 40g

040008E

Magpole

A Magnetic Mounting Pole for use with Aerials, Flags or Antennas. Constructed of a high impact plastic shaft with a fully protected magnetic base. 450mm long but can be easily cut to a shorter length if required whilst retaining the full weatherproof functionality.

- Ultra-strong magnetic base with rubber seal cover to protect paintwork
- Completely rustproof
- 450mm Height x 124mm diameter base 040008F



TV aerial masts



Mercury mast and clamp

Provides three 3' masts and a jockey wheel clamp. Suitable for use with both the Overlander and Tourer aerials and other aerials with a conventional 'V' bolt fixing 040112



W4 aerial pole kit

Fully telescopic lightweight pole kit extendable to 3.2m. Helps to receive a full range of TV signals with its infinite variety of height adjustments. Can be fitted to the jockey wheel with the special clamps provided 040115



Jockey wheel clamp for rotary airer

For use with caravan and trailer jockey wheel assemblies with 48mm diameter stems. Ideal for both TV aerial poles and rotary airers 095470C



W4 Jockey wheel


satellite pole
A sturdy 30" pole complete with
two specially designed brackets for safe attachment to the caravan jockey wheel. Also supplied with a 'U' bolt for fixing the satellite dish. Keeps the dish in a safe and unobtrusive area, no tripod to trip over!



W4 aerial pole clamps One pair of specially designed clamps. For safe attachment of an

aerial pole to the jockey wheel.

040117





Surface TV point Surface coaxial / Coaxial socket 040546



satellite point Coaxial and F socket 040588



Surface satellite point F socket 040576



Satellite lead 2m F to F plug 040585



Aerial lead 2m male to male 040547



Co-ax cable 5_m 040542



Coaxial plug 040543



Coaxial coupler 040544



2-way coaxial splitter 040586



Satellite 'F' plug 040577



12v 10A 040535



2 pin socket 12v 10A 040536



2 pin flush fitting socket & plug 12v 10A 040537



TV Universal **Power Lead** 040595



KUMA



WiFi Booster kit

Boost Caravan WiFi, Motorhome WiFi and Canal boat WiFi with ease. The Kuma WiFi package is a complete solution to pick up and boost an external wireless signal and repeat it at full strength. This allows you to create your own secure wireless network in your caravan, motorhome or canal boat and share the boosted connection with all your devices. Everything you need to boost and share a motorhome WiFi connection is included.

The system is compatible with any device which is WiFi enabled, even if it does not have a USB port. You can connect your laptop, iPad, tablet, smartphone or Kindle all at the same time! There are no disks or drivers to install on your devices and no wires between you and the system. If your caravan site charges per device then you will save money instantly if 2 devices connect, (a smartphone and an iPad for example), as the Kuma WiFi Kit will only be seen once by the caravan site router.

The package consists of two main components – The Kuma High-Powered Long Range Directional WiFi Antenna (available on its own part no. 040144) which will pick up any available WiFi network as far away as 1.5km and the Kuma Wireless Repeater which will enable you to rebroadcast this boosted signal. Also included is a 5m USB cable to connect the antenna with the receiver, mounting kit, as well as 12v DC and 230v AC power supplies. Remember our system uses a high power directional antenna – this can take a few seconds longer to set up than an omni-directional antenna but will provide much better results, as you have to transmit to the internet as well as receive when you click your mouse or screen. This is why directional antennas win every time. To set up – Simply point the directional antenna at the sites wifi signal, connect the repeater to the antenna with the USB cable and then all your devices can connect to the external internet connection wirelessly.

If your campsite service charges you 'per device', as many do, as you will only need one 'connection' for your laptop, phone, iPad etc. No more expensive bills to connect the kids' smartphones. Includes:

- 5m 2.0 USB lead designed to plug straight from the antenna into the Kuma Router
- Built-in router software security password configuration
- 16dBi gain antenna with a 150M transmission speed to boost signal up to 1.5km (equivalent to a mile)
- Compatible with Windows ME/Vista/7/8/10, Mac OS 10.5-10.8 and all mobile devices
- DHCP for dynamic custom IP configuration
- User-definable application sensing tunnel supports applications requiring multiple connections
- Easy setup and management through web browser interface on any operating system that supports TCP/IP
- Set up guide
- 2 Year Manufactures Warranty
- Router Dimensions: 10cm x 7.2cm x 2.5cm
- Router Weight: Unit Only 81gPower Connections: 12/240 Volt

040140



USB Wireless WiFi adapter

This is the WiFi antenna included in the WiFi booster kit. This product includes the antenna, a 5m USB cable, pole mount clip and of course full instructions on how to install, setup and run your mobile WiFi for your

caravan, motorhome, boat or lorry through your laptop. Compatible with Windows 7, 8 and 10.

Not compatible with Windows XP.

- USB 2.0 interface
- 150M transmission speed
- Compliant with IEEE802.11b/g/n
- 16 dBi gain antenna

040144





4G Mobile Pocket WiFi Kit

Includes free internet access from Three and a Kuma external antenna. Simply insert the included Three SIM card and browse. When you have used the free 200MB of data, top-up online using your phone, iPad, laptop or tablet at Three's amazing rates.

If you already have a SIM card with data or are going to an area with poor Three coverage, (or arrive on site and there is no Three coverage), insert any network SIM card and share the internet connection with up to 5 devices – smartphones, tablets, iPads or computers.

Why choose a Kuma 4G kit? Get outside strength inside your van with the minimum of fuss. Hide the whole kit in a cupboard and connect wirelessly. Perfect solution with ultimate flexibility. Perfect for use in vehicles such as caravans, motorhomes, trucks and boats where space is limited and 4G internet is a must have.

- Including a powerful 28dBi Antenna with 3-meter cable which can work with speeds up to 150Mbps to help improve your signal. Put the antenna in a window, hang outside, it's truly versatile and comes with sticky pads to allow a permanent mount if required.
- Set up in less than 2 minutes with no technical knowledge required, letting our kit do all the work.
- 4G / 3G and 2G compatible.
- Long-lasting 1500mAh battery and can be charged via a 2.0 USB cable (supplied).
- Connect up to 5 devices at the same time wirelessly. Functions just like your router at home password protected and has a data counter so you can see how much data you have used
- Weight 280g

040142



Water containers



Jerrycans25 litre 050055
10 litre 050077
Singly or 12 per outer



Jerrycans with taps 25 litre 050096 10 litre 050078 Singly or 12 per outer



Jerrycan spare parts



Waste container
23ltr capacity container which
has a large cap on the side to
take two waste pipes.
6 per outer
050033



15L Compact Carrier 15L collapsible water carrier with tap. Singly or 6 per outer **050169B**



Cap with integrated tap For 10L & 25L jerrycans 050109



Spare cap For 10L & 25L jerrycans 050079

Trolleys



HTD Folding trolley truck 80kg Aluminium foldable

Aluminium foldable trolley with flexible tread. Telescopic arm for simplicity and ease of use. 105cm bungee strap included

- Maximum load: 80kg
- Dimensions unfolded: (HxWxD) 100 x 38 x 42cm
- Dimensions folded: (HxWxD) 68 x 38 x 5cm
- Wheel diameter: 12cm
- Weight: 3kg2 per outer050273



HTD Folding trolley truck 50kg Steel foldable trolley.

Steel foldable trolley. 140cm bungee strap included

- Maximum load: 50kg
- Dimensions unfolded: (HxWxD) 98.5 x 34 x 47cm
- Dimensions folded: (HxWxD) 68 x 38 x 5cm
- Wheel diameter: 14cm
- Weight: 2.5kg2 per outer050272

aquaroll®

Hitchman display stand - 050250 Please speak to your sales contact for details





WOW Samples of the 2 wall thicknesses are available on request. PREMIUM 4mm approx. ECONOMY 2.5mm approx.

aquaroll® PREMIUM 40 Litre

The aquaroll PREMIUM is the UK's best-selling portable water carrier that rolls across the ground making light work of freshwater transportation. The original design was created in 1953 and evolved over the years, resulting in the 40 Litre model which was launched in 1992. The aquaroll PREMIUM is manufactured at FL Hitchmans factory in Shropshire, England.

The aquaroll PREMIUM water carriers have the added advantage of an extra side opening to connect directly to a mains water supply via the mains adaptor kit (050187). Even without the mains facility the high capacity of the 40 litre aquaroll is a must for modern caravanning. High quality tyres on deep rims give excellent ground clearance. Easily removeable handle with rust proof ball joints. Filler tube with tap connector and handle are included.

- UK's number 1 rolling water container
- 10 Year container guarantee
- Unbeatable lifetime value
- Container manufactured from 100% food grade virgin material
- Dimensions: (L x ø): 490 x 390mm

 Weight – 4.5kg approximately
 Beige PREMIUM 40L 05018 050185 Silver PREMIUM 40L 050184



WOW Printed with your company name and logo, the aquaroll and wastemaster bags can be personalised. Please ask your sales contact for details.

aquaroll® storage bag

Made from water resistant PVC coated nylon. With draw string 050190A



aquaroll® level indicator

For use with the aquaroll stand, allows the user to view the current level of water in the container. 050200



aquaroll® stand 40 litre **050259**

aguaroll® ECONOMY 40 Litre

The aquaroll ECONOMY is also manufactured at FL Hitchman's factory in Shropshire, to the same iconic design as the aquaroll PREMIUM using recycled material on the container and tyres for maximum funcionality at excellent value for money.

The aquaroll economy comes with the filler tube and handle just like the aquaroll PREMIUM. It can also connect directly to a mains water supply via the mains adaptor kit (050187).

- 2 Year container guarantee
- Container manufactured from 100% recycled material
- Dimensions: (L x ø): 490 x 390mm

ECONOMY 40L **050185E**





aquaroll® mains adaptor storage

Made from water resistant heavy duty PVC coated nylon. With all round zip 050189A

aguaroll® mains adaptor

The aquaroll mains adaptor provides you with a safe and reliable way to maintain a constant supply of water to your caravan or motorhome.

There are no expensive alterations as it fits easily to your existing aquaroll, maintaining the water supply to your caravan or motorhome. Using this system gives you piece of mind that mains water pressure will never flow directly into your vehicle.

- Easy to set up
- No tools required
- On-demand water supply
- No risk of flooding your caravan
- Food grade reinforced hose no nasty water tastes
- No need to manually fill your aquaroll 050187



wastemaster™





wastemaster™ PREMIUM

Allows the user to collect and dispose of grey water. Like the aquaroll also manufactured in FL Hitchman's factory in Shropshire. Each wastemaster is hand trimmed to ensure a quality product which is built to last.

- UK's number 1 waste container
- 10 Year container guarantee
- 38 litre capacity / 30 litre low level capacity
- The unique shape gives good balance
- Wheels and axle easily removed
- Wide wheels to spread load on soft ground
- Platform with luggage elastics to carry the toilet waste tank
- Bottom emptying outlet with cap retaining strap
- Dimensions: 355mm x 1000mm x 160/225mm
- Weight 4.5kg approximately

Beige PREMIUM 050046 Silver PREMIUM 050047






Especially formulated product for cleaning wastemaster, waste tanks or other waste water pipe work. Highly concentrated and one 200ml bottle is sufficient to clean a wastemaster twice.
20 per outer **050048**



spare cap & strap



cap with tap



excellent value for money.2 Year container guarantee

wastemaster™ECONOMY

The wastemaster ECONOMY is also manufactured at

FL Hitchmans factory in Shropshire, to the same iconic

design as the wastemaster PREMIUM using recycled

material on the container for maximum functionality at

• Container manufactured from 100% recycled material

• 38 litre capacity / 30 litre low level capacity

• The unique shape gives good balance





aquaroll® pump connector 40 litre 050231



aquaroll® tyre 40 litre 050215



Handle only

End sockets (2)

aguaroll handle

wastemaster™ spares
Axle and 2 hub caps
Wheel and hub cap
Luggage elastics

Wastemaster™ spares
050
050
050
050

pares 050217 050218 050226

050192

050219



storage bag

round zip

050047A

Made from water resistant

PVC coated nylon. With all

mains adaptor ball valve only 050193



mains adaptor extension hose 7.5m 050188



connector kit
For mains adaptor
050221



connector kit
For mains adaptor
extension hose
050222




connector seals kit 050220





Fiamma water tanks







70L water tank

Constructed from non-toxic materials. It can be installed either vertically or horizontally. Complete with all fittings for installation. Water pipe inlet 38mm ø, with air outlet of 13mm ø. Dimensions: (LxDxH) 70x47x24cm. Weight 4.4kg 050050





40L Roll tank water Portable 40 litre drinking water roll tank with easy grip handle

and two large wheels that make transportation easy even on gravel. Made of non-toxic material and an easy to clean wide cap. Weight 3.8kg

40/

등



23L Roll tank water

Convenient portable 23 litre water tank with discharge cap at base. Supplied with an extra blanking cap. Weight 2.4kg **050054**





23L Roll tank waste

Practical and portable 23 litre tank for waste water with discharge cap at base. Weight 2.4kg 050051



050056

23L spare cap


23L discharge cap 050057






Fiamma Kit sanitary flex

300cm flexible hose, extendable. Delivered as standard with 2 fittings for connection to Roll-Tank 40W, Tank 21W and Quick connection W. 050060A



Adapter to turn the threaded connection into a bayonet connection, to connect the Sanitary Flex to the 23 litre waste tank. 050057A





40L Roll tank waste

40 litre waste tank with level indicator and air release valve. Filling and discharging are performed through a Sanitary-Flex (not included). 45° angle adaptor for discharge is included. Weight 3.9kg

050051A



Insulated aquaroll bag

Designed to reduce the risk of freezing in winter. Reversible with reflective lining to keep water cooler in summer.

Clever wrap-round design to remove the need to lift the full container in to the bag.



Water purification



Aqua clean tabs

Water purification tablets. One tablet per 5 gallons of Water. 32 tablets per pack. 12 packs per outer **052013**



Aqua tabs mini

Water purification tablets. One tablet per 1 litre of Water. 40 tablets per pack. 18 packs per outer **052012**



Aqua mega tabs

Water purifyication tablets. For use with water storage tanks with a capacity of 50 gallons or more.
12 per outer **052015**



Puriclean

Cleanses water systems and tanks 100g tub **052002** 400g tub **052024**



Aqua Sol

Aqua Sol is a powerful biocide which destroys all water borne bacteria and viruses. In addition it removes tastes and odours caused by plastics, chlorine, GRP and metals, keeping water fresh for a very long time. Aqua Sol is approved by the D.O.E. The 250ml size will treat 625 litres of water. Aqua Sol 250ml. 6 per outer **052030**



Waste Guard

Waste Guard provides rapid control of odour producing waste products. It selectively reacts to oxidise odours from many sources and does not emit harmful by products. 300ml.

6 per outer **052039**



Puri Sol

Cleans, sterilises and deodorises in one action, leaving no taint or odour. Clean, disinfect and deodorise water storage tanks, pipe work and fittings. 300ml.
6 per outer **052032**



D Scale

D Scale is a safe, effective way to remove lime scale and rust deposits and to clean the interior surfaces of water heaters. It is non-corrosive and can be safely used on Stainless Steel, Copper, Brass, Plastics and leaves no odour. Periodic us of D Scale in the water heater will avoid mineral deposits building up, so improving the efficiency and extending the life of the equipment. D Scale contains citric acid which is a naturally occurring organic fruit acid especially found in fruits such as lemons and oranges. Calcium carbonate scale builds up layers and hard gritty deposits on the interior surfaces of a water heater. When left without treatment, lime deposits build up and will clog the interior pipes within the water heater, restricting flow and reducing operating efficiency.

- Descales and cleans complete hot water systems
- Removes lime scale and rust
- Safe to use on stainless steel, copper, brass and plastics
- Ideal for hot water systems in caravans, motor homes and boats
- Environmentally friendly and biodegradable

1 litre 4 per outer **052048** 500ml 6 per outer **052047**



Winterban

Prevents freezing pipes and other damage by winterising your motor home or caravan. Winterban replaces the water in the water system and is safe for fresh water plumbing. It is a propylene glycol solution (1 part winterban to 1 part water protects down to -46°C) which has a dramatically lower burst point than water. This is the point at which the liquid expands when frozen, thus protecting the system from frost damage. It is recommended that you drain as much water from your system as possible. Any excess water will be absorbed by the solution and prevents damage to pipes, taps and water heaters through expansion of frozen water.

1 gallon **052050** 6 per outer



Elsan fresh water tank clean

Leaves the tank free from micro-organisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine. 1 litre 12 per outer **050035**



Elsan descale

Formulated to remove calcium deposits caused by hard water and lime scale that can be found in your portable toilet system. Regular use keeps the waste tank like new and helps to prolong its life. 1 litre 12 per outer **050035B**












Fiamma water filler cap assembly

Locking water cap which complies with European closure system standards.

Dimensions:

Overall 112mm ø Cut out 80mm ø Outlet 40mm ø 10mm ø Air intake Black 050052 050053 White



Water filler assembly

Dimensions: Overall 118mm ø Cut out 85mm ø Outlet 38mm ø Air intake 10mm ø Black 050066 050068 White



Water filler cap

78mm Ø 25 (+22)mm depth Black **050064** White **050062**

Non toxic water hose

Sold by the roll priced by the metre e.g order 30 to receive 1 x 30m roll









Blue ½"	30m roll	051339
Clear ¾"	30m roll	051317
Clear ½"	30m roll	051325
Clear ¾"	30m roll	051348
Red reinforced ½"	30m roll	051356
40mm ID (for water fill assembly)	25m roll	051300

W4 semi-rigid tubes Sold & priced by the roll

e.g order 1 to receive 1 x 25m roll See page 101 for John Guest





Tube 12 x 8.5mm Blue 25m roll 055200 Red 25m roll 055201

Waste hose

Sold by the roll priced by the metre e.g order 30 to receive 1 x 30m roll





20mm Flexible 23.5mm 28.5mm

30m roll 051360 50m roll 051365 25m roll 051368





W4 fill-ups Suitable for a variety of tap sizes.

Singly or 25 per outer **Fill-up 1** (1.25m hose) 050240 Fill-up 2 (2m hose) 050241 Singly or 15 per outer Singly or 10 per outer Fill-up 5 (5m hose) 050242 Singly or 5 per outer **Fill-up 10** (10m hose) 050243

Cassette hose

Sold individually



Superflat hose food grade 15m **051314** 20m **051316**



Flat hose 15m General purpose hose Not food grade 051310



Water fittings



Hose sealing sleeves

Enables a better fit between the hose and the connector. 23.5mm hose sealing sleeves also allow 23.5mm hose to be connected to 20.5mm fittings 10 per outer

23.5mm **051366** 28.5mm **051367**



W4 easi 2 drain

For caravans with two 28.5mm waste outlets. Pre-assembled Singly or 10 per outer 051138



7 piece 'Y' kit Versatile kit to allow different combinations of outlets be reduced into 1. For 28.5mm hose Singly or 10 per outer 051380



Y connectors

10 per outer 1/2" 051128 3/4" 051137



Y connector

10 per outer 28.5mm **051139**



Straight connectors

10 per outer 3/8" 051140 1/2" 051155 3/4" 051163 28.5mm **051167**



T pieces

10 per outer ½" **051174** 1/2" 051174 3/4" 051182



28.5 - 20mm reducer

Takes 28.5mm down to 20mm. 10 per outer 051371



28.5mm - 1 1/4" reducer

Enables 28.5mm hose to fit 1¼ " sink wastes. 10 per outer 051369



Elbow 10 per outer 1/2" 051198



Reducer

10 per outer 1/2" - 3/8" **051146**



W4 Tap swirler

Suitable for a variety of tap sizes. 10 per outer 104845



W4 Aqua cap

Dust cap for use with plastic water containers. Singly or 10 per outer 050049



Hose socket with flap

5 per outer 1/2" 051394 3/4" 051405 28mm 051408



Dust caps

10 per outer 3/8" / 1/2" **051416** 051427





Hose clip (2) Grove packaged

10 per outer OOO/MOO (8-16mm) OO (12-22mm) OX (16-27mm)

070249 051246 051268



Hose clips (2) W4 packaged

10 per outer OOO/MOO (8-16mm) 104832 OO (12-22mm) 104833 OX (16-27mm) 104834 1X (25-45mm) 104836



Hose clips bulk

Supplied 100 per bag 000/M00 (8-16mm) **070255** 00 (12-22mm) **051257**



W4 push fit fittings Individually packed push fittings for semi rigid tube All packed 5 per outer



Equal tee 12mm **055202** 15mm **055302**



Equal straight 12mm **055204** 15mm **055304**



Equal elbow 12mm **055203** 15mm 055303



Two way adaptor 12mm **055275**



Non return check valve 12mm **055273**



Straight reducer 12-8mm 055205 12-10mm 055220 15-12mm 055312



Elbow reducer 12-10mm **055221**



Shut off valve 12mm **055270**



Stem reducer Female to male 12-10mm **055210** 15-12mm **055215**



Stem enlarger Female to male 12-15mm **055216**



Stem elbow 12mm **055222** 15mm **055322**



Shut off valve Stem elbow 12mm 055272



Stem adaptor male 3/8"bsp-12mm **055263** ½"bsp-12mm **055264**



Straight adaptor female 3/8"f-12mm **055238**

½"f-12mm **055232**



Straight adaptor male 3/8"bsp-12mm **055213** ½"bsp-12mm **055214**



Straight adaptor 12mm-½" **055206**



Bulkhead connector 12mm **055212**



Tank fitting assembly 12mm **055266**



Collet clip 12mm Blue (5) **055292** Red (5) **055293**



End plug 12mm **055208** 15mm **055308**



Drain taps Fresh water food grade. 28mm Waste water. 28mm


051373 051374



Tube cutters Light duty **055295**

WOW All W4 water fittings are suitable for contact with foodstuffs and drinking water. ISO 9001 and ISO 14001 certified. FDA and WRAS approved. Complying with the requirements of UK water regulation.

Push fit system stand



John Guest Speedfit®



LLDPE Tube 12mm OD x 9mm ID PE-1209-100M-B

Blue 100m roll **055330** PE-1209-100M-R

Red 100m roll **055331**



Collet covers PM1912E 12mm Black 055346



The Speedfit System of fittings and pipe is perfectly designed for hot and cold water systems in touring caravans. The pipe is simply pushed into the fitting to form a safe secure connection. Its flexibility ensures it can be cabled easily around the interior and hidden from view. Ideal due

to it's resistance to corrosion and freezing,

JG John Guest[®]

it can be easily demounted and reused

making it very well suited to mobile applications. Manufactured with food grade nitrile 'O' rings, John Guest Speedfit System is especially produced for foodstuff and potable liquids.

Ensure the pipe is free of score marks. Cut the pipe square. Push the pipe up until the pipe stops. Collet covers help to prevent accidental disconnection of the tube



Equal tee PM0212E 12mm female

12E female **055333**



Equal straight
PM0412E
12mm female 055332



Equal elbow PM0312E 12mm female 055334



Male stem reducer PM061210E 12mm stem to 10mm female 055336



Male stem elbow PM221212E 12mm stem to 12mm female 055342



Two way divider PPM2312W 12mm female 055334A



Male stem to BSP adaptor

PM051514E 12mm stem to 1/2" BSP male **055337** PM051513E 12mm stem to 3/8" BSP male **055338**



Female to BSP adaptor

PM011514E 12mm female to 1/2" BSP male **055339** PM011513E 12mm female to 3/8" BSP male **055340**



Female to BSP adaptor

CM451214F 12mm female to 1/2" BSP female **055341**



Reducing straight PM201210E

12mm female to 10mm female **055335**



Single check valve

12SCV non return valve 12mm **055343**



End stop PM4612E 12mm 055344



Plug PM0812R 12mm **055345**



Drain down system

floë

Drain down

The floe system is a simple and cost saving way to drain your water system, protecting it from winter frosts and reducing risk of infection from stagnant water throughout the year. With the simple step by step instructions, you will be guided through the quick and easy process, enabling you to use your leisure vehicle all year round. A matter of minutes draining down your water system will give you peace of mind whatever the season. The drainage kits all come with 1 x Drain down, relevant adaptors and an instructive DVD showing a drain down demonstration.

Drainage kits

Truma Ültraflow **051980** Whale **051984** Motorhomes **051988**

Drain down only

Homes, static caravans, and holiday homes **051996**



WOW Practical Caravan Tourer of the year awards 2012. Recommended Best accessory













IT THE REAL

Floë Induratec 636

Integrated 12v DC water drain-down system.

Floë 636 has its own patented automated compression system, specifically made for draindowns. Everything is now done from inside your vehicle in only 2 minutes. No more climbing in and out in the cold, wind and rain, so you can drain down whenever and as often as you like.

With the convenient flick of a switch you can have peace of mind that, your property is protected without ever having to pay someone to do it for you. Floë will also cleanse your water system to 99.95%, making way for fresh drinking water. Weight: 850gms

Dimensions: 20x17x6cms

051991

Floë Induratec 868

Integrated 230v AC water drain-down system.

Floë is easily and permanently fitted to the property, so the only thing the owner needs to do is, turn off the mains water supply, switch Floë on and then start opening and draining taps (faucets), showers and toilets. Everything is now operated from the inside the property, comfortably in the warmth. With its own PCB brain and clever compressor, Floë will automatically stop at the correct pressure and restart automatically after each outlet is drained. Better yet, Floë has been carefully designed to be able to be removed again without trace, so should you change your property, you are free to take Floë with you.

Floe 868 is supplied complete with all fittings required and a full installation and instructional DVD. Bonus chapter includes a full winterisation checklist.

Weight: 1160gms

Dimensions: 20x17x6cms





truma Water systems

Ultraflow



WOW The compact shower outlet is the same size as the compact housing but has no electrical terminals.





ready for use.

846080

The pistol grip of the Outdoor Shower is

simply plugged in to the Ultraflow filter

housing. After fitting the connector it is

For pressurised water systems only

Ultraflow bridge connector 846967

Shower head only 896800

Filter housing assembly

Complete with Ultraflow active carbon filter and blanking plug. The ultraflow housing comes with an exterior accessory point which can be connected (via optional connector) to allow the use of the exterior shower set (optional).

Template size: 108mm x 163mm

White **846011** Grey **846013**

Replacement lid only white 846961



Conversion kits

To convert Crystal Mk2 to Ultraflow system whilst enabling the use of the original pump assembly. Kits consist of Ultraflow housing, pistol grip pump connector and filter.

Template size: 108mm x 163mm



Ultraflow pump assembly

This 12v water pump with ergonomically shaped pistol grip is plugged into the Ultraflow filter or compact housing. 9 litres per minute at 3m head at 1.5bar. Tube length 800mm

Pump assembly Twin cut blue hose 846041 801017

Compact housing

The Ultraflow compact housing / winter kit is the standard housing for a pump assembly that does not include a filtration system, accessory point or blanking plug.

Dimensions: 143 x 105mm, bore hole 50mm ø

White **846031** Grey **846030**

Replacement lid only white 846974





Compact conversion kit

The Ultraflow compact housing with an Ultraflow pistol grip pump connector to allow the user to utilse their existing pump assembly.

Dimensions: 143 x 105mm, bore hole 50mm ø

White **846034**

WOW A complete range of Truma spares are available in the spares catalogue



Ultraflow Inlet hose

Compatible with any Ultraflow housing **846340**

Compact shower

Exterior shower housing. For pressurised water systems only White **846071**

Replacement lid only white **846975** Shower head only **896800**



Ultraflow Inlet housing

For use only with inlet hose White **801037**



Ultraflow accessories



Pistol grip pump connector 846977



Ultraflow filter 12 per outer 846020



Filter cap With O-rings 846964



Blanking plug With O-rings 846966



Pump connector O-rings (4) 846729



Push fit to flex adaptor 12mm push fit female to ½" flex male

846999



Non return valve For ½" flexible hose 846900



Non return valve For 12mm push fit hose 846880



Ultraflow Waterline

A 15 metre 'food quality' hose pipe which comes complete with fittings and a special pressure reducing adaptor which allows caravanners to connect their water system directly to a mains water supply without modification. Compatible with the Ultraflow filter and Ultraflow compact water systems, simply by being plugged into the Ultraflow housing 846090

Other accessories






Reich foot switch

Rectangular brown plastic 12v switch suitable for pump control. 45mm x 60mm x 32mm 054366





Complete with plug set for pump cable and sealing cap for water spout. 58mm x 58mm x 55mm **053005** Spare plug set 053006



Rectangular biege plastic 12v switch suitable for pump control. 61mm x 63mm x 34mm 053001



Reich non return valve For 1/2" flexible hose 054368



Reich non return valve For 12mm push fit hose 054367



Comet foot switch

Round beige plastic 12v switch suitable for pump control. 61mm ø 053001R

Reich pumps



Reich pumps are especially durable and powerful. Their durability is enhanced by special high-tech sealing. A patented vent in many pumps speeds delivery once submerged. All pumps are extremely quiet in use and the housing material is resistant to dirt and this makes them easier to clean when necessary.

WOW 055010 15I slimline pump can be used as a direct replacement for the old Carver/ Truma Thames pump. It has the same dimensions and specifications.



Reich 15L slimline

12v submersible pump. 1 bar. 40mm ø. Singly or 10 per outer **055010**

Reich pump and hose assembly

A 76cm length of twin tube blue hose attached to 055010 Singly or 10 per outer **055030**



Reich 18L

12v submersible pump. 0.9 bar with automatic vent and strainer. 45mm ø. Singly or 10 per outer **055014**



Reich 15 litre In-line

12v booster pump. 0.5 bar. 48mm ø. Singly or 10 per outer **055020**



Reich 14L Easy pump

12v submersible pump. 0.5 bar. 43mm ø **055003** Bulk 30 per outer **055003B**



Reich Powerjet 22L

12v submersible pump. 1.8 bar with automatic vent. 55mmø Singly or 10 per outer **055018**



Reich 12L

12v submersible pump. 0.5 bar with automatic vent. 45mm Ø **055009**



Reich twin 19 litre

12v twin submersible pump. 1.4 bar with automatic vent, strainer and non return valve. If one pump fails the TWIN pump will continue to work with reduced power **055017**

Flojet pump FLOJET®

Flojet

- Self priming & Dry running
- Soft, noise absorbing mounts
- Snap in port fittings
- Corrosion resistant materials
- Smooth operation without accumulator tank
- Factory pre tested
- 12 months warranty
- H 121 x L 229 x W 152mm, 1.59kg

Retail Boxed **053007** Loose packed **OEM053007**

Specifications					
Volts	Amp Draw @ 10psi (0.7bar)	Flow GPM (LPM)	Pressure switch Max psi (bar)		
12V dc	2.2 (5amp fuse)	1.4 (5.3)	30 (2.06)		



Motor

Permanent magnet, ball bearing, totally enclosed, fully suppressed.

Pump

Three chamber diaphragm design, self priming up to 9 feet suction lift, pump able to run dry without damage.


Pressure switch


Replacement pressure switch 053009



Onboard pumps and accessories SHURE







• Die cast alloy lower housing with twin ball bearing drive • Motors have internal circuit breaker for overload protection

Run dry without damage

Low amp draw and extremely quiet in operation

• Barbed hose adaptor and inlet side strainer (053053) supplied with retail pumps



Pump fittings ½" elbow and straight connectors. Supplied with individually retail boxed pumps.

053053

	Trail King 7	Trail King 7	Trail King 10	Trail King 10	Trail King 10	2088 Series
Voltage	12V	12V	12V	12V	24V	230V
Flow rate (I/min)	7	7	10.6	7	10.6	11.4
Pressure	20 p.s.i. 1.1 Bar	30 p.s.i. 2.1 Bar	30 p.s.i. 2.1 Bar	45 p.s.i. 3 Bar	30 p.s.i. 2.1 Bar	45 p.s.i. 3 Bar
Max current	4.5A	4.5A	4A	4A	3.5A	0.6A
Weight	1.9kg	1.9kg	1.9kg	1.9kg	1.9kg	2.27kg
Retail individually boxed Shurflo No.	053017 2095-204-412	053018 2095-204-413	053020 2095-403-443	053021 2095-403-443	053023 2095-473-443	053016 2088-594-444
OEM 12 per outer Shurflo No.	053017B 2095-204-112	053018B 2095-204-113	053020B 2095-403-143	053021B 2095-403-444		



Shurflo filter Screw-on to 1/2" threaded attachment 053034



Shurflo filter Screw-on filter to 1/2" pushon attachment 053035



Shurflo filter Screw-on filter with wing nut to 1/2" threaded attachment 053036



Shurflo filter Screw-on filter with wing nut to ½" push-on attachment 053037

Fiamma pumps

WOW For full specifications of the Fiamma pump range please see Section S





Fiamma aqua 8 pump 7 Litre 053025 10 Litre 053026 Pressure switch kit 053028



Fiamma aqua F pump 053027A 8 Litre 053027B 13 Litre



A20 expansion tank 053030

	Aqua 8	Aqua 8	Aqua F	Aqua F
Voltage	12V	12V	12V	12V
Flow rate (I/min)	7	10	8	13
Pressure	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar
Operating current	1.4A	3.4A	2.0A	2.5A
Weight	1.5kg	1.5kg	1.4kg	2.2kg
Noise	55/60 db	65/70 db	50 db	50 db
Part No.	053025	053026	053027A	053027В

Comet taps



Comet Novo single

Complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar Two tone beige 053970 Spare spout beige 053974 Microswitch 053979





Deluxe mixer tapMixer tap complete with microswitch.

Cable length 300mm. Overall tap
height 40mm. Maximum pressure 3 bar
Matt nickel 054233
White 054234
Microswitch 054274
Spare spout matt nickel 054067



Style 2005

Single lever mixer complete with micro-switch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 20mm

pressare s bar. Instantation	11010 201111
Chrome	054270
Microswitch	054274
Spare spout matt nickel	054320
Spare spout chrome	054321



Comet Novo mixer tap

Mixer tap complete with microswitches. Cable lengths 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Two tone beige 053972 Spare spout beige 053974 Microswitch 053979



Mini deluxe single

With a slightly smaller control knob and same spout as standard deluxe. Installation hole 16mm (standard deluxe is 20mm)

Matt nickel 054215 Microswitch 054274



Keramik style

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 33mm

Chrome 054306
Microswitch 054274
Spare spout matt nickel 054320
Spare spout chrome 054321



Smev / Comet Florenz

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 33mm Chrome **091240**



Deluxe single

Complete with microswitch. Cable length 300mm. Overall tap height 40mm.

Maximum pressure 3 bar. Installation hole 20mm

Matt nickel 054222
White 054223
Microswitch 054274
Spare spout matt nickel 054067



Keramik deluxe

Single lever mixer. Same features as Twist but has ceramic sealing and regulating discs instead of a ceramic cartridge.

Chrome **054307** Microswitch **054274**



Reich taps



Twist 90° elbow

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 39mm.

Chrome left hand 90° elbow **054297**Microswitch **054303**Spare spout chrome **054321**



Trend S

Single lever mixer tap featuring premium plastic parts for lightness and brass lever and spout for the highest quality finish. Spout rotates 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length 315mm. Installation hole 33mm

Chrome **054266** Microswitch **054311**



Twist

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 43mm. Maximum pressure 6 bar. Installation hole 50mm. Right hand illustrated

Matt nickel left hand	054301
Matt nickel right hand	054296
Chrome left hand	054302
Chrome right hand	054304
Microswitch	054303
Spare spout matt nickel	054320
Spare spout chrome	054321



Twist table top

Microswitched single lever mixer tap that can be used with a variety of shower sets. Any stardard ½" hose will connect to the outlet. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 39mm

Table top version 054299
Microswitch 054303





Twist under-table top

As above but the shower hose connects under the surface where the water inlet pipes connect Under table top version 054298 Microswitch 054303





Kama

Single lever mixer tap complete with microswitch. Cable length 600mm. Ceramic cartridge.
Installation hole 33mm
Chrome 054275

Chrome 054275
Installation hole 27mm
Chrome 054279
Microswitch 054287

Kama with Julia shower

Single lever mixer shower tap complete with microswitch with 600mm cable. Can be used as a normal tap or shower tap. Maximum pressure 6 bar Chrome 054285

Microswitch 054287



Charisma

Single lever mixer tap with a 160mm outlet spout that rotates 360°. Complete with microswitch. Cable length 600mm. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 30-35mm

Chrome **054293** Microswitch **054295**



Ceramic cartridge

1. Caraflo 35mm ø **054452** 2. Reich 35mm ø **054312** 3. Reich 25mm ø **054312A**



Spare spouts

 Chrome
 054321

 Matt nickel
 054320

 Chrome for Kama tap
 054322

 'o' ring for spout
 054247



Reich taps



Samba Chrome tap

Single lever tap complete with microswitch.

Fits Smev and Thetford sinks with lids. Overall tap height 40mm.

Maximum pressure 6 bar.

Installation hole 33mm.

Available in both single and mixer variantswith a choice of connectors as below.

054305B Flexi 1/2" hose Single tap





054305C Uni-Quick 12mm push fit Single tap





054305A Nozzle Single tap





Spare microswitch Spare ceramic cartridge

054303 054312A





Trend A

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 27mm Chrome 054260

054274 Microswitch



Trend E

Single lever mixer tap with a brass lever and a lightweight plastic body. Ceramic cartridge can be replaced without removing the tap. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length

Installation hole 33mm Chrome 054268

Installation hole 27mm Chrome

054268A

Spout chrome 054269 054311 Microswitch



Pelikan

Single lever mixer tap complete with microswitch. Cable length 600mm. Spout rotates 360° for versatility. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 33mm 054290

Chrome 054311 Microswitch



Vector E

Single lever mixer tap complete with microswitch. Cable length 600mm. Ceramic cartridge. Max pressure 6 bar. Installation hole 33mm. Height 199mm Chrome/White 054238



Trend B

Single lever mixer tap supplied with a 360° swivelling metal spout. Spout length 200mm. Folds down into bowl to a height of 40mm Comes with microswitch. Cable length 600mm. Maximum pressure 3 bar. Installation hole 27mm

Chrome 054263 054274 Microswitch



Keramik concept S

Single lever mixer tap with a flat spout that avoids dripping of residual water. Spout swivels 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 33mm

Chrome 054313 Microswitch 054287



Vector S

Single lever mixer complete with microswitch. Cable length 600mm. Max pressure 6 bar. Installation hole 33mm. . Height 199mm

054241 Chrome Chrome/Black 054242

Caraflo taps



Milana

Single lever basin mixer tap. Installation hole 30mm

Spout length* Colour Part No. 120mm Chrome **054400** 160mm Chrome **054403** 180mm Chrome **054406** 180mm Nickel **054409** 240mm Chrome **054412**

WOW All Caraflo taps are supplied without tails to enable the customer to select which tails they require see below. They are designed for a pressure-switched system. *Spout length is measured from the front of the tap to the centre of the flow of water along the horizontal.



Modesta

Single lever basin mixer tap. Installation hole 30mm

Spout length* Colour Part No. Chrome **054415** 160mm

Caraflo shower taps





Single lever pull out mixer tap. Installation hole 40mm

Chrome **054430**



Mila

Single lever shower mixer tap. Installation hole 30mm Chrome **054427**



Moda

Single lever shower mixer tap. Installation hole 30mm Chrome **054424**

Tap tails



SP210



SP220



SP230



Caraflo tap tails Model Connection

SP200 12mm male nylon SP210 12mm cone (½") SS SP220 12mm female nylon SP230 15mm female nylon Length Part No. 350mm **054440** 220mm **054443** 350mm **054446** 390mm **054449**



Sun shower rail sets

Riser rail, 1.5m hose, and Sun shower head plastic

Wall bracket, 1.5m hose, and Sun shower head plastic 054462

Double lock 1.5m shower hose 054475



Shower head & hose

Chrome three settings plastic shower head with 1.5m hose 054512



Konus wall bracket 054331



Reich metal shower hose 1.5m

½" to ½" 054328 ½" or ¾" to ½" 054329



Shower heads and accessories

Ecocamel shower heads

Water and energy saving shower heads. Patented technology increases the water flow from the showerhead. You get the same powerful shower as a full flow shower, but you use up to 45% less water. Using less water means you automatically use less energy to heat it - so you can help save the environment, whilst cutting your bills in the process. Fantastic for caravans and motorhomes!

- Reduce the need to refill water tanks, or to empty waste tanks.
- With typical 10-14L water heater tank capacity in leisure vehicles, the Ecocamel range makes this equal to a 14-20L tank.
- Less power consumption means fewer gas bottles purchased.



Shower and bathroom accessories



050906

W4 towel rail Compact rail with non slip covering and hanging hooks. Singly or 10 per outer 095594





Chrome towel ring Includes screws and fittings. 050905



W4 3 way towel grip Complete with screw covers and stainless steel screws. Singly or 10 per outer 099041



W4 concept towel ring

Designed with the confined space of caravan and boat washrooms in mind yet still large enough to hold a bath towel. Complete with screw covers and stainless steel screws. Singly or 10 per outer 095596



Shower and bathroom sinks and accessories



W4 toilet roll holder

Plastic holder with special mechanism to prevent roll unravelling whilst towing. Large self adhesive fixing pad. Singly or 10 per outer 060351





W4 toothbrush holder

Compact 4 way toothbrush holder complete with screws. Singly or 10 per outer 050916



Beaker & holder chrome

Includes screws and fittings. 050904



W4 Mini loo brush 2

A compact brush and holder designed for use with caravan/boat toilets. The brush easily clips into the wall mounted holder to keep it secure in transit. Singly or 10 per outer 060346



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips **060347**



Chrome toilet roll holder



W4 2 way robe hook

Complete with screws. Singly or 10 per outer 099040



Chrome soap holder

Includes screws and fittings. 050903



Fiamma dispenser

Elegant - Practical - Useful 200ml refillable liquid dispenser (100 doses) ideal for soap or shampoo. Dimensions: 15 x 8 x 5.5cm 050913



Shower curtain

White. Superior quality. Waterproof. Size 71" x 71". 6 per outer



W4 Hold steady Stops tins, jars, bottles, aerosols from rolling around. Can be used vertically or horizontally 095883



Double robe hook chrome

Includes screws and fittings. 050907



W4 soap holder

Comes with clip on drip tray. Complete with screws. Singly or 10 per outer 050915



Tip up basin

Size HxWxD:

Open: 345 x 500 x 170 mm Closed: 200 x 500 x 320 mm 050630



Vanity unit

Manufactured from high impact polystyrene. Features a twin mirror sliding door with travel lock and useful shelf with retainer Size HxWxD: 550 x 515 x 100mm 050899



Sinks and shower trays



Vanity bowl ivoryPre-drilled to take any 3/4" sink wastes Dimensions: 508 x 286mm 050777



Vanity bowl beige Pre-drilled to take any 3/4" sink wastes Dimensions: 508 x 286mm 050773



Vanity bowl white Sink waste not pre-drilled Dimensions: 520 x 356 x 138mm 050770



Corner bowl 11"

11" corner bowls are pre-drilled to take any 3¼" sink wastes(not supplied)
White 11" 050816
Ivory 11" 050818



Corner bowl 14"

14" bowls are pre-drilled to take 1 1/4" sink wastes (not supplied)
White 14" 050860
Ivory 14" 050861 Ivory



Shower tray Dimensions: 584 x 584 x 127mm

050930 Ivory White 050930W



C220/260 shower trays

Moulded to fit the C220 & C260 range of cassette toilets Left hand

050934 Dimensions:1070 x 700mm Right hand as shown Dimensions: 1160 x 700mmm 050935



C200 shower traysMoulded to fit the C200 range of cassette toilets

Left hand as shown

Dimensions: 1030 x 670mm 050932 Right hand

Dimensions: 1020 x 700mmm

050933





Stainless steel sink and drainer 213/4"x 14"

050534



Vehicle bowl

 $12" \times 10\frac{1}{2}"$ Stainless steel with lip. Bowl 91/2" tapering to 7" ø base. Depth 5" 050523





Smev VA936 sink & drainer With AC 540 siphon and rubber seal.

W590 x D370 x H125mm 091236



Bezel (seal) By Thetford 2100mm 091159A

Sinks



Basic Line 30

25mm waste outlet, plug, seal and lid included. Dimensions: Cut out: Ø390mm. Overall: Ø405 x D145mm Inside bowl: Ø328 x D93mm

091158A



Basic Line 33

25mm waste outlet, plug, seal, 35mm tap hole and lid included. Dimensions: Cut out: 460 x 460mm. Overall: H140 x W480 x D480 mm Inside bowl: H92 x W455 x D276mm

091155B Left hand Right hand **091155A** as shown



Basic Line 34

25mm waste outlet, plug, seal, 35mm tap hole and lid included. **Dimensions:** Cut out: 387 x 429mm. Overall: H140 x W400 x D445 mm Inside bowl: H92 x W338 x D280mm

091158C



Series 23 spun bowl

25mm waste outlet, plug, seal and lid included. Dimensions: Cut out: Ø405mm. Overall: Ø460 x D123mm Inside bowl: Ø397 x D123mm

091158B

WOW Suitable taps for sinks with lids: Florenz, Style and Keramik page 107 Twist page 108 Samba and Trend A page 109



Argent bowl

19mm waste outlet, plug, seal and lid included. Dimensions: Cut out: 335 x 430mm. Overall: H153 x W360 x D470 mm



Argent sink

19mm waste outlet, plug, seal and lid included. Dimensions: Cut out: 605 x 415mm.

Overall: H152 x W630 x D470 mm Inside bowl: H99 x W290 x D368mm **091153S** as shown Left hand

Right hand 0911525



Includes plastic bowl, plastic chopping board, plastic drainer and cutlery rack (inc fixings)

091153K





Bezel (seal) By Thetford 2100mm 091159A



Sinks



Smev 8005

Includes AC 540 siphon and rubber seal. Tap not included, includes pre-drilled tap hole (39mm). W420 x D370 x H145mm **Built in dimensions** W405mm x D355mm 091234

wow

Suitable taps for sinks with lids: Florenz, Style and Keramik page 107 Twist page 108 Samba and Trend A page 109

Sink and shower waste outlets



11/4" straight outlet

5 per outer ³¼" outlet 28mm outlet

051042 051045



1¼" angled outlet 5 per outer

¾" outlet 28mm outlet

051064 051067



3/4" straight outlet

5 per outer Plastic top

051086



3/4" straight outlet

5 per outer Stainless steel top 051097



3/4" angled outlet

5 per outer

Plastic top 051108



34" angled outlet

5 per outer Stainless steel top **051119**



W4 Sink waste strainer

white

10 per outer 051078

Sink waste plug

10 per outer

11/4" 051075



W4 Sink waste strainer

chrome

10 per outer 051078C



Sink waste plug (2)

10 per outer %" **051227**



W4 Sink waste plug 1½" to fit 1¼" wastes

10 per outer

051076



W4 Universal sink waste plug

10 per outer 051077



Rinsekit





A portable pressurised shower with no pumping and no batteries. It fills with 2 gallons of water from a household tap and delivers a pressurised spray.

Simply stores the water pressure from your home for later use. Water pressure from your tap enters the RinseKit, and compresses the air in the pressure chamber. When you close the valve, that pressure is trapped inside and acts like a spring to force the water through the hose and out of the nozzle. It is possible to fill it with hot water and it will stay warm for up to 6 hours.

A multitude of uses around the car, caravan, motorhome or home.

Comes complete with 1.8m hose, relevant hose connections and shower head.

Dimensions (HxWxD) 35.5 x 43.5 x 30.5cm

054555



RinseKit 12v heater

Plugs into a cigarette lighter with a long cord. Built in timer and auto shut off switch for safety. The stainless steel heating probe screws into the drain plug hole of the RinseKit and does not need to be removed use after use. A hot shower just about anywhere!

- 12v 9A
- 8' long power cord30–60-90 minute timer
- Automatic safety shutoff
- One year warranty
- Stainless steel probe

Includes; heating probe, controller plug, wrench, thread adapter and instructions

054557



RinseKit LUX

The Rinsekit LUX has a soft tote design. It has 50% more spray time than the original RinseKit (up to 8 minutes on the center setting) and is full of features. The hot water tap adapter is included!

The Eon™ pressure chamber has two 1 inch accessory ports to accommodate RinseKit's accessories.

The LUX has two outside pockets, a shoulder strap, a quick access double zipper top and 2 side handles for convenience when loading it into a vehicle. Adding to it's versatility, the LUX tote doubles as a soft cooler. The full zip top allows the pressure chamber to be easily removed allowing the tote to be the perfect cooler.

Dimensions (HxWxD)

32 x 43 x 38cm

054556



RinseKit field refill kit

Allows the user to fill the RinseKit when there is no access to a tap or hose. Simply fill the filling bag with water and pressurise using a bycycle pump (not supplied).

054558



RinseKit hot water tap adaptor

Allows the user to screw the filler hose directly to the tap, which could allow filling with hot or cold water. Supplied as standard with RinseKit LUX.

054559



Mud Daddy ®

Portable mud and dirt washing brush ideal for grooming muddy dogs - but also suitable for use on bikes, boots, tools and virtually any other muddy item under the sun that needs cleaning quickly and easily. Also a perfect portable shower for camping etc.

The Mud Daddy Washing Brush works without electric or battery power, using a combination water and air pressure to deliver the power you need the all-natural way.

You can fill up your Mud Daddy with hot or cold water, or mix with miniature shampoos. The gentle low pressure which combined with the brush will remove any dirt or mud. 15-20 hand pumps will give you approximately 3 minutes of washing. It uses 90% less water than a hose pipe and 80% less water than a jet wash.

No poice (Derfect for weeking enimals)

- No noise (Perfect for washing animals)
- Super portable & Compact
- Environmentally friendly
- No need for batteries or electric power
- Can be filled with hot water and even mix in a little shampoo
- Perfect for showering, whilst camping, at festivals, etc
- Bulit-in sprayer brush with locking trigger
- 1 year product replacement guarantee



Mud Daddy 5L

With 5L tank capacity you can expect 10-12 minutes of washing time. 15-20 hand pump will give you approximately 3 minutes of wash. With 1.2m hose.

HxWxD: 23 x 16.5 x 34 cm Green (JoJo) **054550G** Orange (Ozzi) **054550OR**



Mud Mummy 5L

With 5L tank capacity you can expect 10-12 minutes of washing time. 15-20 hand pump will give you approximately 3 minutes of wash. With 1.2m hose.

HxWxD: 23 x 16.5 x 34 cm
Pink (Roxy) 054550P



Expandable hose set

Expands up to three times its original length and shrink back at end of the usage. Easy connect/disconnect connector for nozzle and brush change.

Mud Daddy expandable hose set includes:

- 25ft expandable hose with an easy connector on both ends
- Hand wash brush
- 6 pattern nozzle shower head
- Heavy duty metal hanger
- Tap connector

054553HS





Mud Daddy 8L

With 8L tank capacity you can expect 16-19 minutes of washing time. 15-20 hand pump will give you approximately 3 minutes of wash. With 2m hose.

HxWxD: 20 x 20 x 30 cm Blue (Otis) **054551B** Yellow (Chico) **054551Y**



Mud Daddy spare brush

Built-in sprayer brush. Easy to connect/disconnect. Durable, good quality brush with on/off locking trigger

054553





Detangling brush

Mud Daddy detangling and deshedding brush. It works great on medium and long hair dogs. Special design removes loose hair, knots and dirt. De-sheds undercoat on wet or dry dogs. Easy grab design.

HxWxD: 12.5 x 7 x 5.5 cm

Blue **054553BB** Red **054553BR**



Mud Daddy 12L Portable washing brush

With a larger 12L working capacity tank, for longer washing tasks. Adjustable metal handle with soft grip. Large funnel shaped cap for easy refill and pressure release valve. With 2.2m hose.

HxWxD: 88 x 27 x 30 cm Purple **054552P**



Water spare parts





ETER RD



Aqua Kem blue original

Thick non-drip toilet fluid, use 150ml per 20 litre holding tank capacity

- Lasts up to 65 days average use
- 13 doses

060301 6 per outer 2 litre

Concentrated

2.5 times concentrated, use 60ml per 20 litre holding tank capacity

• Less weight, less space, same number of doses

780ml 060301C 12 per outer



Aqua Kem blue lavender

Thick non-drip toilet fluid, use 150ml per 20 litre holding tank capacity

- Lasts up to 65 days average use
- 13 doses

2 litre 060301L 6 per outer

Concentrated

2.5 times concentrated, use 60ml per 20 litre holding tank capacity

• Less weight, less space, same number of doses

060301LC 780ml 12 per outer 24 per outer 120ml 060302A



Aqua Kem green

Biological toilet fluid, use 150ml per 20 litre holding tank capacity

- Safe to empty in septic tank (Test ISO)
- Lasts up to 40 days average usse
- It remains liquid up to -20°C and remains active after defrosting

1.5 litre **060305** 6 per outer

Concentrated

2 times concentrated, use 75ml per 20 litre holding tank capacity

 Less weight, less space, same number of doses

750ml 060305C 12 per outer



Aqua Rinse plus original

Use 100ml per 15 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh and clean.

Septic tank safe.

Concentrated

of doses

12 per outer

24 per outer

litre of flush tank capacity.

Aqua Rinse Spray

- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close

2 times concentrated, use 50ml per 15

Less weight, less space, same number

750ml

100ml

 Specially designed for toilets without an integrated flush water tank Leaves a protective film in the bowl that prevents deposit from forming

The lubrication action makes the blade

of the waste-holding tank easier to

060282C

060283A

1.5 litre **060282** 6 per outer



Agua Kem blue sachets

One sachet per 20 litre holding tank capacity

- Easy to use: sachets completely dissolve in water
- Highly concentrated
- Suitable for winter camping
- One dose lasts 4 to 5 days with average use

060307 15 per tub, 6 per outer



Aqua Kem green sachets

Biological water-soluble sachets, one sachet per 20 litre holding tank capacity

- Powerful sachets for the waste holding tank
- All the benefits of Aqua Kem Green in a sachet!
- Safe to empty in septic tank (Test ISO
- 4 days with average use

wow

Thetford point

of sale material

packs available

annually please

speak to your

sales contact for more details

060306 15 per tub, 6 per outer



- 1.5 litre Aqua Kem blue
- 1.5 litre Aqua Rinse Plus
- Sold in a retail pack with handy carry handle
- 3 per outer



Thetford Duo Pack

- - 060298



Concentrate Duo Pack

- 0.78 litre Aqua Kem blue
- 0.75 litre Aqua Rinse Plus
- Sold in a retail pack with handy carry handle
- 060298A 6 per outer



500ml **060283** 9 per outer

open and close

Septic tank safe

THETF RD

Maintenance products



Aqua Soft tissue

- Dissolves quickly to prevent clogging
- Easier to empty waste-holding tank
- Prevents malfunctions or damage to the waste-holding tank
- Super-soft 12 per outer

4 pack **060312**



Toilet Bowl cleaner

- Removes hard water and soil deposits while safe for plastic and toilet seals
- Descaling to ensure a smooth bowl, preventing soil build up
- For an ultra-clean and hygenic toilet
- Thoroughly cleans leaving a lovely fresh scent behind

9 per outer 750ml **050037**

reduce gas build up, stimulate the breakdown of solids and toilet paper making it easier to empty, keep the waste tank pure and clean, and protect moving parts to extend the lifespan of the toilet.



Cassette Tank cleaner

- Thoroughly cleans the inside of the waste-holding tank
- Easily removes stubborn calcium deposits
- No scrubbing required
- Prolongs life span of waste-holding
- Pleasant fresh scent

12 per outer

1 litre 060325



Seal Lubricant

- Protects, lubricates, ensures pliability
- Developed for safe lubricating of Thetford toilet parts
- Absolutely safe for plastics, no colouring on plastic parts
- Ensures smooth operation of valve blades and other items

12 per outer 060355 200ml



WOW Thetford Aqua products suppress unpleasant smells,

Grey Water Fresh

10 doses per bottle

- Prevents nasty grey water smells coming from the drains
- Reduces deposit formation in the grey water tank
- Outstanding grey water odour control
- Odour free discharging of the grey water tank
- Safe for all plastics 12 per outer

050038A 700ml



Bathroom cleaner

- Powerful cleaning agent for daily maintenance
- Safe for all plastic surfaces, including the outside of the toilet
- Guarantees perfect hygiene
- Active foam removes calcium deposits
- Gives a lovely shine

9 per outer 500ml **098320**

Trigano Activ



WOW Manufactured by Thetford, the economical Activ range has the same advantages as the Thetford Aqua products, use a similar dose, but are effective for a slightly shorter period.



Activ rinse

Use 70ml per 10 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh.

- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close

6 per outer 2 litre **060245**

Activ blue

Thick non-drip toilet fluid, use 60ml per 10 litre holding tank capacity

- One dose lasts 3-4 days with average use
- 6 per outer 2 litre **060246**



Activ green

Biological toilet fluid, use 60ml per 10 litre holding tank capacity

- Safe to empty in septic tank
- One dose lasts 3 days with average
- It remains liquid up to -20°C and remains active after defrosting 6 per outer

2 litre **060247**



B-Fresh



WOW Three year shelf life for great value.

B-Fresh pink

Multi purpose flush water tank additive for chemical toilets. Keeps your flush water fresh, takes care of a smooth flush, prevents scale and lubricates the seals. Also improves your toilet hygiene with a floral scent.

4 per outer 2L **060251**



WOW Amazing quality at an unbelievable price!

B-Fresh blue

Waste tank additive for chemical toilets. Stops unpleasant smells with citrus scent, reduces gas build up and quickly breaks down toilet waste.

4 per outer 2L **060253**

Fenwick's







Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it simpler to use and more economical. Save space by carrying only one bottle.

8 per outer

2.5 litre **060266**

Waste pipe & tank cleaner

Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours. Dilute to a 10:1 solution to clean hard surfaces. Fully biodegradeable and food safe, kills e-coli, salmonella and other germs. Also removes nicotine, egg, limescale, formaldehyde, and other hard to remove stains 15 per outer

1 litre **097063**

Happy Bowl toilet bowl liners



FIVE REASONS WHY YOU WILL LOVE

1. THEY'RE HYGIENIC
2. THEY'RE BIODEGRADEABLE
3. THEY REDUCE WATER USAGE
4. THEY REDUCE ODOUR WITH A FAST FLUSH
5. THEY WORK

Biodegradeable toilet bowl liners. Use them to line your caravan, motor home, or portable toilet. Simply flush the toilet after use, and the bowl liner and contents are flushed away, leaving your bowl clean and fresh.

12 packs per outer 50 per pack **060311D**



WOW Now includes counter display as standard



Elsan





Elsan blue

Elsan Blue's powerful anti-bacterial formula kills germs and eliminates odours. British Standard 2893:2005 2 litre 060362 8 per outer 4 litre **060373** 4 per outer



Elsan twin pack 1L blue and 1L rinse fluid 12 per outer 2 x 1 litre 060375A



Elsan Blue bags

Quickly dissolves in water, kills the bacteria and eliminates odours whilst imparting a pleasant fragrance. And because each sachet contains an exact dose, no measuring is required. Clean, safe and easy to use, Blue Bags provide the ultimate in performance and reliability.

12 per outer 18 per pack **060332**



Elsan pink

Elsan Pink keeps the toilet fresh and removes bad odours when the toilet is flushed. It is anti-bacterial so it prevents algae build-up in your flush tank. It also lubricates and cleans the bowl.

2 litre **060365** 8 per outer



Elsan organic toilet fluid

Elsan Organic biological toilet fluid works in a completely different way to conventional toilet fluids. By dissolving waste and removing odours naturally, with no chemical smell it has a delightful mild fragrance. It can be used in both flush and waste tanks. It can be safely used in septic tanks. 400ml **060356** 24 per outer **060359** 4 per outer 2L

Elsan double concentrated

Double concentrated to give you the same Elsan performance and reliability on which you've always relied. Now however you only need to use half the quantity giving you a big saving on each dose. British Standard 2893:2005



Double BOGOF

2L blue double concentrate and 2L rinse double concentrate fluid 4 per outer 060375 2 x 2L



Double Blue

24 per outer 400ml **060376** 12 per outer 1 litre **060378**

.....



Double Rinse

24 per outer 400ml **060377** 12 per outer 1 litre 060379



Elsan





Elsan bristol toilet

Close in height to a household toilet, the Bristol is made from high grade easy-to-clean plastic. It features a removable inner container with close-fitting antispill lid, a strong, full size seat and lid together with quick release floor fixings, and strong nylon coated carrying handle. HxWxD 432x362x437mm Capacity 21 litres 060205



Elsan Tank Clean

Leaves the fresh water tank free from micro-organisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine. 12 per outer 1 litre **050035**



Elsan Tank Fresh

Eliminates grey water odour. Dissolves grease. Helps keep the system fresh, clean and free flowing. Add a little Tank Fresh to your water drains to get rid of stale odours

8 per outer 2 litre **050040**



Fiamma



Super Kem blue

The most powerful detergent for fixed and portable chemical toilets. Disintegrating, deodourising, sanitizing, pleasantly scented fluid. Contains anti-freeze to work at temperatures down to -20°C 6 per outer 2 litres 060389



Super Rinse

Scented anti-mildew bactericide for chemical toilet fresh water tanks. Effective against algae, cleans and protects.

10 per outer 1 litre **060393**



Fiamma soft toilet tissue

It won't clog up tanks or waste valves. Special 2-ply soft toilet tissue, formulated for chemical toilets. Stronger and softer tissue dissolves quickly in water. 300 sheets per roll.

10 per outer 6 per pack **060388**



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips

060347



Small Bi-Pot 30

HxWxD 300x345x435mm Flush tank 10 litres Waste tank 11 litres 056948





Bi-Pot 34

HxWxD 340x360x435mm Flush tank 15 litres Waste tank 13 litres 056949



Large Bi-Pot 39

HxWxD 392x360x435mm Flush tank 15 litres Waste tank 20 litres 056950



Bidet Universal

Fits neatly into all Bi-Pot types, also adapts to Thetford Porta Potti, and Cassette 1, 2, 3 and 4 toilets

056953 Bidet 200

Fits neatly into Thetford Cassette C200, C250, C260 and Dometic CT3000 toilets 060100A

Portable toilets

THETE Porta Potti range - 3 year warranty. Integrated cover lock for easy transportation, with recess for opening. The smooth lines and subtle curves are not just important to the appearance of the toilets, but also provide optimum comfort and ease of use. An improved blade opener. A new more comfortable handle on the waste holding tank.











Porta Potti 145

Porta Potti 165

Porta Potti 335

Porta Potti 345

Porta Potti 365

		-	.03	333		J-13	•		
	Part no.	Porta Potti Model	Body Colour	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank	Flush Tank	
	056966	145	White	330 x 383 x 427	Bellows	No	12L	15L	
	056968	165	White	414 x 383 x 427	Bellows	No	21L	15L	
	056970	335	White	315 x 342 x 382	Piston	Waste	10L	10L	
	056971	345	White	330 x 383 x 427	Piston	Waste	12L	15L	
	056973	365	White	414 x 383 x 427	Piston	Waste	21L	15L	

All Porta **Potti** toilets are available singly or 5 per outer

Pack size



Porta Patti.

Part no.	Porta Potti Model	Body Colour	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank	Flush Tank
056980	565P	White	458 x 388 x 450	Piston	Waste / flush	21L	15L
056981	565E	White	458 x 388 x 450	Electric	Waste / flush	21L	15L

Porta Potti accessories



056978

056979

Porta Potti bags

Two handles, durable zip, sturdy material, interior gloss finish for easy cleaning. Machine washable (to 40°C). For 65 toilets 056978 For 35 or 45 toilets 056979









056983

Floor plates

Floor plate to enable you to mount the Porta Potti 565 or 335 to the floor. Helps to prevent accidental movement of the toilet. The toilet simply detaches from the floor plate for emptying. Ideal for boats or home use. Can also be ordered for 165 and 365

Porta Potti 565 plate 056983 Porta Potti 335 plate **057130**



Cassette toilets



Toilets with their own flush water tanks

Flush water is drawn from the toilets own fresh water tank. Cassette toilets no longer come with the service door 3, please choose your door on p121 if required.

Swivel bowl toilets



C224-CW



C262-CWE



Flush water fill doors are required for swivel bowl toilets with their own flush tank. Available in various colours.

Comes with lock	and keys.
White	060084A
Cream	060173
Light Grey	060084B
Dark Grey	060084C

Part no.	Model	Bowl material	Dimensions H x W x D	Pump Type	Waste Level Indicator	Waste tank capacity	Flush tank capacity	Net Weight
060058B	C224-CW	Plastic	727 x 394 x 580	Manual	Full / empty	18L	9L	8.0kg
060060A	C262-CWE	Plastic	750 x 417 x 603	Electric	3 level	17.5L	8L	8.1kg
060060B	C262-CWE	Ceramic	750 x 417 x 603	Electric	3 level	17.5L	8L	17.2kg



WOW A complete range of OEM
Thetford toilets are held in stock and
are available at preferential rates to
manufacturers only. Please speak to your
sales contact for more details.



Left Hand cassette



C402-X

C502-X

Part no.	Model	Hand	Dimensions H x W x D	Pump Type	Waste Level Indicator	Flush Level Indicator	Waste tank capacity	Net Weight
060094A	C402-X	Left	512 x 670 x 400	Electric	3 level	3 level	19.3L	8.8kg
060094B	C402-X	Right	512 x 670 x 400	Electric	3 level	3 level	19.3L	8.8kg
060094E	C502-X	Left	502 x 739 x 410	Electric	3 level	3 level	19.7L	9.5kg
060094F	C502-X	Right	502 x 739 x 410	Electric	3 level	3 level	19.7L	9.5kg





For vehicles with on board water tanks

Flush water is drawn from the vehicles fresh water supply. CS - Console supplied with switch mounted. S - No console supplied (holding tank protrudes). CS/S - Removeable console supplied

Cassette toilets no longer come with the service door 3, please choose your door (next page) if required.

Swivel bowl toilets



C200 CS/S

C223-S

C223-CS

C263-S

C263-CSL

C263-CS


Part no.	Model	Bowl material	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank capacity	Net Weight
060095A	C200-CS/S	Plastic	538 x 353 x 580	Electric	Full / Empty	17L	7.2kg
060058	C223-S	Plastic	495 x 365 x 580	Electric	Full / empty	18L	6.8kg
060058A	C223-CS	Plastic	534 x 394 x 580	Electric	Full /empty	18L	7.2kg
060062	C263-S	Plastic	488 x 417 x 603	Electric	3 level	17.5L	7.1kg
060062A	C263-S	Ceramic	488 x 417 x 603	Electric	3 level	17.5L	16.2kg
060063B	C263-CSL	Plastic	540 x 417 x 603	Electric	3 level	17.5L	7.7kg
060063C	C263-CSL	Ceramic	540 x 417 x 603	Electric	3 level	17.5L	16.8kg
060063	C263-CS	Plastic	750 x 417 x 603	Electric	3 level	17.5L	8.0kg
060063A	C263-CS	Ceramic	750 x 417 x 603	Electric	3 level	17.5L	17.1kg

Right Hand cassette



WOW A complete range of OEM Thetford toilets are held in stock and are available at preferential rates to manufacturers only. Please speak to your sales contact for more details.

Left Hand cassette





C403-L



C503-L

Part no.	Model	Hand	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank capacity	Net Weight
060094C	C403-L	Left	512 × 670 × 400	Electric	3 level	19.3L	8.1kg
060094D	C403-L	Right	512 × 670 × 400	Electric	3 level	19.3L	8.1kg
060094G	C503-L	Left	502 × 739 × 410	Electric	3 level	19.7L	9.6kg
060094H	C503-L	Right	502 × 739 × 410	Electric	3 level	19.7L	9.6kg


Permanent toilets THETF RD

For direct connection to waste tanks

American-designed floor mounted toilet, drawing flushwater from an independent pressurised water supply. Waste tank located beneath or on the floor.

- Single foot pedal operation
- · Deep bowl ensures less splashing
- Easy installation and access of parts







Bravura V High

Bravura V **Bravura V** Model Low High **Bowl material** Plastic Plastic **Dimensions** 356 x 421 x 531 mm 454 x 421 x 531 mm (HxWxD) 7.5 kg Weight 8.3 kg Seat height 333 mm 431 mm 060096B 060096A Part number



Closet flange Required to connect the toilet to the waste tank or pipe 060096AF

A comprehensive range of high grade UV resistant quality plastic doors suitable for cassette toilets or as service doors for gas bottles and water tanks. They can all be mounted vertically or horizontally

- Incorporate double seal to help waterproof locks and assist insulation
- Integrated hinges
- Suit wall thickness 24mm to 40mm



Door 3

Standard cassette toilet Gas and water tank door. Can be fitted landscape or portrait. Aperture: 330 x 280mm. Overall dimensions: 385 x 335mm White 060105 060105B Black



Door 4

door. Aperture: 630 x 330mm. Overall dimensions: 700 x 395mm 060098 Cream White 060098W



Door 5

Water tank and general luggage door. Aperture: 730 x 280mm. Overall dimensions: -785 x 340mm 060099W White



Door 6

General luggage door for large objects. Aperture: 980 x 400mm. Overall dimensions: 1038 x 465mm 060097 Cream White 060097W



Door 7

General luggage door for large objects. Aperture: 1051 x 282mm. Overall dimensions: 1108 x 346mm 060106 White

Cassette accessories



Cassette seat raisers

Seat raiser makes it easier to sit down and stand up! Raises the seat height by approx. 7cm

0600885 For C200 For C2, C3, C4 0600895



0600895

Fresh-up sets

A "new" toilet in 2 steps.

The set includes:

- Waste holding tank with wheels
- Seat & Cover

The Toilet fresh-up set is an easy and economic way to make a used cassette toilet as good as new. An additional waste holding tank for longer trips? Even then the Toilet fresh-up set is a perfect solution





C200 series fresh-up With yellow accents 060088



With blue accents **060088A**



C2 / C3 /C4 fresh-up With yellow accents Right hand 060089R Left hand 060089L



C250/60 series fresh-up With orange accents 057196



With green accents. Includes instructions to fit left or right hand toilets **060241**



C500 series fresh-up With green accents. Includes instructions to fit left or right hand toilets 060094J



PORTA POTTI SPARES 060123 060197 **Bellows** 060143 060150 Water Fill Cap 145/165/335/345/365 Pour Out Spout Complete 145/165/335/345/365 145/165/335/345/365/Q145/ **Inlet Tube** 145/165/335/345/365 Q165 060153 Vent Button Yellow 145/165/335/345/365/465/C2/ 060116 Cap & Spout Seals 145/165/335/345/365/465/C2/ 060142 060134 Vent Seal Lip Seal C3/C4/C200/C220/C250/C260 C3/C4/C200 All portables All portables 057200 057201 Measuring Cap & Seal Yellow 465/C2/C3/C4/C200/C250/ C260/C400 Measuring Cap & Seal White 465/C2/C3/C4/C200/C250/ C260/C400 060138 Float Arm 335/345/365/C2/C3/C4 PORTA POTTI QUBE / PORTA POTTI SPARES 058000 058001 058006 058010 **Pour Out Spout** Seat & Cover Seat & Cover Water Fill Cap Q145/Q165/Q345/Q365 Q335 **All Porta Potti Qubes** All Porta Potti Qubes 058017 058014 Vent Button All Porta Potti Qubes & 060142 060134 Dump Cap & Seal All Porta Potti Qubes Lip Seal All portables Vent Seal All portables Excellence 060123 058020 058021 **Bellows** Level Level 058024 058025 Piston Pump Q345/Q365 145/165/335/345/365/Q145/ **Indicator Dial Indicator Dial Piston Pump**



Q165

Q335

Q345/Q365

Q335

PORTA POTTI EXCELLENCE								
058002	058007	058008	058019					
Seat & Cover	Water Fill Cap	Water Fill Adapter	Level Indicator					
058026 Piston Pump	058027 Electric Pump	058015 Measuring Cap & Seal	058011 Pour Out Spout					
060142 Vent Seal All portables	060134 Lip Seal All portables	058017 Vent Button All Porta Potti Qubes & Excellence	058022 Level Indicator Dial					
The polation	The postables	Extended	Zever marcarer Drui					
058030 Float Arm	056983 Floor Plate							
	C2/3/4	BENCH						
060193	060136 Drain Cap	060122 Water Fill Funnel	060158 Water Fill Funnel Cap C2/C4/C402C/C402X/C502C/					
Cassette Retainer Clip 060121 Flush Knob Assembly	060130 Seat & Lid	C2/C4 060155 Hinge Post & Pins	060147 Level Indicator Dial C2/C3/C4					
060118	060157	060117	060119					
Cassette Pump C2/C402C/C402X/C200CWE	Sight Glass Left Hand C2/C4	Sight Glass Right Hand C2/C4	Switch C2/C3					
060126 Bellows C4	060124 Check Valve Body C4	060176 Pump Assembly C4	060165 Flush Tube C4					
060132 Fuse 3A < 06/94 C2/C3	060156 Fuse 3A > 06/94 C2/C3/C200CS/C200S/ C200CW/C200CWE/C402C/ C402X/C403L	060114 Mechanism C2/C3	060178 Vacuum Breaker All Cassettes					









057164 Overlay C250CS/C250S/C250CWE



057166 Control Panel SN C250S/C250CS/C250CWE/ C263S/C263CS/C262CWE



057167 Control Panel SW C250S/C250CS/C250CWE



057168 Control Panel FF C250S/C250CS/C250CWE/ C263S/C263CS/C262CWE



060053 Sticker Control Panel C263S/C263CS/C262CWE



060050 Control Panel SW C263S/C263CS/C262CWE



060064F Filter C263S/C263CS/C262CWE




060045 Electric Ventilator C263S/C263CS/C262CWE



057171 Reed Switch Housing C250S/C250CS/C250CWE



057172 Reed Switch One Switch C250S/C250CS/C250CWE



057173 Reed Switch Single level C250S/C250CS/C250CWE



057174 Reed Switch Multi Level C250S/C250CS/C250CWE



057188A Ring Blade Mechanism C250S/C250CS/C250CWE/ C263S/C263CS/C262CWE



057194A Handle C250S/C250CS/C250CWE/ C263S/C263CS/C262CWE



060044 Seat & Cover C250S/C250CS/C250CWE/ C263S/C263CS/C262CWE



060047 Seal/ Retainer Nozzle C250S/C250CS/C250CWE



060178
Vacuum Breaker
C3/C200CS/C200S/
C200CW/C200CWE/
C223S/C223CS/C250S/
C250CS/C250CWE/
C263S/C263CS/
C262CWE/C403L/C503L



060054 Electric Valve >01/09/13 C263S/C263CS/C503L



060172 Electric Valve < 01/09/13 C3/C200CS/C200S/ C223S/C223CS/C250S/ C250CS/C263S/C403L



060052 Reed Switch Single Level C263S/C263CS/ C262CWE



060051 Reed Switch Multi Level C263S/C263CS/ C262CWE



057169 Pump C250CWE



057170 Pump C262CWE



060048 Wire Harness C250CWE



060046 Wire Harness C250S



060049 Wire Harness C262CWE


















Calor Gas Products Regulators



Butane 21mm Clip-On regulator

Calor Code: 601225

Low pressure butane regulator with effortless Clip-On connection. It has an easy to operate on/off lever with a clear indicator to determine whether its switched on or off

070350C









Butane Screw-On 1.3kg/h regulator

Calor Code: 601226

Low pressure butane regulator ideal for both industrial and domestic use

070323C





Campingaz 29mb regulator

Calor Code: 601227

Low pressure butane Campingaz regulator designed to be used with Campingaz cylinders only

070342C











Patio Gas® 27mm Clip-On regulator

Calor Code: 601228

Low pressure Patio Gas® regulator with effortless Clip-On connection. It has an easy to operate on/off lever with a clear indicator to determine whether it's switched on or off

070345C







Propane Screw-On 1.5kg/h regulator

Calor Code: 601229

Low pressure propane regulator ideal for both industrial and domestic use

070336C















Propane Screw-On

4kg/h regulator

Low pressure propane

Calor Code: 601230

screw-on regulator







Propane HP 0.5-1bar Adjustable regulator

Calor Code: 601231

High pressure propane adjustable regulator (single stage) for use when a more precise flow is required

070352C









Propane HP 0.5-2bar Adjustable regulator

Calor Code: 601232

High pressure propane adjustable regulator (single stage) for use when a more precise flow is required

070353C









Propane HP 0.5-4bar Adjustable regulator

Calor Code: 601233

High pressure propane adjustable regulator (single stage) for use when a more precise flow is required

070354C











Propane HP 1bar Fixed regulator

Calor Code: 601234

High pressure propane fixed pressure regulator (single stage)

070355C



Grove Code	Max Inlet Pressure	Cap. kg/hr	Operating Pressure (mbar)	Inlet	Outlet	
070350C	7.5bar	1.3	29	21mm Clip On		
070323C	7.5bar	1.3	29	Butane Union 109	8mm Nozzle	
070342C	7.5bar	0.8	29	Campingaz M16x1.5mm		
070345C	16bar	1.5	37	27mm Clip On		
070336C	16bar	1.5	37			
070351C	16bar	4	37		3/8" BSP Female	
070352C	16bar	8	0.5-1bar 10 Position	Propane POL 105	¼" BSP Female	
070353C	16bar	6	0.5-2bar	103	supplied with 6.3mm	
070354C	16bar	8	0.5-4bar			
070355C	16har	8	1har		Nozzle	



Calor Code: 603006

2 stage, 30mBar regulator with 90° 8mm outlet

070395C

U



Calor Code: 603003

2 stage, 30mBar regulator with 90° 10mm outlet

070396C



Calor Code: 603005

2 stage, 30mBar regulator with 8mm outlet

070399C



Calor Code: 603004

2 stage, 30mBar regulator with 10mm outlet

070400C

Grove Code	Max Inlet Pressure	Capacity kg/hr	Operating Pressure (mbar)	Inlet	Outlet
070395C	16bar	1.5	30	W20 male	90° 8mm
070396C	16bar	1.5	30	W20 male	90° 10mm
070399C	16bar	1.5	30	W20 male	8mm
070400C	16bar	1.5	30	W20 male	10mm

Changeover Valves

IMPORTANT

Recommended only for use on non-fixed installations with 2 cylinders. Not to be used with 4 cylinder upgrade kit



Propane 37mb 2 Cylinder Automatic Changeover Valve without OPSO*

Calor Code: 601237

Automatic changeover valve without OPSO with POL 105 x 3/8" BSP FEM connections. Designed to operate two cylinder systems, complete with a second stage regulator, 2 hoses, 1 ball valve, 1 Installation kit (gasket, screws)



Propane 37mb 4kg/h Manual Changeover Valve*

Calor Code: 601236

Manual changeover valve with POL x 3/8" BSP FEM connections. Designed to operate a 2 cylinder system, complete with a second stage regulator, 2 hoses, 1 ball valve and an installation kit (gaskets and screws)

070419C







Propane 37mb 2 Cylinder Automatic Changeover Valve with OPSO*

Calor Code: 601238

Automatic changeover valve with OPSO with POL \times 1/2" BSP FEM connections. Designed to operate multi cylinder systems, complete with a second stage regulator, 2 hoses, 1 ball valve, 1 Installation kit (gasket, screws)

070421C

Grove Code	Max Inlet Pressure (bar)	Capacity (kg/h)	Pressure (mbar)	Connec- tions
070419C	16	4	37	POL 105 x 3/8" BSP
070420C	16	6	37	POL 105 x 3/8" BSP
070421C	16	4	37	POL x 1/2" BSP



a

Calor Gas Products Hoses & Pigtails



Standard Hose

High quality LPG hosing for use with changeover valves 50cm POL x W20 070499C 75cm POL x W20 **070500C** 75cm POL x POL **070501C**



8mm Low Pressure Hose & 2 Jubilee Clips

Calor Code: 601258

1m 8mm Low Pressure Hose & 2 Jubilee Clips

070237C



Calor Code: 601259

2m 8mm Low Pressure Hose & 2 Jubilee Clips

070238C



Universal BBQ Hose & Regulator Kit

Calor Code: 601260

A complete kit to get your BBQ up and running. Includes 1m x 8mm hose, 1 Patio Gas® Clip-On regulator and 1 x 5/8" UNF & 1 x 1/4" LH BBQ fittings

Products

Accessories





Leak Detector Spray

Calor Code: 601256

Gas leak detector spray specially formulated to detect the smallest of leaks

070549C



Light Weight Spanner

Calor Code: 601255

Spanner designed to aid in the connection of a screw on regulator to a gas cylinder

070221C



Heavy Duty Spanner

Calor Code: 601254

Spanner designed to aid in the connection of a screw on regulator to a gas cylinder

070222C



070510C

protection device)

Armoured Hose

High quality LPG hosing for

use with changeover valves.

Armoured hosing provides

extra protection from wear,

sharp objects and vermin.

50cm POL x W20 **070503C** 75cm POL x W20 **070504C** 75cm POL x POL **070505C**

4 Cylinder Upgrade Kit (Standard) Calor Code: 601239

4 cylinder OPSO upgrade kit for use when upgrading

from a 2 cylinder system

complete with 2 hoses and

with changeover valves with

'T' piece. Only to be used

OPSO (an over pressure

to 4 cylinders. Comes



4 Cylinder Upgrade Kit (Armoured)

Calor Code: 601240

4 cylinder OPSO upgrade kit for use when upgrading from a 2 cylinder system to 4 cylinders. Comes complete with 2 hoses and 'T' piece. Armoured hosing provides extra protection from wear, sharp objects and vermin.

070511C





WOW Calor point of sale packages available. Please speak to your sales contact for more details



Cylinder sizes, types and offtakes

Propane

Capacity	3.9kg	6kg	6kg Lite	13kg	19kg	47kg
Height	340mm	495mm	495mm	580mm	800mm	1290mm
Diameter	240mm	256mm	256mm	315mm	315mm	375mm
Recommended Offtake	7.5 kW 0.53kg/h	11 kW 0.77 kg/h	11 kW 0.77 kg/h	15 kW 1.05 kg/h	19 kW 1.32 kg/h	34 kW 2.4 kg/h
Colour	Red	Red	Red	Red	Red	Red
Maximum Tare	6.8kg	8.2 kg	4.1kg	15.9kg	18.1kg	38.6kg



Butane

Capacity	4.5kg	7kg	15kg
Height	340mm	495mm	580mm
Diameter	240mm	256mm	318mm
Recommended	5 kW	7 kW	9.9 kW
Offtake	0.42 kg/h	0.5 kg/h	0.7 kg/h
Colour	Blue	Blue	Blue
Maximum Tare	6.8kg	8.2 kg	15.9kg



Patio Gas®

Capacity	5kg	1 3kg
Height	314mm	580mm
Diameter	306mm	315mm
Recommended Offtake	10kW 0.72 kg/h	15 kW 1.05 kg/h
Colour	Green with red handles	Green with a red shroud
Maximum Tare	6.2kg	15.9kg



How to connect and disconnect a cylinder

Connecting a 3.9kg, 6kg, 13kg, 19kg & 47kg Propane cylinder
Propane cylinders have a 'female' valve connection. Check the connection is clean and undamaged before connecting. This is a 'face-to-face' seal and requires the correct size spanner to be sure it is fully tightened. (Left-hand thread).

- 1. Check that the valve handwheel is OFF by turning clockwise.
- 2. Remove the protective plug and leave hanging to replace later.
- 3. Inspect the bullnose connection of the regulator for damage before connecting.

NOTE: A gas tight seal is created by face-to-face connection between the bullnose & cylinder valve.


- 4. Fit the connecting nut (left hand thread) to the cylinder, using the correct spanner. Note that Propane cylinder connections must be tight.
- 5. Ensure appliances are turned OFF.
- 6. When gas is required turn the valve handwheel anti-clockwise (ON).
- 7. Check for gas soundness using leak detection solution.



Disconnecting a 3.9kg, 6kg, 13kg, 19kg & 47kg Propane cylinder

Turn the handwheel OFF (clockwise rotation). Wait until the burner/pilot light has gone out.

- 1. Changeover valves
 - a) If the installation does not have a changeover valve fitted, turn OFF the gas tap, if fitted, to an
 - b) For installations with a changeover valve, it is only necessary to turn off the cylinder.
 - N.B. Never remove the regulator (or connecting nut) with the cylinder valve open.
- 2. Remove the regulator (or connecting nut- left hand thread) with the correct spanner.
- 3. Replace the protective plug into the valve outlet.





Connecting a 4.5kg Butane cylinder

A 4.5kg cylinder takes a regulator which screws on to the valve outlet. The regulator has a connecting nut that incorporates a black sealing washer. Do not use the rubber washer from the black cap as a sealing washer. Turn the orange cap so that the arrow is pointing to the gap in the shroud.

- 1. Check that the valve handwheel is off by turning clockwise.
- 2. Remove protective black cap and retain for future use.
- 3. Inspect the black sealing washer on the regulator for damage before connecting. Replace the washer if faulty.
- 4. Fit the connecting nut (left hand thread) to the cylinder using a suitable spanner. Tighten firmly, but do not over tighten as this can damage the washer
- 5. When gas is required, turn the valve handwheel anticlockwise.







Disconnecting a 4.5kg Butane cylinder

Never disconnect the regulator (or connecting nut) with the valve open.

- 1. Turn the valve hand wheel off (clockwise rotation).
- 2. Wait until the burner and pilot lights have gone out. If the flame does not go out, turn the valve hand wheel anticlockwise back to on; leave the appliance alight and call your gas supplier.
- 3. Disconnect the Regulator (left hand thread) with a suitable spanner.
- 4. Screw the protective black-cap back on to the cylinder valve.





Connecting a 7kg, 12kg & 15kg Butane cylinder

7kg, 12kg and 15kg Butane cylinders have a 21mm valve and must only be used with a 21mm regulator.

- 1. Turn the orange cap so that the arrow is pointing to the gap in the shroud.
- 2. Remove the orange safety cap by pulling the lanyard out, then up. Do not use tools and leave the cap hanging.
- 3. Check the black sealing washer is fitted inside the cylinder valve.
- 4. Ensure the regulator switch is in the disconnect position (3 o'clock position).
- 5. Fit the 21mm regulator as per the manufacturer's instructions.
- 6. When gas is required, turn lever to ON position.

If the regulator ON/OFF switch gets stuck when turning the supply on, it means that the regulator has been connected incorrectly. In this event the regulator must be disconnected and the correct steps to reconnect repeated from the beginning.





Disconnecting a 7kg, 12kg & 15kg Butane cylinder

Never disconnect the regulator with the switch in the ON position.

- 1. Turn the regulator lever to the OFF position.
- 2. Wait until the burner and pilot lights have gone out. If the flame does not go out, turn the switch back to on; leave the appliance alight and call your gas supplier.
- 3. To remove the regulator from the cylinder valve please refer to the manufacturer's instructions.
- 4. Replace the orange safety cap onto the cylinder valve of the empty or part full cylinder, when not in use.




Connecting a 5kg & 13kg Patio Gas® cylinder

Reminder: Patio Gas® cylinders use a 27mm clip on valve and clip on regulators.

Unlike the other propane cylinders you do not need a spanner to connect the regulator.

- 1. If the cylinder has a yellow tamper evident cap, please remove and discard.
- 2. Make sure that:
 - a) The regulator is switched to the OFF or disconnect position.
 - b) All taps on the appliance are closed.
 - c) The connecting pipe to the appliance is correctly fitted.
 - d) The valve is clean and free from debris.
- 3. Put regulator on top of the cylinder valve. Place hand on top of the regulator and push down firmly and vertically until you hear a click.
- 4. Once the regulator is correctly fitted, switch to on position as directed by manufacturer instructions on the regulator.
 - ALWAYS: Turn the switch to the OFF position after use.



Disconnecting a 5kg & 13kg Patio Gas® cylinder.

- 1. Make sure the regulator is turned to the OFF position and that the appliance flame is extinguished.
- 2. Push the ON/OFF switch according to manufacturer instructions and then pull upwards.
 - REMEMBER: Do not attempt to disconnect the cylinder if the regulator is in the ON/open position.





U

Fixed regulators



truma

wow

For Calor branded fixed regulators see page 138





Truma regulators

M20 x 1.5Kg/h, 30mbar with pressure protection, integrated 90° elbow and

8mm outlet 070520 10mm outlet 070525



Elbow for Truma regulator

MonoControl CS

This safety gas pressure regulation system is ideally suited to ensuring safe heating whilst on the move. It has a built in crash sensor (CS) and integrated test point.

Now can be installed vertically or horizontally.

- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- Crash sensor activation value: 4.0g +/- 1.0g
- 30 mbar

8/10mm

070381

For gas tank installation 8/10mm 070371





Truma gas filter

Helps to prevent blocked regulators by filtering any oily residue in the gas. 070555 Filter and housing Replacement filter 070556

DuoControl CS Vertical

The DuoControl can be retrofitted, and has a built in crash sensor (CS) and integrated test point. Not for use in commercial vehicles.

- Automatic changeover from empty to full gas cylinder.
- Visual display indicating the status of the operating cylinder (empty/
- Manual selection of operating cylinder using control knob
- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- Crash sensor activation value: 3.5g +/-0.5q
- For vertical installation
- Models available on request for horizontal installation

30 mbar 10/8mm **070377** 50 mbar 8mm

DuoControl without crashsensor

The DuoControl has the same specifications as the DuoControl CS but without the built in crash sensor 30 mbar 10mm **070376** 30 mbar 8mm 070379



Cavagna 180° regulators

10mm outlet

30mbar double stage regulator with 1.5kg/h flow capacity. "UDS" is the standard built in safety device. With integrated test point. W20 inlet 8mm outlet 070399

070400



on all Cavagna regulators

Cavagna 90° regulators

30mbar double stage regulator with 1.5kg/h flow capacity. "UDS" is the standard built in safety device. With integrated test point. W20 inlet 8mm outlet 070395

10mm outlet 070396



Cavagna auto changeover regulators

The Reca automatic changeover gas regulator by Cavagna (30mbar) with 1.5kg/h flow capacity. It combines an automatic changeover with a double stage regulator, integrated "PRV" safety device and test point. Therefore it is the most compact gas regulation system in Europe. W20 inlet

070415 8mm outlet 10mm outlet 070416



Fixed regulator equipment



Propane pigtails

EN16436 500mm **070515** 750mm **070518** Truma 450mm **070534**




Butane pigtails

EN16436 500mm **070514** 750mm **070517** Truma 450mm **070533**



HP gas hose with rupture protection

Truma 450mm
GB propane 070557A
GB butane 4.5kg 850618



Other gas hoses

Truma 450mm
Triomatic **850615**W40-8 gas hose **850616**



Campingaz adaptor Truma 070541 EN1949 070548



21mm butane clipon adaptor

Truma **070542** EN1949 **070545**



27mm butane clipon adaptor

With 90° elbow Truma **070531**



Pigtail washers W20

10 per outer Black **070535** Truma Green **070532**

Standard regulators



Butane regulator

Outlet pressure 28mbar 1.3Kg/h. EN 12864 approved. Singly or 10 per outer **070323**



Regulator washers(5)

10 per outer **070227**



Propane regulator

Outlet pressure 37mbar 1.5Kg/h. EN 12864 approved. Singly or 10 per outer **070336**



Propane handwheel regulator

Outlet pressure 37mbar. 1.5Kg/h. EN 12864 approved. Singly or 10 per outer **070337**



Gaz regulator

For use with Campingaz cylinders. Integral control valve. Outlet pressure 29mbar 0.8Kg/h. EN 12864 approved.
Singly or 10 per outer **070342**



Campingaz regulator

To operate campingaz® refillable cylinders. Simply screws onto 901, 904, & 907 cylinders 109919



Patio gas regulator

27mm clip on regulator for Calor patio gas. Outlet pressure 37mbar. EN 12864 approved. Singly or 10 per outer **070345**



BP Gas light regulator

Outlet pressure 37mbar. 1.5Kg/h. **070543**



Regulator spanner Light weight 070221



Regulator spanner Heavy duty 070222



Regulator spanner Truma 070224



Gas fittings

5 packs per outer unless otherwise stated



Low pressure

8mm bore

50m roll

070234

Gas hose BS3212

Composite black gas hose

GAS HOSES NOT **SUPPLIED** ON A REEL



High pressure Gas hose BS3212

Orange gas hose 8mm bore 50m roll 070236



Copper tube

Supplied in 30m rolls 070290 1/4"O.D. ⁵∕₁₆"O.D. 070295 3/4"O.D. 070300



Carded 10 per outer

Bulk 100 per bag



000 (2) W4 OOO (2) carded OOO Bulk OO (2) carded OO Bulk



Straight couplings 1/4" 070004

5/16" 070006 070008 3/8" 070010 8mm 070012 10mm

Reducers

U

⁵/₁₆" - ¹/₄" ³/₈" - ⁵/₁₆" 070045 070057



Tee pieces

1 x 2 x 3 1/4 X 1/4 X 1/4" 070068 5/₁₆ x 5/₁₆ x 5/₁₆" 070074 3/8 x 3/8 x 3/8" 070079 ⁵/₁₆ x ⁵/₁₆ x ¹/₄" 070081 8 x 8 x 8mm 070080 8 x 10 x 8mm 070083 10 x 10 x 8mm 070085 15 x 15 x 10mm 070087 15 x 15 x 8mm 070089



Elbows

¹/₄" ⁵/₁₆" 070180 070181 070175 8mm 10mm 070177 Elbow reducers 10-8mm 070179



070055 10-8mm 15mm-3/8" 070059



Copper nozzles

070099 ⁵/₁₆" ³/₈" 070102 070105 070146 15mm



Male nozzle 070120



Female nozzle

1/4" 070137 3/8" 070140



Three way nozzle

10 per outer 070174



Stop end ½" **Ö**70170



Blank nuts 1/4" 070183



Copper olives (5)

1/4" 070267 5/16" 070269 070273



Line taps Singly

1/4" 070196 5/16" 070194



Gas manifolds



Straight quick 2 way acting valve 8mm **823110A**



manifold valve 8mm 824111A



3 way manifold valve 8mm 824131A 10mm 824132A



4 way manifold valve 8mm 824151A 10mm 824152A

Gas box equipment



Truma BBQ gas point

Enables external gas appliances to be connected. The only additional equipment you need is a gas pipe with an 8mm diameter

White **070536** Ivory **070537**



Reich gas supply box with lock and valve

Supply connection for gas, with safety valve and lock. 10mm inlet. Installation dimensions: 157x67mm
070465



Gas outlet box & lid

Fits on outside wall of caravan for easy connection of BBQ. Cut out -60mm \varnothing 60mm depth.

Finished - 90mm x 85mm
Complete box
Lid only
Nozzle only
070461
070462



W4 gas bottle retaining kit

Gas bottle retaining kit secures up to 7kg gas bottle when travelling. **070321**



Gas bottle holder

Keeps gas bottle fixed while in transit. Singly or 10 per outer **070320**



W4 compression lock for gas locker

WD barrel compression lock with lever attachments. As used by manufacturers including Explorer, Bailey and Coachman. Supplied with 1 key 070318

Gas servicing equipment



Truma leak test device

For workshop use.
Complete kit 070550
Volumiser canister
Leak test hose 070551



Universal thermocouple

Thermostatic sensor device used in many gas appliances. 900mm length **070215**



W4 gas bottle locker lock

Lock supplied together with necessary fittings to enable easy installation into a variety of locker types. Supplied without keys **070319**



W4 gas locker key

Replacement steel key for gas lockers (070319). Singly or 10 per outer **070322**



Fire safety



ABC powder extinguisher 1kg

Aluminium strong and light weight

- Rating A, B, & C
- Do not use on live electrical fires
- Single piece, deep drawn aluminium alloy body, externally painted with polyester resin, signal red to RAL 3000
- Plastic bracket specially designed for vehicle and marine

Singly or 6 per outer 070636

It is important to choose the right fire extinguisher as specific extinguishers are designed for different types

The UK recognizes six fire classes:

Class A fires involve organic solids such as paper

Class B fires involve flammable or combustible liquids, including petrol, grease, and oil.

Class C fires involve flammable gases. **Class D** fires involve combustible metals.

Class E fires involving electrical appliances (when the power supply is turned off an electrical fire can fall into any category).

Class F fires involve cooking fat and oil (use blankets)



Firemax foam extinguisher 1L with gauge

Domestic and commercial vehicle use

- Rating A & B
- Do not use on live electrical fires
- Rechargeable
- 5 year warranty Singly or 10 per outer 070631



Fire blanket

Manufactured to BS6575. Supplied in wallet which can be hung on the wall. 1 m² blanket. Singly or 10 per outer 070625



Fire blanket with holder

Manufactured to BS6575. Supplied in rigid plastic container which can be hung on the wall. 1 m² blanket. Singly or 10 per outer 070627

Gas level indicators



Truma LevelCheck

Gas cylinder level indicator for all (LPG) steel or aluminium gas cylinders with a diameter of 200 to 350mm. The device measures whether there is liquefied gas in the cylinder at the measuring point (by horizontal connection) and indicates this.

- Reliable ultrasonic measurement
- Easy to use with 9v battery supplied
- Integrated LED torch with On/Off switch
- Status LED (green/red/orange) green = Gas, red = no gas, orange = indicates measuring process (also with audible tone)
- Under voltage display
- *Not suitable for tank gas cylinders or fillable gas tanks 070560



Gas Genie

Gas level indicator with audible warning alarm and flashing LED's

- No installation required
- Powered by 2 x AA batteries (included)
- Instructions included
- Clips magnetically to steel gas cylinder body
- Weighs only 127g

070565

Other safety products



AA euro travel kit

Includes: Glovebox Atlas Europe, Driving in Europe Guide – Essential Travel Information, hazard warning triangle, headlamp beam converters, magnetic GB plate, reflective emergency jacket, first aid kit 070621



Alarms



FireAngel SB1-T optical smoke alarm

High performance optical sensor reduces nuisance alarms which are generally associated with ionisation technology. **NCC approved**.

- 85db at 1m (Minimum)
- Wall/Free-standing installation
- Operating temperature: 0° to 40°C
- Operating humidity: 30% to 90% RH
- 113g
- Certified to BS EN 14604: 2005
- 9V battery included
- 3 year warranty Singly or 10 per outer **070651**



FireAngel carbon monoxide alarm CO-9B

Carbon Monoxide Poisonous Gas Alarm. **NCC approved**.

- 85db Alarm at 1mtr + flashing LED.
- Wall/Ceiling/Shelf installation
- Certified to BS EN50291-1:2010+A1:2012 & BS EN50291-2:2010
- 2 x AA batteries included
- 7 year guaranteeSingly or 5 per outer070665



FireAngel carbon monoxide alarm

The same specifications as the CO-9B with a sealed in power pack, no battery pack required. 7 year life. Includes fast fit bracket for easy installation. 7 year life. 10 per outer **070665A**



Kidde carbon monoxide alarm 7COC

With a 10-year sensor that lasts longer than most other CO alarms, this slim, easy-to-use alarm is ideal for use in all living areas and can be installed on a wall or ceiling, or used freestanding.

- Continuous monitoring of CO
- Approved by BSI to EN50291.2010
 Part 1 and 2 (boats and caravans) / CE Approved
- Multi-function green and red LEDs to indicate power and alarm status
- End-of-life warning to replace alarm after 10 years of protection
- Test/Reset button to allow regular testing of alarm function
- 3 x AĀ alkaline batteries supplied 126mm x 72mm x 35mm / 120g 070668A



Sleepsafe CO detector

- Colour change Carbon Monoxide detector
- Ideal for use in homes, offices, hotels, bedsits, caravans, boats and aircraft
- Reacts to low level Carbon Monoxide (<50ppm)
- Easy to use **070656**



Kronings TriGas alarm

Digital computerised gas, carbon monoxide and narcotic gas detector. The gas alarm has a unique heating element, which ensures that the air around the sensors is ventilated and renewed which increases safety and reliability.

The TriGas alarm responds to Propane/Butane (LPG) at the floor, carbon monoxide (CO and NO at the ceiling), as well as several other gases with anaesthetic effect, at floor and ceiling. The intelligent electronics tests the calibration every 40 seconds, and adapts to the environment in the caravan to avoid false alarms due to natural changes. The sensor automatically adjusts to the temperature, ensuring proper calibration when temperature is above 25°C, again avoiding false alarms.

070658



Fuel



C206 GLS

Pierceable, can't be disconnected once connected into an appliance. The Gas Lock System, is compliant to the new European standard EN empty. Contains 240g of 417:2012 legislation. Contains 190g of butane/propane mix. 36 per outer

Taymar cartridge, for use with

blowlamps and blowtorches.



CG 1750

12 per outer

175q.

109969



CV 300 Plus

High security selfsealing valvé. Can be easily disconnected and reconnected even when not butane/propane mix. 24 per outer 109966



Coleman 300 Contains 240g of butane/ propane mix in threaded selfsealing cartridges with safety valve. Size: Ø 105 x 90 mm. 24 per outer



250ml.

070480

12 per outer

Coleman camp fuel

Coleman fuel is a liquid petroleum fuel (100% light hydrotreated distillate). It has an octane rating of 50 to 55 and a flammability similar to petrol.

1 litre 12 per outer 109974



Stove cartridge

Cellophane wrapped economical 4 pack of gas for camping stoves and heaters. Resealable, can be removed when part full for convenient and safe storage. 250g cartridge. 6 per outer





CV 470 Plus High security selfsealing valvé. Can be easily disconnected and reconnected even when not empty. Contains 450g of butane/propane mix. 12 per outer 109967



Coleman 500

Contains 440g of butane/ propane mix in threaded selfsealing cartridges with safety valve. Size: Ø 105 x 160 mm. 12 per outer 109971



CP250

Contains 250g of Isobutane. For use with Bistro® type 12 per outer

109965



Propane nonrefillable cylinder

Thanks to physical properties of Propane, every last gram of gas in the cylinder is used to operate the appliance. Contains 465 g of propane. Size: Ø 195 x 100 mm. Weight: 935g. 12 per outer 109973





Campingaz spare parts

Small mantle (3)

Fits Bleuet CV 270L, Bivouac, Camping 206L, Lumostar C, M and plus, and Stellia R

070425

Medium mantle (3)

Fits L470, Rhapsody 470, Soleio R, Sun Force, Symphony, Super Symphony and Frontier CPS 109956

Instaclip (3)

Fits Single, Double and Powerhouse unleaded lanterns

109960

Instaclip tube (3)

Fits Northstar unleaded lanterns

109959

Globe

Medium round globe, fits Lumostar and C206 lanterns 109961



Gas lighters and ignitors

All Turboflame lighters have a flip top safety cap that allows easy one handed operation, with adjustable 1300°C clean burn laser jet flames. They operate in any orientation – even upside down (without bending the flame). They work at altitudes up to 3000m (9,800ft). Piezo ignition (10,000 ignitions). Wind resistant. Lanyard fastening hoop.



Turboflame Pheonix PHB

Additional specification:

- Emergency signal mirror embedded inside the safety cap
- Heavy duty metal alloy body with non-slip rubberised coating
- Size: 7.2 x 3.5 cm
- Weight: 74g
- Fuel capacity 4 ml
- 600 short ignitions
- Working flame height 3/4" (2 cm)

070508B



Turboflame Ranger T2R

- Twin laser jet flames
- Visible gas-level indicator
- Heavy duty metal alloy body with rubberised coating
- Size: 7.4 x 3.3 cm
- Weight 80g
- Fuel capacity 2.7 ml
- 650 short ignitions *(approximate with full tank of recommended gas)
- Working flame height 3/4" (2 cm) 070508C



Turboflame V-Flame VFR2

- Twin laser jet V flames
- Visible gas-level indicator
- Heavy duty metal alloy body with rubberised coating
- Size: 7.6 x 3.8 cm
- Weight 90g
- Fuel capacity 4.5 ml
- 800 short ignitions *(approximate with full tank of recommended gas)
- Working flame height 1½" (3 cm) 070508D



Scripto Aim 'n' Flame flex

Disposable lighter. Ultra flexible nozzle. Easier access to BBQ grills, pilot lights, candles, fireplace and more. Built-in hanger to store, out of reach of children. Visible fuel supply.

Singly or 16 per outer 070471



Scripto Dual Flame

Disposable lighter. Easily interchangeable switch. Standard flame for indoor use. Wind resistant flame for outdoor use. Visible fuel supply.

Singly or 16 per outer 070473



Scripto Ez-Squeeze

Refillable lighter. Innovative ignition system. Eye-catching colours farben. Visible gas level. Adjustable flame. Hanger hook.

Singly or 16 per outer 070475



Scripto Folding Utility

Refillable lighter. Unfolds into full size 29cm lighter. Folds into 14.5cm lighter for easy storage. Lights in multiple positions. Visible fuel supply. Singly or 16 per outer 070474



Gas safety lighter

Long reach flame lighter 12 per outer 070498





Piezo lighter 24 per display 070486



free wipes, plasters, dressings, bandages, gloves, tape, scissors, emergency blanket, safety pins

Contents include: Alcohol-070612



Grove caravan & motorhome first aid kits

- 1 x Guidance leaflet
- 10 x Assorted transparent plasters
- 10 x Children's plasters
- 1 x 20ml Eye/wound wash
- 1 x Triangular bandage 90x90x127cm
- 2 x Safety pins
- 2 x Sterile medium dressing 120x120mm
- 1 x Sterile large dressing 180x180mm
- 10 x Alcohol-free moist wipes
- 1 x Medium powder free vinyl gloves
- 1 x Scissors

U

1 x Plastic tweezers

070605 Box

Pouch 070606



Grove camping first aid pouch 1 x Guidance on first aid leaflet

- 5 x Skin closure strips 75 x 3mm
- 2 x 20ml Eye/wound wash solution
- 1 x Roll-on insect repellent
- 1 x Medium powder free vinyl gloves
- 1 x Microporous tape 1.25cmx10m
- 5 x Sterile gauze swabs 8ply 5cm²
- 3 x Burnshield hydrogel 3.5ml sachet
- 1 x Foil survival blanket 56 x 84"
- 1 x Sterile eye pad dressing
- 1 x Triangular bandage 90x90x127cm & 2 pins
- 1 x Sterile medium dressing 120x120mm
- 1 x Sterile No. 16 Eye pad dressing
- 1 x Resuscitation face shield foil pack
- 4 x Alcohol-free moist wipes
- 1 x Small scissors green handle 4"
- 20 x Assorted transparent plasters 070607

Truma gas fittings





Thetford Stainless Steel Sinks



Basic Line 30

25mm waste outlet, plug, seal and lid included. **Dimensions:** Cut out: Ø390mm. Overall: Ø405 x D145mm Inside bowl: Ø328 x D93mm

091158A



Basic Line 33

25mm waste outlet, plug, seal, 35mm tap hole and lid included. **Dimensions:**

Cut out: 460 x 460mm.

Overall: H140 x W480 x D480 mm Inside bowl: H92 x W455 x D276mm

Left hand Right hand 091155B **091155A** as shown



Basic Line 34

25mm waste outlet, plug, seal, 35mm tap hole and lid included.

Dimensions:

Cut out: 387 x 429mm.

Overall: H140 x W400 x D445 mm Inside bowl: H92 x W338 x D280mm

091158C



Series 23 spun bowl

25mm waste outlet, plug, seal and lid included. **Dimensions:** Cut out: Ø405mm. Overall: Ø460 x D123mm Inside bowl: Ø397 x D123mm

wow

Suitable taps for sinks with lids:

Florenz, Style and Keramik page 107

. Twist page 108

Samba and Trend A page 109

091158B



Argent bowl

19mm waste outlet, plug, seal and lid included.

Dimensions:

Cut out: 335 x 430mm.

Overall: H153 x W360 x D470 mm Inside bowl: H99 x W290 x D368mm

091160B



Argent sink

19mm waste outlet, plug, seal and lid included.

Dimensions:

Cut out: 605 x 415mm.

Overall: H152 x W630 x D470 mm Inside bowl: H99 x W290 x D368mm Left hand **091153S** as shown

Right hand 091152S



Includes plastic bowl, plastic chopping board, plastic drainer and cutlery rack (inc fixings)

Bezel (seal)

By Thetford 2100mm 091159A

091153K



Vehicle bowl

 $12" \times 10\frac{1}{2}"$ Stainless steel with lip. Bowl $9\frac{1}{2}"$ tapering to 7" ø base. Depth 5"050523



Stainless steel sink and drainer 213/4"x 14"

050534



Thetford Hobs



Topline 902

2.3kW induction hob. Auto heat up, individual zone timers, safety "glass hot" indicator, pan detction, power boost, low temperature and pause functions. Touch control. Dimensions:

Cut out: W274 x D482mm Overall: H53 x W305 x D500mm

091129



Topline 981

1.4kW induction and 2.5kW gas hob (1kW and 1.5kW). Auto heat up, pan detction, safety "glass hot" indicator, child safety lock and automatic safety cut-off. 12V ignition on gas.

Dimensions:

Cut out: W480 x D360mm Overall: H100 x W500 x D380mm

091130



Topline 922

3kW (2 x 1.5kW) gas hob. 12V ignition.

Dimensions:

Cut out: W285 x D485mm Overall: H95 x W305 x D500mm

091122



Topline 165

4kW (1.5kW and 2.5kW) gas hob. 12V ignition. Surface mounted, coated steel trim and frame with glass lid. Dimensions:

Cut out: W566 x D349mm Overall: H106 x W576 x D361mm Hinged on long side **091125** Hinged on short side **091126**



Topline 931

5kW (1kW, 1.5kW and 2.5kW) gas hob. 12V ignition.

Dimensions:

Cut out: W740 x D322mm Overall: H95 x W770 x D350mm

091123



9 Series

6kW (4 x 1.5kW) gas hob. 230V ignition.

Dimensions:

Cut out: W490 x D455mm Overall: H125 x W540 x D480mm

091124





Topline 169

5.5kW (2 x 1.5kW and 2.5kW) gas hob. 12V ignition. Surface mounted, coated steel trim and frame with glass lid. Dimensions:

Cut out: W514 x D450mm Overall: H105 x W546 x D482mm

091127



Topline 11:

 $3k\dot{W}$ (2 x 1.5kW) gas hob with sink. Includes tap hole (35mm) and 25mm waste outlet. 12V ignition. Surface mounted, coated steel trim and frame with split glass lid.

Dimensions:

Sink Inside: Ø235 x 140mm Cut out: W888 x D358mm Overall: H195 x W900 x D370mm

091160A



Thetford Hobs



Basic Line 330

4.5kW (3 x 1.5kW) gas hob. 12V ignition.

Dimensions:

Cut out: W453 x D460mm

Overall: H100 x W480 x D480mm Left hand 091146A

Right hand

091147A as illustrated



Basic Line 345

5.5kW (2 x 1.5kW and 2.5kW) gas hob. 12V ignition.

Dimensions:

Cut out: W527 x D429mm Overall: H100 x W540 x D445mm

091149A



Argent hob

5.5kW (2 x 1.5kW and 2.5kW) gas hob. 12V ignition.

Dimensions:


Cut out: W545 x D433mm

Overall: H110 x W570 x D470mm Left hand

091162A

091161A as illustrated Right hand

Thetford Hob & grill



4 burner hob

4 x 1.5kW gas hoplate. W500 x D400 x H88mm

091150



Hotplate

Free standing and portable unit. 4.8kW gas hob (2 x 1.6kW) with grill (1.6kW). Stainless steel lid/cover. Dimensions: H160 x W445 x D345mm

Thetford Ovens / Ovens with grill



420 Oven only

1kW 23L oven. Includes 2 shelves, light and side opening (reversible) door.

12V ignition.

Dimensions: H x W x D mm Overall: 335 x 418 x 440 Build in: 336 x 420 x 580

091171



525 Oven & Grill

1.0kW 23L oven with 1.5kW integrated grill. Comes with grill pan and 1 shelf. 12v ignition. Designed with a top hinge, to be installed above a 525mm wide fridge.

Dimensions: H x W x D mm Overall: 369 x 525 x 480 Build in: 370 x 527 x 516 12V ignition 091169



Duplex Oven & Grill

1.6kW 36L oven with 1.6kW integrated grill. Comes with grill pan and 2 shelves. Peizo ignition. Dimensions: H x W x D mm Overall: 445 x 456 x 490 Build in: 438 x 445 x 490

12V ignition 091172 Piezo ignition 091172P



Thetford Cookers



Minigrill

4 Burner Hob & Grill 4 burner 5.5kW (3 x 1.5kW and 1 x 1kW) hob with 1.6kW 13L grill. Comes with gill pan. 12V ignition. Dimensions: H x W x D mm Overall: 311 x 513 x 500 Build in: 312 x 496 x 490 091172C



Midi Prima MK3 Oven & Grill - 3/4 height

1.6kW 36L oven with 1.5kW 13L grill. Comes with grill pan, 2 shelves and an additional lower door for storage. 12V ignition.

Dimensions: H x W x D Overall: 844 x 444 x 450 Build in: 846 x 445 x 490 091172B



Triplex

3 Burner Hob, Oven & Grill 3 burner 6kW (2 x 1.8kW and 1 x 2.4kW with 1.6kW 36L oven and 1.6kW integrated grill. Comes with grill pan and 2 shelves. Dimensions: H x W x D

Overall: 311 x 513 x 500 Build in: 312 x 496 x 490 12V ignition 091176



Caprice MK3 4 Burner Gas Hob, Oven & Grill -

3/4 height

4 burner 5.5kW (3 x 1.5kW and 1 x 1kW) hob with 1.5kW 36L oven and 1.6kW 13L grill. Comes with grill pan, 2 shelves and lower door for extra storage. 12V ignition. Dimensions: H x W x D mm

Overall: 844 x 513 x 500 Build in: 846 x 496 x 490 091181



Midi Prima MK3 Oven & Grill - 1/2 height

1.6kW 36L oven with 1.5kW 13L grill. Comes with grill pan and 2 shelves. 12V ignition.

Dimensions: H x W x D mm Overall: 644 x 444 x 450 Build in: 646 x 445 x 490

091172A



Caprice MK3 Dual Fuel 3 Burner gas, 1 hotplate Hob, Oven & Grill - 3/4 height

3 burner 4kW (2 x 1.5kW and 1 x 1kW) gas, and a 0.8kW electric hotplate hob with 1.5kW 36L oven and 1.6kW 13L grill. Comes with grill pan, 2 shelves and lower door for extra storage. 12V ignition.

Dimensions: H x W x D mm Overall: 844 x 513 x 500 Build in: 846 x 496 x 490

091189



K1520 4 Burner Gas Hob, Fan Assisted Oven & Grill

4 burner 5.8kW (3 x 1.6kW and 1 x 1kW) gas hob with 2kW 37L oven and 1.8kW 19L grill. Comes with grill pan and 2 shelves. 12V ignition. Dimensions: H x W x D mm Overall: 645 x 515 x 501 Build in: 646 x 496 x 493 **091187C**



Enigma

4 Burner Gas Hob, Oven & Grill

4 burner 5.5kW (3 x 1.5kW and 1 x 1kW) hob with 1.8kW 53L oven and 1.6kW 20L grill. Comes with grill pan, 2 shelves and lower door for extra storage. Enamelled oven and grill. 230V ignition.

Dimensions: H x W x D mm Overall: 760 x 620 x 600 Build in: 750 x 602 x 600

091187A





K1520 Dual Fuel 3 Burner Gas, 1 Hotplate Hob, Fan Assisted Oven & Grill

3 burner 4.2kW (2 x 1.6kW and 1 x 1kW) gas, and a 1kW electric hotplate hob with 2kW 37L oven and 1.8kW 19L grill. Comes with grill pan and 2 shelves. 12V ignition.

Dimensions: H x W x D mm

Overall: 645 x 515 x 501

Build in: 646 x 496 x 493



Cocina

4 Burner Gas Hob, Oven & Grill

4 burner 6.5kW (1 x 2.5kW, 2 x 1.5kW and 1 x 1kW) hob with 1.8kW 56L oven and 2.5kW 25L grill. Comes with grill pan, 2 shelves and lower door for extra storage. 230V ignition. Fan assisted.

Dimensions: H x W x D mm Overall: 766 x 618 x 600 Build in: 766 x 602 x 600 **091187B**



Aspire MK1 Dual Fuel 3 Burner gas, 1 hotplate Hob, Oven & Grill

3 burner 4kW (2 x 1.5kW and 1 x 1kW) gas, and a 0.8kW electric hotplate hob with 1.5kW 37L oven and 1.6kW 16L grill. Comes with grill pan and 2 shelves. 12V ignition.

Dimensions: H x W x D mm
Overall: 677 x 517 x 535
Build in: 670 x 503 x 530

091188B

Oven shelves



Universal oven shelf

- Adjustable shelf
- Suitable for most ovens and fridges
- Width Min 350mm, max 560mm
- Depth 320mm

6 per outer

091190A



Stoves oven shelf Width 355mm x depth 308mm **091193**

Dometic cooking

WOW For a choice of taps to fit Thetford and Dometic sinks with fold down lids try the Reich Samba tap range shown on page 109.



Smev 9222 2 burner combi

Supplied with hole for optional tap (39mm), siphon and seal.

- Peizo ignition
- Power rating Output 1x1kw, 1x1.8kw
- Gas consumption 204g/h
- Gas supply pressure 30 mbar
- 2 burners
- W900 x D370 x H152mm
- Built in dimensions W793 x D307mm
- Weight 5.8 Kg

091223 Right hand sink Left hand sink 091224



Smev VA936 sink & drainer With AC 540 siphon and rubber seal. W590 x D370 x 125Hmm 091236



Compact oven 600W

650w 9L compact oven 100°c - 200°c Temperature control 60 minute timer with automatic shut off and alarm bell. Double heat resistant tempered glass door. Includes aluminium baking tray, chrome wire rack and handle for rack/tray 091107

Smev 8322 2 burner combi

Supplied with hole for optional tap (39mm), AC 540 siphon and seal.

- 12v DC (electric ignition)
- Power rating 2.8kw (2 burner) 3.8kw (3 burner)
- Gas consumption 204 g/h (2 burner) 227 g/h (3 burner)
- Gas supply pressure 30 mbar
 Overall W680 x D440 x H142mm Built in dimensions W666 x D426mm
- Weight 5.6 Kg

091225



Smev 8063 hob & lid

- 12v DC ignition
- Output 4.6kw
- Gas consumption 335 g/h
- Gas supply pressure 30 mbar
- 3 burners
- W560mm x D440mm

091219



Smev 8005 sink & lid

Integrated heat-resistant safety glass, no tap hole, AC 540 siphon, rubber seal. W420 x D370 x H145mm 091234



Voltage 12v DC (electric ignition)

- Oven output 1.2kw
- Gas consumption oven 87g/h
- Grill output 1.6kw
- Gas consumption grill 116g/h
- Gas supply pressure. 30 mbar
- Total output 2.3kw
- Total consumption 203 g/h
- Oven capacity 30L
- Stainless steel
- Thermostatically controlled
- Interior lamp
- Overall: W530 x D415 x H430mm
- Built in: W500 x D460 x H410mm
- Weight 19.5 Kg

091203




Smev 20 litre mini oven & grill **FO211GT**


- Same specification as 30 litre
- Oven capacity 20L
- Overall: W530 x D410 x H310mm
- Built in: W504 x D460 x H283mm
- Weight 13.2 Kg 091200



Combination water and space heaters







* Minimum installation dimensions.

WOW When buying a Combi, you must choose either a 4kW (2 heat settings) version or a 6kW (3 heat settings) version and whether it has the option for electric heating. You must then purchase separately a flue kit and any necessary warm air distribution ducting (See P161-162)

Truma Combi 4E, Combi 6 (E)

Heat air and water with 98% efficiency.

The Combi family hallmark is its incredible flexibility. Be it heating operation without water, or water heating without heating, you can enjoy double comfort with just one unit with the Truma Combi. All of the energy types are available – always with maximum efficiency and all of the technical advantages for your wellbeing. You are therefore not only looking after the battery, but also your wallet.

- Constant comfortable temperature
- Optimum warm air distribution through 4 warm air outlets
- Short water heating time, but no need to cut your shower short enjoy!
- Durable stainless steel water tank
- The most lightweight and compact combination heater
- Interior installation
- Comes with FrostControl, the current-free safety drain valve with frost monitoring
- 10 litre capacity
- High heat output of 4000 W (Combi 4) or 6000 W (Combi 6)
- With integrated 1800 W heating elements
- Combined gas/electrical operation possible on 4E and 6E
- Straightforward connection to the existing gas system
- Environmentally friendly and maintenance-free
- Boiler heating time in accordance with EN 15033: approx. 20 min
- Extremely low power consumption: on average approx. 1.2 A, 0.2–5.6 A (12 V), 3.9–7.8 A (230 V - 4E and 6E)
- Low gas consumption: 160-320 g/h (Combi 4), 160-480 g/h (Combi 6), 80 g/h at 1000 W of heat output on average Heater (excluding exhaust duct) comes complete with room thermostat, control panel with 3 m cable, mounting parts, current-free frost control safety/drain valve and elbow fittings for 10 mm Ø water hoses. Models with water connections for semi-rigid piping (John

Guest System) available on request.
Combi 4E 833710
Combi 6 833800

Combi 6E **833812** with John Guest fittings



Optional Elbow

For use with all models. Attaches directly to the outlet to redirect airflow. 834090A



Wall cowl Kit

Includes exhaust duct, air supply duct, clips and cowl

Cream **834111K**



Roof cowl Kit

Includes exhaust duct, air supply duct, clips and cowl

834122

WOW Combi 4E OEM kits are available to manufacturers only and are held in stock. Now including diesel only version. Please speak to your sales contact for more details



Storage water heaters



truma

Truma Electroboiler 14 L

Electric 14 litre capacity boiler using innovative insulation which maintains the temperature of the hot water for longer periods of time making it extremely energy efficient.

- With control panel, 2.5m connecting cable and safety drain valve
- Minimal heat loss (approx 1.1°C per hour) due to EPP foam insulation
- Short heating time from 15°C to 70°C in just 70 minutes
- 230v power supply
- 850w heating element (230v / 3.7A)
- Water pressure of up to 2.8bar
- Weight 3.0kg
- 40.5cm wide, 29.5cm in height
- Max water temp 70°C

871200



10L Electric Storage Heater

- The inner tank is made of enameled steel plate - tough, strong, resistant to corrosion and water scale, giving a long life.
- Ultra thick, non-CFC Polyurethane foam insulation
- Super compact design, novel and luxurious appearance, easy to mount
- Thermostatically controlled
- Multiple protection devices against, over temperature, over pressure and electricity-leakage.
- Choice of pipe connections and comes fitted with 3 pin plug for fast and easy installation.
- Dimensions H260 x W520 xD260mm

Voltage: 220V 900W Power: Frequency: 50-60HZ 4.1A Current:

0.8MPa (116psi) Max Pressure: Min Pressure: 0.05MPa (7psi) Temperature: 75°C

250V, 16A >90% Efficiency: Capacity: 10 liters

070754

Socket:

Truma Ultrastore

- Stainless steel water tank
- Space saving 10 litre tank only measuring 26cm in height
- Powerful 1.5kw gas burner
- Heating up time 35 minutes
- Reduces to 20 minutes with the gas and electric version
- Closed combustion system with wall
- Easy to operate temperature selection approximately 30°C - 70°C
- Low battery load 12v ignition 0.17A - heating up 0.08A - stand-by
- Suitable for all submersible and pressure pumps up to 2.8 bar Supplied with fittings for John Guest

Rapid GE Gas and electric (450w) 10 litre complete with control panel 871552

WOW Ultrastore OEM kits are available to manufacturers only and are held in stock. Please ask your sales contact for more details





Malaga 5E

- Capacity 13.5 litre
- Efficient gas burner for faster warm
- 750W element use on its own or with the gas burner for speed
- Small flue terminal neat appearance outside the van
- Safe combustion products are completely sealed from the caravan interior
- Easy to fit and service
- Electronic control
- Resettable cut out
- Dimensions H250 x W325 xD445mm

070741



Truma Therme TT-2

The proven Truma Therme warms water up using heat from the heating system - a warm air duct runs directly through the device. The Therme also features an electric heating element (300w) so water can be warmed up even if you do not have the heating

- Heating time (electrical operation) from approximately 15°C to approximately 60°C - 50minutes
- Power supply 230v 50Hz
- Power consumption 1.3Amp (300w)
- Temperature limit 65°C
- W220 xD370 x H230mm
- Water capacity 5 litres
- Operating pressure (max) 1.2bar
- Weight 2Kg

842012

Therme spare parts

Water container 801500 Heating element 814200 Drain valve 800400 Control panel 819900



Kronings RVS Water boiler

Replacement water container for the Truma Therme in stainless steel manufactured by Kronings. Reduces the risk of frost damage. 6 litre tank capacity. Easy and simple to replace existing tank 15 to 20 minutes. No plastic taste in water. Fit in original mounting caps and hoses 070766



Cascade/Malaga adaptor plate 070742



Malaga flue terminal 070736 **Products**

Forcali water heaters







070691 **Roof Flue Kit** For 6 litre For 10 litre







070694

Forcali LPG 6 (FWH-6A-GLP) and 10 (FWH-10A-GLP) litre water heaters operate without a pilot light offering high performance and safety at a to fit the stand off brackets supplied to bring the flue in line. With the

size unthinkable until now. To replace an older style model you will need advantages and safety of no permanent flame, the heaters have lower gas consumption and far higher water temperature.

	FORCALI 6	FORCALI 10	
Combustion Type	Atmospheric	Atmospheric	
Ignition	3v (2 x LR20)	3v (2 x LR20)	
Water Flow rate	6 litres / min	10 litres / min	
Useful Power	12 kW	20 kW	
Flue size	90mm ø	110mm ø	
Connections	1/2"	1/2"	
Energy Efficiency Rating	А	А	
Dimensions (mm)	440 x 300 x 160	550 x 330 x 205	
Weight	4.3kg	10.2kg	
Part Number	070690	070692	

Forcali FS-12S-GLP is a room sealed water heater with electronic ignition. It is a state of the art modern appliance that can operate at extreemly low water pressure and flow rates. It uses a mere 35 Watts maximum, and can be installed using an industry standard horizontal flue.

	FORCALI 12
Combustion Type	Room sealed
Ignition	220v
Water Flow rate	12 litres / min
Useful Power	24 kW
Flue size	60/100mm ø co axial
Connections	1/2"
Energy Efficiency Rating	А
Dimensions (mm)	515 x 325 x 167
Weight	12kg
Part Number	070694

Morco water heaters



The new Morco Primo water heaters are direct replacements for the D61B, D61E and G11E. The flue diameter is the same, so if you are replacing a D61 or

G11 you can use the existing flue.

They are piezo ignition and are not available with an electronic ignition.

The Primo 6 replaces the D61 The primo 11 replaces the G11E

The MPFK fitting/conversion kit will be required in order to fit the water heater in all circumstances and is NOT INCLUDED with the heater.



070704



070708



Morco Primo Fitting Kit This kit is required for all Morco Primo water heater installations. It contains a 15mm gas isolation valve. 070704FIX

	MORCO PRIMO 6	MORCO PRIMO 11	
Combustion Type	Atmospheric	Atmospheric	
Ignition	Piezo	piezo	
Water Flow rate	6 litres / min	11 litres / min	
Nominal Power	10.1 kW	19 kW	
Flue size	90mm ø	110mm ø	
Connections	1/2"	1/2"	
Energy Efficiency Rating	А	В	
Dimensions (mm)	550 x 256 x 245	592 x 314 x 245	
Weight	8kg	10.6kg	
Part Number	070704	070708	



Flue cowl Primo 6 070728 Primo 11 070710



Flue Pipe 070730



Blown air space heaters



Ducting 60mm per metre Outlet (no reducer) Reducer 090018 090019 090017





Propex heatsource

Comes with control panel, wiring loom, 3/4 meter exhaust/inlet flue, one meter of ducting, hose clips, fasteners and one air outlet.

- The smallest of this type of heater on the market.
- One of the quietest combustion heaters in production
- Designed for reliable, maintenance-free operation
- Fast warm-up time
- Airflow sensing detects blocked or restricted flue pipes
- Self-diagnostic fault finding

k<u>roning</u>s



Fans and air distribution

Trumavent fans

For use with Trumatic S heaters. Circulates hot air throughout the vehicle.

- In all Trumavent fans a flap enables you to individually regulate the air output between the two warm air outlets to suit the room division
- On the TEB-2 / 3 with automatic speed control the air output adjusts to the respective thermal output
- High air flow rate of over 200,000l/h





TEB 3 / TN 3

Multi-vent

	TEB 3	TEB 3	TN-3	Multivent
Power Supply	12v	12v	230v	12v
For use with	S3004	S3004	S5004	S2200 / Extractor
Control	Case control	Wall control	Wall control	
Part no.	841241	841242	841251	841140

Blown air heaters

*Gas and current consumption is calculated on a 'continuous running' basis

Model	Heatsource 2000	Heatsource 2800	
Average gas consumption	128g/hr	225g/hr	
Heat Input	2kw	3kw	
Heat Output	1.8kw	2.8kw	
Voltage	12v or 24v	12v or 24v	
Current consumption	1.2A	1.9A	
Air throughput	50 C.F.M.	85 C.F.M.	
Dimensions (mm)	312 x 168 x 95	415 x 210 x 120	
Part Number	090016	090028	

HEAT 1500+

Mains electric heating system with 100% thermostatically controlled blower. Ceramic heating elements with 180m³ per hour low volume blower. Temperature range 10°C to 30°C.

- 230v electric heating system
- Fully thermostatically controlled
- Can be combined with the vehicle's original heating system or used as a stand alone system

Dimensions:

Heat 1500+ Heater & control only
Heat 1500+ Fan Protector 090112
Heat 1500+ Y Adaptor 090114
Heat 1500+ Controller 090116



Awning warmer

For guiding the warm air from the existing caravan heater directly into the awning.

Contents:

- Warm air outlet with cover
- 1 metre of ducting
- 65mm diameter straight connector
- T-pipe TS and duct shut-off SP2

White **840365**



Radiant heaters



WOW Please order the heater and front casing separately.



Titanium Grey (aka Titan Grey)



Pearl Grey

Trumatic S3004 gas heaterDesigned for use in average sized caravans

- Automatic ignition
- Thermostat and installation box as standard
- Choice of colour on casing
- Uniform heat distribution with the addition of a Trumavent fan
- Exhaust duct via the roof
- Thermal output 3.5kW
- Gas consumption 30 280 g/h S3004 gas heater with auto ignition

831380 Front case Titanium grey **830060TG**

Front case Pearl grey **830060PG**

Trumatic S5004 gas heater

For large caravans and motor homes

- With automatic ignitor
- Exhaust duct via the roof
- Thermostat and installation box as standard
- Even heat distribution and full utilisation of the high heating capacity with the addition of a Trumavent fan
- Thermal output 6kW, gas consumption 60 - 480 g/h S5004 heater

831570

Front case Titanium grey **830070TG**

Front case Pearl grey **830070PG**



Roof flue kit For S3004 and S3002 (3m duct) **830330**





Trumatic S2200 gas heater

With 1850 watts of power, this compact heater is the ideal solution for heating a small caravan quickly.

- Gas consumption: 50-170 g/h
- Auto ignitor or piezo ignitor

 S2200 Auto Left hand
 831111

 S2200 Auto Right hand
 831111R

 S2200 Piezo Left hand
 831132

 S2200 Piezo Right hand
 831132R

 Rear panel for left hand installation
 830190

Rear panel for right hand installation **830191**



Wall flue kit Long for S2200 830322



55mm Stainless Ducting

Priced by the metre sold in 20m rolls **801536**



65mm KR65 Ducting

For use with saphire air conditioning. Priced and sold in 15m rolls **840201**



64mm ZR24 Air supplyPriced and sold by the metre

839421



49mm ZR18 DuctingPriced and sold by the metre

839170



Exhaust duct AA 24, Ø 33 mm Priced and sold by the metre 839420



Ultraheat electric heater

Additional electric heater with thermostat, control panel and 3 metre connecting cable. Installation is between the heat exchanger and installation box

IMPORTANT!! Installation must be carried out by an expert

- Power supply: 230v/50Hz
- Power consumption at power rating

500w: 2.2A 1000w: 4.5A 2000w: 8.5A

Suitable for use with Trumatic S3002, S5002, S3002(P) after July 1981, Trumatic S5002 after April 1998 (with semicircular front design) *and with the new Trumatic S3004 / S5004.* Installation is between the heat exchanger and installation box **830402**



65mm Ducting

Priced by the metre sold in 20m rolls **801288**



70mm Insulation Ducting

To insulate 801288 when ducting passes through the floor of the vehicle. Priced by the metre sold in 10m rolls **801291**



72mm VR Ducting

Priced and sold by the metre **839550**



80mm VR Ducting

For use with Varioneat / E2400 Priced and sold by the metre

839580



35mm Perforated DuctingPriced and sold by the metre **840320**

Truma warm air distribution

Suitable for all warm air distributing heaters





Air Outlet With throttle. Other colours available to order Grey **801321** Black **801323**



Lamellar insert 872102 Beige 872101 Grey



Back nut Use with end air and swivel outlets 801325



Swivel Air Outlet SCW2 Comes with adapters for various ducting Beige **839972** Black **839971**



Straight 840160



Elbow 876400



T-Piece 801328



T-Piece Outlet Use with end outlet 840151



Branch T AT 840130



Corner air outlet Grey Ø 35 mm 803101



Blank cover 801335



Y piece 80mm to 2 x 65/72mm 839610



Elbow combi 834090A



Reducer RZ 72/65 to 49mm 881300



Clamp ZRS Ø 80 mm 839590



Duct clip Ø 35 mm 840330

Truma Spare Parts Kits

WOW Some spare parts from Truma are now available only as part of a kit.



Combi Heat Exchanger Kit

For all combis Contents: 34020-61000 34020-08800 34020-52900 34020-55000 34020-60000 34020-60600 34020-24000 861101K

Heat exchanger Seal 80 x 2mm Sealing bracket Form seal Screw/nut set Round cord seal set Ducting clips x 3



Combi Water Container Kit

For all combis Contents: 34020-64500 34020-08800 34020-52900 34020-55000 34020-60000 34020-60600 34020-24000 833812K

Replacement tank Seal 80 x 2mm Sealing bracket Form seal Screw/nut set Round cord seal set Ducting clips x 3



Combi Heating Element Kit

For Combi E Contents: 34020-61100 34020-08800 34020-52900 34020-55000 34020-60000 34020-60600

Heating elements Seal 80 x 2mm Sealing bracket Form seal Screw/nut set Round cord seal set 34020-24000 Ducting clips x 3 861100K



Frost Control JG Kit

For all combis with John Guest pipework Contents: 34020-80300 Frost control 2.8bar

John Guest

880300K



Frost Control TB Kit

For all combis with flexible pipework Contents: Frost control 2.8bar

34020-80200

10mm 40060-88500 Hose clamps



Truma Spare Parts Kits



Combi Solenoid Valve Kit

For combis made before 04/13 Contents:

34020-63000 70000-54600 10020-25000 34020-24000 863002K

Solenoid Valve Set coil holders Nut m4 Ducting clips x 3



Combi Solenoid Valve Kit

For combis made from 05/13 Contents:

34020-59000 70000-54600 10020-25000 34020-24000 863001K

Solenoid Valve Set coil holders Nut m4 Ducting clips x 3



Combi Combustion Air Motor Kit

For all combis Contents: 34020-60300 10010-13800

Motor Screws

34020-24000 Ducting clips x 3

860300K



Combi 4/4E Wiring Harness Kit

Contents: 34020-62500 34020-08800 34020-52900 34020-60600 34020-08600

34020-14900

833711K

Combi 4 harness Seal 80 x 2mm Combi sealing kit Round cord seal set Cable bushes Thermostat plate



Combi 6/6E Wiring Harness Kit

Contents: 34020-62400 34020-08800 34020-52900 34020-60600

34020-08600 34020-14900 833811K

Combi 6 harness Seal 80 x 2mm Combi sealing kit Round cord seal set Cable bushes Thermostat plate



Combi Fuse Kit

For all combis Contents: 34010-05900

805900K

Fuse 10AT, H x 10



Combi D Glow Plug Kit

For all deisel combis

Contents: 34020-89400 34030-68800

Glow plug 12v Gasket set

898305K



For combi C3402/4002/6002 Contents:

34000-76500 34000-76300 34000-76400 10030-27000 10030-23600

801334K

Ignition plug left Ignition plug right O ring

Rectification plug

O ring



34020-07100 34020-07300 34020-21600 10010-13800 34020-24000

833814K

Cover combustion air Grill

Cover circulation air Screw

Ducting clip x 3





Combi Ignitor Kit

For all combis Contents: 34020-60200 10010-13800 34020-24000 833815K

Combi ignitor Screws Ducting clips x 3



Combi Seal Kit

For all Combis Contents: 34020-09900 34020-08700 34020-60600 10030-24200 34020-08800 34020-08600 34020-19700 34020-55000 34020-52900 833816K

Leadthrough bushes Seal 79 x 3mm Round cord seal set O-ring 22 x 3mm Seal 80 x 2mm Cable bushes Profiled gasket Form seal Sealing bracket



Truma Spare Parts Kits

Radiant heater spares



S3002 / S3004 30mbar Burner Kit

Contents:	
30090-18600	Burner 30mbar
30090-16900	Thermocouple
30090-22400	Piezo electrode 1m
10010-71300	Screws x 2
30090-22600	Instulation hose
30030-39700	Burner tube 30mba
30030-39900	Pilot burner tube
30010-11900	Union screw x 2
10030-26500	O-ring 52 x 5mm
803202K	-

S3002 50mbar Burner Kit

Contents:
30040-18700
10030-26500
202201K

Burner 50mbar O-ring 52 x 5mm



S3002 Operating Kit

Contents: 30040-13600 30040-40400 30040-60700

Ignitor rod Control knob Knob socket

813600K

Alde Anti-freeze







S3002 Peizo ignitor Kit

Contents:	
30040-62900	Peizo ignitor
30030-85700	Earth spring
800300K	



S3002/S5002 Safety Pilot Valve Kit

33002/3300
Contents:
30050-58000
10030-26500
20000-37600
20000-41100
859700K

Safety pilot valve O-ring 52 x 5mm Manifold valve nut 8mm Brass olive



S3004 Peizo ignitor Kit

Contents:	
30090-18000	Peizo ignitor
30090-14200	Earth spring
212000K	. 3



04 Safety Pilot Valve Kit

S3004/S500 ⁴
Contents:
30090-90800
10030-26500
20000-37600
20000-41100
890800K

Safety pilot valve O-ring 52 x 5mm Manifold valve nut 8mm Brass olive

///Alde[®]

Premium G13 Antifreeze

Premixed and ready to use ethylene glycol antifreeze, specially formulated for Alde heating systems and containing silicated OAT. VAG G13 Spec. Protects to -37°C, with 5 year corrosion protection

Alde G13

899600 1L 12 per outer 899602 25L

G13 concentrate (alternative brand) Dilute with 2 parts water to 1 part concentrate for protection to -20°C

1L 12 per outer 899600A 899602A



Alde servicing equipment



Service Pump with 5m Hose 1900-811

The Alde service pump is an unbeatable aid for filling Alde heating systems. The unit allows the operator to quickly fill and remove air from even the largest heating system in minutes. It is an essential tool for service centres and dealers working with Alde systems, as it also allows for quick and easy replacement of the glycol fluid. Not for use with bottom-filled systems.

899610



Expansion Tank Wall

Expansion tank including wallmounting, mounting nuts for circulation pump and drainage hose. Reversible for adaptation to the heating system's pipes.

• Width: 180 mm

• Height: 231 mm incl caps and connecting pipe

• Depth: 75 mm Volume: 1.5 litre Connection: Ø 22 mm

899625



3010 Compact PCB

Circuit board with ignition transformer 2kW 899640 3kW 899642

12V Circulation pump and plug 2928-420

Circulation pump 12 V for installation in the expansion tank 3000 420 and 3000 495. Plug.

Power consumption 0.2A. 899622



12V In-line Circulation pump 3010-522

Circulation pump for mounting on Compact 3010 or 3020. Five speed with adjustable dial on motor.

- Power consumption 12 Volt: 0.25 -1.6 A.
- Ø 22 mm connection.

899620



Clear Braided hose

For fluid change. Priced by the meter, sold in 6 metre lengths. 899604



Straight 22-16mm

Hose reduction $16 > 21.4 \times 4.25 \text{ mm}$. EPDM. Can be used for replacing glycol fluid with 1900-811 and 1900-839 Alde service pump 899608



Elbow 22-19mm

Rubber elbow 90° with reduction 19 > 21.4 x 4.25 mm. EPDM. Can be used for replacing glycol fluid with 1900-811 and 1900-839 Alde service pump. With mounted band clips

899606



Mobile heating

WARNING USE GAS CABINET HEATERS IN WELL VENTILATED AREAS ONLY





Mini Radiant heater

- Piezo ignition model
- Infrared, fast heating, energy saving
- Flame failure protection device
- 3 ceramic plates
- Three power setting, power settings from 1.3kW To 4.1kW
- Castors for easy moving
- Space for gas cylinder up to 7kgFoldaway base plate
- Gas hose and butane clip-on regulator supplied
- Dimensions H 57 x 38 x 39 cm

Black 090088B Red 090088R



Radiant heater black

- 4.2 kW of heat output (1.4kW per plaque)
- Full anti-tilt safety device
- Consumption 100g/h per plaque
- Fully CE approved BS EN449:2002
- Easy rolling swivel castors
- Gas hose and butane clip-on regulator supplied
- Suits up to 15kg gas cylindersW403x D367 x H625mm
- Weight 6.8kg

090085



Oscillating halogen heater

- Instant heat
- Voltage 230v 50Hz
- On/off oscillating facility
 3 heat levels 400/800/1200w
 Safety cut off feature
- Thermofuse cut off

Singly or 6 per outer

090066



Quartz heater

- Instant heat
- Safety cut off feature
- 2 heat settings 400/800w
 Voltage 230v 50Hz
- Easily cleaned
- Simple controls
- Carry handle

090065



Frost watcher 500w

- 230v heater
- Ideal for caravans to protect against frost over winter
- Thermostatic control
- H 230 x W 250 x D 105mm

Singly or 6 per outer

090069



Mini radiator 500W

- 5 Fins
- 500W
- Easy to assemble
- Portable with a carry handle.
- 1.2m cable length.

090093



Mini radiator 850W

- 7 Fins
- 850W heat output
- Thermostatically controlled 090092



Mini radiator 1kW

- 9 fin
- 1kW heat output
- Thermostatically controlled
- Dimensions: 43 x 41 x 13cm
- Weight: 4.5kg


090094




Cooking spares

THETFORD COOKING THETFORD COOKING O91002 Caprice knob set Satin (6) O91004A Caprice/Triplex knob set Satin (6) Triplex/Cara knob set Black (6) Thermocouple kit Thermocouple kit Thetford hob (4)































THETF RD N4000 series refrigeration

The next generation of absorption refrigerators

WOW A comprehensive range, Thetford fridges are supplied with a left hand hinge but can be easily changed to right hand (kit included). Framed doors come with a panel supplied. Frameless are solid black. With power cables and 8mm gas inlet tube at the rear base of the refrigerator.



New interior designs

New door bins and vegetable bins for N4080-N4112

New interior for N4145-N4175

Ice grey door bins and slide-out box for N4141 & N4142












New displays

2 versions available, "E+" with blue LED controls and "A" with LCD touchscreen controls.

Both versions now have automatic energy source selection.



2 way or 3 way installation


A solution for caravans where 12v is not provided by the car or the power is too low and it is not desired to offer a 12v function.

The switch is done during installation, by a cable bridge between the low current +12v and the low current earth via two resistors.



Improved 230V performance

230V supply is not always stable on all campsites, the cabinet temperature is currently dependent on the input voltage. Now the cabinet temperature is independent of the input voltage. High performance from 205V to 250V.



Caravanning Industry- databus (CI-BUS) compatible

With open source programing, it is possible to select, on/off, power source and cabinet temperature from the central display of the vehicle.






N4080 Flat Door 486mm Width



N4090 / N4100 / N4108 Flat Door 525mm Width



N4097 / N4104 / N4112 Curved Door 525mm Width



MODEL	N4080E+	N4090E+	N4090A	N4097E+ N4097A		97A
Gross capacity Of which Freezer	81 litre 10 litre	89 litre 11 litre		96 litre 11 litre		
Consumption Gas	2.4 kWh/24h 240 g/24h	2.6 kWh/24h 270 g/24h		2.6 kWh/24h 270 g/24h		
Wheel arch model	Yes	Yes		Yes		
Display	LED	LED	LCD	LED LCD		CD
Door	Flat	Flat		Curved Curved Frameless		Curved Frameless
Part Number	089068	089068B	089068A	089068F	089068D	089068E

MODEL	N4100E+	N4100A	N4104E+	N41	04A
Gross capacity Of which Freezer	97 litre 11 litre		105 litre 11 litre		
Consumption Gas	2.8 kWh/24h 330 g/24h		2.8 kWh/24h 330 g/24h		
Wheel arch model	No		No		
Display	LED	LCD	LED	LCD	
Door	Flat		Curved		Curved Frameless
Part Number	089071	By request	089072C	089072A	089072B

MODEL	N4108E+	N4108A	N4112E+	N4112E+ N4112A	
Gross capacity Of which Freezer	106 litre 14 litre		113 litre 11 litre		
Consumption Gas	2.6 kWh/24h 270 g/24h		2.6 kWh/24h 270 g/24h		
Wheel arch model	Yes		Yes		
Display	LED	LCD	LED LCD		CD
Door	Flat		Curved		Curved Frameless
Part Number	089072E	089072D	089069В	089069A	089069



MODEL	N4145E+	N4145A	N4150E+	50E+ N4150A	
Gross capacity Of which Freezer	141 litre 23 litre		149 litre 25 litre		
Consumption Gas	4 kWh/24h 420 g/24h		4 kWh/24h 420 g/24h		
Wheel arch model	No		No		
Display	LED	LCD	LED LCD		CD
Door	Flat		Curved		Curved Frameless
Part Number	089073A	089073	089073D	089073B	089073C

MODEL	N4170E+	N4170A	N4175E+	N4175A	
Gross capacity Of which Freezer	167 litre 29 litre		175 litre 31 litre		
Consumption Gas	4 kWh/24h 420 g/24h		4 kWh/24h 420 g/24h		
Wheel arch model	No		No		
Display	LED	LCD	LED	LCD	
Door	Flat		Curved		Curved Frameless
Part Number	089073F	089073E	By request	089073G	089073H




Slimline refrigerators **THETF**










N4142E+ With internal bottle drawer



MODEL N4141E+ N4142E+ 141 litre **Gross capacity** 142 litre Of which Freezer 15 litre 15 litre 3.9 kWh/24h Consumption Gas 400 g/24h 418 x 1500 x 561 Dim: WxHxD (mm) Wheel arch model No LED **Display** Door Flat Framed **Part Number** 089072F 089072G

The N4140 series is unique in the range. Big in volume, small in size.

The refrigerators are only 418mm wide, compared to the standard 525mm, yet they still have a large 140 litre capacity including a 15 litre freezer compartment.

They have a user friendly automatic power source selection with an LED control panel. Available as two models, the N3141 (with external drawer) and the N3142 (with internal drawer).

Both models have a unique slide out drawer and of course a perfect cooling performance.

Thetford vents



Fridge vent white 186 x 483 089074



Fridge vent cream 186 x 483 089075

Winter cover cream

186 x 483 (vent size)



Fridge vent black 186 x 483 089076



SR vent screen 089077D



Winter cover pure white 186 x 483 (vent size) 089097



SR vent large 281 x 523 White 089077A



SR winter cover large 281 x 523 (vent size) 089077C White



Winter cover Fiat Bianco 186 x 483 (vent size) 089100



SR vent 257 x 432 Pure white White



089077E 089077F



SR vent lock clip 089077B



SR winter cover 257 x 432 (vent size) White 089077



 \simeq

Thetford 230v Fridge Elements



Thetford 230V 140W
To 01/07/05

N80/N90/N97/N98/N100/N104/N108/ N109/N110/N112/N115 **089231**



Thetford 230V 153W

089328

From 12/05/09 LCD N90/N97/N100/N104/N112 and N3080/N3090/N3097/N3100/N3104/ N3108/N3112/N3115



Thetford 230V 140W

01/07/05 to 14/05/09 N80/N90/N97/N98/N100/N104/N108/ N109/N110/N112/N115 **089232**



Thetford 230V 200W N145LED from 17/01/05 **089255**



Thetford 230V 140W

To 12/05/09 LCD N90/N97/N100/N104/N109/N112 **089230**



Thetford 230V 200W To 28/05/09 LCD N145/N150/N175/N180

089229



Thetford 230V 153W

From 14/05/09 N80/N90/N97/N98/N100/N104/N108/ N109/N110/N112/N115 **089257**



Thetford 230V 220W

From 28/05/09 LCD N145/N150/N175 (was **200W**) and N3145/N3150/N3175/N3180 **089242**

Thetford 12v Fridge Elements



Thetford 12V 140W

To 14/05/09 N80/N90/N97/N98/N100/N104/N108/ N109/N110/N112/N115 **089233**



Thetford 12V 190W

From 14/05/09 N80/N90/N97/N98/N100/N104/N108/ N109/N110/N112/N115/N145/N150/ N175

and

N3080/N3090/N3097/N3100/N3104/ N3108/N3112/N3115

089326

089324



Thetford 12V 147W

To 05/12/07 LCD N145/N150/N175/N180 **089234**



Thetford 12V 140W

To 12/05/09 LCD N90/N97/N100/N104/N109/N112 **089235**



Thetford 12V 140W

From 12/05/09 LCD (was **153W**) N90/N97/N100/N104/N112 and

N3080/N3090/N3097/N3100/N3104/ N3108/N3112/N3115





Thetford 12V 200W

From 17/01/05 N145 LED **089256**

12 V Compressor refrigerator



The T1090 has a strong but quiet (32dB) 12V compressor, resulting in a powerful performance. Integrated ventilation means outside vents are not required.

The unique shape follows the contours of the vehicle resulting in the best use of space and a comfortable 90 litre volume.

Efficient use of power means more freedom with less need to visit a pitch or campsite.





WOW Designed specifically for the campervan, the unique shape allows it to fit at eye level making maximum use of the limited space!

MODEL	T1090
Gross capacity Of which Freezer	90 litre 6.5 litre
Consumption Night mode	0.45 kWh/24h 0.35 kWh/24h
Dim: WxHxD (mm)	418 x 975 x 485
Wheel arch model	No
Display	LED
Door	Flat Framed
Days power on a 95Ah battery Night mode	3.0 4.0
Part number LOW HANDLE	089068C
Part number HIGH HANDLE	089068CH

12 V Compressor slimline refrigerator


The T1152 has the same enclosure dimensions as the N4142 but has more volume and less weight, respectively 152L instead of 142L and 34 kg instead of 37 kg.

The T1152 compressor fridge has a powerful and strong 12V compressor. The fridge is rated as tropical climate class, which means it is suitable for use in ambient temperatures of +16°C to +43°C. Of course, there are different aspects that can influence the performance. One of them is the installation. The small feet at the bottom, and the distance holders at the back, ensure a good installation, and provides the necessary integrated ventilation flow.

MODEL	T1152
Gross capacity Of which Freezer	152 litre 18 litre
Consumption Night mode	0.5 kWh/24h 0.4 kWh/24h
Dim: WxHxD (mm)	418 x 1500 x 561
Wheel arch model	No
Display	LED
Door	Flat Framed
Days power on a 95Ah battery Night mode	2.5 3
Part Number	089067A











Indel B Compressor fridges

Indel B was founded in 1967 with the aim of producing direct current portable refrigerators. Today Indel B is globally known, it has production facilities in Italy and China and it covers all continents with its sales network.



Its continuous investments in research and development, the ability to anticipate and understand the needs of its customers, the compliance with the highest quality standards, made the most important Heavy Commercial Vehicles manufacturers, such as Scania, Iveco, Renault, Volvo, Kenworth, Peterbilt, Irizar, Irisbus, choose Indel B as their sole supplier for in-cab refrigerators. Indel B is Secop's (Formerly Danfoss) long standing partner, all Cruise fridges use a Secop compressor.



MODEL	Cruise 49	
Gross capacity inc. freezer	49 litre	
Consumption	0.278 kWh/24h	
Dim: WxHxD (mm)	380 x 530 x 495	
Wheel arch model	No	
Weight	16.6kg	
Part number	087075	

The Cruise 49 holds bottles in vertical and horizontal positions. The fan-cooled compressor unit is integrated on the upper part of the refrigerator. Installation frame, adjustable thermostat and inner light are all standard features. The position of the shelves can be adapted to the size of the stored items.



MODEL	Cruise 65
Gross capacity inc. freezer	65 litre
Consumption	0.288 kWh/24h
Dim: WxHxD (mm)	450 x 530 x 515
Wheel arch model	No
Weight	18.2kg
Part number	087076

The Cruise 65 is a medium-sized refrigerator with a rational design of the inner cabinet so that the capacity can be fully exploited. Half-litre bottles can be stored either on the shelves or in the lower door balcony. The fan-cooled compressor unit is integrated on the upper part of the refrigerator. Installation frame, adjustable thermostat and inner light are all standard features. The position of the shelves can be adapted to the size of the stored items.



MODEL	Cruise 85
Gross capacity inc. freezer	85 litre
Consumption	0.386 kWh/24h
Dim: WxHxD (mm)	475 x 635 x 545
Wheel arch model	No
Weight	20.8kg
Part number	087077

The Cruise 85 is a full counter height mediumsized refrigerator with a rational design of the inner cabinet so that the capacity can be fully exploited. Half-litre bottles can be stored either on the shelves or in the lower door balcony. The fan-cooled compressor unit is integrated on the upper part of the refrigerator. Adjustable thermostat and inner light are all standard features. The position of the shelves can be adapted to the size of the stored items.



Absorption refrigerators **>> DOMETIC**

WOW Many more models available on request please speak to your sales contact for details.



RF60

High performance cooling. Not designed for permanent installation this 12V, 230V and gas model is ideal for use in well ventilated areas where permanent installation is impractical. MUST BE WELL VENTILATED! CANNOT BE USED IN ENCLOSED AREAS!



RM5310

Under counter model with user friendly control panel and separate freezer compartment. **087995**



RM5330

Wheel arch cut out model with user-friendly control panel and separate freezer compartment. **087996**



RMS8401

8-series with wheel arch cut out Left hand hinge **088007**

Left hand hinge **088007**Right hand hinge **088009**

088046




RMD 10 Series



TFT control panelIntuitive control of cooling temperature, energy source and comfort features



Two-point locking system Fitted on each side of the fridge door for safe and secure usage



Veg-fresh crisperWith adjustable humidity and a lid that serves as an extra storage shelf



LED light barFor uniform, energy-saving illumination of the refrigerator compartment

- Double-hinged door opens left and right without the need to change the hinge
 Best-in-class cooling performance –
- Best-in-class cooling performance tested and proven in the Australian outback
- Standard-depth cabinet with two separate doors for fridge and freezer
- Ease of use with intuitive TFT softtouch controls recessed into the door
- Elegant aluminium door handles extending over the complete fridge height
- Two-point locking mechanism on either side for increased safety
- Flat door with customisable decor panel and variable thickness (1.2-3mm)

RMD 10.5T 088010 RMD 10.5XT 088011



Versatile interior

Innovative concept makes the best and most flexible use of the available space



Caravanning Industry- databus (CI-BUS) compatible

Operate with absolute convenience via the central control panel.



ABSORPTION MODELS	RF60	RM5310	RM5330	RMS8401	RMD10.5T	RMD10.5XT
Grove part number	088046	087995	087996	LH 088007 RH 088009	088010	088011
Ignition system	12v battery	Battery	Battery	MES	AES	AES
Gross capacity (L)	Approx. 60	60	70	80	153	177
Freezer compartment (L)	-	5	5	8*	29	35
Input rating 230V (Watts) 12V (Watts)	110 110	125 120	125 120	125 120	250 170	250 170
Consumption /24h 230V (kW/h) 12V (kW/h) Gas (g)	1.9 1.9 325 / 375	2.5 2.5 270	2.5 2.5 270	2 to 2.2 2 to 2.2 250 to 270	4.4 4.4 580	4.4 4.4 580
Dimensions (W x H x D mm)	486 x 615 x 490	486 x 618 x 474	486 x 821 x 474	486 x 821 x 569	523 x 1245 x 550	523 x 1245 x 605
Stepped model to allow installation over a wheel arch	Not designed for installation	No	Yes	Yes	No	No
Weight	26	20	22	25	40	41.5
*These models have removable freezer compartments to allow increased refrigerator volume. In doing so the gross volume is increased by 5 litres						

Compressor refrigerators >> DOMETIC

RC 10 series

This elegant 10-series compressor refrigerator is ideal for installation in panel vans, boats, or anywhere ventilation presents a challenge. The versatile and spacious interior, including a removable freezer compartment, offers convenient storage options. On top of all that, its cooling power is the best-in-class!

COMPRESSOR MODELS	RC10.4.70	RC10.4.90
Right hand hinge Left hand hinge	087078R 087078L	087079R 087079L
Gross capacity (L)	69	90
Freezer compartment (L)		
Input voltage	12/24	12/24
Input power Watts 12V 24V		
Dimensions (W x H x D mm)	420 x 821 x 450	420 x 975 x 485
Refrigerant	R134a	R134a
Weight	22	25







Two-point locking system Fitted on each side of the fridge door for safe and secure usage



Versatile interior Innovative concept makes the best and most flexible use of the available space



LED light bar For uniform, energy-saving illumination of the refrigerator compartment

WOW Dometic compressor fridges have maximum storage flexibility thanks to patented removable freezer compartment





CR range of compressor refrigerators DOMETIC

Premium built-in refrigerator in stainless steel finish for motor homes, caravans, yachts and boats. Interior light. Double lock door with magnetic seal. CRP40 has a detachable cooling unit (saving 182mm depth when installed separately)



CRP40

Ideal where depth of installation is an issue, this compressor refrigerator has a cooling unit that can be installed separately 087090



CRX50

Compact model compressor refrigerator, ideal for small campervans and conversions 087091

Optional flush mounting frame 088049



CRX80

Under counter model compressor refrigerator 087095

COMPRESSOR MODELS	CRP40	CRX50	CRX80
Grove part number	087090	087091	087095
Gross capacity (L)	39	48	80
Includes freezer compartment of (L)	5.3	5	7.9
Energy supply	12/24V	12/24V	12/24V
Average power consumption (Watts)	40	40	48
Consumption (Ah/h) at +25°C +32°C with interior temperature at +5°C	0.77 1.77	1.4 1.7	1.8 2.1
Weight	18	19	23
Optional flush mounting frame	088049	088049	N/A
Dimensions (W x H x D mm)	380 x 536 x 310 (+182)	380 x 534 x 500	475 x 640 x 528

Dometic 230v Fridge Elements



Dometic 230V, 105W 088090



Dometic 230V, 125W 088124



Dometic 230V, 220W 088123

Dometic 12v Fridge Elements



Dometic 12V, 120W 088077



Dometic 12V, 100W 088089



Ventilators and flue kits



LS100 Top ventSet includes: Upper frame, grill with flue insert, upper winter cover and turn buttons.

LS100 set white 089010T LS100 top vent only white (AS1620) **089010TV** LS100 top vent only grey 088113 LS100 Frame only 088148



LS200 Bottom vent

Set includes: Lower frame, grill, lower winter cover and turn buttons. LS200 set white (AS1630) 089010B LS200 Frame only 088128



LS100/200 winter cover set white

Comes with both LS100 and LS200 winter covers White (WA120/WA130) 089012 LS200 winter cover only grey 088130



Via Mondo double refrigerator bar

Helps prevent movement of contents whilst travelling. 40.5cm closed. Extending to 71cm. 089065A





Via Mondo double cupboard bar

Useful addition to stop items falling if door opens in transit. 25.5cm closed. Extending to 43cm. 095689A





A1620 insert 089017 White

Cream 089018 Grey 088111

Dometic Flue

Complete kit 089063

Turn buckle


089014

089015

White

Cream

088167



LS330 vent only

Outer grill only 438 x 278 mm 088110



LS330 winter cover


401.5 x 223mm

White 088134 Grey 088199



L500 vent only

Outer grill only 479 x 371mm For winter covers use 2 x 089010B White 088156



LS230 winter cover 360 x 290mm blue (internal) 088152



MPK vent

Designed for aperture 342mm x 117mm. 089031 Surface mounted White



12v / 230v Coolers



Powerbox® Plus

The Powerbox® Plus 12/230V active coolers operate from a 12V car plug-in or a 230V electrical outlet (both cables included), combined with the high performance injected PU foam, the cooler will keep contents at 19°C below the ambient temperature.

It features a control dial with 4 modes, allowing you to choose the performance and efficiency level. The cooler can be turned off by putting the dial to "OFF" mode without the need to unplug the cord. To reduce the noise level of the fan switch to "NIGHT" mode, and for an efficient, yet environmental friendly operation, the "ECO" mode can be used, giving an A++ energy rating. "MAX" mode is available for the ultimate cooling performance.

Inhibiting the ability of micro-organisms to grow, these coolers feature an antimicrobial liner, a powerful protection ensuring resistance to mould and mildew growth inside the coolers and it also blocks unpleasant odours from developing.

- Keeps contents 19°C below the ambient temperature.
- Freeze guard circuit built in stops freezing to delicate food.
- Battery guard ensuring your battery will not flatten when in use.
- Very quiet fan (maximum of 39 dB) won't wake you up at night!
- Antimicrobial lining.



	Powerbox Plus 24L	Powerbox Plus 36L
Gross Capacity (litres)	24	36
Material	Anti-microbial Premium Polyurethane	Anti-microbial Premium Polyurethane
Dimensions outer (H x W x D mm)	423 x 408 x 323	404 x 559 x 348
Dimensions inner (H x W x D mm)	310 x 328 x 243	290 x 467 x 275
Part number	089169C	089169D

Cool box accessories



Coleman Campingaz rectifier 230/12v Running most 12V coolers from the 230V mains is no problem at all with this 230V AC to 12V DC adapter.

5amp – 65w 089140



M10 185x95x30mm



M30 254x200x30mm

Freez'Pack®

Can be used in any cool box or soft cooler to keep food and drinks cooler for longer. Simply freeze them, then put them inside the cooler with the food or drink. They're available in a range of sizes and the bigger they are the longer they stay cool.

M10 duo pack **M30** 12 per outer

12 per outer

089187 089183

Fridge Fans



Reich fridge fan with auto heat sensor

Improves fridge performance. Fully automatic. Easy installation. Maintenance free. Uses only 0.25 amps. No television/radio interference. 10,000 hour continuous rated motor 089005



Thetford ventilation

Fits all models. Extra cooling performance for your Thetford . fridge 089300



Thetford Fridge spare parts










Thetford Fridge spare parts





089253

Selector Switch 5 position



089206 Control Knob Selector N80/N90/N97/N98/N100/ N104/N108/N109/N112

089254

Selector Switch 6 position



089212 Electric Ignitor



089248 Piezo Ignitor



GAS SPARES

089280 Thermistor



089282 Thermocouple V2



N104/N108/N109/N112

089202 Burner Assembly N90/N97/N98/N100/N104/ N108/N109/N110/N112/ N115/N3100/N3104



089204 Burner Assembly N145/N150/N175/N180/ N3141/N3142/N3145/N3150/ N3170/N3175



089304 Burner Assembly N3080/N3090/N3097/N3108/ N3112/N3115



089096 Thermocouple SR V1 N80/N90/N97/N98/N100/ N104/N108/N109/N112



089226 Gas Valve V2 N80/N90/N97/N100/N104/N108/ N110/N112



089322 Gas Valve After 25/09/06 N90/N97/N100/N104/N109/N110/N112/N115/ N145/N150/N175/N180



089320 Gas Valve N3 Series




089271 Spark Electrode N90/N97/N100/N104/N109/ N110/N112/N115



089272 Spark Electrode N145/N150/N175/N180



089274 Piezo Spark Electrode N80/N90/N97/N98/N100/ N104/N108/N109/N112



089273 Electric Spark Electrode N80/N90/N97/N98/N100/ N104/N108/N109/N112



089364 Spark Electrode N3080/N3090/N3097/N3108/ N3112/N3115



089366 Spark Electrode N3100/N3104



089368 Spark Electrode N3141/N3142/N3145/N3150/ N3170/N3175



089213 Flame Meter

Thetford Fridge spare parts



Dometic Fridge spare parts








450 x 310mm 241398130

Dometic Fridge spare parts







2412190205



GAS & IGNITION SPARES

088073 Gas regulator valve 30/50mbar



088126 Gas Valve GV100 2412798312



088129 **Burner control device** 2412789303



088070 Gas burner complete 2923928408



088144 Gas burner no nozzle 292343052



088166 Gas burner no nozzle 241280282



088163 Wiring for burner control device 241279630



088119 Nozzle (jet) KZ45 2922033044



088176 Nozzle (jet) KZ65 2890483007



088174 Thermocouple 2100mm 292343590



088074 Thermocouple 1400mm 2923435321



088071 **Thermostat** 1400mm 2926528106



088116 **Electrode cable** 600mm 2951105713



088169 Spark electrode 292362620



088191 Connection block MES / AES 230V 2890189323



088117 **12v ignitor** 2951654207



088159 Ignitor battery 289019010



088160 Ignitor battery 292302482



088183 **Ignitor extension** 56.4mm 2923024588

Glass tableware

CORELLE.

Corelle high quality glass dinnerware is made in USA from a unique material called vitrelle and is renowned for being thin and lightweight yet strong and durable. Chip and break resistant; microwave, dishwasher and oven safe; patterns won't wash, wear or scratch off.

12 piece dinner sets. 2 per outer



Melamine tableware

Contemporary designs to complement the latest vehicle interiors

16 piece Dinner Sets: Consisting of 4 x dinner plates, 4 x side plates, 4 x soup/cereal bowls and 4 x mugs.







Ink Design

Dinner set 16 pc Singly or 6 per outer **Square salad bowl** Singly or 6 per outer **Rectangular platter** Singly or 6 per outer

081070 081071 081072





Navy Pinstripe

Dinner set 16 pc Singly or 6 per outer 081148 **Dinner plate** 6 per outer 081145 Side plate 6 per outer 081143 Soup/cereal bowl 6 per outer 081144 Mug 4 per outer 081142 Salad bowl Singly or 6 per outer 081147



Monochrome Dinner set 16 piece Singly or 6 per outer 081258



Dinner set 16 pieceSingly or 6 per outer **081122**



Cappuccino
Dinner set 16 piece
Singly or 6 per outer
081177



Petit Fleurs
Dinner set 16 piece
Singly or 6 per outer
081125



Melamine tableware

16 piece Dinner Sets: Consisting of 4 x dinner plates, 4 x side plates, 4 x soup/cereal bowls and 4 x mugs.



Loops Dinner set 16 pieceSingly or 6 per outer **081196A**



Latte
Dinner set 16 piece
Singly or 6 per outer
081198



Vanilla Dinner set 16 piece Singly or 6 per outer 081197

12 piece Dinner Sets: Consisting of 4 x dinner plates, 4 x side plates and 4 x soup/cereal bowls



Dinner set 12 piece
Singly or 6 per outer 081199
Stacking mugs (4)
Singly or 6 per outer 081201A



Dinner set 12 piece
Singly or 6 per outer 081204A
Stacking mugs (4)
Singly or 6 per outer 081206A



Singly or 6 per outer **081207 Stacking mugs (4)**Singly or 6 per outer **081207B**



Azure Premium plus Dinner set 12 piece Singly or 6 per outer 081214A Swirl mug set (4) Singly or 6 per outer 081214B



Cool White Premium plus
With non slip inlay on base
Dinner set 12 piece
Singly or 6 per outer 081215A
Mug set (4)
Singly or 6 per outer 081215B



Cool Grey Premium plus
With non slip inlay on base
Dinner set 12 piece
Singly or 6 per outer 081216
Mug set (4)
Singly or 6 per outer 081216A





Dinner set 12pc & Cool Bag

High quality 12pc dinner set with 16 litre cool bag Available singly or 3 per outer **081030**

Mugs (4)

4pc mug set Available singly or 12 per outer **081031**

Salad Bowl

Available singly or 24 per outer **081035**

Platter 35cm

Available singly or 24 per outer **081036**

Tall Tumbler (2)

Available singly or 24 per outer **081038**

Short Tumbler (2)

Available singly or 24 per outer **081037**

Dining accessories



Picnic / Travel Rug Singly or 12 per outer 081060



16pc Cutlery Set Singly or 12 per outer **081059**



Placemat Set (4) Singly or 24 per outer 081061













Egg Cup Set (4) Singly or 24 per outer 080815

Cleaners



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank.

10 per outer **095575**



Melamine soak Supplied in a tub of 20 tablets. 12 per outer 081409



Camper Smiles

Dinner set 12pc & Cool Bag

High quality 12pc dinner set with 16 litre cool bag Available singly or 3 per outer 081050

Dinner Plates (4)

4pc 10.5" Dinner plate set Available singly or 12 per outer 081052

Side Plates (4)

4pc 8.5" Side plate set Available singly or 12 per outer 081053

Soup / Cereal Bowls (4)

4pc Soup / Cereal Bowl set Available singly or 12 per outer 081054

Mugs (4)

4pc mug set

Available singly or 12 per outer 081051

Salad Bowl

Available singly or 24 per outer 081055

Platter 35cm

Available singly or 24 per outer 081056

Tall Tumbler (2)

Available singly or 24 per outer 081058

Short Tumbler (2)

Available singly or 24 per outer

Junior picnic set & ruck sack

High quality plate, bowl, tumbler, fork and spoon. Available singly or 12 per outer

080302





Children's tableware

Consists of a plate, a bowl, a tumbler, a fork and a spoon. Available singly or 12 per outer



Happy Holiday 080303



Harry & friends 080304



Charlie & friends 080307









Tumbler sets

Consists of 4 different named acrylic tumblers. Available singly or 12 per outer 080314



Acrylic and polycarbonate drinkware



Wine goblet (2)

Polycarbonate. 2 per display carton. Available singly or 12 per outer 080119 Small 080116 Large



Savoy wine glass (2)Polycarbonate. 2 per display carton. Available singly or 12 per outerr Standard **080118A** 080118B Large



Wine goblet grey (4)

10oz wine goblet with grey base. 4 per display carton. Available singly or 12 per outer 080141



Acrylic wine goblets 080102 6 per outer



Stackable goblet (2)

2 per display carton. 24 per outer 080122



Soda glass Assorted Colours

12 per outer 080148



Bella goblet grey (4) 14oz goblet with grey base. Supplied in display carton of 4 pieces. Available singly or 12 per outer 080146



Bella goblets (4)

14oz goblet suitable for wine, beer or juice. 4 per display carton. Available singly or 12 per outer 080089



Acrylic tumblers clear

Available singly or 24 per outer Tumbler 080090



Heavy base stacking goblet (2) Available singly or 24 per outer 080125 Blue



Heavy base stacking goblet (2) Available singly or 24 per outer

080127



Savoy short tumbler (2)

2 per display carton. Available singly or 24 per outer 080121



Acrylic and polycarbonate drinkware



Classic short tumbler (2) Polycarbonate. 2 per display carton. Available singly or 24 per outer 080120



Daisy short tumbler grey (2) 2 per display carton. Available singly or 24 per outer **080130**



Daisy short tumbler aqua (2) 2 per display carton. Available singly or 24 per outer 080132



Classic tall tumbler (2)
Polycarbonate. 2 per display carton.
Available singly or 24 per outer
080135



Daisy tall tumbler grey (2) 2 per display carton. Available singly or 24 per outer 080129



Daisy tall tumbler aqua (2) 2 per display carton. Available singly or 24 per outer **080131**



Stacking tumbler (4)4 per display carton.
Available singly or 24 per outer Smoked
Clear **080124 080123**



Alfresco tumblers 4 per display carton. 8 per outer Hi-ball 080136



Slim jim tumblers grey With grey base. 4 per display carton. 10oz 12 per outer. 080143



Acrylic pilsner glass
Ideal for large
gatherings where glass
is dangerous. 500ml.
Available singly or 12
per outer
080096

Products



Acrylic beer mug 12 per outer Dimpled 080099



Acrylic container set 3 Piece acrylic container set with air tight lid. Contains, 1 x 1L, 1 x 1.3L and 1 x 1.9L container. **081075**



Hands free glass holder
Holds wine glasses on the grass or
beach, made in the UK from 100%
recycled polycarbonate.
4 per pack, 24 per outer
Display stand
080163

Gas Barbeques

CAMPINGAZ

Campingaz Party Grill®

The essential camping companion with endless cooking options! This compact, portable stove offers the widest range of cooking options; stove top, grill, griddle, plancha and the lid of the 400 model even doubles as a wok.

All elements of the Party Grill® can fit inside the device. Thanks to its detachable legs and lockable lid it is easy to transport and store. The Party Grill® 200 runs on a Campingaz® CV Plus valve cartridge which can be disconnected and reconnected whilst cooking, should you run out of gas. The Party Grill® 400 model runs on conveniently sized Campingaz® cylinders. The piezo ignition on all models promises simple, match-free lighting wherever you are, so you can get the party started.

Features

- Grill, griddle and stove cooking options
- Grill and griddle with non-stick coating for better cooking results
- Integrated pan supports for stove top cooking
- Fully adjustable power
- Piezo ignition for convenient lighting
- Non-stick cooking surface
- Water compartment collects grease and fat ensuring easy cleaning
- Folds into compact size for easy transportation

	Party Grill® 200	Party Grill® 400
Gas pressure	30 mBar	30 mBar
Power	2000W	2000W
Gas Consumption	145g/h	145g/h
Boil Time	4min 18sec	6min 5 sec
Ignition	Piezo	Piezo
Runtime	3hrs on CV470+ 2.5hrs on CV300+	19.5hrs on R907 12.5hrs on R904
Fuel source	CV470+, CV300+	R904, R907, butane or propane cylinder
Weight	2.84kg	4.92kg
Dimensions (WxH)	ø32 x 33cm	ø36 x 42cm (on stand)
Grove Number	085950	085955





Portable Stoves



Campingaz Camp Bistro

- Power: 2200 watt
- Size: 35cm x 28cm
- Automatic piezo ignition
- Convenient plastic carry case
- Operates off CP250 cartridge109941



Portable Gas Stove

- Lightweight design and easy to carry
- Convenient plastic carry case
- Suitable for picnics, camping, garden etc
- Requires butane gas cartridge 109943



Campingaz CP250

Contains 250g Isobutane. For use with Bistro® type stoves 12 per outer 109965



Stove cartridges (4)

For use with portable gas stoves 6 per outer 109945



Campingaz Chef

Double burner and grill. Toast rack and drip tray with handle.

- Power: 2 x 1500 watt
- Size (open/closed): 60x40x35 / 59.5x32.5x8.5cm
- Piezo ignition
- 327 g/h consumption
- Lid with latch and carry handle **109940**



gourmet set

086011

Úniversal pan 35cm ø, can

Pizza / baking plate 35cm ø

be used for paella, risotto

and vegetable casserole.

Outdoorchef

European Outdoorchef

The grills manufactured by OUTDOORCHEF are exclusively designed and developed by innovative Swiss engineers. Although their grills are constantly being improved, the core idea behind their unique gas kettle barbecue that allows easy, versatile and healthy grilling has existed for over two decades. OUTDOORCHEF are still passionately committed to making barbecuing a relaxed, fun-filled experience that brings people together and lets them share fun-filled moments.

The unique funnel improves the traditional barbecue:

- It prevents unwanted flare-ups
- It has perfectly even heat distribution with fewer hot spots
- Indirect grilling method a recirculating grill system, ideal for gently cooking meat (especially large pieces)

• No need to turn the food to be grilled - Leaving you free to spend more time having fun with your guests. Thanks to their versatile features, the grills from OUTDOORCHEF can replace an entire kitchen. From meat and crispy pizzas to fresh bread and paella - enjoy culinary creativity without limits.



Minichef Gas BBQ

- Porcelain-enamelled 1-ring burner system with piezo ignition
- Rotatable porcelain-enamelled EASY FLIP funnel for direct and indirect grilling
- Integrated lid hinge and thermometerTwo removable side shelves
- Porcelain-enamelled kettle and barbecue grid
- Nylon-reinforced plastic base frame
- Large 39.5cm Ø cooking surface

H x W x D: 43 x 78 x 53cm. 11.4kg

086006



COMING SOON! Minichef Electric 086006E



griddle plate

Čast iron 33cm ø

reversible griddle

for searing at high

temperatures.

086009

Outdoorchef Chelsea Gas BBQ

- Porcelain-enamelled 1-ring burner system with piezo
- Rotatable porcelain-enamelled EASY FLIP funnel for direct and indirect grilling
- Lid with integrated thermometer and lid holder H x W x D: 95 x 67 x 60cm. 11.4kg 086001

Products

Outdoorchef Chelsea Electric BBQ

- 7 heat settings
- EASY REFLECT heating system with heat reflector
- Simple, fast assembly to start cooking immediately
- Lid with integrated lid holder

H x W x D: 93 x 67 x 60cm. 11.4kg

086005

Easymat









EasyMat mini portable suction plate. Ideal for first foods and baby led weaning from 6 months and for all babies through to 24 months. Universal fit for high chairs and portable for travel. Complete with 4 suction cups, folding sides, sealed lid and carry case.

"Made for mums" gold award winner 2019.

BPA Free 100% LFGB high grade EU standard tested

to EN14372:2004 32 cm x 19 cm x 2 cm

Weight: 280 gms

Buttercup 080299EMBC Olive 080299EMOL



Muggi

Originally conceived by yachtsman David Trotter for use when sailing in rough seas, Muggi tray is a safe way to carry hot and cold drinks. Made from a lightweight but super tough Polypropylene material, it's designed so that it's light and easy to carry, but also strong and secure. Muggi holds your mugs, glasses or cups in four precision moulded slots. Just as useful for a host of outdoor occasions. Perfect to store mugs in transit in your caravan or motorhome.



WOW Carry, store and much more! Made in Britain! 88 year "higher than average lifetime" guarantee!

Microwow

The worlds first microwave and dishwasher safe insulated casserole dish. Microwow has a stainless steel interior that is microwave safe without the lid. It keeps food hot or cold for up to 6 hours.

New thermal bonding technology fuses the casserole dish, completely sealing the unit, making it dishwasher safe. Made from food grade thermal plastics and stainless steel creating a robust casserole dish. Integrated side handles for easy handling and designed with a stylish tri-tone colour finish. Designed for reheating only in microwave, maximum heating time 5 minutes.



Dimensions 200 X 200mm, 70mm high. Each cup holders diameter is 89mm

Made from super tough, lightweight Polypropylene Non-slip rubber feet (perfect when out sailing)

Dishwasher safe and microwave safe

Grey 080171
Red 080172
Blue 080173
Purple 080174



Microwow

3 Piece Set includes: 1×1 litre capacity dish (D 18cm x W21cm x H 12cm), 1×1.5 litre capacity dish (D 22cm x W 27cm x H 14cm) and 1×2.5 litre capacity dish (D 23.5cm x W29cm x H16cm) Available singly or 6 per outer

Red **093057R** Blue **093057B**

Citronella products



Citronella garden light 40 hours burn time 086133 6 per outer



Maxi tealights (12) 10 hours burn time 086145 6 per outer



Tealights (30) 4.5 hours burn time **086143** 6 per outer



Garden torches citronella
2 hours burn time. 2 per pack
24 packs per outer
086155



Via Mondo gas kettles

Stainless steel whistling kettles for gas hobs. Individually boxed.

Stainless steel body and lid

- Heat resistant handle
- Fixed whistle
- Large opening for easy filling and cleaning Available singly or 6 per outer







1L Kettle Stainless Steel 095055S



1L Kettle Soft Gold 095055SG



All boil it kettles are individually boxed



1.5L Kettle Blue 095056B



1.5L Kettle Black 095056BL



1.5L Kettle Burgundy



2L Kettle Copper 095057COP



2L Kettle Lavender 095057L



2L Kettle Stainless Steel 095057S



2L Kettle Soft Gold 095057SG



2L Kettle Turquoise 095057T

Via Mondo kettles and toasters

1.7L Electric low wattage kettles

Cordless, 230v kettle with 900w output ideally suited for site use. With Strix controls designed to meet the most stringent international safety standards and manufactured to consistently exceed 12,000 cycles of normal operation. Individually boxed.

- Overheat & boil dry protection shut off
- 75cm cable length with cord storage
- 360° cordless for left and right handed use
- Water level indicator window
- Push button lid
- Illuminated on/off
- Removeable washable limescale filter
- Non slip feet

Available singly or 6 per outer





Duck egg blue 095066B Black 095066BL


Electric low wattage toasters

2 Slice, 230v, 950w cool wall toaster ideally suited for site use. Individually boxed.

- 75cm cable length with cord storage
- Variable browning control
- Cancel, reheat & defrost functions
- High lift for smaller items
- Removeable washable crumb tray
- Non slip feet

Available singly or 6 per outer





Duck egg blue 095069B

Black 095069BL



0.5L Travel kettle 12/24v

ON/OFF indicator light, 12v or 24v, automatic switch off, cordless in use. Includes 2 plastic mugs that can be stored inside the kettle. Individually boxed. Singly or 6 per outer 095062



1L low wattage kettle

Plastic, cordless, 230v kettle with 900w output ideally suited for site use. Individually boxed. Singly or 6 per outer 095065A



1.5L low wattage kettle

Plastic, cordless, 230v kettle with 900w output ideally suited for site use. Individually boxed. Singly or 6 per outer 095065B



Stainless steel 12v Kettle 0.5L

100W kettle with fully concealled element. Fitted with cigar lighter plug, ideal for boat, caravan, motorhome or car. 095085



Thermo Pot 5 Litre

HxWxD: 40 x 23.3 x 30.2cm

095093

230v Hot water boilers

Thermo Pot by Addis

Hot water at the touch of a button. The ideal product for a family caravan holiday!

- Very low wattage. Initial boil - 680W Reheat - 100W Keep warm - 2W
- No plumbing required
- Instant hot water for vegetables, pasta, porridge, rice, hot water bottle, or just tea and coffee
- 3 dispensing methods. Manual, cup and auto.
- Stays warm at a choice of 5 temp. settings
- Efficient due to Thermal outer layer
- Less risk of spilling hot water, safer for anyone with less firm grip or reduced mobility
- LCD dispay shows current temperature
- Also perfect for home/office use

Pots, pans and cooking accessories









Complete with trivet and detachable handle.

31 x 18.8cm **094019B**



Via Mondo **Enamel grill pan**

Complete with trivet and detachable handle.

- Ensure handle is firmly in place before lifting grill pan
- Handle can be used on the narrow or broad side for flexibility
- Suitable for use in a dishwasher

28 x 22 x 4cm 094023 Trivet to fit 28 x 22 094023T 094024 35 x 22 x 4cm Trivet to fit 35 x 22 094024T

32cm roasting tin

Double non-stick coated 0.3 gauge steel. High corrosion resistant. Oven safe to 230 degrees. Dishwasher and freezer safe.

12 per outer 094049



Thermo Pot 3.5 Litre

34.1 x 23.3 x 30.2cm

HxWxD:

095092

Chef aid non stick grill pan

Cast aluminium griddle Non stick interior and exterior, folding handle, deep ridged base. 20cm² 5mm

Singly or 12 per outer


Foldable handle for excellent space saving and a double layered non-stick coating. It also includes pouring lip to remove any excess juices from the pan when cooking or cleaning

240 x 375 x 30mm Singly or 12 per outer



Stainless steel pan set

Good quality 3 piece set with one each 16, 18 and 20cm pans with lids in a full colour display box 093017



Non stick aluminium 2mm gauge PTFE silver exterior. Singly or 12 per outer Milk pan 14cm 093032 Frying pan 20cm 093033

Spatter screens

Diameter: 29cm Non stick coated mesh

Singly or 12 per outer Mesh

095009 095005

Singly or 10 per outer



Fozzils Fold Flat

WOW THINK FLAT - innovative, space saving products for the indoor and outdoor life. Simple, practical, and fun.



Twist-fold 3 Teir

Assembles and collapses with a gentle twist using our patent pending Twistfold™ system. Hidden magnets hold the plates / bowls securely when collapsed for space saving storage. Top rack dishwasher safe, BPA free.

Party bowl

275mm, 235mm, & 175mm ø bowls Height 85mm closed, 375mm open. 081500

Party Plate

315mm, 260mm, & 210mm ø plates Height 45mm closed, 300mm open. 081501



Snapfold dishrack

Collapsible dish rack assembles quickly and easily with a gentle push on each end. Compact design but easily handles most daily needs with slots for dishes, bowls, and utensils. With built-in drip tray that keeps counters dry. Folds flat for easy storage. Assembled: LxWxH 34 x 30 x 21cm

Folded: LxWxH 42 x 29 x 4.5cm 095489











Snapfold colander

A new, fresh, and fun collapsible colander! Easy and quick to use - and super-flat for storage. From drawer to sink in seconds, the colander assembles and collapses with a gentle push or pull on each end. Assembled: 230 x 240 x 135mm Folded: 295 x 330 x 35cm 095235A Aquamarine / Grey

Mini colander - Assembled: 160 x 155 x 110mm Folded: 195 x 215 x 35mm Lavender / Grey 095235M

Snapstakz bowl set

Durable and reusable, dishwasher safe. Unique, elegant design for home and outdoors. Large capacity (700 ml)

As bowl: 175 x 135mm ø, height 90mm As plate: 255 x 230mm, height 25mm Set 1 x Turquoise & 1 x Ivory

081502 Set 1 x Lavender & 1 x Ivory 081503

Microwave ware

WOW Polycarbonate is a superb material for microwave cookware. Tough, non stick, odour resistant and non staining. Completely transparent to cook faster and more evenly. Dishwasher safe.





Saucepan & lid

Capacity 0.6L. Singly or 10 per outer 093039

Rice & veg steamer The perfect design for

cooking rice and steaming vegetables that retain flavour, vitamins and texture. Singly or 6 per outer

093048

Egg poacher

The first microwave egg poacher designed to cook eggs in water to give traditional taste and texture. Singly or 10 per outer

093045



Mini pots (2)

Each mini pot has side handles which stay cool in the microwave for easy handling. The lid is vented for safety and gives better results than simply resting a storage lid on top. Cook two foods at the same time using Minipots.

Singly or 12 per outer 093054



Multi-purpose tray

Designed to raise food so that it cooks more evenly and allows any fat or liquid to drain away. Has an extremely low thermal conductivity. It also stays much cooler than glass and ceramics. Singly or 10 per outer 093050



Omelette pan

folding omelettes easy. Singly or 10 per outer



Plate cover

Designed to keep your microwave oven clean when re-heating or cooking. Singly or 10 per outer 093052





POP Kitchen Gadgets Space saving collapsible silicon



Folding Colander 23cm Ø, 8.5 (4)cm depth Singly or 6 per outer

Lime Green 095236 095236B Blue Grey 095236G



Folding Medium bowl 21cm Ø, 9.5 (4.5)cm depth

Singly or 6 per outer

095237 Lime Green 095237B Blue Grey 095237G



Folding Large bowl 37.5cm Ø, 14 (4)cm depth Singly or 6 per outer 095245L Lime Green

095245B Blue Grey 095245G



Folding 7L wash basin

43.5 x 27 x 14 (4)cm WxDxH Singly or 6 per outer

Lime Green 095241L 095241B Blue 095241G Grey



Folding Dish drainer with tray

36.5 x 31 x 12.5 (6)cm WxDxH Singly or 6 per outer

095238L Lime Green 095238B Blue 095238G Grey



Non Slip Chopping Board

37 x 23cm WxD Singly or 6 per outer Lime Green 095246L 095246B Blue



Folding 10L bucket

37cm Ø x height 25 (6) cm Singly or 6 per outer Lime Green 095239L

095239B Blue 095239G Grey



Folding basket

38 x 29 x 16 (5)cm WxDxH Singly or 6 per outer

095248L Lime Green Blue 095248B 095248G Grey



Pop cup

Folding silicone insulated cup 6 per outer Assorted colours 095233



Drying racks and drainers







Mini dish drainer

Nylon coated wire measuring 30cm x 20cm 6 per outer

White 095520A Chrome 095510A

Wire plate rack

Can be secured for safe transportation of plates. Measures 27cm wide x 20cm deep x 12cm high.

6 per outer

White 095521A Chrome 095511A

Wire mug holder

Can be secured for safe transportation of mugs or cups. Measuring 9cm square x 19cm high

6 per outer

White 095527A Chrome 095517A



Folding plate rack

Open dimensions (LxWxH): 37x27x27cm Chrome **095512A** 6 per outer



Colours Folding Plate Drainer

Disassembles to fold neatly into a retail box. Convenient as it does not take up unneccessary shelf or cupboard space.

Singly or 12 per outer Black 095497B

095497R Red Cream **095497C**

Cup, plate, cutlery and bottle holders



Stepped cup and plate rack 535mm x 90mm.

Beige 095695 Ivory 095701

Free standing cup and plate rack

525mm x 180mm x 90mm. Beige 095682 Ivory 095684

Cutlery trays

Three slot tray 370mm x 190mm x 50mm Beige **095752** Ivory **095759**



Glass and bottle holders

Manufactured from coated sprung steel Singly or 10 per outer

095850 Three glass 095858 Six glass Single bottle 095862 Two bottle 095872 095880 Three bottle



Cutlery



Cutlery set stripes16 piece set. Singly or 12 per outer
081059



Cutlery set black 16 piece set. Premium quality. Singly or 12 per outer **095147**



Cutlery set in holder
16 piece set and holder. Hand
polished stainless steel.
Singly or 12 per outer
Grey 095145
Aqua 095146













Silicone spatula 12 per outer Black 095212 Purple 095213



Silicone turner
12 per outer
Black 095214
Purple 095215



Silicone spoon 12 per outer Purple 095219



Silicone tongs 12 per outer Black 095220 Purple 095221



Silicone spoon rest Singly or 24 per outer Black 095228 Purple 095229



Silicone trivet 17cm² 12 per outer Black 095230 Purple 095231



Rubber sink mats
Trim to size. White.
Singly or 6 per outer
26 x 31cm 095535
32cm Ø 095536



Kitchen Utensils



Via Mondo double refrigerator bar

Helps prevent movement of contents whilst travelling. 40.5cm closed. Extending to 71cm. 089065A



Via Mondo double cupboard bar

Useful addition to stop items falling if door opens in transit. 25.5cm closed. Extending to 43cm.

095689A



Tea towel holder

4 hole

12 per outer **095455**



Adjustable kitchen roll holder

Fits the majority of sizes available.



Kitchen towel holder

12 per outer **095460**



Chef aid food cover



BBQ Tongs Singly or 12 per outer 095350



Kitchen tongs 12 per outer **095452**



Butterfly can opener Singly or 12 per outer 095425



Sidewinder can opener 18 per display **095421**



Cushion grip scissors

3 piece set 12 per outer **095424**



Rotary grater 12 per outer 095449



Sink strainer Stainless steel. 12 per outer 095454



Sink strainer

10 per outer Chrome **051078C** White **051078**



2 in 1 salt 'n' pepper mill Twist one way for salt the other for

pepper.

12 per outer White 095428 095429 Black



2 in 1 oil 'n' vinegar spray Twist one way to spray oil the other

to spray vinegar.

12 per outer White 095426W 095426B Black



Corkscrew Chrome plated

Singly or 12 per outer 095396



Kitchen Utensils



W4 Curtain/tablecloth clip 4 per pack. Singly or 10 per outer



Tablecloth clip (4) Singly or 12 per outer 095640



Fiamma omni stop Ideal to keep plates and items in place as you travel. Securing bar made from anodized aluminium 095697

Gas lighters and ignitors For full details and specifications of lighters and ignitors please see page 135



Turboflame Pheonix PHB • Size: 7.2 x 3.5 cm 070508B



Turboflame Ranger T2R • Size: 7.4 x 3.3 cm **070508C**



Turboflame V-Flame VFR2 • Size: 7.6 x 3.8 cm 070508D



Refill for gas lighters 250ml 12 per outer **070480**



Piezo lighter 24 per display **070486**



Scripto Aim 'n' Flame flex Disposable lighter. Singly or 16 per outer 070471



Scripto Dual Flame Disposable lighter. Singly or 16 per outer 070473



Scripto Ez-Squeeze Refillable lighter. Singly or 16 per outer 070475



Scripto Folding Utility
Refillable lighter. Singly or 16 per outer 070474



Gas safety lighter Long reach flame lighter 12 per outer 070498



Waste Bins



Garbina waste unit

Easily fixed to any vertical surface with bags held in place by a rubber 095920 strap Spare bags (25) **095935**



Fiamma Pack waste

Folding dustbin with 2 hooks that can be dismantled includes 2 fix organizers to hang 106404



Ekologika bin

Packs away for covenience and can be set to two heights. 4 per outer 095923



Bag bin

Wall fixing unit from which you suspend carrier bags. 12 per outer 095995



Via Mondo caravan

cupboard door binComplete with bracket to suspend from door 095941



Cupboard door bin

Complete with bracket to suspend from door 4 per outer **095939**



8L Casa swing bin

10 per outer

Silver 095986S 095986C Calico (cream) Duck egg (blue) 095986DE Chilli red 095986CR Ice white 095986IW



Flextrash

An eco-friendly bin system. Made out of recycled PET bottles! Plastic filaments from the bottles are converted into threads which are then used to manufacture 100% recycled Flextrash.



Step ONE - PICK A BIN

Flextrash is a soft shell bin that comes in various sizes.

3 litre small for your bathroom, the 5 litre medium for your car or motorhome or the 9 litre large for your caravan or motorhome!



Flextrash 3 Litre



Flextrash 5 Litre



Flextrash 9 Litre



Flextrash trash bags 3L 10 bags per pack 095957A



Flextrash trash bags 5L 10 bags per pack 095957



Flextrash trash bags 9L 20 bags per pack 095956

Step TWO - CHOOSE A SMART CLIP

Patented smart clips let you take Flextrash anywhere you want. Seat clips in your car, the vacuclip for any smooth surface or the campstick on site. The possibilities are endless!



Flextrash wallclip



Flextrash table clip



Flextrash vacu clip



Flextrash seat clip



Flextrash dash clip



Counter top display Speak to your sales contact for details 095958



Floor display Speak to your sales contact for details 095959



Flextrash camp stick 095954



Storage

FLEXI STORE -Durable and hardwearing plastic, perfect for all sorts of jobs around the house, caravan, motorhome and garden. Easy to lift with two integrated handles and will easily stack together for compact storage.



8L Flexi tub round

6 per outer Calico (cream) Graphite (grey)

095998C 095998G



25L Flexi tub round

6 per outer

Calico (cream) 0959981C Graphite (grey) 0959981G



40L Flexi tub round

6 per outer Calico (cream)

0959982C Graphite (grey) 0959982G



24.5L Flexi bag

6 per outer Coral

Duck egg

095885CO 095885DE



40L Flexi bag

6 per outer Coral Duck egg

095886CO 095886DE



Folding storage box

32 litre capacity. Measures 475 x 345 x 240mm (43mm when closed). Assorted colours. Singly or 10 per outer 095892



W4 elasticated storage pocket

Can be attached to the inside of cupboard doors. Ideal to store magazines, maps, toiletries etc. Dimensions 30cm x 17cm 095882



W4 hold steady

Plastic frame with elasticated cord dividers enables safe storage of many shapes and sizes of items. Can be used horizontally or vertically. Dimensions 30cm x 20cm 095883



Bowls & buckets





28cm Casa round bowl

12 per outer Silver Calico (cream) Duck egg (blue) Chilli red Ice white

095537S 095537C 095537DE 095537CR 095537IW



32cm Casa square bowl

12 per outer

Silver 095538S
Calico (cream) 095538C
Duck egg (blue) 095538DE
Chilli red 095538CR
Ice white 095538IW



5L Casa bucket

12 per outer Silver Calico (cream) Duck egg (blue) Chilli red Ice white

095997S 095997C 095997DE 095997CR 095997IW

Trolleys



HTD Folding trolley truck 80kg

- Maximum load: 80kg
- Unfolded: (HxWxD) 100 x 38 x 42cm
- Folded: (HxWxD) 68 x 38 x 5cm
- Weight: 3kg2 per outer050273



HTD Folding trolley truck 50kg

- Maximum load: 50kg
- Unfolded: (HxWxD) 98.5 x 34 x 47cm
- Folded: (HxWxD) 68 x 38 x 5cm
- Weight: 2.5kg2 per outer050272



Folding boot cart

- Folds flat when not in use
- Lightweight, durable, rustproof with smooth rolling rubber wheels
- Extendable aluminium handle
- Dimensions: 380 x 330 x 360mm
- Capacity 25Kg6 per outer

095888



Via mondo clothes dryers





3 Arm folding rotary airer 12.5m of drying space

- Aluminium frame Lightweight and strong
- Locking frame locks in to place giving a secure open and closed position
- Supplied with ground pegs
- Oversized carry bag to make packing away easier Dimensions: H145cm x L120cm x W120cm Dimensions closed: 82cm x 27cm x 27cm

Weight: 1.82kg Max load: 12.5kg 095478A



20m of drying space

- Aluminium frame Lightweight and strong with 4 legs for added stability
- Locking frame locks in to place giving a secure open and closed position
- Supplied with ground pegs
- Oversized carry bag to make packing away easier Dimensions: H152cm x L170cm x W170cm

Dimensions closed: 11 x 11 x 149cm

Weight: 1.95kg Max load: 20kg 095478B



3 Tier expanding steel airer 4 to 7.5m of drying space

- Almost double width when expanded
- Durable powder coated steel frame
- Supplied with ground pegs Dimensions: H104.5 x L37 x W75cm Dimensions closed: 42.5 x 51 x 9cm

Weight: 2.4kg Max load: 7.5kg 095479A



Freestanding multi airer

15m of drying space

- Flat mesh area for delicate items
- Small and compact when folded
- Durable powder coated steel frame
- Four legs for added support and stability
- Supplied with ground pegs and carry bag Dimensions: H90.8 x L132 x W132cm Dimensions closed: 11 x 11 x 92cm

Weight: 3.2kg Max load: 15kg 095478E



Laundry and ironing



Window drying rackDimensions: H176cm x L60cm x W31cm Singly or 40 per outer 095476A



Drying rack

Hooks over the edge of the caravan window providing 6 metres of drying space. Folds flat when not in use. Manufactured from medium gauge steel wire, nylon coated 4.5mm thick. Folded dimensions (WxD): 58 x 48cm Available singly or 10 per outer 095477



Compact Airer

Hooks over the edge of a door or the caravan window. Folds flat when not in use. Singly or 6 per outer 095476



Travel steam iron

The fold down handle means you can take this travel steam iron anywhere. 230V. 750W. Singly or 6 per outer 095097



Winged Airer

Portable airer. Folds flat when not in use, with enough space to dry a full load of washing. 6 per outer **095475**



Fiamma Easy Dry

Additional drying rack suitable for use on the folding rail of the Fiamma Carry-Bikes and other brands with a tube diameter of 35mm. You can also travel with the Easy Dry in situ. Complete with plasticized ropes and adjustable handles. Manufactured from anodized aluminium. Weight 1.2kg 095480



Folding ironing board

Folding legs, quality fabric cover, pressed wood top, chrome-wire iron rest. Folds in half for compact storage in re-usable storage bag. Surface area 81 x 30cm 095095



Jumbo clothes pegs

32 per pack Assorted colours. 24 per outer 095487



Moisture absorbers

Slimline moisture trap

Allows significantly more Air Flow than other traps in which the crystals sit very low and restricts air exposure

- Ideal for kitchens, caravans, boats and more
- For closed rooms measuring up to 40 m³
- Excess moisture can cause mildew, wet rot, musty odours and other problems
- Works immediately
- No electricity or batteries required
- Easy fill top lid
- No spill sides
- Refill indicator

110170 12 per outer

Moisture crystal refill

500g **110172** 12 per outer 2 x 500g **110176** 8 per outer 5 x 500g **110178** 4 per outer

Gel safe moisture trap

Helps prevent damp, mould, mildew, bacteria and musty odours, improving overall air quality and comfort. The gel residue cannot be spilled.

- Absorbs 400ml moisture and turns it to gel
- Effective for 6-8 weeks
- Protects against damp
- Improves air quality
- Quick and easy to use
- Non spill and non leak

110185 16 per outer



It's the one that works.







MOISTURE

TRAP





Mini moisture trap

• Last 6-8 weeks **110180** 12 per outer



WOW GEL-SAFE traps and refills turn moisture into a gel, stored in a paper bag. Makes disposal safe and easy.

Gel safe refillExtremely easy to replace **110187** 12 per outer



An effective and economical product that is both simple and safe to use, eliminating condensation and damp problems. Protects interior fittings, fabrics, clothes, leather, electrical equipment from corrosion, rot, mould, mildew and odours. The Dry-Bag is manufactured using a cloth bag with lanyard and vertical window for hanging and monitoring, the colour will change from light brown to dark brown as it absorbs moisture. Each 1Kg bag can dehumidify an area of approximately 6-10 m³


- Re-usable, simply dry out contents as per instructions
- Can be stored for up to 2 years
- 100% environmentally friendly
- Absorbs up to 75% of its dry weight
- Will not drip even when saturated

Dry-Bag 1 x 1000g **110100** 15 per outer

WOW Reuseable!



Hooks



Small oval hooks

3 per pack 10 per outer **099011**



Large oval hooks

2 per pack 10 per outer **099015**



Small square hooks

4 per pack 10 per outer **099019**



Large square hooks

2 per pack 10 per outer **099023**



Wash Brushes

HTD Telescopic flow-through brushes

Lightweight 22/25 mm diameter aluminium poles with various extensions. With easy-grip handle, super soft bristles, brass/steel connections for extra strength and on/off switch.





HTD Standard Head

- Extends from 116.5 200cms
- 25cms Brush head
- 1 Angle head 12 per outer 097080



HTD Dual Angle Head

- Extends from 116.5 200cms
- 25cms Brush head
- 2 Angle head 12 per outer

097081







HTD Heavy Duty 5 angle Head

- Extends from 116.5 200cms
- 30cms Brush head
- 5 Angle head



HTD flow through hand brush

• 53cm handle 10 per outer 097047B





- Extends from 134 304cms
- 25cms Brush head
- 2 Angle head 12 per outer **097083**

Vacuum cleaning







Upright and hand held Vacuum cleaner 2 in 1

600 Watt

- Compact and Lightweight
- Upright & bagless design
- Quick release dust tank
- Includes crevice & brush nozzles.
- Cyclonic HEPA filtration
- 5m extra long cord

Available singly or 6 per outer 096099





Caravan cleaner

Cleans up to 40 caravans. It will safely remove black streaks, algae, moss, fungus, road and traffic film. Safe to use on acrylic windows, aluminium, rubber, decals, mastics, sealants etc. **098056** 10 per outer 1 litre 25 litre **098061**



Motorhome cleaner

Improved formula for use on motor homes. Contains corrosion inhibitors to protect steelwork. Power washers are often used so cleaning activity has been increased

098057 10 per outer 1 litre



Bobby dazzler A unique finishing product for caravans, motor homes, cars, vans and lorries. Provides a protective coating and enhances shine. Simply applied in the rinse water it protects against road traffic film, salt spray, acid rain, rust and air borne pollutants and it contains an algae and mould inhibitor to slow their return.

098058 10 per outer 1 litre



Black streak remover

A 10 to 1 solution of caravan cleaner in a handy trigger spray for removing black streaks between washes. **098055** 10 per outer 1 litre



Overwintering

Superb product to make spring cleaning easy. Simply coat the caravan or motor home with a dilution of over wintering to protect the surface from tree sap, bird droppings and general grime which accumulates over the winter months. Simply rinse with Fenwicks caravan or motorhome cleaner in the spring. Supplied in 1 litre bottles - enough to cover the average caravan twice

1 litre **098054** 10 per outer



Waste pipe & tank cleaner

Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours. Dilute to a 10:1 solution to clean hard surfaces. Fully biodegradeable and food safe, kills e-coli, salmonella and other germs. Also removes nicotine, egg, limescale, formaldehyde, and other hard to remove stains

097063 15 per outer 1 litre



Fenwick's products

WOW Manufactured and designed in the UK.



Awning & Gazebo reproofer

Restores waterproofing qualities to synthetic materials and canvas. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions. 1L covers up to 30m². Far safer than solvent based

1 litre **108405** 10 per outer



Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it simpler to use and more economical. Save space by carrying only one bottle. 2.5 litre **060266** 8 per outer



Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula. 1 litre **108401** 10 per outer



Windowize

An effective product to remove scratches from acrylic and plastic windows. When applied by hand it will remove scuff marks caused by trees as well as light scratches caused by dirt and grit.

100ml **098052** 10 per outer



Fenwick's Protective Coating

Fenwicks have perfected the art of paint sealing. They claim to have developed the best DIY paint sealant there is. Very simple and easy to apply and it lasts a long time.

Fenwicks Protective Coating forms a permanent non-stick flexible barrier to the environment, sealing the surface, making it microscopically smooth and giving a great finish. It may be applied to paint, GRP, aluminium, fibreglass, acrylic windows, glass and plastics in one easy application.

- Reduced cleaning times
- Increased cleaning intervals
- Superior surface protection
- Compatible with Fenwick's Caravan Cleaner and Bobby Dazzler
- Simple and very effective! Kit contains: Fenwicks Protective Coating 1 litre, foam applicator pad, microfibre polishing cloth. Protective Coating Kit 0980585 1 litre spray refill 098058SR



Fenwicks towball cleaner

For dry degreasing of all metal parts

- Improves damping performance
- Reduces stabiliser pad squeal
- Fast, effective, deep cleaning action 200ml **007064** 10 per outer



1drywash waterless products



Starter kit

Kit contains: 1 x 500ml 1drywash with trigger and 2 x microfirbre cloths. Singly or 10 per outer 098075



Caravan & Motorhome kit

Kit contains: 1 x 500ml 1drywash with trigger and 2 x microfirbre cloths. Singly or 10 per outer 098074A





1 litre refill kit

Kit contains: 2 x 500ml 1drywash with Singly or 10 per outer 098077

Mudbuster products









Mudbuster Liquid Wax

A superior shine in two easy steps. Simply spray on and hose off. **098024** 12 per outer 1 litre



Mudbuster Caravan & **Motorhome Cleaner**

Exterior & interior cleaner, with 3 in 1 action for an unbeatable shine, every time! Wash & wax with black streak remover built in. Available in 3 sizes for a more comprehensive range

098020 12 per outer 5 litre **098022** 4 per outer 20 litre **098023** 4 per outer

Mudbuster Glass & Acrylic Cleaner

A product that will leave all glass and mirrors clean and streak free. This glass and acrylic window cleaner is so easy to use, simply spray on and wipe off for a supreme shine.

1 litre **098026** 12 per outer **098028** 4 per outer 5 litre

De-Solv-It products



Sticky stuff remover

The modern answer for removing paint, oil, grease, adhesive, tar, sticker residue

250ml **098095** 6 per outer



Window & glass cleaner

Quick effective cleaner for general grime on windows, perspex and plastic. Non smearing spray

500ml **098106** 8 per outer

Textured Multi-Task Wipes

- Dual sided tough action textured wipes for cleaning up wet paint, grease, adhesive, oil and more!
- For use on tools, hands and most surfaces.
- Dermatologically tested
- Anti-bacterial tested to BS:EN 1276: 1997 standards

80 wipes per pack **098105** 6 packs per outer



Armor All caravan wipes



Caravan One-Step Spot Wipes

- One step cleaning inside and out!
- Removes black streaks, algae, insects and stubborn stains
- Suitable for many surfaces

 bodywork, plastic and vinyl

24 wipes per pack **098033** 6 packs per outer



Caravan Rubber Seal Silicone Wipes

- One step cleaning and protection
- Lubricates seals and makes windows easier to open
- Excellent winterising coat to prevent sticking and cracking

24 wipes per pack **098034** 6 packs per outer



Caravan Window Cleaning Wipes

- One step cleaning inside and out!
- Streak free, non-scratch formula
- Suitable for acrylic, plastic and glass windows
 wipes per pack 098035
 packs per outer



Caravan Canvas & Tent Spot Cleaning Wipes

- One step cleaning!
- Removes black streaks, algae, insects, bird lime and stubborn stains
- Suitable for synthetic, canvas and cotton materials

24 wipes per pack **098036** 6 packs per outer

Kilrock cleaning products



Slam Plughole Unblocker Bathroom

Specially formulated for bathroom blockages

- Blasts through hair, grease and soap scum
- Quickly clears bathroom plugholes and pipes
- Stops slow draining water To prevent the build-up of blockages, give your plughole a SLAM every 2 weeks.

110190B

12 per outer



Slam Plughole Unblocker Kitchen

Specially formulated for kitchen blockages

- Dissolves fat, grease & food
- Quickly clears kitchen plugholes & pipes
- Stops slow draining water
- Stops smelly sinks & kills germs
 To prevent the build-up of blockages, give your plughole a SLAM every 2 weeks.

110190K

12 per outer



Descalene Descaler (5)

Multi purpose descaler - effective limescale remover 12 per outer **110189**



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank.

10 per outer **095575**

Other cleaning products



Silky cream

A cleaner for all painted and synthetic surfaces. Non abrasive. 480ml **098063** 12 per outer



Melamine soak

Convenient melamine cleaner supplied in a tub of 20 tablets. 12 per outer **081409**



Cleaning equipment



5L Casa bucket

12 per outer Silver Calico (cream) Duck egg (blue) 095997DE Chilli red

Ice white

0959975 095997C 095997CR 095997IW

ANDARD JUMBO SPONGE

Super jumbo car sponge

Available singly or 6 per outer **097005**



Microfibre cloths

- Made from microfibre
- Cleans without chemicals
- Lint and streak free results
- Machine washable
- Environmentally friendly
- Magnetic to dust

12 per pack 20 per outer **097046**



Rolson 4 piece cloth

4 microfibre cloths. 12 per outer **097025**



W4 handies

One size disposable latex gloves, powdered for easy fitting. 6 pairs per pack 10 per outer **098150**

Velcro® brand



Dispensers

Coins

16 per pack

20mm x 10 meters Stick 'N' Stick Ecru 099412 Stick 'N' Stick White 099413



Heavy duty tape Extra Strong. Weather resistant adhesive. For Indoor and outdoor use. 50mm x 10 meters **099415**



Heavy duty strips

Extra Strong. Weather resistant adhesive. For Indoor and outdoor use. 50mm x 100mm **099420** 12 per outer

> wow New reduced price



Rigid hang tabs

Repairs euro hook slots when damaged. 500 tabs per roll (53×42)

099081

Non slip matting



Camco non slip matting

Suitable for many applications. Supplied in 12" wide rolls. Available singly or 10 per outer 096015 12' beige 12' burgundy 096017



Rolson non slip matting

Black heavy duty Supplied in rolls.

125 x 45cm wide **096020** 30 per outer 150 x 30cm wide **096019A** 10 per outer



Self adhesive discs with many

Perfect for organising bulky heavyweight cables. 30mm x 5 meters **099427** 6 per outer

Nicoman Spaghetti mats

Nicoman are the only manufacturer in the UK producing PVC vinyl loop (spaghetti) floor mats to protect and enhance your leisure vehicle and to stand up to the toughest demands at home. The distinctive spaghetti mats are perfect for indoors and outdoors. They keep your vehicle or home clean and hygienic for weeks, due to the innovative design 'collecting' dust and debris preventing it being walked inside.

- Durable yet soft vinyl loops
- Traps mud, dirt, debris and moisture
- Can be cleaned by a hose or power washer



Welcome Spaghetti mat

10 per outer 44 x 75cm **096074**



Home Sweet Home Spaghetti mat

10 per outer 44 x 75cm **096073**



Union Jack Spaghetti mat

10 per outer 40 x 60cm **096069** 44 x 75cm **096069A**



Scottish Spaghetti mat

10 per outer 40 x 60cm **096069C**



Welsh Spaghetti mat

10 per outer 40 x 60cm **096069D**



Brown/beige Spaghetti mat

10 per outer

40 x 60cm **096071BB**

45 x 75cm **096070BB**

60 x 90cm **096072BB**



Charcoal Spaghetti mat

10 per outer

40 x 60cm **096070CH**

45 x 75cm **096071CH**

60 x 90cm **096072CH**



Black Spaghetti mat

10 per outer 40 x 60cm **096070BL** 45 x 75cm **096071BL** Pink Spaghetti mat 10 per outer 45 x 75cm 096070P **Grey Spaghetti mat** 10 per outer

40 x 60cm **096070GR**







W4 mini mat extra

backing. 49 x 33cm

Ridged door mat with non-slip **096044** 10 per outer

Miracle Barrier Mat

- Machine washable at 30°c
- 100% soft polypropylene pile with vinyl backing.
- Supplied flat with header card and hanger
- Six assorted colours.

40 x 60cm

16 per outer **096026**

Ideal barrier mat

- Hardwearing polypropylene pile.
- Machine washable at 30°C
- Vinyl backing

40cm x 60cm, assorted colours 16 per outer **096025**



Delta Mat

- Hardwearing polypropylene pile with gel backing
- Five assorted colours 40 x 60cm 25 per outer **096066**





Madras Runner

- Machine washable at 30°C
- Polypropylene loop pile with latex backing
- Six assorted colours

57 x 180cm

12 per outer **096068**

Madras Mat

- Machine washable at 30°C
- Polypropylene loop pile with latex backing
- Six assorted colours

40 x 70cm

24 per outer **096067**

Protective matting



Stick'n' Guard

Self adhesive protective carpet film – ideal for use in high traffic areas where carpets need temporarily protecting. 60cm width.

6 rolls per outer **120125** 10m retail 100m workshop 120126



Carpet protectorSuitable for use on carpets, supplied in carry home polybag. 68cm width.

Available singly or 17 per outer

1.5m retail Singly or 17 per outer 120121 30m roll 120124



MPK Rooflights

Multi-directional rooflight with opaque, flexible double skinned dome and frame available in two colours, beige or white. Telescopic arms allow the rooflight to be opened to any side. The dome skins have spacers between to guarantee free airflow that cannot be reduced by snow weight. Comes complete with removable flynet, and the 420 version comes with flynet and integrated roller blind. Sizes are based on the aperture cut out size.







Opaque rooflight with white interior

Replacement domes with white handles

101975

101980

Opaque rooflight with beige interior

280 x 280 with flynet	102002
360 x 320 with flynet	102008
400 x 400 with flynet	102013
400 x 400 with flynet and blind	102016

Replacement domes with beige handles

102005
102010
102012

Replacement flynets









280 x 280 with flynet

360 x 320 with flynet

400 x 400 with flynet

360 x 320

400 x 400

400 x 400 with flynet and blind



101972

101978

101983

101986

280x280 beige **102019** 280x280 white **101989**

290x290 beige **102020** 290x290 white **101990**

360x320 white **101991**

360x320 beige **102021** 400x400 beige **102023** 400x400 white **101993**

For MPK 420 400x400 beige **102026** 400x400 white **102024**

Replacement roller blind Beige **102017**





102018





VisionVent M Pro

Stylish and, simultaneously, highly developed tinted dome rooflight. The aerodynamic conception for an improved flow during driving. The advantages are lower driving noise and reduced air movement, despite permanent ventilation. Easy to operate, the VisionVent M pro rooflight ensures driving enjoyment and the greatest possible level of comfort. A new ventilation principle was developed which ensures improved condensation protection. The interior frame with a pleated blind and flynet, provides reliable protection against sunlight and insects, whilst still achieving 150cm² ventilation when

Possible installation on 24-56mm roof thicknesses.

400 x 400mm Aperture: • Dome: 560 x 560mm Height: 96mm

Inner frame: 565 x 530 x 35mm

For Caravans free airflow: 150cm² 102028



VisionStar M pro

VisionStar M pro tinted dome rooflights are available with or without permanent ventilation. The double-walled frame improves insulation. Low profile, smoked, double glazed dome (80mm height above roof) which helps to keep driving noise to a minimum and protects against UV light. The dome opening angle of up to 70° has a very easy single handed operation.

The interior frame with a pleated blind and flynet, provides reliable protection against sunlight and insects, whilst still achieving 120cm² ventilation when closed (permanent vent model only).

Possible installation on 25-60mm roof thicknesses.

400 x 400mm Aperture: Dome: 490 x 470mm. Height: 80mm

• Inner frame: 565 x 530 x 35mm

Permanently vented

For Caravans free airflow: 120cm² Boxed 102015 Bulk 102015B

Non vented

For Motorhomes free airflow: 0cm² Boxed 102014 102014B Bulk



WOW Seitz S4 windows - Dometic Seitz S4 windows are available from stock. Please speak to your sales contact for more details

All heki rooflights come complete with inner frame. With weather proof ASA frames and PMMA glazing, they are designed to provide excellent protection from the elements. Permanently vented versions are for caravans and those without permanent

ventilation are for motorhomes.

Fitting kit required for Micro Heki



Replacement dome for Mini Heki S 102108



Micro Heki

280 x 280mm **Aperture** Exterior required 430 x 390mm Glazing Double Opening Lever Positions Max angle 50° 1.7kg Weight **Permanantley vented**

For caravans with free airflow:

Pleated flynet only 102073 Pleated flynet & blind 102073A

Non vented

For motorhomes no free airflow: Pleated flynet only 102072 Pleated flynet & blind 102072A

Fitting kit

Adaptor frame 102071 Mini Heki style

With pleated flynet & blind Aperture 400 x 400mm Exterior required 550 x 510mm Glazing Double Opening Lever Positions 50° Max angle Weight 3.3kg

Permanantley vented

For caravans with free airflow: 25-41mm roofs **102080** 43-59mm roofs 102081

Non vented

For motorhomes no free airflow: 25-41mm roofs **102077** 43-59mm roofs 102078

Mini Heki S

With pleated flynet & blind Aperture 400 x 400mm Exterior required 500 x 500mm Single Glazing Opening Handles

Positions

Max angle N/A (80mm open)

Weight 2.9kg Permanantley vented

For caravans with free airflow: 23-41mm roofs **102074** 43-59mm roofs 102075

Replacement dome for Midi Heki **102107**

Replacement dome for Heki 2 **102105**

Replacement dome for Heki 3/4 102106









Midi Heki

With pleated flynet & blind 700 x 500mm Aperture Exterior required 880x 650mm Double Glazing Opening Lever **Positions** 3 Max angle 45° 8kg Weight **Permanently vented**

For caravans with free airflow: White 102084 102084A Grey

Non vented

For motorhomes no free airflow: White 102085

Grey 102085A Heki 2

With roller flynet & blind Aperture 960 x 655mm Exterior required 1080 x 790mm Double Glazing Opening Lever **Positions** 55° Max angle Weight 11kg Permanently vented With free airflow:

Heki 2 De Luxe

No 12v lights

As above with duette (honeycomb) blind and interior lights **Permanently vented**

With free airflow 4 x 12V 5W LED lights

102093

102092

Heki 3 plus

With pleated flynet & duette (honeycomb) blind

960 x 655mm Aperture Exterior required 1080 x 790mm Double Glazing Opening Crank Variable **Positions**

Max angle 70° Weight 15kg Permanently vented

With free airflow: No 12v lights

102096

Fiamma Rooflights





With aluminium Flynet. Handle wheel opening. Aerodynamic shape. For 28-60mm roof thickness. 80cm² permanent air flow. Aperture 280 x 280mm

Exterior required 320 x 340mm Crystal **101097A** White **101097B**



Kit Turbo-Vent 28 F

Converts any Vent 28F into a 12v ventilator/aspirator. Leaves 50cm² permanent air flow. Fan: 12v, 25w, 1.9A max, 180mm ø, 9m³ / minute max air flow

101099A



Vent F Pro

With Flynet and pleated blind. Handle wheel opening. Aerodynamic shape. Double opening arms for reliable, balanced opening and closing. For 28-55mm roof thickness.

100cm² permanent air flow.
Aperture 400 x 400mm
Exterior required 566 x 531mm
Crystal 101100



Fiamma rollo kit 40 x 40 Suitable for fiamma 400 x 400 rooflights, to add a roller blind.

102029





Vent

With Flynet. Handle wheel opening. Aerodynamic shape. For 30-50mm roof thickness.

80cm² permanent air flow.
Aperture 400 x 400mm
Exterior required 455 x 455mm
Crystal 102030C
White 102030W



Turbo-Vent

Manually operated opening with permanent air flow ventilation and a big fan with a 12V DC variable speed motor with 10 blades.

Fan: 12v, 36w, 0.3-3A, 300mm ø, 35m³ / minute max air flow. Includes in/out, on/off switch and "Polar Control" thermostat.

80cm² permanent air flow.

Aperture 400 x 400mm Exterior required 455 x 455mm Crystal 101091 White 101092



Turbo-Vent Premium

Just like the Turbo-Vent but where all functions can be set in motion by a simple finger-touch.

Fan: 12v, 36w, 0.3-3A, 300mm ø, 35m³ / minute max air flow. 80cm² permanent air flow.

Aperture 400 x 400mm Exterior required 455 x 455mm Crystal **101093B** White **101093A**

Replacement domes

Vent (400x400) aeordynamic Crystal 102031C - White 102031W Vent (400x400) non aerodynamic White 102038 Vent 28 before 2019 (280x280)

Crystal 102033C - White 102033W



Vent 50

White

Manually operated opening on all 4 sides with practical handles and with permanent ventilation. Comes with blackout roller blind and fly screen. Aperture 500 x 500mm Exterior required 570 x 570mm Crystal 101104



101102

Fiamma turbo kit

Converts any rooflight (36cm to 48cm) into a 12v ventilator/aspirator.
Fan: 12v, 4w, 0.2-0.33A, 240mm ø, 7.2m³ / minute max air flow 1 cable for lighter type socket and 1 cable for vehicles electric circuit. Can also work on 8 x D batteries not supplied.

101095



Fiamma thermo vent 40Suitable for any 400 x 400 rooflight.
Keeps vehicle cooler in summer and warmer in winter.

102032



Fiamma Universal spoiler
Dimensions 110 x 20 x 12cm
102039
Fiamma Spoiler 40
49cm width to fit 400x400 rooflights

102039A

Fiamma handle extension 102034



Universal extension kit

To suit all Fiamma roof lights 102036



Brevette stays 2 per pack 102162



Roof cowl Truma AK3 801020



Single glazed unit with one way wind

up mechanism. Metal surround. To fit

aperture size: 360mm x 360mm

Mushroom vent

Elixir rooflight

White **102033**

White **102037**

Spare dome only

White dimensions: 110mm Ø, Height 50mm, Fits roof depth 22-54mm 103204



Manufactured from vacuum formed

acrylic. The domes are not pre-drilled

102055

102065

Hit and miss vent

SMISS VERTITATOR

flyscreen

Hit and miss vent and

White 9.5" x 3.5" **103123** White 9.5" x 6.5" **103134**

Rooflight domes

14.5" x 14.5"

18" x 18"



Heki 2 handle compensator



Grille vent White 6.75" x 3.5" **103145** Beige 6.75" x 3.5" **103156**



Dometic GY20 vent

A passive ventilator with easy push/ pull closing action. Creates permanent ventilation to cut down condensation and musty smells 103202



Exterior louvre vent and flyscreen

White 9.5" x 3.5" **103083** White 9.5" x 6.5" **103092**



Exterior louvre vent White 9.5" x 3.5" **103011** Brown 9.5" x 3.5" **103020**

Interior louvre vent White 6.75" x 3.5" **103038** Brown 6.75" x 3.5" **103047**



3" hexagonal vent -pair White **103167** Brown **103178** 10 packs per outer



MPK vent 5038

117mm diameter (overall) 109mm (vent) 103200



Exterior louvre vent White 9.5" x 6.5" **103029**



Kronings NORDIC air-conditioners

Very Powerful - Extremely quiet

Kronings NORDIC air-conditioning systems.

- A2000 air-conditioner
- **K2400** air-conditioner with heat pump
- K3400 air-conditioner with heat pump



WOW Great quality at affordable prices!

These powerful models are low weight, with very efficient, and very silent compressors compared to other products on the market. They are developed to cope with the very warm summer temperatures in Australia, and the very cold winters in the Nordic countries.

The compressor is specially made to be able to heat to your temperature setting with an outside temperature of -4° C, and an outside humidity of 40%, which is almost 10° C lower than other similar systems. They are designed to allow refilling of the cooling liquid. With other products on the market this can be difficult and costly, so Kronings air-conditioners have a longer life span compared to others on the market.

Specifications and key features

The reverse cycle heat pump roof top air-conditioner is a lightweight rooftop style unit.

A reverse cycle air-conditioner has unmatched efficiency and provides one of the most economical forms of heating. The K2400 & K3400 units provide both heating and cooling as well as filtered and dehumidified air.

Its lightweight design makes it suitable for a range of applications that the bigger units are unable to achieve.

The unit has many innovative features:

- Compact Dimensions makes it very versatile internal dimensions 40cm x 40cm the same as standard rooflights
- Up to 70% more heat than element type units by using a refrigerative heat pump
- Ultra low profile ensures less drag when towing and greater clearance under your carport or garage
- Automatic de-ice setting for low ambient heating operation.
- Infra-red remote control







K3400

Model	A2000 COOLING ONLY	K2400 COOLING & HEATING	K3400 COOLING & HEATING
Power Supply	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
Nominal Cooling	2.0kW	2.4kW	3.0kW
Nominal Heating	-	2.4kW	3.4kW
Unit Weight	30kg	31kg	48kg
Rooftop opening	400 x 400mm	400 x 400mm	400 x 400mm
Rooftop unit dimensions	1002 x 567 x 223mm	1002 x 567 x 223mm	1122 x 850 x 223mm
Interior unit dimensions	557 x 536 x 38mm	557 x 536 x 38mm	575 x 515 x 49mm
Power consumption (cool)	750W	920W	1410W
Power consumption (heat)	-	850W	1190W
Current consumption (cool)	3.3Amps	4.0Amps	6.1Amps
Current consumption (heat)	-	3.7Amps	5.2Amps
Part Number	102171	102172	102173









WOW Aventa Compact - Powerful cooling. Why pay for heating twice. Save weight, money and power!



- 1. On/off
- 2. Mode
- 3. Fan speed
- 4. temperature selection
- 5. Clock
- 6. Sleep
- 7. Interior lighting
- 8. Timer
- 9. Resend
- 11. Reset





Aventa compact is designed to fit on the roof of any vehicle. In its performance class, it is also the lightest and quietest roof-mounted air conditioning system on the market. Of course, the cooling power is excellent.

Grey **102163B** Cream **102163A**



Aventa Compact Plus

With the same advantages as Aventa compact, Truma Aventa compact plus has even more cooling power. The vehicle reaches your desired temperature even faster.

Grey **102163CG** Cream **102163C**



Aventa Comfort

Powerful cooling, efficient heating. The Aventa comfort can do more than just powerful cooling. During spring and autumn, you can also use the roof-mounted air conditioning system with integrated heat pump as a heater. And it's extremely energy efficient.

Grey **102166B** Cream **102166A**

Model	AVENTA COMPACT COOLING	AVENTA COMPACT PLUS COOLING	AVENTA COMFORT COOLING & HEATING
Power Supply	230V	230V	230V
Nominal Cooling	1.7kW	2.2kW	2.4kW
Nominal Heating	-	-	1.7kW
Unit Weight	27.5kg	29.5kg	33kg
Rooftop opening	400 x 400mm	400 x 400mm	400 x 400mm
Rooftop unit dimensions	785 x 560 x 265mm	785 x 560 x 265mm	1008 x 660 x 248mm
Interior unit dimensions	556 x 496 x 46mm	556 x 496 x 46mm	670 x 523 x 46mm
Power consumption (cool)	645W	990W	965W
Power consumption (heat)	-	-	850W
Current consumption (cool)	2.8Amps	4.3Amps	4.2Amps
Current consumption (heat)	-	-	3.7Amps
Part Number Grey	102163B	102163CG	102166B
Part Number Cream	102163A	102163C	102166A



Optional sealing frame

For installing a Truma Aventa roofmounted air conditioner. Ensures better sealing of existing holes from the removed rooflight and also assists roof stabilisation.

Reliably seals an area of 460 x 460 mm. **102169**

WOW Easy retrofit through 400 x 400 rooflight, especially with the optional sealing frame **102169**



Roof top air conditioning units

^> DOMETIC



Freshjet

1700 **102183** 2200 **102185**



Remote control. The digital display shows the selected settings, such as temperature, blower speed, battery status, timer etc.



WOW FreshLight - The world's first roof air conditioner with integrated roof window with active ventilation system and single-pleated blackout blind

WOW Both the Freshjet and Freshlight have integrated LED lighting built into the inner frame.

Model	FRESHJET 1700	FRESHJET 2200	FRESHLIGHT 2200
oue.	COOLING & HEATING	COOLING & HEATING	COOLING & HEATING
Power Supply	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
Nominal Cooling	1.7kW	2.2kW	2.2kW
Nominal Heating	0.8kW	1.2kW	2.7kW
Unit Weight	29kg	32kg	42kg
Rooftop opening	400 x 400mm	400 x 400mm	400 x 700mm
Rooftop unit dimensions	787 x 562 x 225mm	787 x 562 x 225mm	1105 x 758 x 210mm
Interior unit dimensions	555 x 470 x 45mm	555 x 470 x 45mm	880 x 550 x 53mm
Power consumption (cool)	620W	950W	950W
Power consumption (heat)	800W	1200W	1200W
Current consumption (cool)	2.7Amps	4.1Amps	4.1Amps
Current consumption (heat)	3.5Amps	5.2Amps	5.2Amps
Part Number	102183	102185	102195





Truma Saphir Compact

Storage box system for smaller vehicles. Lightweight, low power consumption: The Saphir compact is ideal for small and medium-sized vehicles up to 5.5 metres long. The storage box system not only cools the air, but cleans and dehumidifies it at the same time. 102169C



Truma Saphir Comfort RC

Cooling and heating with one device Saphir comfort RC is designed to cool vehicles between 5.5 and up to around 6.5 metres long (more than 1 unit can be used). The device can also be used as a heater with heat pump - thanks to the reversible cooling circulation system. With a heat output of 1700 W, the system generates pleasant warmth, especially during spring and autumn. 102169D



Dometic FreshWell 3000

Conveniently housed in the underbench storage area in motorhomes or caravans, this provides an efficient space-saving air conditioning solution for vehicles up to 8 m in length. 102197A

Model	TRUMA SAPHIR COMPACT COOLING	TRUMA SAPHIR COMFORT COOLING & HEATING	DOMETIC FRESHWELL 3000 COOLING & HEATING
Power Supply	230V	230V	230V
Nominal Cooling	1.8kW	2.4kW	2.7kW
Nominal Heating	-	1.7kW	3kW
Unit Weight	20kg	29.5kg	21kg
Unit dimensions	560 x 400 x 290mm	628 x 400 x 290mm	628 x 400 x 286mm
Power consumption (cool)	645W	965W	965W
Power consumption (heat)	-	850W	850W
Current consumption (cool)	2.8Amps	4.2Amps	4.3Amps
Current consumption (heat)	-	3.7Amps	4.8Amps
Part Number	102169C	102169D	102197A

Air distribution for under bench air conditioning



FreshWell 10m Ducting

Flexible hose for A/C systems, ø 60mm x 10m 102197B



FreshWell circular outlet

Circular air outlet grill kit for A/C systems ø 60mm 102197C



FreshWell Elbow

Underbench 90° elbow for ø 60mm FreshWell ducting 102197D





Consumables

WOW For workshop consumables please order in units of 1 to receive quantity in brackets.



Brake cleaner 500ml aerosols (6) SAS2 1 litre (12) **SAS81**



Zinc spray 500ml aerosols (6) SAS24



Clear fine oil 500ml aerosols (6) **SAS56**



Silicone spray 500ml aerosols (6) SAS8



White grease **PTFE** 500ml aerosol (6) SAS7



Copper grease 500ml aerosols (6) **SAS17**



Clear grease 500ml aerosols (6) **SAS18**



Silicone grease 500ml aerosols (6) **SAS19**



Multi purpose EP grease 400g cartridges (12) **VC181** 5Kg tub **VC182**



Easy flow HD cartridge gun Heavy duty for cartridges up to 400ml. Welded steel, epoxy-coated frame with zinc coated corrosion resistant sliding components.

TL885 Sprayers



Rolson caulking gun Steel skeleton frame, handle with plunger and release lever. Suitable for most 310-380ml cartridges. 55 x 150 x 390mm. Available singly or 12 per outer 107087



Grease gun metal Metal bodied with extension pipe and 4 jaw coupler. 1/8" bsp 2.0cc/stroke. Withstands pressure to 10,000psi. Takes 400g cartridges **TL922**



Chemical sprayer Not suitable for solvents including brake cleaner. 600ml CAN8

Pressol chemical sprayer Heavy duty polyethylene. 750ml capacity.

Fully adjustable nozzle. Suitable for use with cleaning fluids, lubricants and penetrating agents CAN3A

Solvent sprayer

Polyamid pump with viton seals. Polyethylene, 1 litre container. Can be used with brake cleaner **CAN12**



Sealants & adhesives









Dekaseal 8936

A permanently slightly sticky, non-hardening, sealant. Surplus amounts can be easily dabbed away, saving time and avoiding the risk of damaging side panels. Common uses are for sealing of windows, rooflights and overlaps and joints in vehicle construction. Excellent UV-resistance and ageing properties without any pre-treatment. Use Dekaseal for sealing any fixture that may have to be removed in the future for repair or replacement such as windows, access doors, rooflights and panel overlaps. 310ml cartridge

Black 107025 Light Grey 107027 Available singly or 12 per outer

Dekasyl MS2

A multi-purpose adhesive / sealant. Based on MS polymer, it's ideal for fitting equipment such as solar panels, satellite systems, etc to vehicle roofs. It has very high U.V. stability and excellent performance with no need for a primer before application. Use Dekasyl for fitting equipment such as solar panels, satellite domes and TV aerials to vehicle roofs. Extremely high bond strength and elasticity. 290ml cartridge

Black **107020**Grey **107021**White **107022**Available singly or 12 per outer

Dekasyl MS5

With the same finished properties as MS2 with a shorter curing process for use where a high grab strength is required.

Black **107024** White **107023** Available singly or 12 per outer



Dekaphon 9735

An under body and wheel arch protection coating. It does not spray mist when applied, very good resistance to water and abrasion. Can be used on plywood, wood and metal. Use Dekaphon for enhancement and protection. Seals under-carriages and wheel arches, protecting against water ingress. Dekaphon 9750 can also be used as a primer for wood. 500ml aerosol Black **107038**

Available singly or 12 per outer



Dekapur 2K-90

Flexible polyurethane plastic repair adhesive. Can be used on ABS, PMMA, wood, metals, PVC, Polyester and painted metal. Very fast cure, 5 minutes! Easy and cost effective repair. Use Dekapur for bonding sandwich panels and plastic repairs.

50ml Black **107042** Available singly or 24 per outer

Sealant strips

W4 sealing strip

Formulated for the sealing and re-bedding of caravan and trailer tent fittings. Suitable for use on aluminium mouldings, overlap joints, awning rails, exterior lights, window surrounds, grab handles and most external trims.



2.5mm x 5m Retail packs

19mm Grey	107089
19mm White	107092
32mm Grey	107090
32mm White	107093
45mm White	107094



2.5mm x 5m Workshop packs

19mm White 107119 32mm White 107120 45mm White 107121





Sikaflex 512 caravan

Multi purpose non-sag elastic one-part sealant. Resistant to UV radiation, ageing and weathering. Bonds well to many substrates. 310ml cartridge White **107082**

12 per outer



Sikaflex 221

Fast setting one part polysulphide adhesive and sealant. Hardens to a flexible rubber-like consistency.

310ml cartridge White 107080 107081 Black 12 per outer



MK40

Polyurethane sealant and adhesive in one. 310ml cartridge White 107079

12 per outer



IDL mastic sealant

Non-drying bedding sealant. 380ml cartridge Cream **107077** White **107078**

15 per outer



Hodgsons seamseal CV sealant

Non-drying bedding sealant. 380ml cartridge White **107015**

Available singly or 24 per outer



Hodgsons silfix

Silicone sealant with many uses in and around the leisure vehicle e.g. sealing around toilets, shower trays etc.

310ml cartridge

White 107066 Clear 107067 Available singly or 25 per outer

Adhesives and glues



Evo-stik impact

Instant contact adhesive. Multi purpose 30g **107145** 6 per outer



Araldite rapid adhesive 2x15ml tubes (2)

VC393



Araldite rapid adhesive

24ml syringe VC394



SAS activator

Accelerates bonding of super glues. For use on PVCU, metal, glass and plastic. 200ml **SAS325**



Super glue 20g bottle

SAS4950



Bostik super glue Original strong bond 3g

107150

12 per outer



SAS rapid epoxy

Repair compound for fast bonding of metals, glass, most plastics and other materials 24ml SAS450



Specialist Adhesives



Captain Tolley's

Formerly Creeping Crack Cure. Multi-purpose liquid sealant that finds and fixes leaks and seals hairline cracks. Compatible with all caravan building materials. Does not 6 per outer dissolve polystyrene 60ml **107290** 12 per outer



Geocel clear marine sealant

Permanently flexible and waterproof clear silicone rubber sealant. 78g tube 107005



AL-KO red sealant

Used for marking the nut position 107008

Delamination kit

Floor fix 1.5Kg 2 part low odour epoxy adhesive is supplied with a 2.6ltr bucket for mixing, a pack of 20 (approx.) bungs and a syringe for application 107010

Tapes and packaging



Clear stretchfilm pallet wrap Clear 400mm x 300 metres **203034**



Black stretchfilm pallet wrap Black 400mm x 300 metres **203035**



Airsafe bubble wrap 1.5 metres x 100 metres

203036



Carton sealing tape

50mm x 66 metres 6 per outer 203031



Fragile sealing tape

50mm x 66 metres 6 per outer 203030



Sealing tape gun

Tape dispenser 203033



Duct tape

Multi-purpose heavy duty tape for indoor or outdoor use.

10 metres silver. 24 per outer 107316



Gaffa tape

Multi-purpose heavy duty tape for indoor or outdoor use. Silver Available singly or 24 per outer 50 metres **107315**



Double sided adhesive foam tape

Green backing. General purpose tape. Suitable for interioir and exterior use. 25mm x 10 metres **VC404**



Double sided tape

Non-foam type. 12mm x 50 metres **VC406** 25mm x 50 metres **VC408**





0

Workshop cleaning



Optimum ProWipers ResourceRag Textured

A viable alternative to white wiping rags, the ResourceRag is clean, fresh and made to a monster size giving the user a 'real handful' for any wiping application. ResourceRag is chemical free and strong wet or dry. One case of ResourceRag is equivalent in wiping area to 3 x 10kg sacks of rags. 100 rags (460 x 380mm) per box **098212**



Perform Tufwipe smooth

White 1 ply, 400 sheets per roll 21cm x 40cm sheets 1 pack = 2 rolls **098210**



Toilet Rolls

White 2 ply luxury quilted. 1 pack = 40 Rolls **098220**



Hand gel red beaded 5 litres

VC505

Clips and ties



Hellermann cable ties

Black 100 per pack T30R 150mm x 3.5mm **ECT35** 100mm x 2.5mm **ECT81**



Centre-feed blue wipes

Blue 2 ply, 19cm x 150m 1 pack = 6 rolls **098204**



Cable clips

Self adhesive 50 per pack 8mm EAC2 14mm EAC3



Cable tie base

Self adhesive with 2 screw holes. 50 per pack 4.8mm **EAC4**



Blue paper wipes

Blue 2 ply, 26cm x 400m 1 pack = 2 rolls **098208**




P clips

4.8mm 100 per pack 6.0mm 100 per pack 9.0mm 100 per pack 12.0mm 100 per pack 19.1mm 50 per pack EAC405 EAC406 EAC409 EAC412 EAC419



'O'-clips

Double ear 25 per pack 11–13mm OC3 13–15mm OC4 15–18mm OC5



Eurolok cable ties

Silver-grey 100 per pack 295 x 4.8mm **ECTG53** 370 x 4.8mm **ECTG57**



Assortment boxes



'O' rings metric 404 pieces **AB100**



'O' rings metric 325 pieces **AB81**



Heat shrink tubing 50mm lengths 172 pieces **AB103**



Heat shrink tubing 200mm lengths 30 per pack **AP33**



Repair washers 240 pieces AB22



Nylon lock nuts metric 300 pieces **AB15**



Split pins 1000 pieces AB32



Grommet assortment Black PVC. 140 pieces. Includes: 30 x 6.4mm, 8.0mm & 9.5mm, 20 x 11.0mm & 12.5mm, 4 x 15.9mm and 3 x 22.2mm & 25.4mm. 6 per outer **105564**

Screws, rivets etc.





Self tapping screws

Counter sunk . Pozi- Zinc 200 per pack

No.6 ⁵/₈" 16mm No.6 ³/₄" 19mm HTC6/5 HTC6/6 No.6 1" 25mm **HTC6/8** No.6 1½" 38mm **HTC6/12** No.8 5/8" 16mm **HTC8/5** No.8 3/4" 19mm HTC8/6 No.8 1" 25mm **HTC8/8** No.8 11/2" 38mm HTC8/12



Steel rivets

Standard flange 100 per pack 4.8 x 12mm PRS4 PRS5 4.8 x 16.5mm



Pan head screws

Pozi - stainless steel 200 per pack

No.6 x ½" 13mm **HTA6/4** No.6 x ¾" 19mm **HTA6/6** No.6 x 1" 25mm HTA6/8 No.8 x ½" 13mm **HTA8/4** No.8 x ¾" 19mm **HTA8/6** No.8 x 1" 25mm HTA8/8



Peel back rivets

100 per pack

4.8 x 12mm **PR47** 4.8 x 19mm **PR48**



Repair washers

Zinc. M6 x 19mm. Inside ø ¼" x outside ø ¾" 200 per pack HRW14



Split pins

500 per pack $\frac{3}{32}$ " x $1\frac{1}{2}$ " HSP4 250 per pack $\frac{5}{32}$ " x $1\frac{5}{8}$ " HSP1. HSP12

W4 fixings range



No.10

No.10



W4 Counter sunk screws

Counter sunk - Pozi Stainless steel

5 per pack 10 packs per outer ½" 13 x 2.9mm **103432** ½" 13 x 3.5mm **103433** No.4 No.6 ³⁄₄" 19 x 3.5mm 103434 No.6 1" 25 x 3.5mm No.6 103436 3/4" 19 x 4.2mm **103435** No.8 No.8 1" 25 x 4.2mm 103437 ³/₄" 19 x 4.8mm

1" 25 x 4.8mm

103444

103438

'Pack-it' stand complete with 10 of 24 items Part no. 103470 All supplied 10 packs per outer





W4 Pan head screws

Pan head - Pozi Stainless steel

5 per pack 10 packs per outer

.4	½" 13 x 2.9mm	103418
.6	½" 13 x 3.5mm	103419
.6	3/4" 19 x 3.5mm	103420
.6	1" 25 x 3.5mm	103422
.8	½" 13 x 4.2mm	103439
.8	3/4" 19 x 4.2mm	103421
.8	1" 25 x 4.2mm	103423
.10	3/4" 19 x 4.8mm	103441
.10	1" 25 x 4.8mm	103424



Screw Covers (5) Plastic. To fit screw size 6 to 8, 4.2mm, Beige 103447



Cavity fixer rubbér (2) Standard 103429 103431 Long



Polytop Pins (10) 25mm **103428**



Cavity fixer metal (2) 103430



Bulbs



Side & tail bulb

BA15s single contact 10 per pack Carlex bulbs 5w **EB207** 10w **EB245** Ring bulbs

10w **ER245**



Side & tail bulb

BA15d double contact 10 per pack Carlex bulbs 10w **EB209**



Capless bulb

W2 x 4.6D 10 per pack Carlex bulbs 1.2w **EB286**



Stop/flasher bulb BA15s single contact

10 per pack Carlex bulbs 21w EB382



Stop/tail & daylight running bulb

BAY15d double contact 10 per pack Ring bulbs 21/5w **ER380**

Cable connectors

Yellow fits 4 to 6mm² ø cable - Blue fits 1.5 to 2mm² ø cable - Red fits 0.5 to 1.5mm² ø cable



Push-on female

100 per pack Blue 6.3mm ET7 Yellow 9.5mm **ET12**



Insulated female

100 per pack Red 6.3mm ET9 Blue 6.3mm ET10



Push-on male

100 per pack Red 6.3mm **ET36**



Blue 6.3mm ET37



25 per pack Blue 5mm ET92



Bullets

100 per pack Blue 5mm

ET16



Receptacle socket **Butt connector**

100 per pack Red 3.3mm Blue 4.0mm

ET33 ET34 ET35

Ring terminals

100 per pack Blue 6.4mm **ET26 ET30** Yellow 8.4mm Yellow 10.5mm **ET32**



Terminal blocks

12 way 10 per pack 15amp **ETB15** 30amp **ETB30**



100 per pack

Blue 5mm ET19

Copper tube terminals

10 per pack 35mm x 8mm **ET73** 35mm x 10mm **ET74**



Yellow 5.5mm

PVC insulation tape (10)

Electrical insulation tape. Black. Flame retardent to BS 3924 1980 Category 2. 19mm x 20 metres EPT1

Relays

Electrically operated switch that can be used to isolate the auxilliary battery from the vehicle battery.









Fuses



Standard blade fuses 50 per pack

EFX3 3amp 5amp EFX5 7.5amp **EFX7.5** EFX10 10amp 15amp EFX15 20amp EFX20 EFX25 25amp









Tools



Torque wrench ½" drive

- Heat treated steel ratchet head.
- Fully hardened and tempered.
- Chrome plated for corrosion resistance.
- Micrometer type torque range adjustment with flip reverse ratchet mechanism.
- Range 27-200 Nm, 20-150ft.1b. Length 465mm Available singly or 10 per outer 105535



Jobber twist drill bits

HSS "sprint" DIN 338

10 per pack	
1mm	DRM1
1.5mm	DRM1.5
3mm	DRM3
5mm	DRM5



Emery rollBlue twill. 50mm width 80 grit. 50 metre roll WER30



Tape measure with rubber cover

Mini trifold tool kit (26 pieces)

singly or 40 per outer **105573**

Contents: 10 x 25mm bit assortment, magnetic tip screwdriver bit handle, mini long nose pliers, mini side

cutting pliers, tweezers, 4 x 1/4" Dr sockets, 75mm extension

bar, 6 x precision screwdrivers, and hard case. Available

Automatic blade lock, push button retrieval, and belt clip. 12 per outer

5m x 19mm 105539 7.5m x 25mm 105540



Stubby screwdriver set (38 pieces)

Consists of stubby ratchet screwdriver. Sizes include Star T10, T15, T20, T25, T27, T30, T40. Square 1, 2, 3. PZ0, PZ1, PZ2 x 2pcs, PZ3. PH0, PH2 x 2pcs, PH3 Hex H2, 3, 4, 5, 6, 1/8", 5/32", 3/16", 7/32", 1/4" Slot 3, 4, 5, 6, 7mm. 6 per display outer 105516



8" combination plier

Drop forged. Fully polished heads. Double dipped cushion handles. Length 200mm. 10 per display outer 105527



Screwdriver set (4 pieces)

Manufactured from carbon steel, with plastic handles. 1 x 75mm slot 5, 1 x . 38mm slot 6, 1 x 75mm crosspoint PH1, and 1 x 38mm crosspoint PH2. 20 per display outer 105510



Cushion handle screwdriver set (2 pieces)

Consists of: 1 x 100mm crosspoint PH2 and 1 x 100mm slotted 6. Manufactured with Chrome Vanadium shaft and soft cusion grip. 10 per display outer 105517



Side cutting pliersDrop forged. Fully polished heads. Double dipped cushion handles. Length: 180mm. 20 per outer 105531



7" eyelet plier set

Designed to punch and secure eyelets into many materials including sheeting, tarpaulins, and cloth. Complete with 100pc x 7mm eyelets. Length 190mm. 10 per display outer 105502



0

Tools



Trimming knifeMetal bodied, heavy duty with snapoff 18mm blade **TL675**



Safety utility knifeSpring activated blade that automatically returns to case after use. 12 per outer **105545**



Trimming knife blades only Snap-off 18mm for TL675. 10 blades per pack, 10 packs per outer **TL666**



10" adjustable wrenchDrop forged. Heat treated steel. Fully polished jaw faces. Rubber dipped comfort grip handle.
6 per display outer **105533**



Blade dispenser With 100 heavy duty blades TL658



Hex key set (10 pieces) Chemically blackened. Sizes 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, and 10.0mm. Available singly or 10 per outer 105550

Push Locks



Push lock
With one side opening. Cupboard catch opens from outside only
White 103500
Brown 103502
Matt Nickel 103504



Mini push lock
With one side opening. Cupboard catch opens from outside only
White 103522
Brown 103524
Matt Nickel 103526



Push lock double
With dual side opening. Toilet door catch opens from both sides
White 103512
Brown 103514



Button and roseButton 23mm∅ x H 19mm
Rose 38mm∅ x H 7.5mm
Chrome 103528
Brown 103530
Brass 103532
Matt Nickel 103534



Mini button and rose
Button 16mmØ x H 16mm
Rose 24.5mmØ x H 7mm
Matt Nickel 103536
Brown 103538



Catches, hinges and fasteners

WOW All packaged with Grove logo 10 packs per outer



Nylon door retainer 104002



Viva door retainer



Plastic door retainer



Stable door catch Beige 104015



Turn button, spacer & striker
Beige 104030
Ivory 104033



Plastic turnbuckle 104037



Metal turnbuckle



Stable door bolt



Roller catch Brown 104106 White 104107



104108

Double roller catch (2)



Sliding door gliders
5 per pack 104835T



External catch Available singly 104790



Metal cupboard hinge 104200



Metal overhead stay Offset for overlapping doors 104202



Cupboard stay 150mm 104301



Table storage bracket (2) 104187



Flush hinge (2) Bronze 2" (50mm) 104220



Plastic flap hinge (2) 104209



Cranked flush hinge (2) 50mm 104222



Kitchen flap support bracket 104323



0

Door retainers



Door holder Grey 104014

Lever release Black **104797** Grey **104796**

White **104795**

Quick release barrel Black 104798 Grey **104798G**



Hinged veneta door retainer 104803H

W4 Catches and water fittings

All supplied 10 packs per outer unless otherwise stated



Nylon door retainer 104801



Plastic door retainer 104802



Veneta door retainer 104803



Viva door retainer 104848



Extended Viva door retainer 104847



Magnetic catch 104823



Magnetic catch heavy duty 104824



Double roller catch (2) Brown 104817



Rocker catch White 104818



Panco catch White 104819



Roller catch Brown 104821



Mini latch 104822



Plastic turnbuckle 104810



Metal turnbuckle 104811



Glider for sliding door Brown 104835



Plastic hinge (2) Brown 13/4" (45mm) 104825



Flush hinge (2) 2" Bronze 50mm 104826 1½" Brass 38mm 104844



2" Bronze 50mm 104827



Cranked hinge (2) Push-in vent (2) Beige **104815**



Hexagonal vent (2) Beige **104816**



W4 Catches and water fittings

All supplied 10 packs per outer unless otherwise stated





Snap retainer lock 104001 Beige Light grey 104001LB



Cupboard door catch 104302





Push button mini catch 104112



Lever operated mini catch 104109



Mini catch **Strike Plate** 11mm **104110** 15mm **104111**



Cupboard door stops (12) 104871



Suction cup and hook (2) 2 per pack **104859**



Sink Waste plugs (2) 051076 1 ½" Universal self seating 051077



Waste strainer Chromed **051078C** White 051078



Target leveller Adhesive **007297**



Sink top retainer Universal tap



connector 104845



Pipe clip (5) 1/4" (6mm) 104828 5/8" (16mm) **104829** 104830 3/4" (19mm) 1" (25mm) 104831 11/4" (31mm) **104809**



Hose clip (2) 000(8-16mm) **104832** 00 (12-22mm) **104833** 0X (16-27mm) **104834** 1X (25-45mm) 104836



Elbow connector Hose reducer ¹/₂" (12mm) **104805**



3/8" x 1/2" (10 x 12mm) 104837



Y connector ½" (12mm) **104839** ³/₄" (19mm) **104842** 051139 * 28.5mm



Hose connector ½" (12mm) **104838** ³/₄" (19mm) **104841**



T connector ½" (12mm) **104840** ³/₄" (19mm) **104843**



Combination padlock 104813



Air bed plugs 109480



Hose sealing sleeve

23.5mm **104806** 28.5mm **104807**



Turnbuckle set 104870



Turnbuckle spacer 104869



0

W4 Catches and water fittings (W4)

All supplied 10 packs per outer unless otherwise stated



Double roller catch Metal 104857



Pegaline catch 104856



Barrel hinge (2) 104867



Table support catch 104855



Lock cover (2) 104854



Flush hinge Brass 2" (50mm) 104862



Cranked flush hinge Flush hinge Brass 2" (50mm) 104863



with finials (2) Brass 2" (50mm) 104864



Flush hinge with finials (2) Bronze 2" (50mm) 104865



Nylon hinge (2) 2" (50mm) 104868



Cupboard stay 150mm **104846**



Metal cupboard stay 140mm **104853**



Locker stay (1) 130mm **104861**



Wardrobe rail support end (2) 5/8" (16mm) 104850



Brass bolt 2" (50mm) **104872**



Brass necked bolt 2" (50mm) 104873

Awning rail



Aluminium awning rail

4mm opening. 9mm internal diameter, 12mm external. 10 lengths per outer

1.55 metre lengths 105099A 2.12 metre lengths 105099 105099B 2.7 metre lengths



Plastic awning rail Pre-drilled 2.5 metre lengths 10 lengths per outer 105088



Fiamma rail 1 piece 3 metre length 108313E



Blind and rooflight spares





Remis insert type 2 105212



Remis end cap Left 105202 Right 105204



Remis end cap covers



Remis clip grey Closing clip for Remismart 105200



Remis repair kit



Remis mechanism (2)



Remis spring mechanism 105216



Remis mechanism end supports 105218

Window blind spares



Seitz end cap covers



Rail endLeft **105248**Right **105250**



End piece 105240



Retaining hook



Long blind lock



Blind lock 105254



Blind slider & catch 105363



Spring 285mm 105242



Long handle



Mechanism (end) 105236



Clip beige



Retaining knob



Window fittings and accessories

How to measure

Stay lengths are found by measuring between points A and B as shown here.



Fittings for screw on

Screw on lever lock end detail

Blister packed

All Polyplastic window stays are sold blister packed in pairs unless otherwise stated.





Polyfix lever lock end detail



Screw on perma fix end detail



polyfix perma fix end detail

Screw on fittings

Supplied in pairs and with fittings where indicated Tube stays with lever lock & fittings

Size Grove no. 105300 200mm 300mm 105303

Auto stays with lever lock & fittings

Size Grove no. 105305 230mm 105308 280mm

Auto stays with perma-fix end Size Grove no. 210mm 105312 300mm 105315 Lever lock catch screw on

Polyfix fittings

Supplied in pairs unless otherwise stated

Tube stays with lever lock

Grove no. Size 200mm 105350 300mm 105353

Tube stays with perma-fix end

Right hand stay only

Size Grove no. 140mm 105360

Auto stays with lever lock Grove no. Size

230mm 105355



Lever lock catch Polyfix

Othe Window Accessories



Pop-out window stay

Supplied as packed singles with all fittings





Lock plate (2) Large 105326 Small **105324**



End caps Polyplastic (2) Loose, black 105398


Curtain track and fittings



Sprint Track (3m) 5 lengths per outer 105011A



Nylonglyde Track (3m) 5 lengths per outer



Silent gliss Track Top fix (2m) 5 lengths per outer 105071



Silent gliss



Nylonglyde

10 packs per outer

Brackets (5)

105069

Sprint

105033

Gliders (20)

10 packs per outer

Track Face fix (2m) 5 lengths per outer 105070



Sprint End stops (2) 10 packs per outer 105044



Sprint Curtain hooks (25) 20 packs per outer 105055



Nylonglyde Gliders (10) 20 packs per outer 105068



Silent gliss Gliders (25) 10 packs per outer 105072



Nylonglyde End stops (2) 10 packs per outer 105080



Nylonglyde Curtain hooks (25) 20 packs per outer 105055



Silent gliss End stops (2) 10 packs per outer 105074



Silent gliss Curtain hooks (25) 10 packs per outer 105073



Visa Top track (2m) 5 lengths per outer 105005



Visa Bottom track (2m) 5 lengths per outer 105006



105009 105010



Visa End stops (2) 20 packs per outer 105007

Panel Trims



Panel trim 15mm With single lip. Supplied in 10m lengths Brown **105184** Grey **105186**



Sealing panel trim 15mm With sealing rubber. Supplied in 10m lengths Brown **105188** Grey 105190



200m roll

Door sealing panel trim With sealing bubble for doors. Supplied in 10m lengths Brown **105192** Grey **105194**



Corner trim 16mm 2.2m lengths Brown **105196** Grey 105198

Table strip



Two part table strip length 600mm 105167

Window trim



White plastic supplied in 10m rolls. Please note that the trim is measured by the size of the wood that the trim fits over and not the size of the trim.

30mm - 11/5" 105130 35mm - 12/5" 105135 39mm - 1½" 45mm - 1¾" 105139 105145

Battery box seal



Supplied in 2m lengths. Complete with mastic. 105170



Steps




Single step

Rigid metal based step, light in weight but sturdy construction.

H260mm x W395mm x Overall depth 415mm. Capacity 150kg maximum total load. Available singly or 10 per outer 106198







Fiamma step grey

The classic step for caravans and motor homes, made of UV-resistant HD Polythylene for more stability and strength. Non skid surafce. Approved to hold 150kg.

106201G



Fiamma magnum step

Oversized and reinforced step. HxWxD 24 x 58 x 40cm. Top surface - 46x28cm. Approved to hold 200kg. Colour platinum. Available singly or 10 per outer 106201P





Step accessories



Via Mondo step feet (4)

Helps to spread the weight of caravan steps or furniture to protect the groundsheet and prevent sinking into soft ground. Pegging holes also prevents the step from moving. 30mm x 80mm \varnothing

106221



Fiamma LED step light 12v

Low consumption lighting system for the entrance of the motor home, to increase safety of the steps and step wells. Made from anodized aluminium, it can be shortened from 50 to 23 cm

106204



Fiamma step mat magnum

Made from soft and flexible anti-skid UV resistant rubber.

106205

Dimensions 45 x 27cm



Fiamma clean step

Can be adapted to step sizes: Min 38x40cm to Max 45x40cm.

Green 106213 Black 106214



Fiamma table leg system

The 70cm table leg is made from sturdy anodised aluminium – the leg can be cut to reduce height. It is supplied with two plastic caps. The above floor and recessed bases are also aluminium and supplied with self-threading fixing screws. There is also a reinforced and more stable tripod base for outside use.

106001 Table leg 70cm aluminium Above floor base aluminium 106024 Recessed base aluminium 106036 Cap for recessed base 106038 106039 Tripod base brown Table leg adaptor tube pro 106002



Island table leg system 106004 26" stainless steel 28" stainless steel 106005



Island leg clip 106093



Recessed base 106035



Above floor base



Free standing table legs Folding table leg, powder

coated steel 660mm high. Square section. Singly or 5 per outer Silver sand 106091 Brown 106092



Tubular steel leg 26". Singly or 5 per outer 106099



Single table leg

27" but can be cut to size required. Singly or 5 per outer 106115




Folding step stool

Stool is designed to fold flat for easy carrying and storage, with a capacity up to 200lbs, also very sturdy and robust. Singly or 12 per outer 106220



Exterior ladders

WOW Non-skid steps




• 30mm diameter, 2mm thick tubes in anodized aluminium

Inside width: 28cmTotal step width: 35cm

Ladders Deluxe 8 and 5D can be folded up while travelling. Ladder DJ is supplied with fixing bars for easy and quick installation on the rear door. It can be combined with Carry-Bike DJ.








Deluxe 8 ladder


Anodized aluminium ladder with 8 steps. It can be folded up while travelling. Weight 5.5kg.

106227



Deluxe 5D ladder


Anodized aluminium ladder with 10 steps. It can be folded up while travelling. Weight 4.9kg. **106225**



Deluxe DJ ladder

Anodized aluminium ladder with 6 steps. Weight 6.5kg.

Deluxe DJ **106228** Deluxe DJ H3 **106228A**




Anodized aluminium ladder with 8 steps. It can be folded up while travelling. Weight 7kg. **106336M**



Interior ladders






Deluxe 4B ladder

High quality aluminium ladder with 4 steps for mansard roofs and sleeping berths. Weight 2.4kg.

106223




Deluxe 5B ladder

High quality aluminium ladder with 5 steps for mansard roofs and sleeping berths. Weight 2.6kg.

106224

Safe ladder









Sturdy anti-theft safety plate for your motorcarvan ladder. Suitable for single and double steps. Delivered as standard with locks and key. Dimensions 23 x 78cm. Weight 1.3kg 106229

Note: Ladder not included



Thermoval screen protectors







- Made with PVC film bonded to a thin foam
- Opening panels to allow in the light (Luxe models)
 Won't wrinkle or tear
- Easy to roll up and storeEasy to fit and remove
- Ultra-quick wipe clean and dryReduces condensation
- 2 year Guarantee

Grove No.	Model	To Fit	
106900	Standard	Peugeot / Fiat / Citreon June 1993 onwards	
106901	Standard	Peugeot / Fiat / Citreon June 2006 onwards	
106902	Standard	Ford Transit June 2006 onwards	
106903	Standard	Ford Transit June 2014 onwards	
106904	Standard	Mercedes June 2006 onwards	
106905	Standard	Renault Master June 2010 onwards	
106906	Standard	VW T5 June 2002 onwards	
106907	Luxe	Peugeot / Fiat / Citreon June 1993 onwards	
106908	Luxe	Peugeot / Fiat / Citreon June 2006 onwards	
106909	Luxe	VW T5 June 2002 onwards	

Thermoval screens are fixed using sucker pads with tongue for easy removal. The suckers can be screwed on to leave the sucker permanently in place. They fix around wing mirrors using buckles. The range will fit a wide variety of makes and models.











HTD Caravan Covers



Full caravan covers

Superior heavy duty breathable 4 ply material allows condensation to evaporate
Outer layer - durable non-woven to give UV and water resistance, but with breathability 2nd layer - Treated non-woven to give UV protection and strength
3rd layer - PE film, enables the cover to breathe but helps with water resistance
Inner layer - Extra soft non-woven material to protect the vehicle's paintwork

Easy to fit (fitting instructions included)

Ideal for winter storage

- UV stable
- Nylon straps for a secure fit
 Elasticated hem for a tailored fit
 Storage bag included
- 2 YKK zips either side for easy access
- 12 months warranty

Standard		
Part No.	Length	Imperial Size
106754	Up to 450cm	Up to 14'9"
106755	450 to 500cm	14'9" to 16'4"
106756	500 to 550cm	16'4" to 18'0"
106757	550 to 600cm	18'0" to 19'8"
106758	600 to 650cm	19'8" to 21'3"
106759	650 to 700cm	21'3" to 22'11"
106760	700 to 750cm	22'11" to 24'7"







253cm wide Extra wide			
Part No.	Length	Imperial Size	
106761	Up to 650cm	19'8" to 21'3"	
106762	650 to 700cm	21'3" to 22'11"	
106763	700 to 750cm	22'11" to 24'7"	
106764	750 to 800cm	24'7" to 26'2"	

Caravan Cover

-*****

213cm wide		
wide	Extra narro	ow
Part No.	Length	Imperial Size
106750	Up to 450cm	Up to 14'9"
106751	450 to 500cm	14'9" to 16'4"
106752	500 to 550cm	16'4" to 18'0"
106753	550 to 600cm	18'0" to 19'8"



HTD Motorhome Covers




breathability
2nd layer - Treated non-woven to give UV protection and strength
3rd layer - PE film, enables the cover to breathe but helps with water resistance

- Easy to fit (fitting instructions included)
- Ideal for winter storage
- UV stable
- Nylon straps for a secure fitElasticated hem for a tailored fit
- Storage bag included2 YKK zips either side for easy access
- 12 months warranty

Motor home covers				
Part No.	Length	Imperial Size		
106765	Up to 550cm	Up to 18'0"		
106766	550 to 600cm	18'0" to 19'8"		
106767	600 to 650cm	19'8" to 21'3"		
106768	650 to 700cm	21'3" to 22'11"		
106769	700 to 750cm	22'11" to 24'7"		
106770	750 to 800cm	24'7" to 26'2"		









Motorhome Cover



HTD Mirror Protectors

Protect-it

Protect your wing mirrors as well as your wallet. Protect, upgrade, customize!

- Helps to prevent damage to wing mirrors. Improves the appearance of the vehicle, covers existing damage with a professional gloss lacquer finish.
- Easy to fit, simply stick on to the mirror housing without the need for any additional tools. Extra strong double-sided permanent adhesive tape for protection against theft
- Impact resistant up to 90kmph against stationary and moving objects
- •Set of 2

S

For Fiat Ducato, Peugeot Boxer and Citroen Relay (Jumper) models manufactured after 2006

Coachbuilt (motorhome) version for long arm mirrors

120171W White Black 120171B Chrome **120171C**

Utility (campervan) version for short arm mirrors

120170W White Black 120170B Chrome **120170C**













Accessories



Motorhome dirt skirt

Keeps the rear of the motor home including windows and cycles clean, protecting against dirt, splashes and slush. Kit contains 2 lengths of dirt skirt 122cm wide x 57cm deep

106400



W4 Hi-vis cargo straps A pair of highly visible, quick to use velcro straps. Simply thread the strap through the nylon buckle, adjust to size and fasten it back on itself. Length 400mm

109514



W4 Cargo straps

A pair of retaining straps (3m approx) with durable nylon grip-lock buckles won't mark or scratch

109513



Fiamma covers



Cover Premium M For motor homes up to 7.1m long Dimensions 7.16 x 2.59 x 2.74m Weight 10kg 106870A

Cover Premium L

For motor homes up to 8m long Dimensions: 8.08 x 2.59 x 2.74m Weight 11kg 106872A



Fiamma Thermoglas XXL Ducato

For Fiat Ducato after 06/2006 Weight 11kg 106466



Fiamma Wall Cabin

For fiat Ducato after 06/2006 Dimensions: 182 x 150cm Weight 1.8kg **106470**



Rear Door Cover Fiat Ducato 106893

(Citroën Jumper, Peugeot Boxer and Mercedes Sprinter high roof after 06/06) Comes with: Double rail, awning with sides and front panel, rafter for increased stability and an elastic tension kit

VW T5 106895

Comes with: Set of floor poles, complete enclosure, set of pegs and an elastic tension kit.

Canopy poles 106897

Set of aluminium poles to extend the door





Fiamma Cover Top

Sturdy and hard wearing cover made with UV resistant and heavy duty vinyl to protect the motor home from dirt and sun. Easy to tighten using ropes or elastic cords (not included). Reinforced corners and tie down grommets.

Dimensions: 8.5 x 5.2m.

Weight 6kg

106875




Fiamma Coverglas XL Ducato

For Fiat Ducato after 06/2006 Weight 3.5kg 106465



Fiamma Draught skirt

- 1 Motorhome: L 550cm H 60cm
- 2 Caravan: L 450cm H 60cm
- 3 VW T5/T6: L 250cm H 42cm
- 4 Fiat Ducato: L 397cm H 55cm
- 5 VW T5/T6 Rear
- 6 Fiat Ducato Rear









Wall mounted awnings 108232H 98655-556 Lead bar end cap LH 108279I 98655-582 98655-557 98655-581 Lead bar end cap RH Lead bar end cap LH Lead bar end cap RH F45s white F45s white F45L white F45L white 108231BB 108232G 108231BA 05139-01-Lead <u>bar</u> end cap LH 05139A01-Lead bar end cap RH F45i white 04384-01A 04384A01A Lead bar end cap LH Lead bar end cap RH F45iL grey F45iL grey F45i white 108232FD 98655-257 Lead bar end cap LH F45Ti / ZIP white 108232FB 98655-259 Lead bar end cap RH F45Ti / ZIP white 108232HB 98655-157 98655-159 Lead bar end cap RH Lead bar end cap LH F45i white F45i white Ħ N 108232B 98655-550 108269 108268 108232A 98655-054 98655-056 98655-549 Knuckle complete LH Knuckle fixing kit RH F45s / F70 / ZIP Knuckle complete RH Knuckle fixing kit LH F45s / F70 / ZIP F45i / F45Ti / ZIP F45i / F45Ti / ZIP Ħ 108270A 98655-053 108232P 98655-552 Knuckle RH 108270B 98655-551 Knuckle LH 98655-052 Knuckle complete LH Knuckle complete RH F45iL / F65 F45iL / F65 F45s / F70 / ZIP F45s / F70 / ZIP 108232F 98655-263 108232E 98655-261 108178 98655-171 108174 98655-452 Lower leg clamp kit F45s / Caravanstore Knuckle fixing kit LH F45Ti / F45L / ZIP Knuckle fixing kit RH F45Ti / F45L / ZIP Screw leg clamp 108232HC 98655-036 108265B 98655-094 98655-265 98655-267 Leg stop plate lead bar Wall brackets for telescopic Knuckle LH Knuckle RH F45i/Ti/iL/ZIP F45Ti / F45L / ZIP handle (2) F45Ti / F45L / ZIP



Wall mounted awnings 108232J 98655-050 108265A 98655-176 108265 108279G 98655-728 98655-583 Roller tube support Plastic legs pins (2) Wall bracket kit plastic (2) Wall bracket kit alu (2) 108178A 98655-217 1082310 98655-757 108232N 98655-763 108232L 98655-575 108232K 98655-576 Leg top (LH or RH) F45i / F45Ti / F65 Leg top kit (LH & RH) F45L Leg top (LH or RH) Leg top LH F45s / F70 / F65s / F65L / ZIP Leg top RH F45s / F70 / F65s / F65L / ZIP / ZIP / F45TiL / ZIP F45s 1.5-2.3m 108231N 108231NA 1082320 1082320A 05577A01 05577A01A 06271A01 06271A01A Arm LH F45i 3-4m / F45Ti 3-4.5m / ZIP 3-3.5m Arm RH F45i 3-4m / F45Ti 3-4.5m / ZIP 3-3.5m Arm LH F45s 3-4.5m / F70 4-4.5m / ZIP 3-3.5m Arm RH F45s 3-4.5m / F70 4-4.5m / ZIP 3-3.5m 108232I 06270-08 108232MA 05106-03A Leg RH F45i 3.5-4m / F45Ti 3.5-4.5m / ZIP 3.5m 108232MA 06270-08A 108232M 05106-03-Leg RH F45s 3.5-4.5m / F70 / ZIP 3.5m Leg LH F45s 3.5-4.5m / F70 Leg LH F45i 3.5-4m / F45Ti 3.5-4.5m / ZIP 3.5m / ZIP 3.5m 108232PA 05106-02 108232MB 06270-07A 05106-02A 06270-07 Leg LH F45s 3m / ZIP 3m Leg RH F45i 3m / F45Ti 3m / ZIP 3m Leg RH F45s 3m / ZIP 3m Leg LH F45i 3m / F45Ti 3m / ZIP 3m 108232FC 05695-03 108231Q 98655-123 08231QA 98655-124 05695-03A Leg LH F45TiL / F45L /ZIP Leg RH Case bracket insert LH Case bracket insert RH F45TiL / F45L /ZIP F45i / F45Ti / F45iL / ZIP F45i / F45Ti / F45iL / ZIP





Side/sunview c-clips

(10)

ZIP side rafter 2m




ZIP side rafter 2.5m

98655-349

Privacy peg kit (10)

Privacy fast clip fix







Trigano Awnings



Montreux

All season awning. Roof lining as standard.

Double sided PVC coating, 480 g/m² Roof material Wall material Double sided heavy duty PVC coating,

450 g/m² and 335 g/m² Steel frame with welded and Frame strengthened corners 25mm ø

250cm Depth

Size E (805-840cm)	SM993217
Size F (840-875cm)	SM993218
Size G (875-910cm)	SM993219
Size H (910-945cm)	SM993220
Size I (945-980cm)	SM993822
Size J (980-1015cm)	SM993823
Size K (1015-1050cm)	SM993824
Size L (1050-1090cm)	SM993825
Size M (1090-1130cm)	SM993826
300cm Depth	
Size E (805-840cm)	SM993221
Cizo E (0/10 07Ecm)	CRAGGESTE

Size F (840-875cm) SM993222 Size G (875-910cm) SM993223 Size H (910-945cm) SM993224 Size I (945-980cm) SM993827 Size J (980-1015cm) SM993828 Size K (1015-1050cm) SM993829 Size L (1050-1090cm) SM993830 Size M (1090-1130cm) SM993831



 Roof material PVC coated, 420 g/m² Wall material PVC coated 335 g/m²

Steel frame 25mm ø, fibreglass optional Frame

250cm Donth

250cm Deptn	
Size B (700-735cm)	SM9811182
Size C (735-770cm)	SM9811183
Size D (770-805cm)	SM9812161
Size E (805-840cm)	SM9812162
Size F (840-875cm)	SM9812163
Size G (875-910cm)	SM9813200
Size H (910-945cm)	SM9813201
Size I (945-980cm)	SM9816284
Size J (980-1015cm)	SM9816285
Size K (1015-1050cm)	SM9816286
Size L (1050-1090cm)	SM9816287
Size M (1090-1130cm)	SM9816288



Sicile

Half PVC and half polyester

Roof material Single sided coated woven polyester,

240 g/m²

 Wall material Woven polyester 180 g/m², with PVC

coating 335 g/m²

Frame Steel frame 25mm ø, fibreglass optional

270cm Depth

Size B (700-735cm)	SM9811184
Size C (735-770cm)	SM9811185
Size D (770-805cm)	SM9812164
Size E (805-840cm)	SM9812165
Size F (840-875cm)	SM9812166
Size G (875-910cm)	SM9813202
Size H (910-945cm)	SM9813203
Size I (945-980cm)	SM9818141
Size J (980-1015cm)	SM9818142
Size K (1015-1050cm)	SM9818143
Size L (1050-1090cm)	SM9818144
Size M (1090-1130cm)	SM9818145



Half PVC and half polyester

Roof material Single sided coated woven polyester,

240 g/m²

Wall material Woven polyester 180 g/m², and 335 g/m²

coated polyester

Steel frame 25mm ø, fibreglass optional Frame

240cm Depth	
Size A (665-700cm)	SM9811178
Size B (700-735cm)	SM9811179
Size C (735-770cm)	SM9811180
Size D (770-805cm)	SM9812158
Size E (805-840cm)	SM9812159
Size F (840-875cm)	SM9812160
Size G (875-910cm)	SM9813198
Size H (910-945cm)	SM9813199
Size I (945-980cm)	SM9816279
Size J (980-1015cm)	SM9816280
Size K (1015-1050cm)	SM9816281
Size L (1050-1090cm)	SM9816282
Size M (1090-1130cm)	SM9816283





Woven polyester with coated patterned roof
• Roof material Single sided coated woven polyester,

180 g/m²

Woven polyester 180 g/m² Wall material

Steel frame 25mm ø, fibreglass optional Frame

250cm Depth

Size H (910-945cm)	SM9813197
Size I (945-980cm)	SM9816274
Size J (980-1015cm)	SM9816275
Size K (1015-1050cm)	SM9816276
Size L (1050-1090cm)	SM9816277
Size M (1090-1130cm)	SM9816278



Solette VIP

Ten Cate® polyester, 240 g/m², with leather reinforcement 450 g/m². 350cm Depth. Size is the length of the roof. Optional side and front panels available.

Size 490cm 540cm 585cm 630cm 660cm 680cm 725cm 765cm	Nacre White White White M/7615/100 M/7615/101 M/7615/102 M/7615/103 M/7615/105 M/7615/106 M/7615/107	VIP Light grey 7615/90 7615/62 7615/63 7615/64 7615/65 7615/66 7615/66	Premium Dark grey 7615/95 7615/54 7615/55 7615/56 7615/57 7615/58 7615/59 7615/60
Light 490cm 540cm 585cm 630cm 660cm 680cm 725cm 765cm	Side 7615/69 7615/69 7615/69 7615/69 7615/69 7615/69	Door 7615/91 7615/7 7615/8 7615/22 7615/9 7615/9 7615/82 7615/83	Window 7615/92 7615/18 7615/19 7615/23 7615/20 7615/20 7615/84 7615/85
Dark 490cm 540cm 585cm 630cm 660cm 680cm 725cm 765cm	Side 7615/61 7615/61 7615/61 7615/61 7615/61 7615/61 7615/61	Door 7615/97 7615/39 7615/40 7615/41 7615/42 7615/42 7615/80 7615/81	Window 7615/96 7615/33 7615/34 7615/35 7615/36 7615/36 7615/74 7615/75



Miami

Woven polyester roof and PVC walls

 Roof material Single sided coated woven polyester,

240 g/m² PVC coated 335 g/m² Wall material Steel frame 22mm ø Frame

240cm Depth

240cm Depth	
Size A (665-700cm)	SM983139
Size B (700-735cm)	SM983140
Size C (735-770cm)	SM983141
Size D (770-805cm)	SM983731
Size E (805-840cm)	SM983732
Size F (840-875cm)	SM983733
Size G (875-910cm)	SM983658
Size H (910-945cm)	SM983659
Size I (945-980cm)	SM983660
Size J (980-1015cm)	SM983661



Woven polyester, 240 g/m². 240cm Depth SMA6800101 300/380 380/450 SMA6800102 450/540 SMA6800103 SMA6800104 540/610



Solette Luxe

Woven polyester, 240 $\,$ g/m². 240cm Depth. 1 side panel included with window, 1 additional is optional.

micraaca with willacti, i	additional is opt
Size A (665-700cm)	SMA686371
Size B (700-735cm)	SMA686372
Size C (735-770cm)	SMA686373
Size D (770-805cm)	SMA686374
Size E (805-840cm)	SMA686375
Size F (840-875cm)	SMA686376
Size G (875-910cm)	SMA686377
Size H (910-945cm)	SMA686378
Size I (945-980cm)	SMA686379
Size J (980-1015cm)	SMA686380
Optional side window	SM686381



Trigano Awnings



Ocean

100% polyester

 Roof material Coated polyester, 280 g/m²

 Wall material Frame

Polyester 220 g/m² Steel frame 25mm ø

250cm Depth

Locciii Deptii	
Size B (700-735cm)	SMA60312
Size C (735-770cm)	SMA60321
Size D (770-805cm)	SMA60322
Size E (805-840cm)	SMA60331
Size F (840-875cm)	SMA60332
Size G (875-910cm)	SMA60333
Size H (910-945cm)	SMA60334
Size I (945-980cm)	SMA60341
Size J (980-1015cm)	SMA60342
Size K (1015-1050cm)	SMA60343
Size L (1050-1090cm)	SMA60344
Size M (1090-1130cm)	SMA60345



Austral

Breathable polyacyrlic walls and coated polyester roof

 Roof material Coated polyester, 280 g/m²

 Wall material Polyacrylic 280 g/m²

Frame Steel frame 25mm ø

300cm Depth

Size C (735-770cm) SMA60421 Size D (770-805cm) SMA60422 Size E (805-840cm) SMA60431 Size F (840-875cm) SMA60432 Size G (875-910cm) SMA60433 Size H (910-945cm) SMA60434 SMA60441 Size I (945-980cm) Size J (980-1015cm) SMA60442 Size K (1015-1050cm) **SMA60443** Size L (1050-1090cm) **SMA60444** Size M (1090-1130cm) SMA60445



Awning extension

Woven polyester, 220 g/m². 160cm Depth SA680086 Size E-F (805-875cm) Size G-H (875-910cm) SA680087 Size I-J-K (910-1050cm) SA680088 Size L-M (1050-1130cm) SA680089





Atlantique

100% polyester

 Roof material Coated polyester, 280 g/m²

 Wall material Polyester 220 g/m²

Steel frame 25mm ø Frame

270cm Depth

270cm Depth	
Size C (735-770cm)	SMA60143
Size D (770-805cm)	SMA60144
Size E (805-840cm)	SMA60125
Size F (840-875cm)	SMA60126
Size G (875-910cm)	SMA60127
Size H (910-945cm)	SMA60128
Size I (945-980cm)	SMA60136
Size J (980-1015cm)	SMA60137
Size K (1015-1050cm)	SMA60138
Size L (1050-1090cm)	SMA60139
Size M (1090-1130cm)	SMA601310



Goa

100% polyester with double mud wall

 Roof material Coated polyester, 280 g/m²

Wall material Polyester 220 g/m²

Frame Steel frame 25mm ø

270cm Depth

SMA60145
SMA60146
SMA60129
SMA601210
SMA601211
SMA601212
SMA601311
SMA601312
SMA601313
SMA601314
SMA601315



Partiel

Full PVC porch awning.

PVC coated 420 g/m² Roof material

 Wall material PVC coated 450 g/m²

Frame Steel frame 25mm ø

240cm Depth

350cm SM75079 475cm SM750710 600cm SM75085



Samoa

Inflatable porch awning, available in 4 sizes

Fabric Polyester Ripstop 300D PU 5000mm
 Frame Air tubes 10cm ø Thermo-polyurethane

2 rear telescopic steel poles

4 steel canopy poles



Samoa 280



Samoa 350



ACEAB

Samoa 390

Samoa 420

240cm Depth 235-250cm Height

Z-TOCIII DCPUI Z	-55 -50cm ricignic		
280cm Width	3 main beams, 2 cross beams	Samoa 280	SM76221
350cm Width	4 main beams, 3 cross beams	Samoa 350	SM76225
390cm Width	4 main beams, 3 cross beams	Samoa 390	SM76222
420cm Width	4 main beams, 3 cross beams	Samoa 420	SM76227





Lima 300

Lima 410

Inflatable porch awning, available in 2 sizes

Fabric Polycotton Ripstop 300D PU 10000mm
 Frame Air tubes 10cm ø Thermo-polyurethane

2 rear telescopic steel poles

240/290cm Depth 235-250cm Height

300cm Width 3 main beams, 4 cross beams Lima 300 SM76245 410cm Width 4 main beams, 6 cross beams Lima 410 SM76246

Annex 225 x 180cm SM76247 Annex inner SM76244



Inflatable single arch porch awning.

Fabric
 Polyester Ripstop 210D
 PU 5000mm
 1 air tube 10cm ø Thermo-polyurethane
 2 rear telescopic steel poles

250cm Depth 325cm width

235-250cm Height **SM76231**



Indiana

Inflatable porch awning for pop up caravans.

Fabric
 Frame
 Polyester Ripstop 300D
 PU 5000mm
 2 air tubes 12cm ø Thermo-polyurethane
 5 air tubes 10cm ø Thermo-polyurethane

250cm Depth 390 Width

180-220cm Height **SM76212**



Trigano Awnings



Inflatable drive away awning.

Polyester Ripstop 300D Fabric PU 5000mm Frame 2 air tubes 15cm ø Thermo-polyurethane 3 air tubes 15cm ø Thermo-polyurethane

2 central support poles

230cm + 80cm Depth 300cm width 220-250cm Height SM76206 250-280cm Height SM76207



Polyester 190T 68D Fabric PU 3000mm

2 connected air tubes 15cm ø Frame

Thermo-polyurethane

230cm + 80cm Depth 300cm width 180-240cm Height SM76261



Inflatable drive away awning.

Polyester Ripstop 300D Fabric PU 5000mm Frame 2 air tubes 10cm ø Thermo-polyurethane 3 air tubes 10cm ø Thermo-polyurethane

2 central support poles

230cm + 80cm Depth 300cm width 180-220cm Height SM76204 250-280cm Height SM76205



Pop-up freestanding tail-gate awning
• Fabric Polyester 190T 75D PU 2000mm Automatic umbrella frame for ultra fast Frame

pitching and packing up

250cm + 150cm Depth 250cm width **SMA74111** 180-240cm Height



Bivouac car

Fibreglass frame drive away awning. Fabric Ultralight polyester

Frame 11mm ø fibreglass

330cm Depth 300cm width 200cm Height **SMA74101**



Awning Mini Silver For model 270.

Roof material

Wall material

Frame SM71971 Coated woven Polyester 240 g/m² Polyester 240 g/m² Steel frame 25mm ø



Solette Mini Silver

For models 270 and 290.

Material Polyester 180 g/m² Frame Steel frame 19mm ø

SMA680098





Storage annex 200 x 150cm Dual slope PVC coated roof. Inner tent optional. Frame 19mm ø SA76121 Annex S73982 Inner tent



Kitchen annex

190 x 110cm Dual slope PVC coated roof. Inner tent optional. Frame 19mm ø SA72474



Bedroom annex with inner tent

190 x 130cm Woven coated polyester roof. Cotton inner tent included with sewn in groudsheet. Frame 19mm ø SA76111



Inflatable Annex outer for Lima

225 x 180cm Poly Oxford 300D. TPU 10mm ø tube SM76247



Annex inner for Lima

210 x 160cm Polyester 68D. With sewn in groundsheet. **ŠM76244**



Bedroom pack with inner tent

190 x 140cm Woven coated polyester roof. Cotton inner tent with sewn in groudsheet included. Frame 19mm ø SA75274



Trigano windbreak standard

Shelters you from the wind and provides privacy. Fabric: polyester 190T PU 1000 mm. Length: 3 x 145cm

Height: 130 cm Weight: 2.6kg

Open dimensions: 435 x 130 cm

Frame: ø 16 mm steel

SMA925G01

Trigano windbreak XL

Shelters you from the wind and provides privacy. Fabric: polyester 190T PU 1000 mm. Length: 4 x 145cm

Height: 130 cm Weight: 4kg

Open dimensions: 580 x 130 cm

Frame: ø 16 mm steel

SMA925L03





Breathable Awning Carpet

Allows grass to breathe but keeps out bugs and dirt. Washable and rot-proof. Fully eyeletted and hemmed. Comes with a re-useable zipped bag. 2.5m Width. Available singly or in various outers



Deluxe Awning Carpet

Heavy duty. Allows grass to breathe but keeps out bugs and dirt. Washable and rot-proof. Fully eyeletted and hemmed. Comes with a re-useable zipped bag. 2.5m Width. Available singly or in various outers

107906G 107907G 107908G 107909G 107910G 107911G 107912G 107913G 107914G 107915G
107915G 107916G



Deluxe Awning Carpet Striped

Heavy duty. Allows grass to breathe but keeps out bugs and dirt. Washable and rot-proof. Fully eyeletted and hemmed. Comes with a re-useable zipped bag. 2.5m Width. Available singly or in various outers

260cm	107906S
280cm	107907S
350cm	107908S
390cm	107909S
450cm	107910S
500cm	107911S
550cm	107912S
600cm	107913S
650cm	107914S
700cm	107915S
750cm	107916S





Dark Grey Interlocking floor tiles

Interlocking floor tiles (60 X 60 X 1.2cm) with 2 edging strips for each tile. Allows grass to grow while giving a comfortable feel underfoot. Ideal for stoney or rocky ground.
4 Pack 107937

8 Pack * 107937A 107937B * Includes reuseable storage bag

Wood Effect Interlocking floor tiles

Interlocking floor tiles (60 X 60 X 1.2cm) with 2 edging strips for each tile. Allows grass to grow while giving a comfortable feel underfoot. Ideal for stoney or rocky ground.

107938 4 Pack



Via Mondo Pegs packed



Titan Peg 20.3cm (20)

20 heavy duty rock pegs 6.5mm ø in a solid carry case. Steel peg with hi-viz

Available singly or 12 per outer 109306



Rock Peg 23cm (20)

20 heavy duty rock pegs 6mm ø in a solid carry case. Steel peg with cross-

Available singly or 12 per outer 109305



Lunar Peg 20.3cm (20)

20 heavy duty rock pegs 6.5mm ø in a solid carry case. Steel peg with a glowin-the-dark top.

Available singly or 12 per outer 109308



Comet Peg 18.3cm (20)

20 heavy duty screw pegs 7.3mm ø in a solid carry case. Steel peg with hi-viz fixed top and 13mm screw head Available singly or 12 per outer 109312



Screw Peg Adapter

13mm socket to be used with Comet pegs (109312). Poly bagged and header carded. 20 per outer 109313



Meteor Peg 20.3cm (20) 20 heavy duty hard ground pegs 7.3mm ø in a solid carry case. Steel peg with hi-viz fixed top. Available singly or 12 per outer

109310



Steel Round wire Peg 20cm (10)

10 pack of steel tent pegs 4mm ø. Poly bagged and header carded. 24 per outer 109314



Steel Peg Puller 9mm

Strong peg puller with ergonomic handle. Poly bagged and header carded. 20 per outer 109317



Wide Handle Peg Puller 7mm

Peg puller with extra wide handle. Poly bagged and header carded. 20 per outer 109319








Red Plastic Peg 19cm (200) 109301



Titan Peg 20.3cm / 6.5mm (150) 109307



Steel Roundwire Peg 20cm / 4mm (200) 109315



Meteor Peg 20.3cm / 7.3mm (150) 109311



Rock Peg 23cm / 6mm (200) 109316



Lunar Peg 20.3cm/6.5mm (150) 109309



Plastic Peg 22.5cm (200)



Red Deluxe Plastic Peg 28cm (200) 109304



Yellow Spiral Peg 20cm (200) 109303



Heavy Duty Marquee Peg 35cm / 11.4mm (20)
Individually labelled

109318



Dog Anchor 42cm / 8mm

Individually labelled. 6 per outer 109320



Ladder Band 215mm x 26mm (50) 109325



Also available poly bagged in 10's 24 per outer **109324**



Via Mondo Camping Accesssories





Plastic Eyelets 12mm (10)

two halves lock to form a permanent pegging/attachment point. Poly bagged and header carded. 20 per outer





Guyline White 4m / 4mm (4)

4 pack of 4m white guylines, 4mm thick, with tensioners. Poly bagged and header carded. 12 per outer 109329



Tarp Snaps (4)

Push together from either side of the material to form a strong pegging/ attachment point on many types of material. Poly bagged and header carded.

10 per outer 109345



Guyline Yellow 4m / 4mm (4)

4 pack of 4m yellow guylines, 4mm thick, with tensioners. Poly bagged and header carded. 12 per outer 109330



Extra Strong Tarp Snaps (4)

Locking peg forms a strong pegging/ attachment point on many types of material. Poly bagged and header carded.

10 per outer 109346



Guyline Yellow 50m / 3mm

50m roll of yellow guyline, 3mm thick, on a reel. Available singly or 10 per outer 109328



Guyline White 20m / 4mm

20m of white guyline, 4mm thick, comes on a winder. Handle has built in slot for hanging. Available singly or 20 per outer 109327



Guyline Green 20m / 4mm

20m of bright green guyline, 4mm thick, comes on a winder. Handle has built in slot for hanging. Available singly or 20 per outer 109326



STEEL HANDLE CAMPING MALLET PRIMA Then that RANK Then the Ext has been to be a first
Tie Down Kit

Universal tie down kit to help prevent damage to awnings in windy conditions. $1 \times 12m \& 1.5m$ adjustable polypropylene straps, $2 \times 38cm$ steel pegs and $1 \times 15cm$ tension spring. Available singly or 12 per outer 109343

Steel handle Mallet 29.5cm

16oz rubber head with steel handle. Supplied carded for easy hanging. 6 per outer **109322**



Awning Canvas Bag 100 x 42cm. 600D heavy duty, blue. 109550A



Awning Pole Bag 110 x 23.5cm. 600D heavy duty, blue. **109553A**



Awning Tent Peg Bag 32 x 14 x 12cm. 600D heavy duty, blue. **109561A**



Awning Bag 85 x 43 x 43cm. 600D heavy duty, blue. **109550B**



Awning curtains (8 curtains per pack) Good quality 50% polyester, 50% cotton 118g/m². Each curtain measures 134 x 90cm approx. Fitted with clips and sewn in seam for curtain rods. 123455A



Tent and awning poles





Steel verandah bars

Pole clamp on both ends. 25/22mm ø 170-260cm Available singly or 10 per outer **109333**





Steel roof beam

Pole clamp on one end with pole hook on the other. 22/19mm ø 170-260cm

22/19mm ø 170-260cm Available singly or 10 per outer **109335**





Steel pole spike with foot

Pole spike on one end with foot on the other.

22/19mm ø 140-200cm Available singly or 10 per outer **109338**





Steel storm pole with flanged foot

Pole clamp on one end with flanged foot on the other.
Steel 22/19mm ø 170-260cm

Steel 22/19mm ø 170-260cm Available singly or 10 per outer **109341**





Aluminium verandah bar

Pole clamp on both ends. 25/22mm ø 170-250cm Available singly or 10 per outer **109334**





Steel roof beam

Pole clamp on one end with pole hook on the other. 25/22mm ø 170-250cm

25/22mm ø 170-250cm Available singly or 10 per outer **109336**





Steel pole spike with foot

Pole spike on one end with foot on the other.

22/19mm ø 170-260cm Available singly or 10 per outer **109339**





Aluminium storm pole with flanged foot

Pole clamp on one end with flanged foot on the other.

Aluminium 25/22mm ø 170-260cm Available singly or 10 per outer **109342**





Rear pad poles

A set of two poles with foot on one side and flattened end on the other. Holds pads neatly to the wall. Suitable for light weight awnings.

Available singly or 10 per outer **109331**





Aluminium roof beam

Pole clamp on one end with pole hook on the other. 25/22mm ø 170-260cm

Available singly or 10 per outer **109337**





Alu pole spike with foot

Pole spike on one end with foot on the other.

Aluminium 25/22mm ø 170-260cm Available singly or 10 per outer **109340**



Canopy pole set

Complete with 2 x 180cm 19mm steel poles, 2 x guylines and 2 pegs. Suitable for any tent or awning with fitted eyelets.

Available singly or 10 per outer **109332**



Via Mondo / HTD Awning Accessories





Rail Protection Strip

Keeps awning rail clean and free of dirt. Available retail packed with 12m of strip in each pack, or by the roll. Can be easily cut with scissors to offer an exact size for your customer. Loose is priced by the meter but sold by the roll.

105107A

105108

Yellow

Retail packed 12m Loose (50m roll) **White**

Retail packed 12m **105107B**



Suction cup fastener

Suction cup fastener with 2 hooks. Extra strong grip with simple lever action to release.

109494



Awning channeling


6mm 50m roll.

Priced by the meter sold by the roll **109571**



Keder

6mm/4mm 50m roll. Priced by the meter sold by the roll **109572**



Keder

6mm/6mm 50m roll. Priced by the meter sold by the roll **109573**





Wheel Arch Covers

Awning draught skirt with 6mm high quality beading and brass eyelets. Comes with figure of 8 to connect to the draught skirt and 2 suckers to hold it onto the vehicle.

Single **109498A** Double **109497A**






Awning Driveaway Kit

 $3 \times 80 \text{cm}$ lengths Figure 8 and 240cm of 6/4mm back to back keder.

109508B





XL Awning Driveaway Kit

4 x 80cm lengths Figure 8 and 320cm of 6/4mm back to back keder.

109508A



Awning Draught Skirt

Awning draught skirt with 6mm high quality beading and rubber eyelets. Handy cutting guide is stitched on every 50cm to keep measuring and offcuts to a minimum. Priced by the meter but sold by the roll.


50cm depth (50m roll) **109504A** 75cm depth (50m roll) **109504B**





Figure 8
3 lengths of 80cm per pack
109495A





Driveaway Kit

 $3 \times 80 \text{cm}$ lengths Figure 8 and 240cm of 6/6mm back to back keder.

109508C





Magnetic Connecting strips

 3×80 cm lengths Figure 8 and 240cm of 6mm keder with sleeves filled with magnetic strips. Comes with 4m of spare awning cord. **109508D**

Fabric Maintenance





The whole Fenwick's range has been designed with the needs of the caravan, motor home and car owner in mind. Many products have been created from specific requests by satisfied customers.



Awning & Gazebo reproofer

Quickly restores waterproofing qualities to synthetic and canvas awnings, tents and gazebos. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions. 1L covers up to 30m². Far safer than solvent based products, due to the biodegradeable and environmentally friendly properties.

1 litre 108405 10 per outer

Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula. 1 litre **108401** 10 per outer

fabsıl


Waterproofs and mould proofs weathered canvas of all weights: cotton, nylon, terylene fabrics and unpainted leather. It preserves them and keeps them cleaner. As no film is formed the breathing of canvas fabrics and leather is retained. The tinned Fabsil contains a UV protector.



1 litre Reproofer With UV protector 10 per outer 108406



2.5 litre Reproofer With UV protector 6 per outer 108407



5 litre Reproofer With UV protector 3 per outer **108408**



400ml Reproofer 12 per outer **108409**



600ml Reproofer 12 per outer **108410**



Beeswax proofer Clothing reproofer 80g 24 per outer 108415



Fabsil display stands Single display stand 108379



Portable Stoves

CAMPINGAZ



Campingaz Camp Bistro

- Power: 2200 watt
- Size: 35cm x 28cm
- Automatic piezo ignition
- Cartridge safety locking system
- Enamelled pan support
- Aluminium burner
- Convenient plastic carry case
- Operates off CP250 cartridge **109941**



Campingaz Chef

Double burner and grill. Toast rack and drip tray with handle.

- Power: 2 x 1500 watt
- Size (open/closed): 60x40x35 / 59.5x32.5x8.5cm
- Piezo ignition
- 327 g/h consumption
- Lid with latch and carry handle **109940**

W4 Pegs (W4)



Goundsheet Peg (5)

3.5" with hole for peg extractor

10 per outer **108577**



Rippled Peg (5)

5.5" with hole for peg extractor

10 per outer **108594**



Red Plastic Peg (5)

8"

10 per outer **108570**



7"

10 per outer **108593**



Steel Wire (5)

9"

10 per outer **108571**



Steel Rippled Peg (3)

8"

10 per outer **108596**



Heavy Duty Peg

8"

10 per outer **108597**



Awning Peg (5) 8" plus layflat head, wiith

hole for peg extractor. 8 per outer **109482**

8 per outer 109482 Bulk (50) 109483



W4 Peg extractor

For easier removal of tent pegs. 10 per outer **109425**



W4 Reflect-a-line

Reflective strips to fit on guy lines for safety at night.

10 per outer **109423**



Red Plastic Peg 12"

200 per outer **109413**



Awning accessories



Via Mondo awning bracket

Packet of three awning bracket pads designed to fit most makes of awnings. Simply attach to the inside beading, slide to the desired position and lock the clamp to prevent it from moving. The awning frame can then be hooked into the pad. 50 x 56mm

Available singly or 10 per outer 109587



Via Mondo 6mm awning rail end stops (2)

Packet of 2 awning rail stops. 30mm Available singly or 10 per outer 109588



Fiamma Caravanstore end stops (2)

Packet of 2 awning rail stops which prevent the awning from moving in transit 108222



W4 figure 8 channel

Plastic double channel strip to join the wheel cover to the awning skirt. Available singly or 10 per outer Length 750mm 109495 Length 1200mm 109496



Awning pads (3)

Simply glue to inner roof beading to hold awning poles and remove the need to screw awning brackets to the caravan.

Available singly or 10 per outer 109040



W4 awning pole suckers

Replacement rubber suckers. For pole size 3/4" (19mm) 2 per pack, 10 per outer **109489** Bulk (20) **109488**

For pole sizes %" (22mm) & 1" (25mm)

2 per pack 10 per outer 109487 Bulk (20) **109487B**



W4 awning rail lubricant

Makes awnings much easier to thread. Clean the awning channel before application. Can also be applied to ease the fitting and removal of toilet seals.

10 per outer **105100**

W4 Awning rail brush

Useful brush for cleaning or lubricating awning rail.

Available singly or 5 per outer 105085

W4 Awning rail spreader

Simply insert into the awning rail and tap through any troublesome areas. The compact head is especially effective on awkward corners.

10 per outer **105104**

Awning rail care kit

Contains one of each of the above supplied in a handy vinyl pouch 105105



W4 ease-it

A simple tool to make the erection of awnings easier. Attach the reinforced eyelet to your awning then pull through channel with the hooked pole.

Available singly or 10 per outer 109490



W4 awning anti friction pads (2)

A pair of cushioned nylon pads that slide on to the strapping of most awning tie down kits to help prevent vibration and chafing. A simple answer to a constant problem 109511



W4 quick release awning tie down kit

Durable nylon buckle, easy to fit, quick to release. Dual tensioners with 2 heavy duty elasticated cord and snap hooks for easy adjustment. Supplied with two anchors & 10 metres of high tensile strapping Available singly or 10 per outer

109510 **Products**

Tent and awning spares - All packed 10 per outer



Brass eyelets ³/₈" (9.5mm) (20) **108559** $^{1}/_{2}$ " (13mm) (10) 108552



³/₈" (9.5mm) (20) **108560** $\frac{1}{2}$ " (13mm) (10) 108553



Eyelet closing tool Awning skirt studs (5) 108561



Awning skirt studs, Awning popper poppers (5) 108562



closing tool 108578



Self adhesive awning stud (2) Available singly or 5 per outer 109128



Guy line 6 metres 108569



Elasticated cord 5 metres 108590



Guy runners (5) Plastic 108595



Guy runners (5) Metal bent 108554



Guy runners (5) Metal slotted 108555



Airbed plugs (3) 109480



Pole spike ³/₄" (19mm) 108568



Pole ends (2) ³/₄" (19mm) **108583** ⁷/₈" (22mm) **108584** 1" (25mm) **108585**



Gutter clamp (2) 21-23mm **108645** 25-28mm 108646



Pole C clips (2) ³/₄" (19mm) **108566** ⁷/₈" (22mm) **108567**



Pole clamps (2) 3/4" (19mm)**108556** 7/8" (22mm)**108557** 1" (25mm) **108586** 1½"(29mm)**108580**



Pole flanged foot 19mm **108588** 22mm 108647 25mm **108648**



Inner tent clips (3) Rain cowls (2) 3/" (19mm) **108551 108589** 1" (25mm) **108641**





Pole ring with 2 pins (2) 108548



Pole spring joiners (3) 108558



Spring buttons (3) Pole marking kit 108550



108576



Toggled tent band (5) 108579



Tent band large (3) 90mm **108574**



Tent band extra large (3) 150mm **108587**



Inner tent bands (5) 108575



Ladder bands (5) 210 x 25mm 108573



Ball loops 75mm (3) 108549



Bunk bracket with screws 1¹/₄" (32mm) **108591** Bulk **108591B**



Canopy hooks (3) 108581

Awning

108572

brackets (2)



Rope hooks (3) 108582



Pole hanging hooks (3) 108565



Small padlock 108564



Wall mounted 'Pack-it' stand

With optional feet for free standing conversion. Tent & awning 48 hook range 108650

Includes 10 of each of the 48 best selling "pack-it" items. Please speak to your sales contact for more details.



Awning rail screws (10)108563





Awning Accessories



Inner tent tall annexe

Fits all tall annexes and includes a heavy duty reinforced base. 198x130x160cm **109980**



Awning companion

New improved design. Tensions awning poles in seconds with one hand and without the hassle. You will wonder how you ever managed without it! Available singly or 6 per outer 109585

Hercules

Hook the Hercules to the pole at a distance of approximately 15cm from the screw. Let the steel loop rest on the nut. Now see how easy it is to tension your awning correctly 109580



grove



Pole adjusting clamps (2)

grove

Products

10 packs per outer 23mm **109102**

Inner tent clips (6)

For suspending inner tent in awning. 10 packs per outer **109082**





Awning brackets (3)

Supplied with screws. 10 packs per outer 109038

Nylon 'C' clips (4)

10 packs per outer 19mm **109113** 23mm 109124




Aluminium awning rail

10 lengths per outer 1.55m 105099A 2.12m 105099 105099B 2.7m



Plastic awning rail

Pre-drilled 2.5 metre lengths 10 lengths per outer 105088





W4 mosquito netting

Pre-cut lengths of netting for use on windows or rooflights. Complete with fixing kit

101070 1m square 1m x 1.5m 101080 101075 1m x 2m Mosquito fixing kit 101085



W4 Dog Tie-out

10 per outer 109320A 3m 109320B



Multi hook hanger

Useful five hook plastic hanger for tent or awning poles.

Available singly or 10 per outer 109010



Seal repair adhesive 28g

Suitable for most types of fabric. Gives an extremely durable mend. Dries to a flexible finish. Easy to apply. 12 per outer

109449

Bent crossbeam

22/19 mm 170-250cm with 2 clamps 109218

Stretching pole 22/19 mm 166-255cm with 2 clamps 109210





W4 adjustable luggage elastic

Meets BS AU 258:1995. 1 metre length with 1 fixed and 1 self locking hook. 10 per outer **109519**



W4 Luggage elastic

Meets BS AU 258:1995

10 per outer 46cm **109515** 60cm **109516**

76cm **109517** 91cm 109518

Multipurpose rope 30m

Working load limit of 175lbs. Working load limit is a guideline for the maximum allowable weight capacity of a new rope. 6 packs per outer **109436**



Rolson 15ft ratchet tie down

1" strap . 136kg approx. tie down capacity. Trouble free, push button quick release mechanism.

4 per outer 109523

Camping accessories



Folding toaster

23cm diameter with four "sure grip" wire toast holders. Heavy steel plate. Folds flat.

109643



Salt/pepper shaker

Rugged all plastic construction with easy flip-up caps. The bottom is removable for easy filling. 109647



Stainless steel camping mirror

31/4"x41/4" 12 per outer 109762S



Camping mirror

Quality mirror in sturdy, colourful plastic frame. Unique metal hook on back enables mirror to stand, clamp on pole or hang. 5"x7 12 per outer 109762



Egg holders

Protective plastic case for carrying eggs 2 eggs, 6 per outer 109650 6 eggs, singly or 12

per outer 109651

12 eggs, singly or 12 per outer 109652





fold-a-bowl



rollabowl double

Non-slip feeding station helps protect against mess. A complete double food and water bowl with mat. 100% high Grade FDA approved silicone. BPA, Lead and phthalate free. Bacteria and mould resistant. Ideal to feed your pet at home or on the move!

Each bowl holds 1 large beaker of dry food or 1 pint (600ml) of water, or 2 pints if both bowls are used for water - plenty for even the thirstiest of large breed dogs.

The unique patented design ROLLS UP in seconds to the size of a newspaper! Simply clasps together to make a compact portable pet bowl and mat for wherever you want to go with your pet. Includes a handy water-resistant carry case. Dishwasher safe.

Mat: 45 x 27, with 5cm bowl height Rolled up: 27 x 5 x 5cm Singly or 36 per outer Turquoise 124135 Grey 124136

Products

fold-a-bowl single

A unique fold-down design means this portable dog bowl can fit in the palm of your hand! Simply seals with a silicone band to make a compact portable pet bowl for wherever you want to go with your dog (or cat!). Can be used anywhere and even fits in trouser or coat pockets, or tied to a rucksack or belt, with handy Carabina clip!

100% high Grade FDA approved silicone. BPA, Lead and phthalate free. Bacteria and mould resistant. Ideal to feed your pet at home or on the move!

Capacity 300ml. Dishwasher safe. Singly or 36 per outer Olive 124133 Grey 124134



Corner plastic bracket For fibre frame. Reversible 901175



Centre corner plastic bracket For fibre frame 901178



Centre plastic corner For steel frame 901066



Via Mondo awning bracket pads (3) Available singly or 10 per outer 109587



Trifix fixing bracket 901064



Awning bracket 901039



Ball joint 6mm thread 901068



Pole clip For fibre frame 25/28mm 901190



Plastic hooked clip 25mm 901092



Power grip Reversible For fibre frames 901185



Power grip For metal frames 901067



Roof lining / inner tent clip 901121



Pole end 20-22mm 901075



Spiked foot For fibre frame 20/22mm 901195



Grey feet 23-25mm 901084



Rubber rings 40 x 48 x 9mm 901131



Adjustable peg strap 901138



Spring button 22-25mm 901005



Metal clip 20-22mm 901012



Curtain hook annexe 901115




Curtain hooks 901117




Curtain rod end 901119


I-Spy books All packed 6 per outer




Every Vehicle on the Road 120254




On a Car Journey 120245



Cars 120242




On a Road Trip




Camping 120247




Birds 120241




At the Seaside 120246



On a Ferry



On the water



Creepy Crawlies



Dogs 120237


WOW The perfect travelling companion for children

I-spy merchandiser 120265 - free of charge

I-spy 24 pocket spinner 120266 - free of charge



Specialist books and DVDs



Caravan Manual

Content includes guidance on maintaining older caravans as well as detailed information on recent developments 120175



Camping with Kids

Learn to make a moth catcher, cook a world class bacon sarnie and whittle a tent peg. Light a fire from scratch, master a few card tricks and identify constellations.

With 400 cool campsite based ideas on getting back to nature, learn survival skills, weather watching, cooking, bush-craft and just having fun.

120300



AA Atlas Great Britain

A3. Clear 4 miles to 1 inch scale. Fully updated, route planner and 8,000 places to visit. New speed camera locations.

10 per outer 120200

Toys



Sea cruiser transporter 6 per display outer 124074



Motorhome & trailer 6 per display outer 124070



Holiday fun car & caravan 6 per display outer 124069

Bird boxes

Made from high quality waterproof poly-resin. Approximately 20cm width, 13cm height and 10cm depth



1930's Vintage caravan 124080



1950's Vintage caravan



Vintage campervan



Flamingo Caravan 124085



Surfing Campervan 124086

Via Mondo Chairs

3D Padded mesh chairs

Charcoal mesh fabric with padded filler.





DIRECTORS CHAIR

Includes side table

 Seat (W x D):
 50 x 54 cm

 Seat-height:
 44 cm

 Backrest:
 43 cm

 Table size:
 54 x 25.5cm

 Folded:
 85 x 65 x 15 cm

Weight: 3.6 kg Max capacity: 120 kg

6 per outer **107698**



Seat (W x D): 48 x 45 cm
Seat-height: 46 cm
Backrest: 80 cm
Positions: 7

Folded: 109 x 64 x 11.5 cm

Weight: 5.1 kg Max capacity: 120 kg

4 per outer **107697A**



Seat (W x D): 48 x 45 cm
Seat-height: 48 cm
Backrest: 69 cm
Positions: 7

Folded: 93 x 62.5 x 10.5 cm

Weight: 5.3 kg Max capacity 120 kg

2 per outer **107697**



FOOTREST FOR MESH HIGH BACK CHAIRS

6 per outer

Fits 107697 and 107697A 107697AB



Grey

TEXTILENE HIGH BACK

Seat (W x D): 48 x 40 cm Seat-height: 43 cm

Backrest: 80 cm Positions: 6

Folded: 109 x 58 x 20 cm

Weight: 3.25 kg Max capacity: 100 kg

 Lime Green
 2 per outer
 107699L

 Purple
 2 per outer
 107699P

 Charcoal
 2 per outer
 107699C

2 per outer **107699C** 4 per outer **107699G**



Grey patterned version is 8 position

Contemporary designed high quality aluminium frame chairs with a Textilene fabric (PVC coated polyester fibres that are weather and UV resistant)



Via Mondo Tables





Folding camping table

With integrated carry handle.

- Weight: 3.45kg
- Weight limit: 30kg 80 x 60 x 69cms

107709 Grey Charcoal 107709C

Coleman chairs



Standard Quad chair Khaki

Adjustable arm height for comfort. Includes 1 mesh cup holder in armrest. Patented hub on front cross braces provides an easy to open yet stable structure. Plastic feet prevent the chair from sinking in soft ground and there are holes to allow you to peg down the chair - ideal if you get up from the chair in windy conditions

Polyester for abrasion Fabric:

resistance

Frame: Steel, provides a strong

and stable structure Open 74 x 90 x 50 cm

Folded 22 x 94 x 16 cm

Weight: 3.3kg

Max capacity: 113 kg Material: 600D Oxford polyester


Available singly or 6 per outer

107689

Size (WxDxH):

Aluminium slatted folding tables

Comes with carry bag



• Frame: Aluminium 25 mm Ø



Small

- Weight: 3.63kg
- Weight limit: 30kg 80 x 61 x 70cms





Large • Weight: 6.42kg

 Weight limit: 30kg 140 x 81 x 70cms 107702



Leisure table/stool

Handy aluminium stool that transforns into a side table with the addition of the included table top.

- Weight: 1.37kg
- Weight limit table: 30kg
- Weight limit stool: 80kg

40 x 40 x 47cms

107708 Grey Charcoal 107708C



Via Mondo Tables

Folding tables

With solid wood table tops









Large folding table

Adjustable legs

- Weight: 7.5kg
- Weight limit: 30kg 120 x 60 x 50/69cms 107707

Grey Charcoal 107707C

Medium folding table

Adjustable legs
• Weight: 6.9kg

- Weight limit: 30kg 80 x 60 x 50/69cms

107706 Grey Charcoal 107706C



Small folding table

- Weight: 4.02kg
- Weight limit: 30kg 60 x 40 x 50cms

107705 Grey 107705C Charcoal

Via Mondo Camping Cupboards

Via Mondo premium quality quick erect camping cupboards and wardrobe. Featuring a 16/19mm aluminium scissor frame which make them quick and easy to use as well as lightweight.

Made from high quality 600D polyester, the units include removable aluminium edged MDF shelves and


All models come with zipped front doors which can be tied back for easy access, storage pockets on the outside and a handy storage/carry bag







Medium storage cupboard





Storage cupboard with wardrobe

5 aluminium edged MDF shelves included for extra strength with full length hanging area. Weight: 8.5kg HxWxD: 140 x 90 x 52cms



107729



Tall storage cupboard

4 aluminium edged MDF shelves included for extra strength. Weight: 7.5kg HxWxD: 140 x 66 x 52cms

107728



Storage cupboard

2 aluminium edged MDF shelves included for extra strength. Weight 3.85kg HxWxD: 64 x 60 x 45cms 107726

Dukdalf Chairs

The Dukdalf camping furniture range is produced in the Netherlands using Italian designed upholstery.





A stable and compact chair with an ergonomically shaped back and seat. It can be folded to less than 9cm thickness thanks to it's special design. The frame of double reinforced anodised oval aluminium tube makes the chair not only very strong but also very light.

4 per outer

Blue (as illustrated) 107601 Grey 107602 Grey stripe 107603



Very light weight, the Aspen chair has a round aluminium tubular frame. It can be folded to 10cm thickness and reclines in 8 positions. It features a high back with built-in head rest.

2 per outer

Blue 107617 107618 Grey stripe (as illustrated) 107619



Legrest fusion

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. Oval legs.

Dimensions folded: 86 x 49 x 8 cm - Maximum capacity: 25 kg. Available singly or 4 per outer

107613 Blue 107614 Grey



Legrest sampler

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. Tubular legs.

Dimensions folded: 86 x 49 x 8 cm - Maximum capacity: 25 kg.

107623

Available singly or 4 per outer Blue 107621 107622 Grey

Grey stripe




Leisure Vehicle Bedding



These ready made bedding systems are supplied in a sturdy reuseable plastic bag with carry handle and zip. The elasticated fitted sheet simply fits onto the fixed bed, zips onto the top sheet which then zips onto the fitted duvet, providing a neat and tidy bed during the day, and a comfortable

home-like bedding system for sleeping in at night. Includes: 1 x Elasticated and fitted 100% cotton sheet, 1 x 100% cotton top sheet and 1 x Fitted duvet with 100% cotton cover and $250g/m^2$ 100% fire retardent polyester filling, plus 2 square pillow cases.



Part No.	Length (cm)	Width (cm)	Cut off corner*
123170	190	80	
123175	190	140	
123180	210	140	
123185	210	160	
123190	190	140	Right
123195	190	140	Left
Ellipse pattern available from stock			



Sleeping





BI-OME® mattress protectors

The human body releases each night about ½ a litre of liquid in the form of perspiration. This highlights the importance of using mattress and pillow protectors to improve the protection of your bedding and increase its lifespan.

Anti-mite, Anti-bacterial, Anti-mold - Hypoallergenic BI-OME® permanent, non-harmful odour control technology guarantees an optimal freshness and hygiene for all kinds of textiles. How it works!

- 1. Micro-organisms are attracted by the fabric coating.
- 2. Once in contact with the coating, their cell membrane is punctured.
- 3. This deactivates the micro-organism, preventing growth and proliferation.
- Prevents odour formation
- Eliminates all types of micro-organisms (bacteria, algae, fungi)
- Permanent & high wash-durability: functionality remains for the product lifetime
- Tested to both EU and US safety standards

All models - height 30cm.

80/90cm x 190/200cm 130/140cm x 190/200cm 140cm x 210cm 160cm x 210cm Left cut 140cm x 190cm Right cut 140cm x 190cm 145cm x 195cm 160cm x 200cm 123163 123164 123165 123166 123167 123168

COOLPLUS® mattress toppers

Extend the life of your mattress by protecting it from the normal wear of time while improving comfort. It helps provide good ventilation of the mattress and is a barrier against all types of parasites (mites, bacteria, molds). It can also be used as an extra mattress as a temporary solution.

- Removable and washable cover.
- Finished by all around zip.
- Material: Cover: Coolplus 100% polyester mesh Foam: Micro perforated PU foam 32kg/m³
- Micro-perforated ultra breathable high resilience
- Height 5 cm

80/90cm x 190/200cm 130/140cm x 190/200cm 140cm x 210cm 160cm x 210cm Left cut 140cm x 190cm Right cut 140cm x 190cm 145cm x 195cm 160cm x 200cm 123203 123204 123205 123206 123206

Let's Camp childs sleeping bag and pillow



- 66 x 142cm (40x66cm pillow)
- Brushed polyester outer and lining
- 300g/m² polyester hollow fibre filling
- 2 bags zip together to make a double
- Double zip feature (can be opened from the top or bottom)

Available singly or 6 per outer

Let's camp 123024



