

LAVENDA HAND KNIT



437

3 OZS

LAVENDA BABY WOOL

18-20 CHEST

SIXPENCE



MATINEE COATS AND BOOTEES

in Lister's Lavenda 3 Ply or Lavenda Baby Wool

Be sure to buy enough wool to finish the garment. If you run out your dealer may not be able to match it.

EMBROIDERED MATINEE COAT (with matching Bootees)

Materials.

3 ozs. Lister's Lavenda 3 ply, or
3 ozs. Lavenda Baby Wool.
Contrasting wool for embroidery.
Pair each needles Nos. 10 and 12.
4 Buttons.

Measurements.

Width all round at under-
arms 18 ins.
Length from shoulder 10 ins.
Length of undersleeve seam 6 ins.

PATTERNED MATINEE COAT (with matching Bootees).

Materials.

3 ozs. Lister's Lavenda 3 ply, or
3 ozs. Lavenda Baby Wool.
Pair needles No. 10.
Ribbon for Coat and Bootees.
3 Safety Pins.

Measurements

Width all round at under-
arms 20 ins.
Length from shoulder 10 ins.
Length of undersleeve seam 6 ins.

Tension.

7½ sts. and 10 rows equal one inch
(No. 10 needles).

Abbreviations.

K.—Knit; P.—Purl; Sts.—Stitches;

Ins.—Inches; Tog.—Together;

St.st.—Stocking st., which is the
smooth side of one row knit, one
row purl ;

M.—Make a st. by bringing wool
to front of work before a knit st.,
and by wrapping wool round needle
before a purl st.:

Garter st.—Each row knit ;

K2IN.—Knit twice into st., i.e.,
into front and then into back of st.;

K3IN.—K1, p1, k1, into next st.

P2IN.—Purl twice into st., i.e., into
front and then into back of st.

SKPO.—Slip one, knit one, pass
slipped st. over.



EMBROIDERED MATINEE COAT (with matching Bootees).

BACK.

Using No. 10 needles cast on 109 sts.

1st and 2nd rows. Knit.

3rd row. K1, * m1, k1 (p3, k1), four times, m1, k1, repeat from * to end.

4th row. P3, * k3 (p1, k3), three times, p5, repeat from * ending p3, instead of p5.

5th row. K2, * m1, k1 (p3, k1), four times, m1, k3, repeat from * ending k2, instead of k3.

6th row. P4, * k3 (p1, k3), three times, p7, repeat from * ending p4 instead of p7.

7th row. K3, * m1, k1 (p3, k1), four times, m1, k5, repeat from * ending k3 instead of k5.

8th row. P5, * k3 (p1, k3), three times, p9, repeat from * ending p5 instead of p9.

9th row. K4, * m1, k1 (P2tog., p1, k1), four times, m1, k7, repeat from * ending k4 instead of k7.

10th row. P6, * k2 (p1, k2), three times, p11, repeat from * ending p6 instead of p11.

11th row. K5, * m1, k1 (P2tog., k1), four times, m1, k9, repeat from * ending k5 instead of k9.

12th row. P7, * k1 (p1, k1), three times, p13, repeat from * ending p7 instead of p13.

13th row. K6, * m1, k1, P2tog., p1, k1, p1, P2tog., k1, m1, k11, repeat from * ending k6 instead of k11.

14th row. P8, * k2, p1, k2, p15, repeat from * ending p8 instead of p15.

15th row. K7, * m1, k1, P2tog., k1, P2tog., k1, m1, k13, repeat from * ending k7 instead of k13.

16th row. P9, * k1, p1, k1, p17, repeat from * ending p9 instead of p17.

17th row. K8, * m1, k1, K3tog., k1, m1, k15, repeat from * ending k8 instead of k15.

18th row. Purl.

19th row. K9, * K3tog., k17, repeat from * ending k9 instead of k17.

20th row. Purl.

Now work in st.st. (1st row—knit) until work measures 6 ins. from commencement, ending with a knit row.

Next row. P1, * (P2tog.) twice, p1, repeat from * to within 3 sts., P2tog., p1. (66 sts.).

Work 4 rows in k1, p1 rib.

Next row. Knit.

Next row. Purl.

SHAPE ARMHOLES.

Continuing to work in st.st. cast off 3 sts. at beginning of next 2 rows, then K2tog. at each end of following 3 rows. (54 sts.).

Continue in st.st. until work measures 3½ ins. from commencement of armhole shaping.

SHAPE SHOULDERS.

Cast off 9 sts. at beginning of next 4 rows. Cast off remaining sts.

RIGHT FRONT.

Using No. 10 needles cast on 55 sts.

Work 20 rows of pattern as given for Back.

Now work in st.st. (1st row—knit) until work measures 6 ins. from commencement, ending with a knit row.

Next row. * (P2tog.) twice, p1, repeat from * to end (33 sts.).

Next row. K1, * p1, k1, repeat from * to end.

Next row. P1, * k1, p1, repeat from * to end.

Repeat last 2 rows once more. ***

Next row. Knit.

SHAPE ARMHOLE.

Next row. Cast off 3 sts., purl to end.

Continue in st.st., decreasing one st. at armhole edge on next 3 rows (27 sts.).

Continue on these sts. until work measures 2½ ins. from commencement of armhole shaping.

SHAPE NECK. Right side facing.

Cast off 3 sts. at beginning of next row, then K2tog. at same edge on every row until 18 sts. remain.

Continue in st.st. on these sts. until work measures 3½ ins. from commencement of armhole shaping.

SHAPE SHOULDER.

Commencing at armhole edge, cast off 9 sts. at beginning of next and alternate row.

RIGHT FRONT BAND.

With right side of work facing and commencing at lower front edge, rejoin wool and using No. 12 needles pick up and knit 58 sts. evenly to commencement of waist ribbing; and 28 sts. to neck. (86 sts.).

Work one row in k1, p1 rib.

Next row. Rib 58 (K2tog., m1, rib 6) three times, K2tog., m1, rib 2. Work 3 rows more in rib.

Cast off loosely in rib.

LEFT FRONT.

Work as Right Front as far as ***

Next row. Knit.

Next row. Purl.

SHAPE ARMHOLE.

Next row. Cast off 3 sts., knit to end.

Continue in st.st., decreasing one st. at armhole edge on next 3 rows (27 sts.).

Continue on these sts. until work measures 2½ ins. from commencement of armhole shaping.

SHAPE NECK. Wrong side facing :

Cast off 3 sts. at beginning of next row, then K2tog. at same edge on every row until 18 sts. remain.

Continue in st.st. on these sts. until work measures 3½ ins. from commencement of armhole shaping.

SHAPE SHOULDER. As Right Front.

LEFT FRONT BAND.

With right side of work facing and commencing at neck edge, rejoin wool and using No. 12 needles pick up and knit 86 sts. evenly down Front Edge.

Work 5 rows in k1, p1 rib.

Cast off loosely in rib.

SLEEVES.

Using No. 10 needles cast on 37 sts.

Work 20 rows of pattern as given for Back.

Continue in st.st. (1st row—knit) increasing one st. at each end of next and every following 4th row until 51 sts. are on needle.

Continue in st.st. until work measures 6 ins.

SHAPE HEAD.

K2tog. at beginning of next 20 rows. Cast off.

COLLAR.

Using No. 10 needles cast on 55 sts.

Work 20 rows of pattern as given for Back.

Cast off.

Using No. 12 needles rejoin wool and pick up and knit 18 sts. down each side of Collar.

Work 4 rows in k1, p1 rib. Cast off loosely in rib.

BOOTEES.

Using No. 10 needles cast on 37 sts.

Work 20 rows of pattern as given for Back.

Knit one row.

Increase row. (P3, P2IN.) nine times, p1. (46 sts.)

Work 4 rows in k1, p1 rib.

Next row. K1, * m1, K2tog., repeat from * to last st., p1.

Work 3 rows more in rib.

Now divide for instep as follows :

Next row. K30, turn.

Next row. P14, turn.

Work 27 rows in st.st. on these 14 sts.

Right side facing :

Pick up and knit 14 sts. down left side of instep. k16.

Next row. P44, pick up and purl 14 sts. down right side of instep, p16 (74 sts.).

Work 8 rows in st.st.

SHAPE HEEL AND TOE.

1st row. K2tog., k26, K2tog., k14, SKPO, k26, K2tog.

2nd and each alternate row. Purl.

3rd row. K2tog., k24, K2tog., k14, SKPO, k24 K2tog.

5th row. K2tog., k22, K2tog., k14, SKPO, k22, K2tog.

6th row. Purl.

Cast off.

TO MAKE UP.

Pin out and press each piece on wrong side under a damp cloth.

Matinee Coat. Join shoulder, side and sleeve seams.

Sew in sleeves, placing centre of head of sleeve to shoulder seam. Sew collar in position with centre to centre back of neck and ends to each front edge. Sew on buttons to correspond with buttonholes. Press all seams. Embroider as illustrated.

BOOTEES.

Join back and seam under foot. Thread twisted cord through holes at ankle. Press seams.

TO MAKE TWISTED CORD.

Take three strands of wool three times as long as the finished cord is required to be. Knot the three strands together at each end. Place one end over a hook, place a pencil in the other end, and twist in one direction until it will twist no more. Holding each end firmly, knot together, and the cord will twist itself.

PATTERNED MATINEE COAT.

Using No. 10 needles cast on 260 sts. and work in pattern as follows :

Rows 1-5 inclusive. Knit.

6th row. (Wrong side facing) : K6, * P3tog., K3IN., repeat from * to last 6 sts., k6.

7th row. K6, purl to last 6 sts., k6.

8th row. K6, * K3IN., P3tog., repeat from * to last 6 sts., k6.

Repeat these 8 pattern rows twice more, then work 4 rows in Garter st.

Now work in st.st. (1st row—knit) with border of 6 Garter sts. until work measures 6 ins.

Next row. K6, p1, * p1, P2tog., P2tog., repeat from * to within 8 sts., p2, k6 (162 sts.).

Next row. Knit.

Next row. K6, purl to last 6 sts., k6.

Next row. K8, * m1, K2tog., k3, repeat from * to last 9 sts., m1, K2tog., k7.

Next row. K6, purl to last 6 sts., k6.

Next row. Knit.

Next row. K6, purl to last 6 sts., k6.

Right side facing :

1st row. K41, K2tog., turn.

2nd row. Purl to within 6 sts., k6.

3rd row. Knit to within 2 sts., K2tog.

Repeat 2nd and 3rd rows twice more (39 sts.).

Continue on these sts. until work measures 2½ ins. from commencement of armhole shaping, ending with a purl row.

**** SHAPE NECK.**

Next row. K16, slip these 16 sts. onto a safety pin, knit to end of row.

Now K2tog. at neck edge on next 3 rows.

Work on remaining 20 sts. until work measures 3½ ins. from commencement of armhole shaping. Cast off.

Return to remaining sts., rejoin wool and work for Back as follows :

1st row. K2tog., k72, K2tog., turn.

2nd row. Purl.

3rd row. K2tog., knit to within 2 sts., K2tog.

Repeat 2nd and 3rd rows twice more (68 sts.).

Continue on these sts. until work measures 3½ ins. from commencement of armhole shaping, ending with a purl row.

SHAPE SHOULDERS.

Cast off 20 sts. at beginning of next 2 rows. Leave remaining 28 sts. on a spare needle.

Rejoin wool to remaining 43 sts.

Next row. K2tog., knit to end.

Next row. K6, purl to end.

Repeat last 2 rows three times more (39 sts.).

Continue on these sts. until work measures 2½ ins. from commencement of armhole shaping, finishing after a knit row.

Now work from ****** of Right Front to end, but working the first 16 sts. thus : k6, p10, then purl to end of row.

NECKBAND.

Join both shoulder seams. With right side of work facing, and commencing at Right Front Edge, slip 16 sts. from safety pin onto a needle, rejoin wool and pick up and knit 9 sts. to shoulder ; knit across sts. at

back of neck ; pick up and knit 9 sts. down to sts. on safety pin ; and finally knit across these 16 sts. (78 sts.).

Next row. Knit.

Next row. K1, * m1, K2tog., repeat from * ending k1. Cast off.

SLEEVES.

Cast on 32 sts.

Rows 1-5 inclusive. Knit.

6th row. * P3tog., K3IN., repeat from * to end.

7th row. Purl.

8th row. * K3IN., P3tog., repeat from * to end.

Rows 9-12 inclusive. Knit.

Next row. * K3, K2IN., repeat from * to end (40 sts.).

Work in st.st. (1st row—purl) increasing one st. at each end of 2nd and every following 8th row until there are 50 sts. on needle.

Continue without shaping until work measures 6 ins.

SHAPE HEAD.

K2tog. at each end of next 14 rows. Cast off.

BOOTEES.

Using No. 10 needles cast on 40 sts.

Rows 1-5 inclusive. Knit.

6th row. * P3tog., K3IN., repeat from * to end.

7th row. Purl.

8th row. * K3IN., P3tog., repeat from * to end.

Repeat last 8 rows once more.

Knit 5 rows.

Increase row. (P5, P2IN.) six times, p4 (46 sts.).

Work 4 rows in k1, p1 rib.

Next row. K1, * m1, K2tog., repeat from * to last st., p1.

Work 3 rows more in rib.

Now divide for instep as follows :

1st row. K30, turn.

2nd row. K14, turn.

Knit 27 rows on these 14 instep sts.

Right side facing :

Pick up and knit 14 sts. down left side of foot, then k16.

Next row. K44, pick up and knit 14 sts. down right side of instep, k16 (74 sts.).

Knit 8 rows.

SHAPE HEEL AND TOE.

1st row. K2tog., k26, K2tog., k14, K2tog., k26, K2tog.

2nd and alternate rows. Knit.

3rd row. K2tog. k24, K2tog., k14, K2tog., k24, K2tog.

5th row. K2tog., k22, K2tog., k14, K2tog., k22, K2tog.

6th row. Knit.

Cast off.

TO MAKE UP.

Pin out and press each piece on wrong side under a damp cloth.

Matinee Coat. Join sleeve seams. Sew in sleeves, placing centre of head of sleeve to shoulder seam. Thread ribbon through holes at neck and waist. Press all seams.

Bootees. Join back and seam under foot. Thread ribbon through holes at ankle. Press seams.

WASHING HINTS.

1. Dissolve LUX *thoroughly* in warm water.
2. *Gently* squeeze garment in the solution. *Do not rub*, as this would fluff the wool.
3. Do not *stretch* the *wet* garment in any way—support with the hands when lifting from the water.

4. *Rinse in several warm waters thoroughly* to remove soap.
5. Squeeze well.
6. To dry, place on a clean towel on a *flat surface*, mould to shape with the hands, cover with clean paper, and leave to dry.

Lister & Co. Ltd · Manningham Mills · Bradford · England

The prices quoted apply only to Great Britain and Northern Ireland.

G 8130

Lithographed in Britain

